

Please contact Invacare EU Export Customer Services on :-
Tel : +33 2 47 62 69 80 ; Email : serviceclient_export@invacare.com
 Or visit our website : www.invacare.eu.com



Küschall Champion

Active manual scissor folding chair



Description :

- Aluminum frame with hydroformed tubes
- Personalization kit with premium decals
- Angle-adjustable backrest and folding seat with passive seat lock as standard
- Useful seat width up to 500 mm.
- Maximum user weight: 120 kg
- Full weight: from 9.2 kg.
- Transport weight: from 6.7 kg.
- Warranty: 2 years excluding wearing parts



Date :

Purchase Order :

Customer Code :

Distributor Stamp:

Discover our new tool to help calculate overall dimensions and find the visual configurator to make your configuration!

ALL FRAME COLORS & DECALS/STYLINGS FOR FREE UNTIL END OF JUNE!

We reserve the right to deliver a + or - tolerance of +/- 10 mm on all measurements We reserve the right to make technical changes without notice

☐ Please make your selection with a cross in the box

◆ Standard feature

○ Free of charge option

CODE	DESIGNATION	NC : Non Compatible NC : 9999 = not compatible with the reference 9999	Euros	
DHA0031	☐ küschall® Champion®		3 736,49	
SPECIAL CONSTRUCTION				
DHA0000	☐ Myküschall special construction		On Request	
POSITIONING PACKAGE				
DHA0220	Posture And Pressure Relief Package Libra/MX2 Include : ☐ Matrx Libra Cushion (DHA2720) Matrx MX2 Backrest (DHA2300 To DHA2315) Bodypoint Evoflex Belt (Dha7810 To DHA7830)	NC : SW 360 mm only possible with SD 400/420 mm NC 1350, 1405, 1415, 1425, 7230	1222,23	Save 15% by selecting this PACK, i.e. €277,55
DHA0230	Posture And Pressure Relief Package Libra/Elite E2 Include : ☐ Matrx Libra Cushion (DHA2720) Matrx Elite/Elite Deep E2 Backrest (DHA2320-Dha2350) Bodypoint Evoflex Belt (DHA7810 To DHA7830)	NC : SW 360 mm only possible with SD 400/420 mm NC 1350, 1405, 1415, 1425, 7230	910,24	Save 10% by selecting this PACK, i.e. €106,70
SEATING CHOICE				
FRAME				
DHA1150	☐ Frame Angle 75° Aluminium	NC : 1350	◆	
DHA1160	☐ Frame Angle 90° Aluminium	NC : 1350	217,06	
DHA1170	☐ Frame Angle 75° Aluminium - Tapered Front Frame	NC : 1250, 1320, 1325, 7010	○	
DHA1180	☐ Frame Angle 90° Aluminium - Tapered Front Frame	NC : 1250, 1320, 1325, 7010	217,06	
FRAME OPTION				
DHA1250	☐ Champion SK Option : Folding Front Frame - Only With Non Tapered Frame	NC : 1350, 1924 to 1934, 4190, 8700	618,01	

SEAT WIDTH (SW)						
DHA1320	☐	360 mm	NC : 2364, 2366, 2368, 2370, 2372, 2710, 2742, 2744, 2746, 2748, 7000			○
DHA1325	☐	380 mm	NC : 2366, 2368, 2370, 2372, 2742, 2744, 7000			○
DHA1330	☐	400 mm	NC : 2360, 2366, 2368, 2370, 2372, 2744			○
DHA1335	☐	420 mm	NC : 2360, 2362, 2368, 2370, 2372			○
DHA1340	☐	440 mm	NC : 2360, 2362, 2364, 2370, 2372 2740, 2742			○
DHA1345	☐	460 mm	NC : 2360, 2362, 2364, 2370, 2372 2740, 2742, 2744			○
DHA1350	☐	480 mm (only with tapered frame)	NC : 2300, 2305, 2310, 2315, 2345, 2360, 2362, 2364, 2366, 2740, 2742, 2744			○
SEAT DEPTH (SD)						
DHA1405	☐	340 mm	NC : 2710, 2720, 2740, 2742, 2744, 2746, 2748, 2860, 7810, 7820, 7830			○
DHA1415	☐	360 mm	NC : 2710, 2720, 2742, 2744, 2746, 2748, 2860, 7810, 7820, 7830			○
DHA1425	☐	380 mm	NC : 2720, 2744			○
DHA1435	☐	400 mm	NC : 2744			◆
DHA1445	☐	420 mm				○
DHA1460	☐	440 mm	NC : 2740, 2742			○
DHA1470	☐	460 mm	NC : 2740, 2742, 2744			○
DHA1480	☐	480 mm	NC : 2710, 2740, 2742, 2744, 2746, 2748			○
BACK HEIGHT (BH)						
DHA1600	☐	Backrest height according to chosen Matrix backrest			NC : 2200, 2220, 2230	○
DHA1615	☐	300 mm	DHA1620	☐	315 mm	NC : 2200, 2240, 2400
DHA1625	☐	330 mm	DHA1630	☐	345 mm	NC : 2240
DHA1635	☐	360 mm				NC : 2240
DHA1640	☐	375 mm				NC : 2240
DHA1645	☐	390 mm				NC : 2240
DHA1650	☐	405 mm				NC : 2240
DHA1655	☐	420 mm	DHA1660	☐	435 mm	NC : 2240
DHA1665	☐	450 mm	DHA1670	☐	465 mm	NC : 2240
FRONT SEAT-TO-FLOOR-HEIGHT (FSTF) - see table 1 and 2						
DHA1740	☐	450 mm	NC : 1946 to 1960			○
DHA1745	☐	460 mm	NC : 1948 to 1960			○
DHA1750	☐	470 mm	NC : 1950 to 1960			○
DHA1755	☐	480 mm	NC : 1952 to 1960			○
DHA1760	☐	490 mm	NC : 1954 to 1960			○
DHA1765	☐	500 mm	NC : 1956 to 1960			◆
DHA1770	☐	510 mm	NC : 1958, 1960			○
DHA1775	☐	520 mm	NC : 1960			○
DHA1780	☐	530 mm	NC : roues de 3"			○
DHA1785	☐	540 mm	NC : roues de 3" et 4"			○
REAR SEAT-TO-FLOOR HEIGHT (RSTF)						
- SELECT 75° FRAME IF 0 <FSTF - RSTF < 70MM; SELECT 90° FRAME IF 30 <FSTF - RSTF < 100MM						
DHA1815	☐	390 mm	DHA1820	☐	400 mm	NC : 6420, 6430
DHA1825	☐	410 mm	DHA1830	☐	420 mm	NC : 6430
DHA1835	☐	430 mm				◆
DHA1840	☐	440 mm				○
DHA1845	☐	450 mm	DHA1850	☐	460 mm	○
DHA1855	☐	470 mm	DHA1860	☐	480 mm	NC : 6410

For any chair renewal, we advise you to completely redo the measurement. A change in chair generation involves changes in dimensions as well as changes in the positioning of the user.

RSTF / Rear Wheel Size

24" : 390 - 460 mm

25" : 410 - 480 mm


26" : 430 - 480 mm



For any chair renewal, we advise you to completely redo the measurement. A change in chair generation involves changes in dimensions as well as changes in the positioning of the user.



RSTF / Rear Wheel Size
 24" : 390 - 460 mm
 25" : 410 - 480 mm
 26" : 430 - 480 mm

LOWER LEG LENGTH (LLL)							User's LLL must be measured taking away the cushion thickness  LLL = LLL patient - Seat cushion	
- SELECT 75° FRAME IF LLL ≤ FSTF- 30 MM ; SELECT 90° FRAME IF LLL ≤ FSTF- 40 MM								
DHA1924	☐	320 mm	DHA1926	☐	330 mm	NC : 1250		☐
DHA1928	☐	340 mm	DHA1930	☐	350 mm	NC : 1250		☐
DHA1932	☐	360 mm	DHA1934	☐	370 mm	NC : 1250		☐
DHA1936	☐	380 mm				WITH SK OPTION (DHA1250) ONLY IN COMBINATION WITH SD ≥ 400MM		☐
DHA1938	☐	390 mm				WITH SK OPTION (DHA1250) ONLY IN COMBINATION WITH SD ≥ 380MM		☐
DHA1940	☐	400 mm	DHA1942	☐	410 mm			☐
DHA1944	☐	420 mm						☐
DHA1946	☐	430 mm						☐
DHA1948	☐	440 mm	DHA1950	☐	450 mm			☐
DHA1952	☐	460 mm	DHA1954	☐	470 mm			☐
DHA1956	☐	480 mm	DHA1958	☐	490 mm			☐
DHA1960	☐	500 mm						☐
BACKREST								
DHA2140	☐	Angle Adjustable, Forward Folding Backrest With Soft Locking - Backrest Remains In Position During Transfer					☐	
BACK UPHOLSTERY								
DHA2200	☐	Standard Light Upholstered				NC : BH < 330 mm, 2300 to 2357, 2430	☐	
DHA2220	☐	Tension Adjustable Premium Black Back Upholstery With Loop Bands				NC : 2300 to 2357	77,73	
DHA2230	☐	Aero Back Tension Adjustable				NC : 2300 to 2357	258,77	
DHA2240	☐	Without Backrest Upholstery - Mandatory If Ordering Positioning Backrests Like Matrx				NC : 2430	☐	
MATRX BACKRESTS								
DHA2300	☐	Matrx MX2, Height 150 mm With Quick Release Hardware				NC : 2370, 2372, 3480	927,01	
DHA2305	☐	Matrx MX2, Height 230 mm With Quick Release Hardware				NC : 2370, 2372, 3480	927,01	
DHA2310	☐	Matrx MX2, Height 305 mm With Quick Release Hardware				NC : 2370, 2372, 3480	927,01	
DHA2315	☐	Matrx MX2, Height 405 mm With Quick Release Hardware				NC : 2370, 2372, 3480	927,01	
DHA2316	☐	Elite Deep E2 , Height 160 mm With Mini-Set Mounting Hardware				NC : 3480	500,47	
DHA2317	☐	Elite Deep E2 , Height 210 mm With Mini-Set Mounting Hardware				NC : 3480	500,47	
DHA2318	☐	Elite Deep E2 , Height 260 mm With Mini-Set Mounting Hardware				NC : 3480	500,47	
DHA2320	☐	Elite Deep E2 , Height 310 mm With Mini-Set Mounting Hardware				NC : 3480	500,47	
DHA2322	☐	Elite Deep E2, Height 360 mm With Mini-Set Mounting Hardware				NC : 3480	500,47	
DHA2325	☐	Elite Deep E2, Height 410 mm With Mini-Set Mounting Hardware				NC : 3480	500,47	
DHA2330	☐	Elite Deep E2, Height 460 mm With Easy-Set Mounting Hardware				NC : 3480	500,47	
DHA2331	☐	Elite Deep E2, Height 510 mm With Easy-Set Mounting Hardware				NC : 3480	500,47	
DHA2332	☐	Elite E2, Height 160 mm With Mini-Set Mounting Hardware				NC : 3480	500,47	
DHA2334	☐	Elite E2, Height 210 mm With Mini-Set Mounting Hardware				NC : 3480	500,47	
DHA2335	☐	Elite E2, Height 260 mm With Mini-Set Mounting Hardware				NC : 3480	500,47	
DHA2340	☐	Elite E2, Height 310 mm With Mini-Set Mounting Hardware				NC : 3480	500,47	
DHA2345	☐	Elite E2, Height 360 mm With Mini-Set Mounting Hardware				NC : 3480	500,47	
DHA2350	☐	Elite E2, Height 410 mm With Mini-Set Mounting Hardware				NC : 3480	500,47	
DHA2355	☐	Elite E2, Height 460 mm With Easy-Set Mounting Hardware				NC : 3480	500,47	
DHA2357	☐	Elite E2, Height 510 mm With Easy-Set Mounting Hardware				NC : 3480	500,47	



2300, 2305, 2310, 2315



MX2: only 140g more than a tension-adjustable backrest!




2316 to 2331



2332 to 2357

MATRIX BACKRESTS WIDTH CHOICE										
DHA2360	☐	360 mm - Indicative Bust Width 265 mm						☐	 2430	
DHA2362	☐	380 mm - Indicative Bust Width 290 mm						☐		
DHA2364	☐	410 mm - Indicative Bust Width 315 mm						☐		
DHA2366	☐	430 mm - Indicative Bust Width 340 mm						☐		
DHA2368	☐	460 mm - Indicative Bust Width 370 mm						☐		
DHA2370	☐	480 mm - Indicative Bust Width 390 mm						☐		
DHA2372	☐	510 mm - Indicative Bust Width 420 mm						☐		
PUSH HANDLES										
DHA2400	☐	Without Push Handles			NC : BH < 330 mm			☐	 2450	
DHA2410	☐	Push Handles Fixed, Mini						☐		
DHA2420	☐	Push Handles Fixed, Long						☐		
DHA2430	☐	Height Adjustable, Rear Set			NC : 3480			212,32		
DHA2440	☐	Height Adjustable, Integrated						254,03		
DHA2450	☐	Foldable Push Handles						213,27		
BACKREST ANGLE (BA)										
DHA2510	☐	76°	DHA2570	☐	89,5°				☐	 Backrest Angle BA
DHA2530	☐	80,5°	DHA2590	☐	94°				☐	
DHA2550	☐	85°							☐	
SEAT UPHOLSTERY										
DHA2600	☐	STANDARD - CENTRAL LOOP BAND						☐	 2600	
CUSHION & CUSHION OPTIONS										
Cushions										
DHA2700	☐	STANDARD SEAT CUSHION, 60 MM DOUBLE FOAM WITH VISCO TOP			NC : 2810, 2820, 2830, 2840, 2850			101,42	 2700	
DHA2710	☐	FLO-TECH LITE			NC : 2810, 2820, 2830, 2840, 2850			118,48	 2710	
DHA2720	☐	MATRIX LIBRA CUSHION, BLACK SMOOTH COVER - NOT POSSIBLE WITH SD < 400 MM ; SW 360 MM ONLY POSSIBLE WITH SD 400/420 MM			NC: Depth < to 400 mm, width 360 mm possible only with depth 400 and 420 mm			293,84	 2720	
DHA2740	☐	CLASSIC VISCO CUSHION 375 X 400 MM - ONLY FOR USERS WEIGHTING UP TO 50 KG			NC : 2810, 2820, 2830, 2840, 2850			76,78		
DHA2742	☐	CLASSIC VISCO CUSHION 405 X 400 MM - ONLY FOR USERS WEIGHTING UP TO 100 KG			NC : 2810, 2820, 2830, 2840, 2850			65,40	 2740 / 2742 2744 / 2746	
DHA2744	☐	CLASSIC VISCO CUSHION 430 X 430 MM - ONLY FOR USERS WEIGHTING UP TO 100 KG			NC : 2810, 2820, 2830, 2840, 2850			65,40	 2748	
DHA2746	☐	CLASSIC VISCO CUSHION 455 X 400 MM - ONLY FOR USERS WEIGHTING UP TO 100 KG			NC : 2810, 2820, 2830, 2840, 2850			76,78	 2800	
DHA2748	☐	CONTOUR VISCO NG CUSHION			NC : 2810, 2820, 2830, 2840, 2850			76,78		

SEAT OPTION				
DHA2800	☐	Seat Bag, Click In And Removable, Includes The Fixation Clips (7010)		81,52
MATRX LIBRA CUSHION ACCESSORIES				
DHA2810	☐	Fluid Supplement Sac (Pair)		91,00
DHA2820	☐	Tapered Wedge Pair		41,71
DHA2830	☐	Abductor		47,39
DHA2840	☐	Lateral Side Wedge		41,71
DHA2850	☐	Anterior Front Wedge		54,98
SEAT RIGIDIZER				
DHA2860	☐	Seat Rigidizer		56,87
FOOTREST				
Footplate / SW : Straight frame: High mounted footplate not possible for SW 360 mm Tapered frame: High mounted footplate not possible for SW 360 mm - 400 mm				
DHA3240	☐	Flip-Up Footplate, Angle Adjustable, Set To The Front		◆
Calf Strap				
DHA3320	☐	MOUNTED ON SUPPORTER		○
DHA3330	☐	MOUNTED ON FRAME		◆
SIDE GUARDS				
SIDE GUARDS / CLOTHES GUARDS				
DHA3420	☐	Carbon Clothes Guards, Flip Back		◆
DHA3430	☐	Carbon Mudguards, Fixed	NC : 3490	223,70
DHA3440	☐	Carbon Mudguards, Removable	NC : 3490	336,49
ARMREST				
DHA3480	☐	Tubular Armrest, Non-Locking, Height Adjustable, Removable, Swing-Away, Comfort Padded		264,45
DHA3490	☐	Siderest, Height Adjustable, Short Armpad (T-Arm), Non-Locking		253,08
COLOUR OFFERING & CUSTOMIZATION				
COLOUR OFFERING & CUSTOMIZATION				
DHA4000	☐	Space Black (Ral 9005)		○
DHA4010	☐	Anthracite Grey (Ral 7016)		○
DHA4020	☐	Pure White (Ral 9016)	NC : 4220	○
DHA4030	☐	Carmine Red (Ral 3002)		○
DHA4040	☐	Azure Blue (Ral 5017)		○
DHA4060	☐	Flashy Yellow (Ral 1016)		
DHA4070	☐	Atomic Violet - Specific Color Mix, No Ral Definition		
DHA4100	☐	Black Glossy (Ral 9005)		
DHA4130	☐	Silver Grey (Ral 9006)		
DHA4140	☐	Royal Blue - Specific Color Mix, No Ral Definition		
DHA4150	☐	Ruby Red (Ral 3003)		
DHA4170	☐	Dynamite Orange - Specific Color Mix, No Ral Definition		
DHA4180	☐	Forest Green (Ral 6029)		
DHA4050	☐	SPECIAL FRAME COLOUR, ON DEMAND ONLY -Manufacturing time + 10 days: for a color already offered on the other ranges of Invacare manual wheelchairs. WHERE - Manufacturing time + 15 days: for any other request (subject to feasibility) - specify RAL number		473,00
STYLING				
DHA4190	☐	Bold	NC : 4300, 4310	FOR FREE!
DHA4195	☐	Tag	NC : 4200 to 4250	◆
BOLD COLOUR				
DHA4200	☐	BLACK		○
DHA4210	☐	DARK GREY		○
DHA4220	☐	LIGHT GREY		○
DHA4230	☐	RED		○
DHA4240	☐	BLUE		○
DHA4250	☐	GOLD		○
TAG COLOUR				
DHA4300	☐	BLACK		○
DHA4310	☐	RED		○



EXTRA LEAD
TIME +10 DAYS



TAG



BOLD

FRONT WHEEL				
DHA5000	☐	3" SUPERSPORT		○
DHA5050	☐	4" EVERYDAY WHEEL WITH BLACK TYRE		○
DHA5100	☐	4" COMFORT WHEEL WITH BLACK TYRE		○
DHA5150	☐	4" STAREC BLACK HUB, BLACK TYRE		75,83
DHA5150	☐	4" FROGLEGS FRONT WHEEL WITH BLACK HUB, BLACK TYRE		121,33
DHA5250	☐	4" FROGLEGS FRONT WHEEL WITH SILVER HUB, BLACK TYRE		121,33
DHA5300	☐	5" EVERYDAY WITH BLACK TYRE		○
DHA5350	☐	5" COMFORT WHEEL WITH BLACK TYRE		◆
DHA5400	☐	5" STAREC BLACK HUB, BLACK TYRE		103,32
DHA5450	☐	5" FROGLEGS FRONT WHEEL WITH BLACK HUB, BLACK TYRE		147,87
DHA5500	☐	5" FROGLEGS FRONT WHEEL WITH SILVER HUB, BLACK TYRE		147,87
REAR WHEEL POSITION				
DHA6100	☐	1ST FROM FRONT		○
DHA6110	☐	2ND FROM FRONT		○
DHA6120	☐	3RD FROM FRONT		○
DHA6130	☐	4TH FROM FRONT		○
DHA6140	☐	5TH FROM FRONT		○
DHA6150	☐	6TH FROM FRONT		○
DHA6160	☐	7TH FROM FRONT		○
DHA6170	☐	8TH FROM FRONT		○
DHA6180	☐	9TH FROM FRONT		○
QUAD QUICK RELEASE AXLE				
DHA6300	☐	TETRA-CLIP	NC : 6550, 6950	143,13
REAR WHEEL SIZE				
DHA6410	☐	24"		◆
DHA6420	☐	25"	NC : 6500, 6510, 6600, 6630, 6660, 6700, 6710, 6720, 6760, 6770, 6900, 6910, 6950	○
DHA6430	☐	26"	NC : 6500, 6520, 6550, 6600, 6630, 6660, 6720, 6740, 6750, 6760, 6770, 6950	517,54
REAR WHEEL TYPE				
DHA6500	☐	24" ACTIVE WHEELS (BLACK RIM, HUB AND RADIAL SPOKING INCL. ALU HANDRIMS & LIGTH TYRE GREY)	24" NC : All Handrims, 6900, 6910	◆
DHA6510	☐	KUSCHALL STAREC HUB (BLACK RIM AND HUB, BLACK CROSS SPOKING INCL. ALU HANDRIMS & LIGTH TYRE GREY)	24", 26"	○
DHA6520	☐	HIGH PERFORMANCE (BLACK RIM, BLACK STAREC HUB, BLACK CROSS SPOKING INCL. ALU HANDRIMS & LIGTH TYRE GREY)	24", 25" NC : 6660	532,70
DHA6550	☐	SPINERGY LXX (BLACK RIM, HUB AND RADIAL SPOKING INCL. ALU HANDRIMS & LIGTH TYRE GREY)	24", 25" NC : 6660, 6910	771,56
REAR WHEEL TYRE				
DHA6600	☐	MAXXIS LITE GUARD BLACK TYRE (puncture protection)	24"	◆
DHA6625	☐	MAXXIS ALPHA PROTECT BLACK TYRE (puncture protection)	24"	72,04
DHA6630	☐	MBL SPEEDLITE (puncture protection)	24"	72,04
DHA6660	☐	SOLID TYRE BLACK	24" NC : 7230	72,04



5000




5200 / 5250 / 5400 / 5500





5350



5050 / 5300



6300

HANDRIM					
DHA6700	☐	ANTI-SLIP DIST. 3 CM ADJUSTABLE 4CM	24", 26"	142,18	
DHA6710	☐	STEEL, DIST. 3 CM ADJUSTABLE 4CM	24", 26"	113,74	
DHA6720	☐	TITANIUM, DIST. 3 CM ADJUSTABLE 4CM	24"	277,73	
DHA6740	☐	CARBOLIFE GEKKO, WITH ANTI-SLIP DIST. 3 CM ADJUSTABLE 4CM	24", 25"	373,46	
DHA6750	☐	CARBOLIFE GEKKO S, WITH ANTI-SLIP DIST. 3 CM ADJUSTABLE 4CM	24", 25"	373,46	
DHA6760	☐	CARBOLIFE CURVE L WITH ERGONOMIC PROFILE DIST. 3 CM ADJUSTABLE 4CM	24"	282,46	
DHA6770	☐	CARBOLIFE QUADRO, WITH ERGONOMIC PROFILE DIST. 3 CM ADJUSTABLE 4CM	24"	373,46	
DHA6780	☐	LIGHT ALU, GREY, DIST. 3 CM ADJUSTABLE 4CM	24", 25", 26"	◆	
DHA6790	☐	LIGHT ALU, BLACK, DIST. 3 CM ADJUSTABLE 4CM	24", 25", 26"	○	
REAR WHEEL CAMBER					
DHA6820	☐	0°		◆	
DHA6830	☐	1°		○	
DHA6840	☐	3°	NC : 7230	○	
SPOKE GUARDS					
DHA6900	☐	Transparent	24", 26"	200,95	
DHA6910	☐	Black	24", 26"	200,95	
ALBER ADDS ON KIT					
DHA6950	☐	E-MOTION & TWION ADAPTATION PLATE 2 ALBER ANTITIPPERS INCLUDED	Only with 24" wheels NC : 7500, 7510, 7520, 8200	579,15	
<i>Tip : for perfect compatibility of the brakes with the manual wheels, we advise you to equip them with the same coating as the motorized wheels.</i>					
FIXATION CLIPS					
DHA7000	☐	FIXATION STRAP		○	
DHA7010	☐	FIXATION CLIP - HOLDS FRAME TOGETHER IN FOLDED POSITION		◆	
UNFOLDING HELP					
DHA7100	☐	UNFOLDING HELP - TO OPEN FOLDING MECHANISM FROM FRONT		◆	
BRAKES					
DHA7200	☐	PULL BRAKES		○	
DHA7210	☐	STANDARD BRAKES, LEVER BENT		◆	
DHA7220	☐	STANDARD BRAKES, LEVER STRAIGHT		○	
DHA7230	☐	PERFORMANCE BRAKES	NC : 7300, 7810, 7820, 7830	76,78	
DHA7250	☐	ACTIVE BRAKES		145,02	
BRAKE EXTENSION LEVER					
DHA7300	☐	FOR STRAIGHT LEVER BRAKES		76,78	
SAFETY OPTIONS					
Assembly of a maximum of 2 elements per side from the following list: anti-tippers, tipping tubes, cane holder or transit wheels					
ANTI-TIPPER					
DHA7500	☐	ANTI-TIPPER RIGHT	NC : 8300	131,75	
DHA7510	☐	ANTI-TIPPER LEFT	NC : 8300	131,75	
DHA7520	☐	ANTI-TIPPER BOTH SIDES		263,51	
BELTS					
DHA7800	☐	STANDARD BELT - PLASTIC BUCKLE		42,65	
DHA7810	☐	BODYPOINT POSTURE BELT EVOFLEX 2 POINTS, SMALL, FLAT-MOUNT WITH PUSH BUTTON		217,06	
DHA7820	☐	BODYPOINT POSTURE BELT EVOFLEX 2 POINTS, MEDIUM, FLAT-MOUNT WITH REHAB LATCH		217,06	
DHA7830	☐	BODYPOINT POSTURE BELT EVOFLEX, 2 POINTS, LARGE, FLAT-MOUNT WITH REHAB LATCH		217,06	
PASSIVE LIGHTS					
DHA7900	☐	PASSIVE LIGHTS ASSEMBLED (MOUNTED ON SPOKES)		22,75	

ATTENDANT OPTIONS

FRAME PROTECTION

DHA8010	☐	FRONT FRAME PROTECTORS; 2 PC. - REMOVABLE, WITH LOOP BANDS	25,59
TIPPER AID			
DHA8100	☐	TIPPER-AID, RIGHT	66,35
CANE HOLDER Max. 2 adaptations per side (adaptations = anti tipper, cane holder, transit wheels)			
DHA8200	☐	CANE HOLDER, MOUNTED RIGHT	66,35
CANE HOLDER, MOUNTED RIGHT			
DHA8300	☐	TRANSIT WHEELS 3" ONLY IN COMBINATION WITH ANTITIPPER BOTH SIDES (DHA7520)	301,45

OTHERS OPTIONS

DHA8500	☐	AIR PUMP - NEW	33,18
DHA8550	☐	Trousse to outils	22,75
DHA8680	☐	24" MOUNTAIN BIKE WHEELS WITH BAG - MOUNTAIN BIKE WHEELS AND TIRES WITH ALU GREY HANDRIMS ; QUICK RELEASE AXLES INCLUDED	646,45
DHA8700	☐	TRAVEL BAG FOR CHAMPION	432,23
DHA8650	☐	WHEELS BAG (22", 24", 25", 26")	65,40
DHA8750	☐	TRAVEL BAG FOR CHAMPION WITH SK OPTION (FOLDABLE FRONT FRAME)	499,53
DHA8800	☐	BODYPOINT CALF STRAP	104,27
DHA8850	☐	BODYPOINT MOBILITY BAG	104,27



8550



8680



8700

FRAME TYPE AND ANGLE, DIFFERENCE BETWEEN FSTF AND RSTF, FOOTPLATE MOUNTING, SEAT DEPTH AND FRONT WHEEL SIZE

FRAME TYPE AND ANGLE, FSTF, FRAME LENGTH, SEAT DEPTH AND FRONT WHEEL SIZE

		FOOTPLATE SET TO THE FRONT						FOOTPLATE SET TO THE REAR					
		SD340 - SD380			SD ≥ 400			SD340 - SD380			SD ≥ 400		
		3"	4"	5"	3"	4"	5"	3"	4"	5"	3"	4"	5"
75° Frame	0 mm												
	10 mm												
	20 mm												
	30 mm												
	40 mm												
	50 mm												
	60 mm												
	70 mm												
90° Frame	30 mm												
	40 mm												
	50 mm												
	60 mm												
	70 mm												
	80 mm												
	90 mm												
	100 mm												

		Long frame						Short frame					
		SD340 - ST380			SD ≥ 400			SD340 - ST380			SD ≥ 400		
	FSTF	3"	4"	5"	3"	4"	5"	3"	4"	5"	3"	4"	5"
Frame 75°	540	x	x		x			x	x	x	x	x	x
	530	x						x	x	x	x	x	x
	520							x	x	x	x	x	x
	510							x	x	x	x	x	
	500							x	x		x		
	490							x					
	480												
	470												
	460												
	450												
Frame 90°	540	x	x		x			x	x	x	x	x	x
	530	x						x	x	x	x	x	x
	520							x	x	x	x	x	x
	510							x	x	x	x	x	
	500							x	x		x		
	490							x					
	480												
	470												
	460												
	450												

There is no conflict if the lower leg length (LLL) is smaller than "FSTF minus 100 mm"

MATRIX BACKRESTS WIDTH AVAILABLE RANGE

		Matrx Elite E2 / Elite E2 Deep backrest width choice (mm)						
SEAT WIDTH		360	380	410	430	460	480	510
360								
380								
400								
420								
440								
460								
480								

		Matrx MX2 backrest width choice (mm)						
SEAT WIDTH		360	380	410	430	460	480	510
360								
380								
400								
420								
440								
460								
480								

Ramps				
1440530	☐	Fiberglass Folding Mono Ramp Folded dimensions: 2000 x 230 mm 16.3 kg - maximum capacity: 300 kg		1 787,68
1654128	☐	Basic ramp 2 telescopic parts in aluminum and non-slip coating Folded dimensions: 1210 x 194 mm 8.8 kg per pair - maximum capacity: 270 kg		402,84
1654129	☐	Quick2go Compact 3-part aluminum telescopic ramp with non-slip coating Folded dimensions: 870 x 237 mm 13.6 kg per pair - maximum capacity: 260 kg		805,69
1654130	☐	Aluminum Folding Mono Ramp Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg		426,54



1440530



1654128



1654129



1654130