

Küschall® Compact Attract

Please contact Invacare EU Export Customer Services on :-
Tel : +33 247 626980 ; Email : serviceclient_export@invacare.com
Or visit our website : www.invacare.eu.com



küschall COMPACT Attract

Manual active chair in aluminum folding by brace



Description:

- Single or double profiled crosspiece depending on the width
- Retractable and removable stems
- Matrx backrests and cushions available
- Compatible with twion, e-motion and e-Fix technologies
- Maximum user weight: 130kg
- 2-year warranty, excluding wearing parts

Date :

Purchase Order :

Customer Code :

Distributor Stamp:

We reserve the right to deliver a + or - tolerance of +/- 10 mm on all measurements We reserve the right to make technical changes without notice

☐ Please make your selection with a cross in the box ☒ Standard feature ☐ Free of charge option

CODE		DESCRIPTION	NC : Non Compatible NC : 9999 = not compatible with the reference 9999	Euros	
DDY0020	☐	küschall® Compact Attract®		1635,07	
DDY0022	☐	küschall® Compact Attract® Angle-adjustable backrest	NC : Matrx	1752,61	

SPECIAL CONSTRUCTION

DDY0000	☐	Myküschall special construction		On Request	
---------	--------------------------	---------------------------------	--	------------	--

SEATING CHOICE

FRONT FRAME

DDY0211	☐	Standard					◆
Seat width (SW) (SW 360 to 420 mm: single cross / SW 440 to 500 mm: double cross)							
DDY0126	☐	360 mm	DDY0128	☐	380 mm		○
DDY0130	☐	400 mm	DDY0132	☐	420 mm		○
DDY0134	☐	440 mm	DDY0136	☐	460 mm		○
DDY0138	☐	480 mm	DDY0140	☐	500 mm	NC: Matrx Elite backrests height 360 mm and all MX2	○



Seat depth (SD) (Chassis adjusted to seat depth from depth 380 mm (single cross) and from depth 400 mm (double cross) / Depth 360 and 380 mm: NC seat cushions Matrx seat, 95 mm center of gravity position and pull brakes

DDY0412	☐	360 mm	DDY0415	☐	380 mm		☐
DDY0417	☐	400 mm					☒
DDY0420	☐	420 mm	DDY0422	☐	440 mm		☐
DDY0424	☐	460 mm	DDY0427	☐	480 mm		☐
DDY0428	☐	500 mm					☐

BACK HEIGHT (BH)



DDY0585	☐	Backrest height according to chosen Matrx backrest (NC : 0705, 0720, 0700, 0725, 0735)					☐
DDY0506	☐	330 mm	DDY0509	☐	345 mm		☐
DDY0512	☐	360 mm	DDY0514	☐	375 mm		☐
DDY0516	☐	390 mm	DDY0518	☐	405 mm		☐
DDY0520	☐	420 mm					☒
DDY0522	☐	435 mm	DDY0524	☐	450 mm		☐
DDY0526	☐	465 mm	DDY0528	☐	480 mm		☐
DDY0530	☐	495 mm					☐

Front Seat Height (FSTF) (FSTF 430 mm to 450 mm: high mounted forks with 5" wheels / FSTF 450 to 470 mm: high mounted forks with 6" wheels / FSTF 480 to 500 mm: high mounted forks with 7" wheels) FSTF 450, 460 and 470 mm: NC 7" wheels




DDY0845	☐	430 mm	DDY0846	☐	440 mm	NC: 6" and 7" wheels	☐
DDY0847	☐	450 mm	DDY0848	☐	460 mm		☐
DDY0849	☐	470 mm	DDY0850	☐	480 mm		☐
DDY0851	☐	490 mm					☐
DDY0852	☐	500 mm					☒
DDY0853	☐	510 mm	DDY0854	☐	520 mm		☐

Rear seat height (RSTF) (RSTF 400 mm NC fixed mudguards) /FSTF-RSTF: maximum 80 mm / With stems at 70°: RFST max = FSTF-0 mm

DDY0945	☐	400 mm	DDY0946	☐	410 mm	NC: armrests 1440 and 1441	☐
DDY0947	☐	420 mm	DDY0948	☐	430 mm		☐
DDY0949	☐	440 mm					☒
DDY0950	☐	450 mm					☐
DDY0951	☐	460 mm	DDY0952	☐	470 mm		☐
DDY0953	☐	480 mm	DDY0954	☐	490 mm		☐







Front wheel / Front wheel attachment	High mounted	Standard mounted
5"	430 - 450	460 - 520
6"	450 - 470	480 - 520
7"	480 - 500	510 - 520

LOWER LEG LENGTH (LLL) 70° LEGREST: LLL MAX = "FSTF-20 MM" ; 90° LEGREST: LLL MAX = "FSTF-30 MM"										
DDY1679	☐	380 mm	DDY1680	☐	390 mm				○	
DDY1681	☐	400 mm	DDY1682	☐	410 mm				○	
DDY1683	☐	420 mm							○	
DDY1684	☐	430 mm							◆	
DDY1685	☐	440 mm	DDY1686	☐	450 mm	NC: 90° stems for LLL450 mm			○	
DDY1687	☐	460 mm				(NC: 1542, 1573)			○	
BACKREST CHOICE										
Type de dossier										0705 0700 0764, 0765, 0766, 0767 MX2: only 140g more than a tension-adjustable backrest! 0758, 0759, 0760,0761, 0763 0756, 0757, 0762 0703 1491
DDY0705	☐	LUMBAL TUBES				(NC : All MatrX Backrests)			43,60	
Backrest Angle (BA) (in relation to the seat), only for angle-adjustable backrest. For 82° angle, only possible with FSTF-RSTF = 80 mm										
DDY0707	☐	82°	DDY0719	☐	94°				○	
DDY0718	☐	86°	DDY0711	☐	98°				○	
DDY0709	☐	90°	DDY0712	☐	102°				○	
BACK UPHOLSTERY										
DDY0700	☐	STANDARD UPHOLSTERY				(NC : All MatrX Backrests, 0703, 1491)			◆	
DDY0725	☐	TENSION ADJUSTABLE BACK BLACK COVER WITH LOOP BANDS				(NC : All MatrX Backrests)			33,08	
DDY0735	☐	AERO BACK, TENSION ADJUSTABLE WITH LOOP BANDS				(NC : All MatrX Backrests)			235,07	
MATRX BACKREST - HEIGHT REFERS TO ACTUAL HEIGHT OF THE MATRX BACKREST, REQUIRES ADDITIONAL LEAD TIME										
DDY0764	☐	MATRX MX2, HEIGHT 150 MM WITH QUICK RELEASE HARDWARE				NC: width 480 and 500 mm			927,01	
DDY0765	☐	MATRX MX2, HEIGHT 230 MM WITH QUICK RELEASE HARDWARE				NC: width 480 and 500 mm			927,01	
DDY0766	☐	MATRX MX2, HEIGHT 305 MM WITH QUICK RELEASE HARDWARE				NC: width 480 and 500 mm			927,01	
DDY0767	☐	MATRX MX2, HEIGHT 405 MM WITH QUICK RELEASE HARDWARE				NC: width 480 and 500 mm			927,01	
DDY0758	☐	ELITE STANDARD E2, HEIGHT 260 MM WITH EASY-SET MOUNTING HARDWARE							500,47	
DDY0759	☐	ELITE STANDARD E2, HEIGHT 310 MM WITH EASY-SET MOUNTING HARDWARE							500,47	
DDY0760	☐	ELITE STANDARD E2, HEIGHT 360 MM WITH EASY-SET MOUNTING HARDWARE				NC: width 480 and 500 mm			500,47	
DDY0761	☐	ELITE STANDARD E2, 410 MM WITH EASY-SET MOUNTING HARDWARE							500,47	
DDY0763	☐	ELITE STANDARD E2, 460 MM WITH EASY-SET MOUNTING HARDWARE							500,47	
DDY0756	☐	ELITE DEEP E2, HEIGHT 310 MM WITH EASY-SET MOUNTING HARDWARE							500,47	
DDY0757	☐	ELITE DEEP E2, 410 MM WITH EASY-SET MOUNTING HARDWARE							500,47	
DDY0762	☐	ELITE DEEP E2, 460 MM WITH EASY-SET MOUNTING HARDWARE							500,47	
PUSH HANDLES										
DDY0702	☐	PUSH HANDLES FIXED, LONG							◆	
DDY0750	☐	WITHOUT PUSH HANDLES				(NC : 0923)			○	
DDY0751	☐	PUSH HANDLES FIXED, MINI				(NC : 0923)			○	
DDY0703	☐	HEIGHT ADJUSTABLE REAR SET				(NC: 1411)			192,42	
DDY0733	☐	HEIGHT ADJUSTABLE, INTEGRATED				(NC: 1491)			232,23	
DDY0704	☐	FOLDABLE PUSH HANDLES				(NC : 1491 , 0923)			192,42	
BACKREST OPTION										
BACKREST OPTION										 1491
DDY1491	☐	BACKREST STABILIZATION BAR, SWING AWAY AND REMOVABLE							138,39	
SEATING										
SEAT UPHOLSTERY										 0611
DDY0611	☐	STANDARD SEAT UPHOLSTERY WITH 1 CENTRAL LOOP BAND (SOFT)							◆	

SEAT CUSHION						
DDY0600	☐	STANDARD SEAT CUSHION, 60 MM DOUBLE FOAM WITH VISCO TOP		101,42		0600
DDY0662	☐	MATRX LIBRA CUSHION, BLACK SMOOTH COVER	NOT POSSIBLE WITH SW ≤ 340 MM & SD ≤ 380 MM SW 360 MM ONLY POSSIBLE WITH SD 400/420 MM	293,84		
DDY0663	☐	MATRX VI CUSHION, BLACK SMOOTH COVER	NOT POSSIBLE WITH SW ≤ 340 MM & SD ≤ 380 MM SW 360 MM ONLY POSSIBLE WITH SD 400/420 MM	293,84		
SEAT OPTION						0663
DDY0606	☐	SEAT BAG, CLICK IN AND REMOVABLE		74,88		0662
SEAT UPHOLSTERY BAG						
DDY0616	☐	SMALL BAGS		56,87		
DDY0617	☐	BIG BAG		56,87		0616/0617
LEGREST / FOOTREST						
LEGREST						
DDY1540	☐	LEGREST, ANGLE OPEN, 70°		◆		
DDY1542	☐	LEGREST, ANGLE CLOSED, 90°	NC : LL 450 / 460 mm, 1563, 0821, 0820, 0822	○		
FOOTREST						
DDY1562	☐	2 PC. PLASTIC, SET TO THE FRONT		◆		
DDY1563	☐	2 PC. PLASTIC, SET TO THE BACK BLACK		○		1562/1563
DDY1573	☐	2 PC. ANGLE ADJUSTABLE - CAN BE ADJUSTED TO FRONT OR REAR		175,36		
CALF STRAP / HEEL LOOPS						
DDY1534	☐	CALF STRAP		66,35		
DDY1530	☐	HEEL LOOPS		◆		1530
SIDE GUARDS						
SIDEGUARDS CLOTHGUARDS						
DDY1424	☐	COMPOSITE CLOTHES GUARDS		◆		
DDY1401	☐	CARBON CLOTHES GUARDS		223,70		
DDY1426	☐	COMPOSITE MUDGUARDS, FIXED	NOT POSSIBLE WITH RSTF 400 MM	○		
DDY1425	☐	ECONOMY MUD GUARDS, REMOVABLE		71,09		1408
DDY1405	☐	MUD GUARDS CARBON, FIXED	NOT POSSIBLE WITH RSTF 400 MM	190,52		
DDY1408	☐	MUD GUARDS CARBON, REMOVABLE		295,73		
SIDEREST						
DDY1416	☐	SIDEREST HEIGHT ADJUSTABLE (WITH TOOLS), REMOVABLE, SHORT, NON-LOCKING	NOT POSSIBLE WITH PUSH HANDLES HEIGHT ADJUSTABLE REAR SET	○		1416/1421
DDY1421	☐	SIDEREST HEIGHT ADJUSTABLE (WITH TOOLS), REMOVABLE, LONG, NON-LOCKING	NOT POSSIBLE WITH PUSH HANDLES HEIGHT ADJUSTABLE REAR SET	24,64		
DDY1440	☐	SIDEREST WITH DESK FUNCTION, FLIP-BACK, HEIGHT ADJUSTABLE, REMOVABLE, SHORT	(NC: 1411, 0283, 1760)	217,06		1440/1441
DDY1441	☐	SIDEREST WITH DESK FUNCTION, FLIP-BACK, HEIGHT ADJUSTABLE, REMOVABLE, LONG	(NC: 1411, 0283, 1760)	240,76		1445
DDY1445	☐	KÜSCHALL ARMREST, BLACK CONTOUR, LOCKING, HEIGHT ADJUSTABLE, REMOVABLE, SWING-AWAY, FLIP-BACK, COMFORT PADDED WITH NEW ARMPAD	(NC: 1411, 0283)	339,34		
ARMREST						
DDY1411	☐	TUBULAR ARMREST, NON-LOCKING, HEIGHT ADJUSTABLE, REMOVABLE, SWING-AWAY, COMFORT PADDED	(NC : 0926)	264,45		1411
FRAME COLOUR						
FRONT FRAME COLOUR, BACK FRAME AND CROSS-BRACE IN ATTRACT BLACK, FRONT FRAME AND LEGRESTS IN SELECTED COLOUR						
DDY0360	☐	ATTRACT BLACK		◆		
DDY0307	☐	ATTRACT GREY		○		
DDY0308	☐	ATTRACT BLUE		○		
DDY0311	☐	ATTRACT RED		○		
	☐	Other küschall colors (except fluo and polished varnish) - a Unique special manufacturing solution, price for two-tone chassis (+ 5 days)		473,93		
FRONT WHEEL						
DDY0810	☐	5" EVERYDAY WITH BLACK TYRE		○		
DDY0863	☐	5" COMFORT WHEEL BLACK TYRE		◆		
DDY0821	☐	6" PNEUMATIC WHEEL		36,02		
DDY0820	☐	6" COMFORT WITH BLACK TYRE		○		
DDY0822	☐	7" COMFORT WITH BLACK TYRE		36,02		

REAR WHEEL CHOICE					
REAR WHEEL POSITION					Tyre size LENCO PRIMO SENTINEL : 24" : 25-540 MAXXIS LIGHT GUARD / ALPHA PROTECT : 24" : 25-540 MBL SPEEDLITE : 24" : 25-540  1014  1008  1010  1011
DDY0264	☐	2ND POSITION	NC : SD 360/ 380 mm	☐	
DDY0265	☐	3RD POSITION		☒	
DDY0266	☐	4TH POSITION	(NC : 0926)	☐	
REAR WHEEL SIZE					
DDY0902	☐	24"		☒	
REAR WHEEL CAMBER					
DDY0282	☐	0°		☒	
DDY0283	☐	3°	(NC : 0926, 0923)	☐	
REAR WHEEL TYPE					
DDY0921	☐	24" ACTIVE WHEELS (BLACK RIM, HUB AND RADIAL SPOKING INCL. ALU HANDRIMS & LIGTH TYRE GREY)	(1008, NC : All Handrim, 1200)	☒	
DDY0915	☐	KUSCHALL STAREC HUB (BLACK RIM AND HUB, BLACK CROSS SPOKING INCL. ALU HANDRIMS & LIGTH TYRE GREY)	(NC : 1008)	108,06	
DDY0908	☐	HIGH PERFORMANCE (BLACK RIM, BLACK STAREC HUB, BLACK CROSS SPOKING INCL. ALU HANDRIMS & LIGTH TYRE GREY)	(NC : 1004, 1010)	471,09	
DDY0906	☐	SPINERGY LXX (BLACK RIM, HUB AND RADIAL SPOKING INCL. ALU HANDRIMS & LIGTH TYRE GREY)	(NC : 1004, 1008)	711,85	
DDY0923	☐	24" WHEELS WITH ATTENDANT DRUM BRAKE	(NC : Alber, 0926, 1008)	472,04	
ALBER ADDS ON KIT, 2 ANTITIPPERS FROM ALBER NEEDS TO BE INSTALLED WITH THIS OPTION					
DDY0926	☐	TWION AND E-MOTION M25 ADAPTER PLATE, 2 ALBER ANTITIPPERS INCLUDED	(NC: All Anti-tippers, All Tipper Aids, All Cane Holder)	633,18	
<i>Tip : for perfect compatibility of the brakes with the manual wheels, we advise you to equip them with the same coating as the motorized wheels.</i>					
REAR WHEEL TYRE					
DDY1014	☐	MAXXIS LITE GUARD BLACK TYRE (puncture protection)	24"	☒	
DDY1004	☐	24" SOLID TYRE	24"	☐	
DDY1008	☐	MAXXIS ALPHA PROTECT BLACK TYRE (puncture protection)	24" For high performance wheels	72,04	
DDY1010	☐	PRIMO SENTINEL (puncture protection)	24"	72,04	
DDY1011	☐	24" MBL SPEEDLITE	24"	72,04	
HANDRIM					
DDY1113	☐	24" LIGHT ALU, GREY, DIST. 3 CM		☒	
DDY1102	☐	24" SUPERGRIPP, DIST. 3 ADJUSTABLE 4CM		142,18	
DDY1104	☐	24" STEEL POLISHED, DIST. 3 CM		103,32	
DDY1106	☐	24" TITANIUM, DIST. 3 CM		277,73	
DDY1120	☐	24" CARBOLIFE GEKKO S, WITH ANTI-SLIP DIST. 3 CM ADJUSTABLE 4CM		277,73	
SPOKE GUARDS					
DDY1200	☐	24" TRANSPARENT		181,99	
SAFETY					
BRAKE					
DDY1311	☐	ATTRACT PULL BRAKES	(NC : 1310)	☐	
DDY1312	☐	ATTRACT PUSH BRAKES	(NC : 1310)	☒	
DDY1306	☐	PULL BRAKES		70,14	
ANTITIPPER					
DDY1702	☐	ANTITIPPER RIGHT		121,33	
DDY1703	☐	ANTITIPPER LEFT		121,33	
DDY1704	☐	ANTITIPPER BOTH SIDES		242,65	
POSTURE BELT					
DDY1730	☐	POSTURE BELT		32,23	
PASSIVE LIGHTS					
DDY1710	☐	PASSIVE LIGHTS ASSEMBLED (MOUNTED ON SPOKES)		☐	
ACCESSORIES					
DDY1729	☐	REAR FRAME PROTECTION		40,76	
TIPPER AID, NOT POSSIBLE WITH ALBER ADDS-ON					
DDY1708	☐	TIPPER-AID, RIGHT	(NC : 1706, 1719)	66,35	
DDY1709	☐	TIPPER-AID, LEFT	(NC: 1707, 1719)	66,35	
DDY1718	☐	TIPPER-AID, BOTH SIDES	(NC: 1706, 1707, 1719)	132,70	
CANE HOLDER, NOT POSSIBLE WITH ALBER ADDS-ON					
DDY1706	☐	CANE HOLDER, RIGHT		81,52	
DDY1707	☐	CANE HOLDER, LEFT		81,52	
DDY1719	☐	CANE HOLDER, BOTH SIDES		163,03	

KUSCHALL WATCH					 1712/1713  1728
DDY1712	☐	KÜSCHALL WATCH, RIGHT SIDE		174,41	
DDY1713	☐	KÜSCHALL WATCH, LEFT SIDE		174,41	
Autres					
DDY1760	☐	THERAPY TABLE	NC WITH CLOTHES-GUARDS (DDY1424/1401) NC WITH MUDGUARDS (DDY1425/1426/1408/1405) NC WITH ARMRESTS WITH DESK FUNCTION (DDY1440/1441)	355,45	
DDY1715	☐	AIR PUMP		24,64	
DDY1717	☐	TOOL KIT		11,37	
DDY1728	☐	WHEELS BAG (FOR 22", 24" AND 26" REAR WHEELS)		60,66	
 					
RAMPS					 1440530  1654128  1654129  1654130
1440530	☐	Fiberglass Folding Mono Ramp Folded dimensions: 2000 x 230 mm 16.3 kg - maximum capacity: 300 kg		1 787,68	
1654128	☐	Basic ramp 2 telescopic parts in aluminum and non-slip coating. Folded dimensions: 1210 x 194 mm 8.8 kg per pair - maximum capacity: 270 kg		298,58	
1654129	☐	Quick2go Compact 3-part aluminum telescopic ramp with non-slip coating. Folded dimensions: 870 x 237 mm 13.6 kg per pair - maximum capacity: 260 kg		559,24	
1654130	☐	Aluminum Folding Mono Ramp Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg		317,54	