

Please contact Invacare EU Export Customer Services on :-
Tel : +33 247 626980 ; Email : serviceclient_export@invacare.com
 Or visit our website : www.invacare.eu.com



Rea® Azalea® Base



Description:

- Drum brakes with parking brake.
- Seat tilt with center of gravity maintained:
- 1°/+23° and backrest: 0°/+30° by pneumatic jacks.
- Height adjustable push handles
- Frame colour: Pearl gray (RAL 0515).
- Weight: from 20 kg
- Maximum user weight: 135 kg
- 2-year warranty period excluding wear parts

New:

- Narrow gutter without rotation, adjustable in height and depth over 70 mm WITHOUT TOOLS, compatible with shelf

Date :

Purchase Order :

Customer Code :

Distributor Stamp:



Invacare Unique Customization Service
 Please specify the quote or special production number:

☐ Please make your selection with a cross in the box

◆ Standard feature

○ Free of charge option

CODE		DESCRIPTION	NC : Non Compatible NC : 9999 = not compatible with the reference 9999	Euros	
BQA0010	☐	Rea® Azalea Base®		1 317,54	
BQA0010	☐	Rea® Azalea Minor Base® (Seat Width 340 mm)	NC : 0120	1 317,54	

PROPULSION TYPE

BQA0020	☐	TRANSIT: 16" WHEELS WITH HUB BRAKES	NC : 0705, 0715, 0722, 0724, 0790, 0810, 0850, 0863, 0867	◆	
BQA0030	☐	SELF PROPELLED: 24"/ 22" WHEELS WITH USER BRAKES	NC : 0100, 0702, 0726	○	
BQA0040	☐	SELF- AND ASSISTANT PROPELLED: 24" / 22" WHEELS WITH HUB BRAKES	NC : 0100, 0722, 0724	○	

SEAT

SEAT WIDTH

BQA0050	☐	340 MM (EXTRA SMALL CHASSIS)	NC : 0120, 0180, 0186, 0600, 0665, 0672, 0675, 0863, 0867, 0900, 0902, 0936, 0938	○	
BQA0060	☐	390 MM (SMALL CHASSIS)	NC : 0110	○	
BQA0070	☐	440 MM (MEDIUM CHASSIS)	NC : 0110	○	
BQA0080	☐	490 MM (LARGE CHASSIS)	NC : 0110	○	

SEAT WIDTH EXTENSION (PRE ADJUSTMENT)

BQA0090	☐	+ 50mm (+25mm per side)	NC : 0863, 0867	○	
BQA0100	☐	+ 100 mm (+50 mm per side)	Only with 16" rear wheels	○	

SEAT DEPTH


BQA0110	☐	380-450 MM (ONLY SEAT WIDTH 340)		○	
BQA0120	☐	430-500 MM		○	

SEAT HEIGHT

BQA0130	☐	400 mm	NC : 0180, 0330, 0340, 0390, 0400, 0665, 0672, 0675, 0715, 0936, 0938	○	
BQA0140	☐	450 mm	NC : 0705	◆	


SEAT ANGLE

BQA0145	☐	OPTIONAL SEAT ANGLE +1 TO +25° (STD -1 TO +23°)		○	
---------	--------------------------	---	--	---	--


SEAT INTERFACE					
BQA0150	☐	SEAT PLATE STANDARD		235,07	
BQA0155	☐	SEAT PLATE WITH WEDGES (SEAT ANGLE +/- 5°)		283,41	
BQA0170	☐	WITHOUT INTERFACE		◆	
BACKREST					
BACKREST					
BQA0160	☐	ASSISTANT OPERATED GAS PISTON BACKREST RECLINE		◆	
BQA0161	☐	BACKREST REGULATION WITH RIGGING SCREW		○	
BQA0932	☐	TILT LOCK (LOCKING OF PRE-SET ANGLE)		◆	BOA0161
LEGRESTS / FOOTRESTS					 0190 / 0240  0200 / 0250  0220 / 0270
CENTRAL LEGRESTS TYPE					
BQA0180	☐	CENTRAL LEGREST, INCL CALFPAD AND FOOTREST.	NC : 0186, 0188, 0190, 0200, 0220, 0240, 0250, 0270, 0290, 0300, 0310, 0330, 0340, 0360, 0370, 0390, 0400, 0572	900,47	
LEGRESTS / HANGERS ADJUSTMENT					
BQA0185	☐	LOW POSITION, STANDARD		◆	
BQA0186	☐	HIGH POSITION FOR LONGER LEGS		108,06	
BQA0188	☐	90° HANGER ATTACHMENT	NC : 0200, 0220, 0250, 0270	52,13	
LEGRESTS / HANGERS LH TYPE					
BQA0190	☐	HANGER ANGLE ADJUSTABLE LH. WITH KNEE PAD AND CALF SUPPORT	NC : 0300, 0310	100,03	
BQA0200	☐	HANGER FIXED 80 DEG, SWING IN SWING OUT - ALU 2003, LH	NC : 0572	59,72	
BQA0220	☐	LEGREST AMPUTEE - ALU 2008 LH	NC : 0290, 0300, 0310, 0330, 0340, 0572	140,28	
BQA0230	☐	WITHOUT LEGREST, LH	NC : 0290, 0360, 0370, 0390, 0400	◆	
LEGRESTS / HANGERS RH TYPE					
BQA0240	☐	HANGER ANGLE ADJUSTABLE RH. WITH KNEE PAD AND CALF SUPPORT	NC : 0360, 0370	100,03	
BQA0250	☐	HANGER FIXED 80 DEG, SWING IN SWING OUT - ALU 2003, RH	NC : 0572	59,72	
BQA0270	☐	LEGREST AMPUTEE - ALU 2008 RH	NC : 0290, 0360, 0370, 0390, 0400, 0572	140,28	
BQA0280	☐	WITHOUT LEGREST, RH	NC : 0290, 0360, 0370, 0390, 0400	◆	
FOOTRESTS					
FOOTRESTS ONE PIECE					
BQA0290	☐	FOOTREST ONE PIECE DEPTH AND ANGLE ADJUSTABLE, NO WIDTH ADJUSTMENT	NC : 0300, 0310, 0330, 0340, 0360, 0370, 0390, 0400	202,84	
FOOTRESTS LH TYPE					
BQA0300	☐	FOOTREST LOWER PART, FIXED WITH SHORT TUBE AND HEEL STRAP, LH.	NC : 0572	○	
BQA0310	☐	FOOTREST LOWER PART, DEPTH AND ANGLE ADJUSTABLE WITH SHORT TUBE AND HEEL STRAP, LH		○	
BQA0330	☐	FOOTREST LOWER PART, FIXED WITH LONG TUBE AND HEEL STRAP, LH.	NC : 0572	○	
BQA0340	☐	FOOTREST LOWER PART, DEPTH AND ANGLE ADJUSTABLE WITH LONG TUBE AND HEEL STRAP, LH		○	
FOOTRESTS RH TYPE					
BQA0360	☐	FOOTREST LOWER PART, FIXED WITH SHORT TUBE AND HEEL STRAP, RH	NC : 0572	○	
BQA0370	☐	FOOTREST LOWER PART, DEPTH AND ANGLE ADJUSTABLE WITH SHORT TUBE AND HEEL STRAP, RH		○	
BQA0390	☐	FOOTREST LOWER PART, FIXED WITH LONG TUBE AND HEEL STRAP, RH.	NC : 0572	○	
BQA0400	☐	FOOTREST LOWER PART, DEPTH AND ANGLE ADJUSTABLE WITH LONG TUBE AND HEEL STRAP, RH		○	

ARMRESTS (Height adjustable, Autolock attachment included)					 0470  0440 / 0490  0450 / 0500
ARMRESTS LH TYPE					
BQA0420	☐	STANDARD PAD, LH	NC : 0903	102,37	
BQA0425	☐	CONCAVE GUTTER ADJUSTABLE IN HEIGHT AND DEPTH OVE 70 MM WITHOUT TOOLS (COMPATIBLE WITH SHELF) 	NC : 0903	163,03	
BQA0440	☐	PADDED, LH	NC : 0520, 0530, 0900, 0902, 0903, 0920, 0930	102,37	
BQA0450	☐	HEMIPLEGIC ARMRESTS, LH	NC : 0900, 0902, 0903, 0910, 0915, 0920, 0930	163,03	
BQA0460	☐	WITHOUT ARMREST, LH	NC : 0520, 0530, 0900, 0902, 0910, 0915, 0930	◆	
ARMRESTS RH TYPE					
BQA0470	☐	STANDARD PAD, RH	NC : 0904	102,37	
BQA0475	☐	CONCAVE GUTTER ADJUSTABLE IN HEIGHT AND DEPTH OVE 70 MM WITHOUT TOOLS (COMPATIBLE WITH SHELF) 	NC : 0903	163,03	
BQA0490	☐	PADDED, RH.	NC : 0520, 0530, 0900, 0902, 0904, 0920, 0930	102,37	
BQA0500	☐	HEMIPLEGIC ARMRESTS, RH	NC : 0900, 0902, 0904, 0910, 0915, 0920, 0930	163,03	
BQA0510	☐	WITHOUT ARMREST, RH	NC : 0520, 0530, 0900, 0902, 0910, 0915, 0920, 0930	◆	
SEATING OPTIONS					
ARMREST OPTIONS					
BQA0520	☐	SIDE SUPPORT COVER		69,19	
BQA0530	☐	CUSHION TO SIDE SUPPORT COVER		15,17	
BACKREST OPTIONS					
BQA0540	☐	HEADREST, SIDEWISE ADJUSTABLE	NC : 0560, 0565	102,98	
BQA0550	☐	HEADREST WITH CHEEK SUPPORT, SIDEWISE ADJUSTABLE	NC : 0545, 0560, 0565	225,59	
BQA0545	☐	COVER FOR HEADREST		54,03	
BQA0560	☐	NECKREST		102,98	
BQA0565	☐	COVER FOR NECKREST		41,71	
BQA0570	☐	HANDLES CLINIC KIT FOR HEAD-/NECKREST		29,38	
LEGREST OPTIONS					
BQA0572	☐	FOOTPLATES PADDING		101,42	
CHASSIS					
CHASSIS COLOUR					
BQA0591	☐	PEARL GREY		◆	
BQA0592	☐	AZURITE		○	
BQA0593	☐	SAND		○	
BQA0594	☐	ELECTRIC GREEN		○	
BQA0596	☐	HAPPY RED		○	
CHASSIS SAFETY					
BQA0600	☐	CHASSIS EXTENDER, CASTORS 50 MM FORWARD.		87,20	
CASTOR ATTACHMENT TYPE					
BQA0610	☐	FIXED		◆	
FRONT CASTORS					
BQA0638	☐	5,5"x1.3/4" - 140X45 MEDIUM HARD BLACK		31,28	
BQA0645	☐	6"x1.1/4" - 150X30 BLACK MEDIUM HARD		○	
BQA0665	☐	8"x1.1/4" - 200X30 BLACK SOLID TYRE		◆	
BQA0672	☐	8"x1.1/4" - 200X32 PNEUMATIC BLACK		○	
BQA0675	☐	8"x2" - 200X45 BLACK SOLID TYRE		126,07	
REAR WHEELS SIZE					
REAR WHEELS SIZE					
BQA0702	☐	16" / 405 MM - FIXED REAR WHEEL ATTACHMENT	NC : 0722, 0724, 0745, 0785, 0790, 0810, 0850, 0863, 0867	◆	
BQA0705	☐	22" / 560 MM - QR REAR WHEEL ATTACHMENT		○	
BQA0715	☐	24" / 600 MM - QR REAR WHEEL ATTACHMENT		○	

REAR WHEELS TYPE				
BQA0722	☐	STANDARD (BLACK HUB, COLORLESS RIM & ZINC PLATTED SPOKES)	NC : 0810	○
BQA0724	☐	REINFORCED (COLORLESS HUB, CLEAR ANODIZED RIM & STAINLESS STEEL SPOKES)		36,02
BQA0726	☐	DRUM BRAKE (22/24" : COLORLESS HUB, CLEAR ANODIZED RIM & STAINLESS STEEL SPOKES / 16" : BLACK PLASTIC HUB & RIM)	NC : 0785	◆
TYRE TYPE				
BQA0745	☐	PNEUMATIC PROFILED BLACK 1" 3/8		○
BQA0775	☐	TYRES SOLID BLACK		◆
BQA0785	☐	PNEUMATIC LOW PROFILE BLACK 1"		○
HANDRIM TYPE				
BQA0790	☐	Aluminium		○
BQA0810	☐	PLASTIC COATED		200,00
WHEEL OPTIONS				
SPOKEGUARD				
BQA0850	☐	FROST		219,91
SAFETY				
BQA0860	☐	USER MANOUVERED TYRE BRAKES		○
BQA0863	☐	ONE ARM BRAKE LH		327,01
BQA0867	☐	ONE ARM BRAKE RH		327,01
OPTIONS				
Think of Bodypoint positioning accessories: belts, harnesses, ankle supports.				
TABLE TRAY				
BQA0900	☐	TABLE TRAY INCL MOUNTING KIT	NC : 0907	72,82
BQA0902	☐	TABLE TRAY INCL MOUNTING KIT, WITH ELBOW PADS	NC : 0907	154,50
BQA0903	☐	HALF TABLE TRAY, CLEAR, FLIP UP, LH (ARMREST WITH STRAIGHT NARROW PAD INCL.)	NC : 0905	72,82
BQA0904	☐	HALF TABLE TRAY, CLEAR, FLIP UP, RH (ARMREST WITH STRAIGHT NARROW PAD INCL.)	NC : 0905	72,82
BQA0910	☐	SWING AWAY TABLE	NC : 0905, 0907	300,47
BQA0915	☐	SWING AWAY TABLE WITH ELBOW PADS	NC : 0905, 0907	250,24
TABLE TRAY CUSHION				
BQA0905	☐	TABLE TRAY CUSHION	NC : 0910, 0915	104,27
BQA0907	☐	PADDING	NC : 0910, 0915	90,05
OTHERS OPTIONS				
BQA0936	☐	MOUNTING BRACKET VIAMOBIL	NC : 0938	453,08
BQA0938	☐	MOUNTING BRACKET VIAMOBIL PLUS		414,25
BQA0920	☐	LOCKING DEVICE FOR TABLE TRAY		59,72
BQA0970	☐	HARNESS ATTACHMENT		78,67
RAMPS				
1440530	☐	Fiberglass Folding Mono Ramp Folded dimensions: 2000 x 230 mm 16.3 kg - maximum capacity: 300 kg		1 787,68
1654128	☐	Basic ramp 2 telescopic parts in aluminum and non-slip coating. Folded dimensions: 1210 x 194 mm. 8.8 kg per pair - maximum capacity: 270 kg		402,84
1654129	☐	Quick2go Compact 3-part aluminum telescopic ramp with non-slip coating Folded dimensions: 870 x 237 mm 13.6 kg per pair - maximum capacity: 260 kg		805,69
1654130	☐	Aluminium folding mono ramp Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg		426,54


0785 0745


1" 1.3/8"


0902
0903 / 0904
0907
0915
0910


1440530
1654128
1654129
1654130