

Rea® Azalea® Tall

Please contact Invacare EU Export Customer Services on :-
Tel : +33 247 626980 ; Email : serviceclient_export@invacare.com
Or visit our website : www.invacare.eu.com



Rea® Azalea® Tall

Manual folding frame steel chair - for tall users



Description:

- Seat tilt with maintenance of the center of gravity and the correct position of the legrests: +1°/+24° and of the backrest: 0°/30° by pneumatic jacks.
- Width-adjustable legrests.
- Heel straps.
- Frame colour: Pearl gray (RAL 0515).
- Weight: from 34 kg.
- Maximum user weight: 135 kg.
- 2-year warranty period excluding wear parts



New:

- Narrow gutter without rotation, adjustable in height and depth over 70 mm WITHOUT TOOLS, compatible with shelf

Date :

Purchase Order :

Customer Code :

Distributor Stamp:

**NEW CONCAVE GUTTER
ADJUSTABLE IN HEIGHT AND
DEPTH AS STANDARD**



Invacare Unique Customization Service
Please specify the quote or special production number:

☐ Please make your selection with a cross in the box

◆ Standard feature

○ Free of charge option

☐ Please make your selection with a cross in the box		☐ Standard feature		☐ Free of charge option	
CODE		DESCRIPTION	NC : Non Compatible NC : 9999 = not compatible with the reference 9999	Euros	
BNH0019	☐	Rea® Azalea® Tall		1 852,13	
PROPULSION TYPE					
BNH0025	☐	SELF PROPELLED: 24" / 22" WHEELS WITH USER BRAKES	NC : 1076	◆	
BNH0030	☐	SELF- AND ASSISTANT PROPELLED: 24" / 22" WHEELS WITH HUB BRAKES	NC : 1072, 1074	213,27	PRICE REDUCTION!
SEAT					
SEAT DIMENSIONS					
BNH0040	☐	390 mm - Adjustable from 390 to 440 mm	NC : 0244, 0245, 0246, 0247	○	
BNH0050	☐	440 mm - Adjustable from 440 to 490 mm	NC : 0241, 0242, 0246, 0247	○	
BNH0060	☐	490 mm - Adjustable from 490 to 540 mm	NC : 0206, 0241, 0242, 0243, 0244	○	
Seat width pre-adjustable					
BNH0065	☐	Supplied with adjustment + 50 mm (at 440, 490 or 540 mm)		○	
Seat depth (SD)					
BNH0105	☐	Adjustable from 480 to 550 mm		◆	
Floor/seat height (measured without cushion)					
BNH0125	☐	500 mm		◆	
SEAT ANGLE					
BNH0127	☐	NEGATIVE SEAT ANGLE -1 TO +23° (STD +1 TO +24°)		○	
SEAT TYPE					
BNH0130	☐	DEPTH ADJUSTABLE		◆	
SEAT CUSHION					
BNH0165	☐	CUSHION FLOSHAPE		◆	 0165
BNH0175	☐	CUSHION MISTRAL 2-LAYER	NC : 0191, 0201, 0202	○	
SEAT UPHOLSTERY					
BNH0191	☐	BLACK PLUSH TR35		79,62	
BNH0201	☐	BLACK PU TR26 - MUTLI STRETCH PU COATED FABRIC		◆	
BNH0202	☐	BLACK SPACER TR36		○	
BACKREST					
BACKREST WIDTH EXTENSION (PRE ADJUSTMENT)					
BNH0205	☐	+ 50 MM		○	
BNH0206	☐	+ 100 MM	NC : 0220	○	
BNH0207	☐	WITHOUT BACKREST WIDTH EXTENSION		◆	

BACKREST TYPE				
BNH0210	☐	FLEX 3 BACKREST, FIXED PLATE (WIDTH ADJUSTABLE)	NC : 0235, 0240, 0241 to 0247, 0341, 0343, 0905	○
BNH0215	☐	BACKREST, PLATE "LAGUNA 2"	NC : 0235, 0240, 0241 to 0247, 0260, 0270, 0335, 0343, 0905	◆
BNH0220	☐	FLEX 3 BACKREST, TENSION ADJUSTABLE (WIDTH ADJUSTABLE)	NC : 0235, 0241 to 0247, 0341, 0343	○
BNH0221	☐	MATRX ELITE E2, (INCL. HARDWARE MOUNTED TO FRAME, BACKREST SUPPLIED IN BOX)	NC : 0240, 0250, 0260, 0270, 0311, 0321,0322, 0335, 0341, 0800, 0810, 0880, 0890, 0905, 0920	717,98
BNH0223	☐	MATRX ELITE DEEP E2, (INCL. HARDWARE MOUNTED TO FRAME, BACKREST SUPPLIED IN BOX)	NC : 0240, 0250, 0260, 0270, 0311, 0321, 0322, 0335, 0341, 0800, 0810, 0880, 0890, 0905, 0920	717,98
BNH0225	☐	MATRX POSTURE BACK, (INCL. HARDWARE MOUNTED TO FRAME, BACKREST SUPPLIED IN BOX)	NC : 0235, 0240, 0241 à 0247, 0250, 0260, 0270, 0311, 0321, 0322, 0335, 0341, 0800, 0810, 0880, 0890, 0905, 0920	717,98
BACKREST HEIGHT MATRX BACKRESTS				
BNH0233	☐	MATRX HEIGHT 41 CM		○
BNH0235	☐	MATRX HEIGHT 46 CM		
BNH0234	☐	MATRX HEIGHT 51 CM		○
Matrx backrest width				
BNH0241	☐	360 mm - indicative bust 265 mm		○
BNH0242	☐	380 mm - indicative bust 290 mm		○
BNH0243	☐	410 mm - indicative bust 315 mm		○
BNH0244	☐	430 mm - indicative bust 340 mm		○
BNH0245	☐	460 mm - indicative bust 370 mm		○
BNH0246	☐	480 mm - indicative bust 390 mm		○
BNH0247	☐	510 mm - indicative bust 420 mm		○
BACKREST COVER/ CUSHION				
BNH0240	☐	COVER, LATERAL		○
BNH0250	☐	CUSHION, LAGUNA (LATERAL SUPPORT)	NC : 0905	◆
BNH0260	☐	CUSHION, MISTRAL 2 (WAIST SUPPORT)	NC : 0322, 0905	146,92
BNH0270	☐	CUSHION, PASSAD 2 (SHOULDER SUPPORT)	NC : 0905	217,06
BACKREST UPHOLSTERY				
BNH0311	☐	BLACK PLUSH TR35		79,62
BNH0321	☐	BLACK PU TR26		◆
BNH0322	☐	BLACK SPACER TR36		○
PUSHHANDLES				
BNH0335	☐	HEIGHT ADJUSTABLE AND REMOVABLE PUSHHANDLES		◆
BNH0345	☐	ANGLE ADJUSTABLE PUSHBAR	NC : 1266	145,97
SEAT TILT AND BACKREST REGULATION TYPE				
BNH0350	☐	ASSISTANT OPERATED GAS PISTON SEAT AND BACKREST TILT.		◆
BNH0360	☐	ELECTRIC BY REMOTE CONTROL - COMPLIES WITH EN 12184 : 2014	NC : 1263, 1266	995,26
BNH1263	☐	TILT LOCK (LOCKING OF PRE-SET ANGLE)		◆
LEGRESTS / FOOTRESTS				
CENTRAL LEGRESTS TYPE				
BNH0370	☐	CENTRAL LEGREST, INCL CALFPAD AND FOOTREST.	NC : 0376, 0378, 0380, 0390, 0410, 0430, 0440, 0460, 0476, 0520, 0580, 0720, 0941, 0942, 0952, 0954, 0956	900,47
LEGRESTS / HANGERS ADJUSTMENT				
BNH0375	☐	LOW POSITION, STANDARD		◆
BNH0376	☐	HIGH POSITION FOR LONGER LEGS		109,00
BNH0378	☐	90° HANGER ATTACHMENT	NC : 0390, 0410, 0440, 0460	52,13


0210


0215


0220


Matrx Elite E2 /
Elite Deep E2


0240


0250


0260


0270


0345


0370

LEGRESTS / HANGERS LH TYPE				
BNH0380	☐	HANGER ANGLE ADJUSTABLE LH. WITH KNEE PAD AND CALF SUPPORT	NC : 0475, 0490, 0942	◆
BNH0390	☐	HANGER FIXED 80 DEG, SWING IN SWING OUT - ALU 2003, LH		○
BNH0410	☐	LEGREST AMPUTEE - ALU 2008 LH	NC : 0475, 0476, 0490, 0520, 0941, 0942	140,28
LEGRESTS / HANGERS RH TYPE				
BNH0430	☐	HANGER ANGLE ADJUSTABLE RH. WITH KNEE PAD AND CALF SUPPORT	NC : 0475, 0550, 0942	◆
BNH0440	☐	HANGER FIXED 80 DEG, SWING IN SWING OUT - ALU 2003, RH		○
BNH0460	☐	LEGREST AMPUTEE - ALU 2008 RH	NC : 0475, 0476, 0550, 0580, 0941, 0942	140,28
FOOTRESTS				
FOOTRESTS ONE PIECE				
BNH0475	☐	FOOTREST ONE PIECE DEPTH AND ANGLE ADJUSTABLE, NO WIDTH ADJUSTMENT - SHORT TUBE	NC : 0490, 0520, 0550, 0580, 0930, 0940, 0952, 0954, 0956	202,84
BNH0476	☐	FOOTREST ONE PIECE DEPTH AND ANGLE ADJUSTABLE, NO WIDTH ADJUSTMENT - LONG TUBE	NC : 0520, 0580, 0952, 0954, 0956	249,29
FOOTRESTS LH TYPE				
BNH0490	☐	FOOTREST LOWER PART, DEPTH AND ANGLE ADJUSTABLE WITH SHORT TUBE AND HEEL STRAP, LH		○
BNH0520	☐	FOOTREST LOWER PART, DEPTH AND ANGLE ADJUSTABLE WITH LONG TUBE AND HEEL STRAP, LH		◆
FOOTRESTS RH TYPE				
BNH0550	☐	FOOTREST LOWER PART, DEPTH AND ANGLE ADJUSTABLE WITH SHORT TUBE AND HEEL STRAP, RH		○
BNH0580	☐	FOOTREST LOWER PART, DEPTH AND ANGLE ADJUSTABLE WITH LONG TUBE AND HEEL STRAP, RH		◆
ARMRESTS (Height adjustable, Autolock attachment included)				
ARMRESTS LH TYPE				
BNH0600	☐	STANDARD PAD, LH	NC : 1232	○
BNH0606	☐	CONCAVE GUTTER ADJUSTABLE IN HEIGHT AND DEPTH 70 MM WITHOUT TOOLS (COMPATIBLE WITH SHELF) 	NC : 1232	◆
BNH0610	☐	PADDED, LH.	NC : 0680, 0690, 1230, 1231, 1233, 1250	○
BNH0615	☐	HEMIPLEGIC ARMRESTS, LH.	NC : 1230, 1231, 1233, 1240, 1245, 1250	○
BNH0620	☐	WITHOUT ARMREST, LH	NC : 0690, 1230, 1231, 1240, 1245, 1250	○
ARMRESTS RH TYPE				
BNH0630	☐	STANDARD PAD, RH	NC : 1233	○
BNG0636	☐	CONCAVE GUTTER ADJUSTABLE IN HEIGHT AND DEPTH OVE 70 MM WITHOUT TOOLS (COMPATIBLE WITH SHELF) 	NC : 1232	◆
BNH0640	☐	PADDED, RH.	NC : 0680, 0690, 1230, 1231, 1232, 1250	○
BNH0645	☐	HEMIPLEGIC ARMRESTS, RH.	NC : 1230, 1231, 1232, 1240, 1245, 1250	○
BNH0650	☐	WITHOUT ARMREST, RH	NC : 0690, 1230, 1231, 1240, 1245, 1250	○
SEATING OPTIONS				
ARMREST OPTIONS				
BNH0680	☐	CUSHION TO SIDE REST COVER		69,19
BNH0690	☐	PAD, SIDE REST		15,17
SEAT OPTIONS				
BNH0710	☐	INCONTINENCE COVER		41,71
BNH0720	☐	ABDUCTION CUSHION		246,45



0380 / 0430



0390 / 0440



0410 / 0460




0476



0520 / 0580



0520 / 0580



0600 / 0630



0610 / 0640



0615 / 0645



0720

BACKREST OPTIONS					 0730  0750  0770  0782
BNH0730	☐	HEADREST, SIDEWISE ADJUSTABLE - FIXED HARDWARE INCLUDED	NC : 0742, 0750, 0770		
BNH0750	☐	HEADREST WITH CHEEK SUPPORT, SIDEWISE ADJUSTABLE - FIXED HARDWARE INCLUDED	NC : 0740, 0742, 0770	225,59	
BNH0731	☐	MATRXX ELAN STANDARD PAD (254 mm/10")	NC : 0740, 0770	218,01	
BNH0736	☐	MATRXX ELAN 4-POINT PAD (229W x 177H mm / 9"W x 7"H)	NC : 0740, 0770	408,53	
BNH0742	☐	MATRXX ELAN HARDWARE		201,90	
BNH0740	☐	COVER FOR HEADREST		54,03	
BNH0770	☐	NECKREST	NC : 0771		
BNH0782	☐	UNIVERSAL HEAD/NECKREST HOLDER		69,19	
BNH0790	☐	HANDLES CLINIC KIT FOR HEAD-/NECKREST		29,38	
TRUNK SUPPORT LH					 0800 / 0810
BNH0800	☐	TRUNK SUPPORT MULTI ADJUSTABLE WITH STANDARD ARM (LH)		174,41	
BNH0880	☐	TRUNK SUPPORT SWINGAWAY (LH)		157,35	 0880 / 0890  0905  0952 / 0954 / 0956
TRUNK SUPPORT RH					
BNH0810	☐	TRUNK SUPPORT MULTI ADJUSTABLE WITH STANDARD ARM (RH)		174,41	
BNH0890	☐	TRUNK SUPPORT SWINGAWAY (RH)		157,35	
BACKREST OPTIONS (Following)					 0905  0952 / 0954 / 0956
BNH0905	☐	LATERAL POSITIONING PADS (WITH LOOP BAND BETWEEN COVER AND BACKREST UPHOLSTERY), PAIR		237,91	
BNH0915	☐	TILT SCALE, BACKREST RECLINE		67,30	
BNH0920	☐	WEDGES (ONE PAIR)		16,11	
LEGREST OPTIONS					 0952 / 0954 / 0956
BNH0941	☐	COVER FOOTPLATE		101,42	
BNH0942	☐	CALF STRAP PADDED		119,43	
BNH0952	☐	BODYPOINT ANKLE HUGGERS LARGE	MOUNTING KIT INCLUDED	170,62	
BNH0954	☐	BODYPOINT ANKLE HUGGERS MEDIUM	MOUNTING KIT INCLUDED	170,62	
BNH0956	☐	BODYPOINT ANKLE HUGGERS SMALL	MOUNTING KIT INCLUDED	161,14	
CHASSIS					
CHASSIS COLOUR					 0944  0946  0947  0948  0949
BNH0944	☐	PEARL GREY			
BNH0946	☐	AZURITE			
BNH0947	☐	SAND			
BNH0948	☐	ELECTRIC GREEN			
BNH0949	☐	HAPPY RED			
CASTOR ATTACHMENT TYPE					
BNH0960	☐	FIXED			
FRONT CASTORS					
BNH1015	☐	8"x1.1/4" - 200X30 BLACK SOLID TYRE			
BNH1022	☐	8"x1.1/4" - 200X32 PNEUMATIC BLACK			
BNH1025	☐	8"x2" - 200X45 BLACK SOLID TYRE		126,07	
REAR WHEELS					
REAR WHEELS SIZE					
BNH1062	☐	24" / 600 MM - QR REAR WHEEL ATTACHMENT			
REAR WHEELS TYPE					
BNH1072	☐	STANDARD (BLACK HUB, COLORLESS RIM & ZINC PLATTED SPOKES)	NC : 1120		
BHN1074	☐	REINFORCED (COLORLESS HUB, CLEAR ANODIZED RIM & STAINLESS STEEL SPOKES)			
BHN1076	☐	DRUM BRAKE (22/24" : COLORLESS HUB, CLEAR ANODIZED RIM & STAINLESS STEEL SPOKES / 16" : BLACK PLASTIC HUB & RIM)	NC : 1086		
TYRE TYPE					
BNH1082	☐	PNEUMATIC PROFILED BLACK 1" 3/8			
BNH1086	☐	PNEUMATIC LOW PROFILE BLACK 1"			
BNH1092	☐	TYRES SOLID BLACK 1" 3/8			
HANDRIM TYPE					
BNH1100	☐	ALUMINIUM			
BNH1120	☐	PLASTIC COATED		200,00	

WHEEL OPTIONS				
SPOKEGUARD				
BNH1160	☐	FROST		219,91
SAFETY				
BNH1170	☐	USER MANOUVERED TYRE BRAKES		◆
BNH1180	☐	ONE ARM BRAKE LH		327,01
BNH1185	☐	ONE ARM BRAKE RH		327,01
BNH1200	☐	PELVIC BELT - PLASTIC BUCKLE		73,93
BNH1201	☐	BODYPOINT BELT - 2 POINT CENTER-PULL PUSH-BUTTON MEDIUM		120,38
BNH1202	☐	BODYPOINT BELT -2 POINT CENTER-PULL PUSH-BUTTON LARGE		127,01
BNH1203	☐	BODYPOINT BELT - 4 POINT CENTER-PULL PUSH-BUTTON MEDIUM		134,60
BNH1204	☐	BODYPOINT BELT - 4 POINT CENTER-PULL PUSH-BUTTON LARGE		142,18
BNH1206	☐	BODYPOINT PIVOTFIT HARNESS MEDIUM	ONLY WITH ELITE E2 /ELITE DEEP E2 BACKS OR WITH HEADREST OR NECKREST	220,85
BNH1207	☐	BODYPOINT PIVOTFIT HARNESS LARGE	ONLY WITH ELITE E2 /ELITE DEEP E2 BACKS OR WITH HEADREST OR NECKREST	227,49
OPTIONS				
Think of Bodypoint positioning accessories: belts, harnesses, ankle supports.				
OTHER OPTIONS				
TRAYS				
BNH1230	☐	TABLE TRAY INCL MOUNTING KIT	NC : 1237	72,83
BNH1231	☐	TABLE TRAY INCL MOUNTING KIT, WITH ELBOW PADS	NC : 1237	154,50
BNH1232	☐	HALF TABLE TRAY, CLEAR, FLIP UP, LH (ARMREST WITH STRAIGHT NARROW PAD INCL.)	NC : 1235	72,83
BNH1233	☐	HALF TABLE TRAY, CLEAR, FLIP UP, RH (ARMREST WITH STRAIGHT NARROW PAD INCL.)	NC : 1235	72,83
BNH1240	☐	SWING AWAY TABLE	NC : 1235, 1237, 1250	300,47
BNH1245	☐	SWING AWAY TABLE WITH ELBOW PADS	NC : 1235, 1237, 1250	348,82
TABLE TRAY CUSHION				
BNH1235	☐	TABLE TRAY CUSHION		104,27
BNH1237	☐	PADDING		90,05
OTHER OPTIONS				
BNH1250	☐	LOCKING DEVICE FOR TABLE TRAY		59,72
BNH1266	☐	MOUNTING BRACKET VIAMOBIL		453,08
BNH1300	☐	HARNESS ATTACHMENT		78,67
BNH1310	☐	ATTACHMENT WHEN USING THE PELVIC BELT FOR POSITIONING		28,44
BNH1320	☐	DRIP STAND		105,21
RAMPS				
1440530	☐	Fiberglass Folding Mono Ramp Folded dimensions: 2000 x 230 mm 16.3 kg - maximum capacity: 300 kg		1 787,68
1654128	☐	Basic ramp 2 telescopic parts in aluminum and non-slip coating. Folded dimensions: 1210 x 194 mm. 8.8 kg per pair - maximum capacity: 270 kg		402,84
1654129	☐	Quick2go Compact 3-part aluminum telescopic ramp with non-slip coating Folded dimensions: 870 x 237 mm 13.6 kg per pair - maximum capacity: 260 kg		805,69
1654130	☐	Aluminium folding mono ramp Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg		426,54