

Please contact Invacare EU Export Customer Services on :-
Tel : +33 247 626980 ; Email : serviceclient_export@invacare.com
Or visit our website : www.invacare.eu.com



Rea® Azalea®

Folding Frame Steel Manual Comfort Chair



Description:

- Seat tilt with maintenance of the centre of gravity and the correct position of the leg rests: +1°/24° and of the backrest: 0°/30° by pneumatic jacks.
- Width-adjustable legrests
- Heel straps
- Weight: from 34 kg
- Maximum user weight: 135 kg
- 2-year warranty period excluding wear parts



New:

- Narrow gutter without rotation, adjustable in height and depth over 70 mm WITHOUT TOOLS, compatible with shelf

Date :

Purchase Order :

Customer Code :




Distributor Stamp:

NEW CONCAVE GUTTER
ADJUSTABLE IN HEIGHT AND
DEPTH AS STANDARD



Invacare Unique Customization Service
Please specify the quote or special production number:

☐ Please make your selection with a cross in the box ☒ Standard feature ☐ Free of charge option

Please make your selection with a cross in the box		Standard feature		Free of charge option		
CODE		DESCRIPTION	NC : Non Compatible NC : 9999 = not compatible with the reference 9999	Euros		
BNA0010	☐	Rea® <i>Azalea</i> ®		1168,967		
PROPULSION TYPE						
BNA0025	☐	SELF PROPELLED: 24"/ 22" WHEELS WITH USER BRAKES	NC : 1076	◆		
BNA0030	☐	SELF- AND ASSISTANT PROPELLED: 24" / 22" WHEELS WITH HUB BRAKES	NC : 1072, 1074, 1095	213,27	PRICE REDUCTION!	
SEAT						
SEAT DIMENSIONS						
BNA0040	☐	390 mm - Adjustable from 390 to 440 mm	NC : 0244, 0245, 0246, 0247	○		
BNA0050	☐	440 mm - Adjustable from 440 to 490 mm	NC : 0241, 0242, 0246, 0247	○		
BNA0060	☐	490 mm - Adjustable from 490 to 540 mm	NC : 0206, 0241, 0242, 0243, 0244	○		
Seat width pre-adjustable						
BNA0065	☐	Supplied with adjustment + 50 mm (at 440, 490 or 540 mm)		○		
Seat depth (SD)						
BNA0100	☐	Adjustable from 430 to 500 mm		◆		
Floor/seat height (measured without cushion)						
BNA0110	☐	400 mm only with 22" rear wheels	NC : 0370, 0476, 1015, 1022, 1025, 1062, 1266, 1268	○		
BNA0120	☐	450 mm only with 24" rear wheels	NC : 1055	◆		
SEAT ANGLE						
BNA0127	☐	NEGATIVE SEAT ANGLE -1 TO +23° (STD +1 TO +24°)		○		
SEAT TYPE						
BNA0130	☐	DEPTH ADJUSTABLE		◆		
BNA0140	☐	SLIDING SEAT	NC : 0720	337,44		
SEAT CUSHION						
BNA0164	☐	CUSHION MATRX CONTOUR VISCO NG	NC : 0191,0201, 0202	◆	0164 0165	
BNA0165	☐	CUSHION FLOSHAPE		-43,70		
BNA0175	☐	CUSHION MISTRAL 2-LAYER	NC : 0191, 0201, 0202	-43,70		

SEAT UPHOLSTERY				
BNA0191	☐	BLACK PLUSH TR35		79,62
BNA0201	☐	BLACK PU TR26 - MUTLI STRETCH PU COATED FABRIC		◆
BNA0202	☐	BLACK SPACER TR36		○
BACKREST				
BACKREST WIDTH EXTENSION (PRE ADJUSTMENT)				
BNA0205	☐	+ 50 MM		○
BNA0206	☐	+ 100 MM	NC : 0220	○
BNA0207	☐	WITHOUT BACKREST WIDTH EXTENSION		◆
BACKREST TYPE				
BNA0210	☐	FLEX 3 BACKREST, FIXED PLATE (WIDTH ADJUSTABLE)	NC : 0235, 0240, 0241 to 0247, 0341, 0343, 0905	○
BNA0215	☐	BACKREST, PLATE "LAGUNA 2"	NC : 0235, 0240, 0241 to 0247, 0260, 0270, 0335, 0343, 0905	◆
BNA0220	☐	FLEX 3 BACKREST, TENSION ADJUSTABLE (WIDTH ADJUSTABLE)	NC : 0235, 0241 to 0247, 0341, 0343	○
BNA0221	☐	MATRX ELITE E2, (INCL. HARDWARE MOUNTED TO FRAME, BACKREST SUPPLIED IN BOX)	NC : 0240, 0250, 0260, 0270 0311, 0321, 0322, 0335, 0341, 0800, 0810, 0880, 0890, 0905, 0920	717,98
BNA0223	☐	MATRX ELITE DEEP E2, (INCL. HARDWARE MOUNTED TO FRAME, BACKREST SUPPLIED IN BOX)	NC : 0240, 0250, 0260, 0270 0311, 0321, 0322, 0335, 0341, 0800, 0810, 0880, 0890, 0905, 0920	717,98
BNA0225	☐	MATRX POSTURE BACK, (INCL. HARDWARE MOUNTED TO FRAME, BACKREST SUPPLIED IN BOX)	NC : 0235, 0240, 0241 to 0247, 0250, 0260, 0270 0311, 0321, 0322, 0335, 0341, 0800, 0810, 0880, 0890, 0905, 0910, 0920	717,98
BACKREST HEIGHT MATRX BACKRESTS				
BNA0233	☐	MATRX HEIGHT 41 CM		○
BNA0235	☐	MATRX HEIGHT 46 CM		○
BNA0234	☐	MATRX HEIGHT 51 CM		○
Matrx backrest width				
BNA0241	☐	360 mm - indicative bust 265 mm		○
BNA0242	☐	380 mm - indicative bust 290 mm		○
BNA0243	☐	410 mm - indicative bust 315 mm		○
BNA0244	☐	430 mm - indicative bust 340 mm		○
BNA0245	☐	460 mm - indicative bust 370 mm		○
BNA0246	☐	480 mm - indicative bust 390 mm		○
BNA0247	☐	510 mm - indicative bust 420 mm		○
BACKREST COVER/ CUSHION				
BNA0240	☐	COVER, LATERAL		○
BNA0250	☐	CUSHION, LAGUNA (LATERAL SUPPORT)	NC : 0905	◆
BNA0260	☐	CUSHION, MISTRAL 2 (WAIST SUPPORT)	NC : 0322, 0905	146,92
BNA0270	☐	CUSHION, PASSAD 2 (SHOULDER SUPPORT)	NC : 0905	217,06
BACKREST UPHOLSTERY				
BNA0311	☐	BLACK PLUSH TR35		79,62
BNA0321	☐	BLACK PU TR26		◆
BNA0322	☐	BLACK SPACER TR36		○
PUSHHANDLES				
BNA0335	☐	HEIGHT ADJUSTABLE AND REMOVABLE PUSHHANDLES		◆
BNA0341				
BNA0343				
BNA0345	☐	ANGLE ADJUSTABLE PUSHBAR	NC : 1266, 1268	145,97


0210


0215


0220


Matrx Elite E2 /
Elite Deep E2


0240


0250


0260


0270


0345

SEAT TILT AND BACKREST REGULATION TYPE					
BNA0350	☐	ASSISTANT OPERATED GAS PISTON SEAT AND BACKREST TILT.		◆	
BNA0360	☐	ELECTRIC BY REMOTE CONTROL - COMPLIES WITH EN 12184 : 2014	NC: 1263, 1266, 1268	995,26	
BNA1263	☐	TILT LOCK (LOCKING OF PRE-SET ANGLE)		◆	
LEGRESTS / FOOTRESTS					 0370  0380 / 0430  0390 / 0440  0410 / 0460
CENTRAL LEGRESTS TYPE					
BNA0370	☐	CENTRAL LEGREST, INCL CALFPAD AND FOOTREST.	NC : 0376, 0378, 0380, 0390, 0410, 0430, 0440, 0460, 0476, 0520, 0580, 0720, 0941, 0942, 0952, 0954, 0956	900,47	
LEGRESTS / HANGERS ADJUSTMENT					
BNA0375	☐	LOW POSITION, STANDARD		◆	
BNA0376	☐	HIGH POSITION FOR LONGER LEGS		109,00	
BNA0378	☐	90° HANGER ATTACHMENT	NC : 0390, 0410, 0440, 0460	52,13	
LEGRESTS / HANGERS LH TYPE					
BNA0380	☐	HANGER ANGLE ADJUSTABLE LH. WITH KNEE PAD AND CALF SUPPORT	NC : 0475, 0490, 0942	◆	
BNA0390	☐	HANGER FIXED 80 DEG, SWING IN SWING OUT - ALU 2003, LH		○	
BNA0410	☐	LEGREST AMPUTEE - ALU 2008 LH	NC : 0475, 0476, 0490, 0510, 0520, 0941, 0942	140,28	
LEGRESTS / HANGERS RH TYPE					
BNA0430	☐	HANGER ANGLE ADJUSTABLE RH. WITH KNEE PAD AND CALF SUPPORT	NC : 0475, 0550, 0942	◆	
BNA0440	☐	HANGER FIXED 80 DEG, SWING IN SWING OUT - ALU 2003, RH		○	
BNA0460	☐	LEGREST AMPUTEE - ALU 2008 RH	NC : 0475, 0476, 0550,0570, 0580, 0941, 0942	140,28	
FOOTRESTS					
FOOTRESTS ONE PIECE					
BNA0475	☐	FOOTREST ONE PIECE DEPTH AND ANGLE ADJUSTABLE, NO WIDTH ADJUSTMENT - SHORT TUBE	NC : 0490, 0510, 0520, 0550, 0570, 0580, 0952, 0954, 0956	202,84	
BNA0476	☐	FOOTREST ONE PIECE DEPTH AND ANGLE ADJUSTABLE, NO WIDTH ADJSUTMENT - LONG TUBE	NC : 0490, 0510, 0520, 0550, 0570, 0580, 0952, 0954, 0956	249,29	
FOOTRESTS LH TYPE					
BNA0490	☐	FOOTREST LOWER PART, DEPTH AND ANGLE ADJUSTABLE WITH SHORT TUBE AND HEEL STRAP, LH		○	
BNA0510	☐	FOOTREST LOWER PART, FIXED WITH LONG TUBE AND HEEL STRAP, LH.	NC : 0952, 0954, 0956	○	
BNA0520	☐	FOOTREST LOWER PART, DEPTH AND ANGLE ADJUSTABLE WITH LONG TUBE AND HEEL STRAP, LH		◆	
FOOTRESTS RH TYPE					
BNA0550	☐	FOOTREST LOWER PART, DEPTH AND ANGLE ADJUSTABLE WITH SHORT TUBE AND HEEL STRAP, RH		○	
BNA0570	☐	FOOTREST LOWER PART, FIXED WITH LONG TUBE AND HEEL STRAP, RH.		○	
BNA0580	☐	FOOTREST LOWER PART, DEPTH AND ANGLE ADJUSTABLE WITH LONG TUBE AND HEEL STRAP, RH		◆	




0370



0380 / 0430



0390 / 0440



0410 / 0460



0475 / 0476





0510 / 0570




0520 / 0580



0520 / 0580

ARMRESTS (Height adjustable, Autolock attachment included)					
ARMRESTS LH TYPE					
BNA0600	☐	STANDARD PAD, LH	NC : 1232	○	 0600 / 0630
BNA0606	☐	CONCAVE GUTTER ADJUSTABLE IN HEIGHT AND DEPTH OVE 70 MM WITHOUT TOOLS (COMPATIBLE WITH SHELF) 	NC : 1232	◆	
BNA0610	☐	PADDED, LH.	NC : 0680, 0690, 1230, 1231, 1233, 1250	○	
BNA0615	☐	HEMIPLEGIC ARMRESTS, LH.	NC : 1230, 1231, 1233, 1240, 1245, 1250	○	
BNA0620	☐	WITHOUT ARMREST, LH	NC : 0690, 1230, 1231, 1240, 1245, 1250	○	
ARMRESTS RH TYPE					
BNA0630	☐	STANDARD PAD, RH	NC : 1233	○	0610 / 0640
BNA0636	☐	CONCAVE GUTTER ADJUSTABLE IN HEIGHT AND DEPTH OVE 70 MM WITHOUT TOOLS (COMPATIBLE WITH SHELF) 	NC : 1232	◆	
BNA0640	☐	PADDED, RH.	NC : 0680, 0690, 1230, 1231, 1232, 1250	○	 0615 / 0645
BNA0645	☐	HEMIPLEGIC ARMRESTS, RH.	NC : 1230, 1231, 1232, 1240, 1245, 1250	○	
BNA0650	☐	WITHOUT ARMREST, RH	NC : 0690, 1230, 1231, 1240, 1245, 1250	○	
SEATING OPTIONS					
ARMREST OPTIONS					
BNA0680	☐	CUSHION TO SIDE REST COVER		69,19	
BNA0690	☐	PAD, SIDE REST		15,17	
SEAT OPTIONS					
BNA0710	☐	INCONTINENCE COVER		41,71	 0720
BNA0720	☐	ABDUCTION CUSHION		246,45	
BACKREST OPTIONS					
BNA0730	☐	HEADREST, SIDEWISE ADJUSTABLE - FIXED HARDWARE INCLUDED	NC : 0742, 0750, 0770	○	 0730
BNA0750	☐	HEADREST WITH CHEEK SUPPORT, SIDEWISE ADJUSTABLE - FIXED HARDWARE INCLUDED	NC : 0740, 0742, 0770	225,59	
BNA0731	☐	MATRIX ELAN STANDARD PAD (254 mm/10")	NC : 0740, 0770	218,01	 0750
BNA0736	☐	MATRIX ELAN 4-POINT PAD (229W x 177H mm / 9"W x 7"H)	NC : 0740, 0770	408,53	
BNA0742	☐	MATRIX ELAN HARDWARE		201,90	 0736
BNA0740	☐	COVER FOR HEADREST		54,03	
BNA0770	☐	NECKREST	NC : 0771	◆	 0782
BNA0782	☐	UNIVERSAL HEAD/NECKREST HOLDER		69,19	
BNA0790	☐	HANDLES CLINIC KIT FOR HEAD-/NECKREST		29,38	
TRUNK SUPPORT LH					
BNA0800	☐	TRUNK SUPPORT MULTI ADJUSTABLE WITH STANDARD ARM (LH)		174,41	 0800 / 0810
BNA0880	☐	TRUNK SUPPORT SWINGAWAY (LH)		157,35	
TRUNK SUPPORT RH					
BNA0810	☐	TRUNK SUPPORT MULTI ADJUSTABLE WITH STANDARD ARM (RH)		174,41	 0880 / 0890
BNA0890	☐	TRUNK SUPPORT SWINGAWAY (RH)		157,35	

BACKREST OPTIONS (Following)				
BNA0905	☐	LATERAL POSITIONING PADS (WITH LOOP BAND BETWEEN COVER AND BACKREST UPHOLSTERY), PAIR		237,91
BNA0915	☐	TILT SCALE, BACKREST RECLINE		67,30
BNA0920	☐	WEDGES (ONE PAIR)		16,11
LEGREST OPTIONS				
BNA0941	☐	COVER FOOTPLATE		101,42
BNA0942	☐	CALF STRAP PADDED		119,43
BNA0952	☐	BODYPOINT ANKLE HUGGERS LARGE	MOUNTING KIT INCLUDED	170,62
BNA0954	☐	BODYPOINT ANKLE HUGGERS MEDIUM	MOUNTING KIT INCLUDED	170,62
BNA0956	☐	BODYPOINT ANKLE HUGGERS SMALL	MOUNTING KIT INCLUDED	161,14
CHASSIS				
CHASSIS COLOUR				
BNA0944	☐	PEARL GREY		◆
BNA0946	☐	AZURITE		○
BNA0947	☐	SAND		○
BNA0948	☐	ELECTRIC GREEN		○
BNA0949	☐	HAPPY RED		○
CHASSIS EXTENDER				
BNA0950	☐	CHASSIS EXTENDER, CASTORS 50 MM FORWARD.		87,20
CASTOR ATTACHMENT TYPE				
BNA0960	☐	FIXED		◆
FRONT CASTORS				
BNA0982	☐	5,5"x1.3/4" - 140X45 BLACK MEDIUM HARD		36,02
BNA0992	☐	6"x1.1/4" - 150X30 BLACK MEDIUM HARD		58,77
BNA1015	☐	8"x1.1/4" - 200X30 BLACK SOLID TYRE		◆
BNA1022	☐	8"x1.1/4" - 200X32 PNEUMATIC BLACK		○
BNA1025	☐	8"x2" - 200X45 BLACK SOLID TYRE		126,07
REAR WHEELS SIZE				
REAR WHEELS SIZE				
BNA1055	☐	22" / 560 MM - QR REAR WHEEL ATTACHMENT	NC : 1266	○
BNA1062	☐	24" / 600 MM - QR REAR WHEEL ATTACHMENT		◆
REAR WHEELS TYPE				
BNA1072	☐	STANDARD (BLACK HUB, COLORLESS RIM & ZINC PLATTED SPOKES)	NC : 1120	◆
BNA1074	☐	REINFORCED (COLORLESS HUB, CLEAR ANODIZED RIM & STAINLESS STEEL SPOKES)		36,02
BNA1076	☐	DRUM BRAKE (22/24" : COLORLESS HUB, CLEAR ANODIZED RIM & STAINLESS STEEL SPOKES / 16" : BLACK PLASTIC HUB & RIM)	NC : 1086	○
TYRE TYPE				
BNA1082	☐	PNEUMATIC PROFILED BLACK 1" 3/8		○
BNA1086	☐	PNEUMATIC LOW PROFILE BLACK 1"		○
BNA1092	☐	TYRES SOLID BLACK 1" 3/8		◆
HANDRIM TYPE				
BNA1100	☐	ALUMINIUM		◆
BNA1120	☐	PLASTIC COATED		200,00
WHEEL OPTIONS				
SPOKEGUARD				
BNA1160	☐	FROST		219,91

SAFETY					
BNA1170	☐	USER MANOUEVERED TYRE BRAKES		◆	 1200 1220 1201 / 1202 1203 / 1204 1206 / 1207
BNA1180	☐	ONE ARM BRAKE LH		327,01	
BNA1185	☐	ONE ARM BRAKE RH		327,01	
BNA1200	☐	PELVIC BELT - PLASTIC BUCKLE		73,93	
BNA1201	☐	BODYPOINT BELT - 2 POINT CENTER-PULL PUSH-BUTTON MEDIUM		120,38	
BNA1202	☐	BODYPOINT BELT -2 POINT CENTER-PULL PUSH-BUTTON LARGE		127,01	
BNA1203	☐	BODYPOINT BELT - 4 POINT CENTER-PULL PUSH-BUTTON MEDIUM		134,60	
BNA1204	☐	BODYPOINT BELT - 4 POINT CENTER-PULL PUSH-BUTTON LARGE		142,18	
BNA1206	☐	BODYPOINT PIVOTFIT HARNESS MEDIUM	ONLY WITH ELITE E2 /ELITE DEEP E2 BACKS OR WITH HEADREST OR NECKREST	220,85	
BNA1207	☐	BODYPOINT PIVOTFIT HARNESS LARGE	ONLY WITH ELITE E2 /ELITE DEEP E2 BACKS OR WITH HEADREST OR NECKREST	227,49	
OPTIONS					
Think of Bodypoint positioning accessories: belts, harnesses, ankle supports.					
OTHER OPTIONS					
TRAYS					
BNA1230	☐	TABLE TRAY INCL MOUNTING KIT	NC : 1237	72,83	 1230 1231 1232 / 1233 1245 1237 1300
BNA1231	☐	TABLE TRAY INCL MOUNTING KIT, WITH ELBOW PADS	NC : 1237	154,50	
BNA1232	☐	HALF TABLE TRAY, CLEAR, FLIP UP, LH (ARMREST WITH STRAIGHT NARROW PAD INCL.)	NC : 1235	72,83	
BNA1233	☐	HALF TABLE TRAY, CLEAR, FLIP UP, RH (ARMREST WITH STRAIGHT NARROW PAD INCL.)	NC : 1235	72,83	
BNA1240	☐	SWING AWAY TABLE	NC : 1235, 1237, 1250	300,47	
BNA1245	☐	SWING AWAY TABLE WITH ELBOW PADS	NC : 1235, 1237, 1250	348,82	
TABLE TRAY CUSHION					
BNA1235	☐	TABLE TRAY CUSHION		104,27	
BNA1237	☐	PADDING		90,05	
OTHER OPTIONS					
BNA1250	☐	LOCKING DEVICE FOR TABLE TRAY		59,72	
BNA1266	☐	MOUNTING BRACKET VIAMOBIL	NC : 1268	453,08	
BNA1268	☐	MOUNTING BRACKET VIAMOBIL PLUS		414,25	
BNA1300	☐	HARNESS ATTACHMENT		78,67	
BNA1310	☐	ATTACHMENT WHEN USING THE PELVIC BELT FOR POSITIONING		28,44	
BNA1320	☐	DRIP STAND		105,21	
RAMPS					
1440530	☐	Fiberglass Folding Mono Ramp Folded dimensions: 2000 x 230 mm 16.3 kg - maximum capacity: 300 kg		1 787,68	 1440530 1654128 1654129 1654130
1654128	☐	Basic ramp 2 telescopic parts in aluminum and non-slip coating. Folded dimensions: 1210 x 194 mm. 8.8 kg per pair - maximum capacity: 270 kg		402,84	
1654129	☐	Quick2go Compact 3-part aluminum telescopic ramp with non-slip coating Folded dimensions: 870 x 237 mm 13.6 kg per pair - maximum capacity: 260 kg		805,69	
1654130	☐	Aluminium folding mono ramp Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg		426,54	