

Rea® Clematis® Pro E-Tilt Configured

Please contact Invacare EU Export Customer Services on :-
Tel : +33 247 626980 ; Email : serviceclient_export@invacare.com
 Or visit our website : www.invacare.eu.com



Rea® Clematis® Pro E-Tilt Configured

Folding frame steel manual comfort chair with electric recliner



Date :

Purchase Order :

Customer Code :

Distributor Stamp::



Description:

- Seat and backrest reclining by electric cylinders (from +1° to + 30° / -2° to + 27° for the seat, from 0° to + 30° for the backrest)
- Width adjustment of armrests (+ 25 mm per side) and legrests (+ 50 mm per side)
- Seat depth continuously adjustable from 430 to 500 mm via drawer system
- Soft backrest with new Laguna 2 backrest cushion which improves lateral support
- Neck support - Pair of legrests with articulated pallets
- Color Pearly Beige (RAL 1035)
- Maximum user weight: 135 kg.
- Weight: from 35.5 kg
- 2-year warranty period excluding wear parts
- Compatible with Alber engines: e-motion M25, e-fix E35-E36, viamobil V25, viaplus V12
- EU Plug




Invacare Unique Customization Service
 Please specify the quote or special production number:

☐ Please make your selection with a cross in the box

◆ Standard feature

○ Free of charge option

CODE	DESCRIPTION	NC : Non Compatible NC : 9999 = not compatible with the reference 9999	Euros	
SNC0002	☐ Rea® Clematis® Pro E-Tilt		942,64	
PROPULSION TYPE				
SNC0100	☐ SELF PROPULSION (24" REAR WHEELS)	NC : 1500	◆	
SNC0110	☐ TRANSIT PROPULSION (12" REAR WHEELS)	NC : 0380, 1520	○	
FRAME TYPE				
SNC0210	☐ ADJUSTABLE FRAME DEPTH AND WIDTH ADJUSTABLE		◆	
SEAT WIDTH				
SNC0300	☐ 390mm, adjustable to 440mm		○	
SNC0310	☐ 440mm, adjustable to 490mm		○	
SNC0320	☐ 490mm, adjustable to 540mm		○	
SNC0330	☐ 540mm, adjustable to 590mm	NC : 0430, 1630, 1640	545,02	
SEAT DEPTH				
SNC0370	☐ 430 - 500 MM		◆	
SEAT HEIGHT				
SNC0380	☐ 400 mm	NC : 1430, 1440	○	
SNC0390	☐ 450 mm		◆	
SEAT CUSHIONS				
SNC0410	☐ CUSHION MATRX CONTOUR VISCO NG		◆	
SNC0420	☐ CUSHION MISTRAL 2 BLACK PU TR26		-43,70	
SNC0430	☐ CUSHION FLO-SHAPE BLACK PU TR26		-43,70	
BACKREST TYPE				
SNC0500	☐ RIGID BACKREST PLATE	NC : 0540, 1000	78,67	
SNC0510	☐ SOFT FABRIC BACKREST	NC : 0540, 1000	◆	
SNC0520	☐ BACKREST LAGUNA 2 TENSION ADJUSTABLE	NC : 0560, 0570, 1200, 1210, 1220, 1230	173,46	
BACKREST CUSHION				
SNC0530	☐ CUSHION LAGUNA 2 BLACK PU TR26		◆	
SNC0540	☐ COVER LATERAL BLACK PU TR26		○	
PUSH HANDLES				
SNC0560	☐ HEIGHT ADJUSTABLE PUSH HANDLES		◆	
SNC0570	☐ PUSH BAR ANGLE ADJUSTABLE		145,97	
SNC0580	☐ COMBINED PUSH HANDLES		○	
SEAT TILT AND BACKREST REGULATION TYPE				
SNC0620	☐ ELECTRIC OPERATED BACKREST AND SEAT TILT - EU PLUG		◆	




0210



Armrest support



0410



0420

0430



0530



0560



0570



0580

LEGRESTS / FOOTRESTS				
LEGRESTS ADJUSTMENT				
SNC0700	☐	STANDARD LEGREST ATTACHMENT		◆
SNC0710	☐	90° HANGER ATTACHMENT		52,13
LEGRESTS LH TYPE				
SNC0720	☐	LEGREST ANGLE ADJUSTABLE, INCL CALF SUPPORT, LH		◆
LEGRESTS RH TYPE				
SNC0740	☐	LEGREST ANGLE ADJUSTABLE, INCL CALF SUPPORT, RH		◆
FOOTRESTS				
FOOTRESTS LH TYPE				
SNC0770	☐	FOOTREST LOWER PART, DEPTH, WIDTH AND ANGLE ADJUSTABLE WITH HEEL STRAP, LH		◆
FOOTRESTS RH TYPE				
SNC0790	☐	FOOTREST LOWER PART, DEPTH, WIDTH AND ANGLE ADJUSTABLE WITH HEEL STRAP, RH		◆
ARMRESTS (Height adjustable, auto lock attachment included)				
ARMREST LH TYPE				
SNC0800	☐	STANDARD PAD, LH		◆
SNC0810	☐	COMFORT ARMREST PAD, LH	NC : 1720	113,17
SNC0820	☐	HEMIPLEGIC ARMREST ,LH	NC : 1700, 1710, 1720, 1790	113,17
ARMREST RH TYPE				
SNC0850	☐	STANDARD PAD, RH		◆
SNC0860	☐	COMFORT ARMREST PAD, RH	NC : 1730	113,17
SNC0870	☐	HEMIPLEGIC ARMREST,RH	NC : 1700, 1710, 1730, 1790	113,17
SEATING OPTIONS				
SEATING OPTIONS				
SNC0910	☐	ABDUCTION CUSHION		246,45
BACKREST STRAPS				
SNC1000	☐	SUPPORT STRAP FOR BACKREST LAGUNA 2 TENSION ADJUSTABLE		38,86
HEADREST/ NECKREST				
SNC1100	☐	HEADREST ADJUSTABLE WITH HANDWHEEL		209,48
SNC1110	☐	HEADREST WITH CHEEK SUPPORT, SIDEWISE ADJUSTABLE	NC : 1130	225,59
SNC1120	☐	NECKREST FIXED	NC : 1130	◆
SNC1130	☐	COVER FOR HEADREST		57,82
TRUNK SUPPORT				
SNC1200	☐	TRUNK SUPPORT SMALL, LH		174,41
SNC1210	☐	TRUNK SUPPORT SWINGAWAY (LH)		156,40
SNC1220	☐	TRUNK SUPPORT SMALL, RH		174,41
SNC1230	☐	TRUNK SUPPORT SWINGAWAY (RH)		156,40
LEGREST / FOOTREST OPTIONS TYPE				
SNC1300	☐	FOOTPLATE PADDING		103,32
CHASSIS				
CHASSIS COLOURS				
SNC1400	☐	PEARL BEIGE		◆
CASTOR ATTACHMENT TYPE				
SNC1410	☐	CASTOR ATTACHMENT FIXED		◆
FRONT CASTORS				
SNC1420	☐	6"x1.1/4" - 150X30 MM BLACK SOLID TYRE		◆
SNC1430	☐	8"x1.1/4" - 200X30 MM BLACK SOLID TYRE		○
SNC1440	☐	8"x2" - 200X45 MM BLACK SOLID TYRE		○



0720
0740



0770



0800



0810



0820



0910



1000



1100



1110



1120



1200



1210



1300



1420



1430



1440

REAR WHEELS SIZE/TYPE				
SNC1500	☐	12" (305 MM) WHEEL	NC : 1530, 1550, 1560, 1600, 1630, 1640	○
SNC1520	☐	24" (610 MM) STANDARD WHEELS	NC : 1620	◆
SNC1525	☐	24" (610 MM) DRUM BRAKE WHEELS	NC : 1620, 1630, 1640	213,27
TYRE TYPE				
SNC1530	☐	BLACK PNEUMATIC PROFILED		○
SNC1540	☐	BLACK TYRES SOLID		◆
HANDRIM TYPE				
SNC1550	☐	HANDRIM ALUMINIUM		◆
SPOKEGUARD				
SNC1560	☐	FROST		219,91
SAFETY				
SNC1600	☐	STANDARD BRAKES		◆
SNC1620	☐	FOOT OPERATED BRAKES	ONLY FOR 12" REAR WHEELS	○
SNC1630	☐	ONE ARM BRAKE LH		327,01
SNC1640	☐	ONE ARM BRAKE RH		327,01
SAFETY OPTIONS				
SNC1650	☐	POSTURE BELT - PLASTIC BUCKLE	Must be checked for Assist version	○
SNC1660	☐	ANTI-TIP DEVICE		◆
ACCESSOIRES				
SNC1700	☐	TABLE TRAY INCL MOUNTING KIT, WITH ELBOW PADS	NC : 1750	154,50
SNC1710	☐	TABLE TRAY INCL MOUNTING KIT	NC : 1750	72,83
SNC1720	☐	HALF TABLE TRAY, CLEAR, FLIP UP, LH WITH STRAIGHT NARROW PAD	NC : 1740	72,83
SNC1730	☐	HALF TABLE TRAY, CLEAR, FLIP UP, RH WITH STRAIGHT NARROW PAD	NC : 1740	72,83
SNC1740	☐	TABLE TRAY CUSHION		101,42
SNC1750	☐	PADDING FOR HALF TABLE TRAY		90,05
SNC1770	☐	MOUNTING BRACKET VIAMOBIL V25		453,08
SNC1780	☐	DRIP STAND		103,32
SNC1790	☐	LOCKING DEVICE FOR TABLE TRAY		59,72
RAMPS				
1440530	☐	Fiberglass Folding Mono Ramp Folded dimensions: 2000 x 230 mm 16.3 kg - maximum capacity: 300 kg"		1 787,68
1654128	☐	Basic ramp 2 telescopic parts in aluminum and non-slip coating - Folded dimensions: 1210 x 194 mm. 8.8 kg per pair - maximum capacity: 270 kg		402,84
1654129	☐	Quick2go Compact 3-part aluminum telescopic ramp with non-slip coating Folded dimensions: 870 x 237 mm 13.6 kg per pair - maximum capacity: 260 kg		805,69
1654130	☐	Aluminium folding mono ramp Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg		426,54



1500



1520



1620
1630
1640
1200



1710



1750



1790



1440530



1654128



1654129



1654130

PRICE REDUCTION!