

Rea® Dahlia® 30° Assist

Please contact Invacare EU Export Customer Services on :-
Tel : +33 247 626980 ; Email : serviceclient_export@invacare.com
Or visit our website : www.invacare.eu.com



Rea® Dahlia® 30° Assist Folding Frame Steel Manual Wheelchair



Description:

- Reclining seat up to 30° *. Tilting possible by the user as an option.
- Backrest adjustable in angle or inclination from 0° up to 30° *
- Reduced overall width: +160 mm with 16" wheels.
- Wheelbase adjustable over 90 mm
- delivered in rearward position.
- Weight: from 35kg.
- Max user weight: 135 kg.
- 2-year warranty period excluding wear parts
- * see table at the end of the order form

Date :

Purchase Order :

Customer Code :

Distributor Stamp::



Invacare Unique Customization Service
Please specify the quote or special production number:

☐ Please make your selection with a cross in the box

◆ Standard feature

○ Free of charge option

CODE		DESCRIPTION	NC : Non Compatible NC : 9999 = not compatible with the reference 9999	Euros
BVD0015	☐	Rea® Dahlia® 30° Assist with drum brakes		1155,78

SEAT

SEAT WIDTH

BVD0050	☐	390 mm - Réglable de 390 à 490 mm	NC : 1810	○
BVD0060	☐	440 mm - Réglable de 440 à 540 mm		○
BVD0070	☐	490 mm - Réglable de 490 à 590 mm		○

Pré-réglage en largeur de l'assise

BVD0080	☐	390 MM (SMALL CHASSIS)	NC : 0630	○
BVD0090	☐	440 MM (MEDIUM CHASSIS)	NC : 0630	○
BVD0100	☐	490 MM (LARGE CHASSIS)	NC : 0460, 0470	◆

SEAT DEPTH

BVD0110	☐	DEPTH ADJUSTABLE 430-500 MM		◆
---------	--------------------------	-----------------------------	--	---

SEAT HEIGHT

BVD0120	☐	330 MM/ 13" (16" AND 20")	NC : 0670, 1810	○
BVD0130	☐	350 MM/ 14" (22", 20" AND 16")	NC : 0670	○
BVD0170	☐	450 MM/ 18" (24" AND 16")		◆
BVD0180	☐	480 MM/ 19" (16")		○

SEAT ANGLE - Negative

BVD0240	☐	NEGATIVE SEAT ANGLE -1 (STANDARD IS + 0 DEGREE)		○
---------	--------------------------	---	--	---

SEAT CUSHION

BVD0260	☐	CUSHION MISTRAL 2 LAYER BLACK PU TR26	NC : 0330, 0345	-76,78
BVD0270	☐	CUSHION FLOSHAPE BLACK PU TR26		-76,78
BVD0272	☐	CUSHION FLOSHAPE PLUSH TR35		-21,80
BVD0274	☐	CUSHION FLOSHAPE SPACER TR36		-76,78
BVD0280	☐	CUSHION MATRIX CONTOUR VISCO NG	NC : 0330, 0340, 0345	◆



0270



0280

BACKREST

BACKREST JOINT POSITION

BVD0370	☐	+ 50 mm	NC : 0470	42,65
---------	--------------------------	---------	-----------	-------

BACKREST TYPE

BVD0410	☐	LAGUNA 2 BACKREST PLATE	NC : 0460, 0470, 0490, 0492, 0495, 0497, 0510, 0520, 1265	○
BVD0420	☐	LAGUNA BACKREST TENSION ADJUSTABLE, WITH BACKREST BOW AND NECKREST/HEADREST ATTACHMENT	NC : 0460, 0470, 0520, 0580, 0590, 1140, 1150, 1220, 1230	◆
BVD0430	☐	FLEX 3 BACKREST, FIXED PLATE (WIDTH ADJUSTABLE)	NC : 0490, 0492, 0495, 0497, 1265	190,52
BVD0440	☐	FLEX 3 BACKREST, TENSION ADJUSTABLE(WIDTH ADJUSTABLE)	NC : 0470, 0495	216,11



0410



0420



0430



0440

BACKREST FLEX 3 ADJUSTMENT				
BVD0460	☐	FLEX 3 + 50 MM		○
BVD0470	☐	FLEX 3 + 100 MM	NC : 0630	○
BVD0480	☐	WITHOUT BACKREST WIDTH EXTENSION		◆
BACKREST COVER/ CUSHION				
- BACKREST UPHOLSTERY MANDATORY				
BVD0490	☐	COVER, LATERAL		○
BVD0492	☐	XL COVER, LATERAL		○
BVD0495	☐	COVER, LATERAL LOW (43CM)	NC : 0560	◆
BVD0497	☐	XL COVER, LATERAL LOW (43CM)	NC : 0560	○
BVD0500	☐	CUSHION, LAGUNA (LATERAL SUPPORT)	NC : 1265	○
BVD0510	☐	CUSHION, MISTRAL 2 (WAIST SUPPORT)	NC : 0575, 1265	○
BVD0520	☐	CUSHION, PASSAD 2 (SHOULDER SUPPORT)	NC : 1265	217,06
BACKREST UPHOLSTERY				
BVD0560	☐	BLACK PLUSH TR35		79,62
BVD0570	☐	BLACK PU TR26		◆
BVD0575	☐	BLACK SPACER TR36		○
PUSHHANDLES				
BVD0580	☐	ANGLE ADJUSTABLE PUSHBAR		145,97
BVD0590	☐	Height adjustable and removable push handles		◆
BVD0600	☐			
SEATING				
SEAT TILT TYPE				
BVD0620	☐	ASSISTANT OPERATED GAS PISTON FOR SEAT TILT		◆
BVD0630	☐	USER OPERATED TILT (SELF-TILT) WITH FIXATED ARMREST POLE - SEAT TILT REDUCE TO 10°	NC : 0915, 0925, 0930, 0950, 0975, 0985, 0990, 1010, 1750, 1755, 1756, 1757, 1760, 1765, 1770, 1775, 1780, 1890	○
BVD0632	☐	USER OPERATED TILT (SELF-TILT) WITH STANDARD ARMREST POLE - SEAT TILT REDUCE TO 10°	NC : 0915, 0925, 0930, 0950, 0975, 0985, 0990, 1010, 1750, 1755, 1756, 1757, 1760, 1765, 1770, 1775, 1780, 1850	○
BACKREST RECLINE OPERATION TYPE				
BVD0640	☐	ASSISTANT OPERATED GAS PISTON FOR BACKREST RECLINE		◆
BVD0660	☐	FIXED BACKREST ANGLE (BARREL SCREW)		○
LEGRESTS / FOOTRESTS				
CENTRAL LEGRESTS TYPE				
BVD0670	☐	CENTRAL LEGREST, INCL CALFPAD AND FOOTREST	NC : 0690, 0692, 0700, 0710, 0730, 0750, 0760, 0780, 0805, 1040, 1330, 1340, 1350, 1351, 1352, 1353	900,47
LEGRESTS / HANGERS ADJUSTMENT				
BVD0680	☐	LOW POSITION, STANDARD		◆
BVD0690	☐	HIGH POSITION FOR LONGER LEGS, 50 MM HIGHER		109,00
BVD0692	☐	90° HANGER ATTACHMENT	NC : 0710, 0730, 0760, 0780	52,13
LEGRESTS / HANGERS LH TYPE				
BVD0700	☐	HANGER ANGLE ADJUSTABLE LH. WITH KNEE PAD AND CALF SUPPORT	NC : 0855, 1330	100,03
BVD0710	☐	HANGER FIXED 80 DEG, SWING IN SWING OUT - ALU 2003, LH		◆
BVD0730	☐	LEGREST AMPUTEE - ALU 2008 LH	NC : 0805, 0825, 1330, 1340, 1350	140,28
LEGRESTS / HANGERS RH TYPE				
BVD0750	☐	HANGER ANGLE ADJUSTABLE RH. WITH KNEE PAD AND CALF SUPPORT	NC : 0855, 1330	100,03
BVD0760	☐	HANGER FIXED 80 DEG, SWING IN SWING OUT - ALU 2003, RH		◆
BVD0780	☐	LEGREST AMPUTEE - ALU 2008 RH	NC : 0805, 0845, 1330, 1340, 1350	140,28
FOOTRESTS LH TYPE				
BVD0805	☐	FOOTREST ONE PIECE DEPTH AND ANGLE ADJUSTABLE	NC : 1351, 1352, 1353	202,84
BVD0825	☐	FOOTREST LOWER PART, DEPTH AND ANGLE ADJUSTABLE WITH HEEL STRAP, LH	NC : 1330	◆
FOOTRESTS RH TYPE				
BVD0845	☐	FOOTREST LOWER PART, DEPTH AND ANGLE ADJUSTABLE WITH HEEL STRAP, RH	NC : 1330	◆
FOOTRESTS TUBE				
BVD0855	☐	SHORT TUBE 24CM		○
BVD0865	☐	LONG TUBE 36CM		◆



04900500



05100520



0580



0670



07000750



0710



07300780



0825 / 0845



0825 / 0845

ARMRESTS (Height adjustable, Autolock attachment included)					
ARMRESTS LH TYPE					
BVD0900	☐	STRAIGHT NARROW PAD, LH	NC : 1756	○	 0900
BVD0910	☐	STANDARD PAD, LH	NC : 1025, 1756	○	
BVD0915	☐	HIGH ARMREST (+55MM), STANDARD PAD, LH	NC : 1025, 1756	36,02	
BVD0925	☐	CONCAVE PAD, LH	NC : 1025, 1756	◆	
BVD0930	☐	HEMIPLEGIC ARMRESTS, LH. NOT TO COMBINE WITH TABLE ACCESSORIES.	NC : 1025, 1750, 1755, 1756, 1760, 1780	54,43	
BVD0950	☐	WITHOUT ARMREST, LH	NC : 1020, 1025, 1750, 1755, 1760, 1770, 1775, 1780	○	 0910  0925  0930
ARMRESTS RH TYPE					
BVD0960	☐	STRAIGHT NARROW PAD, RH	NC : 1757	○	
BVD0970	☐	STANDARD PAD, RH	NC : 1025, 1757	○	
BVD0975	☐	HIGH ARMREST (+55MM), STANDARD PAD, RH	NC : 1025, 1757	36,02	
BVD0985	☐	CONCAVE PAD RH	NC : 1025, 1757	◆	
BVD0990	☐	HEMIPLEGIC ARMRESTS, RH. NOT TO COMBINE WITH TABLE ACCESSORIES.	NC : 1025, 1750, 1755, 1756, 1760, 1770, 1775, 1780	54,43	
BVD1010	☐	WITHOUT ARMREST, RH	NC : 1020, 1025, 1750, 1755, 1760, 1770, 1775, 1780	○	
SEATING OPTIONS					
ARMREST OPTIONS					
BVD1020	☐	PAD, SIDE REST		69,19	 1040
BVD1025	☐	PADDED ARMPAD COVER, BLACK PLUSH TR35		41,71	
SEAT OPTIONS					
BVD1030	☐	INCONTINENCE COVER		41,71	
BVD1040	☐	ABDUCTION CUSHION	NC : 1060	246,45	
BVD1050	☐	SEAT PLATE EXTENSION IN WIDTH, FORWARD, REAR OR ASSYMETRIC (AS KIT, TWO UNITS OF PLATES)	NC : 1060	83,41	 1080
BVD1060	☐	2 CM SEAT HEIGHT INCREASED SEAT PLATE		94,79	
BACKREST OPTIONS					
BVD1080	☐	HEADREST, SIDEWISE ADJUSTABLE	NC : 1110, 1120	○	 1100
BVD1100	☐	HEADREST WITH CHEEK SUPPORT, SIDEWISE ADJUSTABLE	NC : 1090, 1110, 1120	225,59	
BVD1081	☐	MATRX ELAN STANDARD PAD (254 mm / 10")		218,01	
BVD1086	☐	MATRX ELAN 4-POINT PAD (280W x 254H mm / 11"W x 10"H)		408,53	
BVD1087	☐	MATRX ELAN HARDWARE		201,90	
BVD1090	☐	COVER FOR HEADREST	NC : 1110, 1120	47,39	 1110
BVD1110	☐	NECKREST		◆	
BVD1130	☐	HANDLES CLINIC KIT FOR HEAD-/NECKREST		29,38	
TRUNK SUPPORT LH					
BVD1140	☐	TRUNK SUPPORT MULTI ADJUSTABLE WITH STANDARD ARM (LH)		174,41	 1140 / 1150
BVD1220	☐	TRUNK SUPPORT SWINGAWAY (LH)		157,35	
TRUNK SUPPORT RH					
BVD1150	☐	TRUNK SUPPORT MULTI ADJUSTABLE WITH STANDARD ARM (RH)		174,41	 1220 / 1230
BVD1230	☐	TRUNK SUPPORT SWINGAWAY (RH)		157,35	
OTHERS BACKREST OPTIONS					
BVD1265	☐	LATERAL POSITIONING PADS (WITH LOOP BAND BETWEEN COVER AND BACKREST UPHOLSTERY), PAIR		237,91	 1265
BVD1280	☐	WEDGES (ONE PAIR)		67,30	
BVD1300	☐	TILT SCALE, BACKREST RECLINE		16,11	
LEGREST OPTIONS					
BVD1330	☐	CALF STRAP (FOR FOOTREST ONE PIECE)		87,20	 1351 / 1352 / 1353
BVD1340	☐	FOOT PLATE PADDING		103,32	
BVD1350	☐	CALF STRAP PADDED		126,07	
BVD1351	☐	BODYPOINT ANKLE HUGGERS LARGE	MOUNTING KIT INCLUDED	170,62	
BVD1352	☐	BODYPOINT ANKLE HUGGERS MEDIUM	MOUNTING KIT INCLUDED	170,62	
BVD1353	☐	BODYPOINT ANKLE HUGGERS SMALL	MOUNTING KIT INCLUDED	161,14	
CHASSIS					
COLOUR STRAPS CHASSIS					
BVD1360	☐	BLUE		59,72	 1360
BVD1370	☐	SILVER		59,72	
BVD1380	☐	RED		59,72	
BVD1390	☐	CHAMPAGNE		59,72	
BVD1400	☐	PETROLIUM GREEN		59,72	
BVD1405	☐	WITHOUT COLOUR STRAPS		◆	
CASTOR ATTACHMENT TYPE					
BVD1410	☐	FIXED		◆	 1400
BVD1420	☐	QR		75,83	

FRONT CASTORS				
BVD1435	☐	4"x1" - 100X30 BLACK SOFTROLL	FOR SEAT HEIGHT 330-350 MM	○
BVD1440	☐	5" x 1" - 125X27 BLACK MEDIUM HAR	FOR SEAT HEIGHT 350 MM	○
BVD1475	☐	6" x 1.1/4" - 150X30 BLACK MEDIUM HARD	FOR SEAT HEIGHT 380-450 MM	◆
BVD1495	☐	8" x 1.1/4" - 200X30 BLACK SOLID TYRE	FOR SEAT HEIGHT 450-500 MM	○
BVD1505	☐	8" x 1.1/4" - 200X32 PNEUMATIC BLACK	FOR SEAT HEIGHT 450-500 MM	○
BVD1515	☐	8" x 2" - 200X45 BLACK SOLID TYRE	FOR SEAT HEIGHT 450-500 MM	126,07
REAR WHEEL				
REAR WHEEL POSITION				
BVD1534	☐	STANDARD, MOST STABLE POSITION		◆
REAR WHEELS SIZE				
BVD1545	☐	16" / 405 MM - FIXED ATTACHMENT		◆
REAR WHEELS TYPE				
BVD1586	☐	DRUM BRAKE (22/24" : COLORLESS HUB, CLEAR ANODIZED RIM & STAINLESS STEEL SPOKES / 16" : BLACK PLASTIC HUB & RIM)		◆
TYRE TYPE				
BVD1625	☐	TYRES SOLID BLACK 1"3/8		◆
SAFETY				
BVD1720	☐	USER OPERATED TYRE BRAKES		203,79
BVD1730	☐	PELVIC BELT - PLASTIC BUCKLE		◆
BVD1731	☐	BODYPOINT 2 POINT CENTER-PULL PUSH-BUTTON MEDIUM		120,38
BVD1732	☐	BODYPOINT 2 POINT CENTER-PULL PUSH-BUTTON LARGE		127,01
BVD1733	☐	BODYPOINT 4 POINT CENTER-PULL PUSH-BUTTON MEDIUM		134,60
BVD1734	☐	BODYPOINT 4 POINT CENTER-PULL PUSH-BUTTON LARGE		142,18
BVD1736	☐	BODYPOINT PIVOTFIT HARNESS MEDIUM	ONLY WITH ELITE E2 /ELITE DEEP E2 BACKS OR WITH HEADREST /NECKREST	211,37
BVD1737	☐	BODYPOINT PIVOTFIT HARNESS LARGE	ONLY WITH ELITE E2 /ELITE DEEP E2 BACKS OR WITH HEADREST / NECKREST	227,49
POSITIONING OPTIONS				
Think of Bodypoint positioning accessories: belts, harnesses, ankle supports.				
ACCESSOIRES				
TABLE TRAY				
BVD1750	☐	TABLE TRAY INCL MOUNTING KIT	NC : 1765	72,82
BVD1755	☐	TABLE TRAY INCL MOUNTING KIT, WITH ELBOW PADS	NC : 1765	154,50
BVD1756	☐	HALF TABLE TRAY, CLEAR, FLIP UP, LH (ARMREST WITH STRAIGHT NARROW PAD INCL.)	NC : 1760	72,82
BVD1757	☐	HALF TABLE TRAY, CLEAR, FLIP UP, RH (ARMREST WITH STRAIGHT NARROW PAD INCL.)	NC : 1760	72,82
BVD1770	☐	SWING AWAY TABLE	NC : 1760, 1780	300,47
BVD1775	☐	SWING AWAY TABLE WITH ELBOW PADS	NC : 1760, 1780	348,82
TABLE TRAY CUSHION				
BVD1760	☐	TABLE CUSHION		92,89
BVD1765	☐	PADDING		90,05
OTHERS OPTIONS				
BVD1780	☐	LOCKING DEVICE FOR TABLE TRAY		59,72
BVD1810	☐	MOUNTING BRACKET VIAMOBIL	NC : 1830, 1870, 1900	453,08
BVD1860	☐	HARNESS ATTACHMENT BACKREST, UPPER		78,67
BVD1870	☐	KERB LEVER	NC : 1900	75,83
BVD1890	☐	TRANSPORTATION BRACKETS FOR OCCUPIED AND NON OCCUPIED TRANSPORT		52,13
BVD1900	☐	VENTILATOR TRAY		599,05
BVD1920	☐	DRIP STAND		105,21
BVD1930	☐	RESTRICTOR KIT		10,43
COMPATIBILITY CHART: Seat height / rear wheel size / seat tilt				
				</

RAMPS				
1440530	☐	Fiberglass Folding Mono Ramp Folded dimensions: 2000 x 230 mm 16.3 kg - maximum capacity: 300 kg"		1 787,68
1654128	☐	Basic ramp 2 telescopic parts in aluminum and non-slip coating - Folded dimensions: 1210 x 194 mm. 8.8 kg per pair - maximum capacity: 270 kg		402,84
1654129	☐	Quick2go Compact 3-part aluminum telescopic ramp with non-slip coating Folded dimensions: 870 x 237 mm 13.6 kg per pair - maximum capacity: 260 kg		805,69
1654130	☐	Aluminium folding mono ramp Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg		426,54




1440530



1654128



1654129



1654130