

Rea® Dahlia® 45° Assist

Please contact Invacare EU Export Customer Services on :-
Tel : +33 247 626980 ; Email : serviceclient_export@invacare.com
 Or visit our website : www.invacare.eu.com



Rea® Dahlia® 45° Assist Folding Frame Steel Manual Wheelchair



Description:

- Reclining seat up to 45° *
- Backrest adjustable in angle or tilting from 0° to 30° *
- Reduced overall width: Seat width +160 mm with 16" wheels.
- Wheelbase adjustable over 90 mm
- delivered in rearward position.
- Weight: from 35kg.
- Max user weight: 135 kg.
- 2-year warranty period excluding wear parts
- * see table at the end of order form.

Date :

Purchase Order :

Customer Code :

Distributor Stamp:



Invacare Unique Customization Service
 Please specify the quote or special production number:

☐ Please make your selection with a cross in the box

◆ Standard feature

○ Free of charge option

CODE		DESCRIPTION	NC : Non Compatible NC : 9999 = not compatible with the reference 9999	Euros
BXD0010	☐	Rea® Dahlia® 45° Assist		2445,50

SEAT DIMENSIONS

SEAT WIDTH

BXD0050	☐	390 MM (SMALL CHASSIS)	NC : 1770	○
BXD0060	☐	440 MM (MEDIUM CHASSIS)		○
BXD0070	☐	490 MM (LARGE CHASSIS)		○

SEAT WIDTH EXTENSION (PRE ADJUSTMENT)

BXD0080	☐	Delivered with adjustment + 50 mm		○
BXD0090	☐	Delivered with adjustment + 100 mm		○
BXD0100	☐	Delivered without pre-adjustment	NC : 0420, 0430	◆

SEAT DEPTH


BXD0110	☐	430-500 MM		◆
---------	--------------------------	------------	--	---

SEAT HEIGHT

BXD0120	☐	350 MM/ 14"; (20" AND 16")	NC : 0630, 0770, 0810, 0850, 1435, 1455, 1465, 1475, 1770	○
BXD0130	☐	380 MM/ 15"; (22", 20" AND 16")	NC : 0630, 0770, 0810, 0850, 1435, 1465, 1475, 1770	◆
BXD0170	☐	480 MM/ 19"; (24" AND 16")		○
BXD0180	☐	500 MM/ 20"; (16")	NC : 1435	○

SEAT CUSHION

BXD0220	☐	CUSHION MISTRAL 2 LAYER	NC : 0290, 0305	-76,78
BXD0230	☐	CUSHION FLOSHAPE		-76,78
BXD0240	☐	CUSHION MATRIX CONTOUR VISCO NG	NC : 0290; 0300, 0305	◆



0230



0240

SEAT UPHOLSTERY

BXD0290	☐	BLACK PLUSH TR35		○
BXD0300	☐	BLACK PU TR26 - MUTLI STRETCH PU COATED FABRIC		◆
BXD0305	☐	BLACK SPACER TR36		○

BACKREST JOINT POSITION

Extension width between back tube

BXD0330	☐	+ 50 MM	NC : 0430	○
BXD0340	☐	WITHOUT BACKREST JOINT WIDTH EXTENSION		◆

BACKREST TYPE

BXD0370	☐	LAGUNA 2 BACKREST PLATE	NC : 0420, 0430, 0450, 0470, 0480, 0515	○
BXD0390	☐	FLEX 3 BACKREST, FIXED PLATE (WIDTH ADJUSTABLE)	NC : 0450, 0515	○
BXD0400	☐	FLEX 3 BACKREST, TENSION ADJUSTABLE (WIDTH ADJUSTABLE)	NC : 0430	◆



0370



0390



0400

BACKREST FLEX 3 ADJUSTMENT

BXD0420	☐	FLEX 3 + 50 MM		○
---------	--------------------------	----------------	--	---

The public prices of the options valid only if ordered with the wheelchair.
 For options ordered separately, consult your distributor.
 © 2023 Invacare International Sarl

All rights reserved
 1/7

BXD0430	☐	FLEX 3 + 100 MM	☐
BXD0440	☐	WITHOUT BACKREST WIDTH EXTENSION	☒

BACKREST COVER/ CUSHION					 0450  0460  0470  0480
BXD0450	☐	COVER, LATERAL - BACKREST UPHOLSTERY MANDATORY		◆	
BXD0460	☐	CUSHION, LAGUNA (LATERAL SUPPORT) - BACKREST UPHOLSTERY MANDATORY	NC : 0515	○	
BXD0470	☐	CUSHION, MISTRAL 2 (WAIST SUPPORT) - BACKREST UPHOLSTERY MANDATORY	NC : 0515, 0535	○	
BXD0480	☐	CUSHION, PASSAD 2 (SHOULDER SUPPORT) - BACKREST UPHOLSTERY MANDATORY	NC : 0515	○	
EXTRA LARGE BACKREST COVER/BACKREST CUSHION					
BXD0515	☐	XL BACKREST COVER/BACKREST CUSHION		○	
BACKREST UPHOLSTERY					
BXD0520	☐	BLACK PLUSH TR35		○	
BXD0530	☐	BLACK PU TR26 - MUTLI STRETCH PU COATED FABRIC		◆	
BXD0535	☐	BLACK SPACER TR36		○	
PUSHHANDLES					 0540
BXD0540	☐	ANGLE ADJUSTABLE PUSHBAR		145,97	
BXD0550 BXD0560	☐	Height adjustable and removable push handles		◆	
SEATING					
SEAT TILT TYPE					
BXD0580	☐	ASSISTANT HAND OPERATED GAS PISTON FOR SEAT TILT - BACKREST RECLINE MANDATORY		◆	
BXD0595	☐	ELECTRIC BY REMOTE CONTROL - COMPLIES WITH EN 12184 : 2014	NC : 0600, 0620, 0630, 1770, 1860	995,26	
BACKREST RECLINE OPERATION TYPE					
BXD0600	☐	ASSISTANT OPERATED GAS PISTON FOR BACKREST RECLINE		◆	
BXD0620	☐	FIXED BACKREST ANGLE (BARREL SCREW)		○	
LEGRESTS / FOOTRESTS					
CENTRAL LEGRESTS TYPE					 0630
BXD0630	☐	CENTRAL LEGREST, INCL CALFPAD AND FOOTREST.	NC : 0640, 0650, 0655, 0660, 0670, 0690, 0710, 0720, 0740, 0760, 0770, 0790, 0810, 0830, 0850, 1000, 1300, 1310, 1311, 1312, 1313	900,47	
LEGRESTS / HANGERS ADJUSTMENT					
BXD0640	☐	LOW POSITION, STANDARD		◆	
BXD0650	☐	HIGH POSITION FOR LONGER LEGS, 50 MM HIGHER		109,00	
BXD0655	☐	90° HANGER ATTACHMENT	NC : 0670, 0690, 0720, 0740	52,13	 0670 0720
LEGRESTS / HANGERS LH TYPE					
BXD0660	☐	HANGER ANGLE ADJUSTABLE - LH. WITH KNEE PAD AND CALF SUPPORT	NC : 0760, 0790, 1290	100,03	 0660 0710
BXD0670	☐	HANGER FIXED 80 DEG, SWING IN SWING OUT - ALU 2003, LH		◆	
BXD0690	☐	LEGREST AMPUTEE	NC : 0760, 0770, 0790, 0810, 1290, 1300, 1310	140,28	
LEGRESTS / HANGERS RH TYPE					
BXD0710	☐	HANGER ANGLE ADJUSTABLE - RH. WITH KNEE PAD AND CALF SUPPORT	NC : 0760, 0830, 1290	100,03	 0690
BXD0720	☐	HANGER FIXED 80 DEG, SWING IN SWING OUT - ALU 2003, RH		◆	
BXD0740	☐	LEGREST AMPUTEE	NC : 0760, 0770, 0830, 0850, 1290, 1300, 1310	140,28	
FOOTRESTS					
FOOTRESTS ONE PIECE					 0770  0810 / 0850
BXD0760	☐	FOOTREST ONE PIECE DEPTH AND ANGLE ADJUSTABLE SHORT TUBE.	NC : 0630, 0660, 0690, 0710, 0740, 0790, 0830, 1311, 1312, 1313	202,84	
BXD0770	☐	FOOTREST ONE PIECE DEPTH AND ANGLE ADJUSTABLE LONG TUBE.	NC : 0790, 0810, 0830, 0850, 1311, 1312, 1313	202,84	
FOOTRESTS LH TYPE					
BXD0790	☐	FOOTREST LOWER PART, DEPTH AND ANGLE ADJUSTABLE WITH SHORT TUBE AND HEEL STRAP, LH	NC : 0660, 0690, 0760, 0770	○	
BXD0810	☐	FOOTREST LOWER PART, DEPTH AND ANGLE ADJUSTABLE WITH LONG TUBE AND HEEL STRAP, LH	NC : 1290	◆	

FOOTRESTS RH TYPE					0810 / 0850	
BXD0830	☐	FOOTREST LOWER PART, DEPTH AND ANGLE ADJUSTABLE WITH SHORT TUBE AND HEEL STRAP, RH	NC : 0710, 0740, 0760, 0770	○		
BXD0850	☐	FOOTREST LOWER PART, DEPTH AND ANGLE ADJUSTABLE WITH LONG TUBE AND HEEL STRAP, RH	NC : 1290	◆		
ARMRESTS (Height adjustable, Autolock attachment included)						
ARMRESTS LH TYPE					0860 0870 0890	  
BXD0860	☐	STRAIGHT NARROW PAD, LH	NC: 1717	○		
BXD0870	☐	STANDARD PAD, LH	NC : 0985, 1717	◆		
BXD0875	☐	HIGH ARMREST (+55MM), STANDARD PAD, LH	NC : 0985, 1717	36,02		
BXD0890	☐	HEMIPLEGIC ARMRESTS, LH.	NC : 0980, 0985, 1710, 1715, 1717, 1720, 1730, 1735, 1740	54,43		
BXD0910	☐	WITHOUT ARMREST, LH	NC : 0985, 1710, 1715, 1720, 1730, 1735, 1740	○		
ARMRESTS RH TYPE						
BXD0920	☐	STRAIGHT NARROW PAD, RH	NC : 1716	○		
BXD0930	☐	STANDARD PAD, RH	NC : 0985, 1716	◆		
BXD0935	☐	HIGH ARMREST (+55MM), STANDARD PAD, RH	NC : 0985, 1716	36,02		
BXD0950	☐	HEMIPLEGIC ARMRESTS, RH	NC : 0980, 0985, 1710, 1715, 1716, 1720, 1730, 1735, 1740	54,43		
BXD0970	☐	WITHOUT ARMREST, RH	NC : 0985, 1710, 1715, 1720, 1730, 1735, 1740	○		
SEATING OPTIONS						
ARMREST OPTIONS					1000 1040 1060 1041/ 1047 1070	    
BXD0980	☐	PAD, SIDE REST		33,18		
BXD0985	☐	PADDED ARMPAD COVER, BLACK PLUSH TR35	NC :1710, 1715, 1716, 1717, 1720, 1725, 1730, 1735, 1740	41,71		
SEAT OPTIONS						
BXD0990	☐	INCONTINENCE COVER		33,18		
BXD1000	☐	ABDUCTION CUSHION	NC : 1020	246,45		
BXD1010	☐	SEAT PLATE EXTENSION IN WIDTH, FORWARD, REAR OR ASSYMETRIC (AS KIT, TWO UNITS OF PLATES)		83,41		
BXD1020	☐	2 CM SEAT HEIGHT INCREASED SEAT PLATE		94,79		
BACKREST OPTIONS						
BXD1040	☐	HEADREST, SIDEWISE ADJUSTABLE	NC : 1047, 1060, 1070	◆		
BXD1060	☐	HEADREST WITH CHEEK SUPPORT, SIDEWISE ADJUSTABLE	NC : 1047, 1050, 1070	225,59		
BXD1041		MATRX ELAN STANDARD PAD (254 mm / 10")	NC : 1050, 1070	218,01		
BXD1046		MATRX ELAN 4-POINT PAD (280W x 254H mm / 11"W x 10"H)	NC : 1050, 1070	408,53		
BXD1047		MATRX ELAN HARDWARE		201,90		
BXD1050	☐	COVER FOR HEADREST	NC : 1060	47,39		
BXD1070	☐	NECKREST		○		
BXD1090	☐	HANDLES CLINIC KIT FOR HEAD-/NECKREST		29,38		
TRUNK SUPPORT LH					1100 / 1110	
BXD1100	☐	TRUNK SUPPORT MULTI ADJUSTABLE WITH STANDARD ARM		168,72		
BXD1180	☐	TRUNK SUPPORT SWINGAWAY		152,61		
TRUNK SUPPORT RH					1100 / 1110	
BXD1110	☐	TRUNK SUPPORT MULTI ADJUSTABLE WITH STANDARD ARM (RH)		168,72		

BXD1190	☐	TRUNK SUPPORT SWINGAWAY (RH)		152,61	1180 / 1190
---------	--------------------------	------------------------------	--	--------	-------------

OTHERS BACKREST OPTIONS				
BXD1240	☐	WEDGES (ONE PAIR)		○
BXD1260	☐	TILT SCALE, BACKREST RECLINE		16,11
LEGREST OPTIONS				
BXD1290	☐	CALF STRAP (FOR FOOTREST ONE PIECE)		87,20
BXD1300	☐	FOOT PLATE PADDING		103,32
BXD1310	☐	CALF STRAP PADDED		126,07
BXA1311	☐	BODYPOINT ANKLE HUGGERS LARGE	MOUNTING KIT INCLUDED	170,62
BXA1312	☐	BODYPOINT ANKLE HUGGERS MEDIUM	MOUNTING KIT INCLUDED	170,62
BXA1313	☐	BODYPOINT ANKLE HUGGERS SMALL	MOUNTING KIT INCLUDED	161,14
CHASSIS				
COLOUR STRAPS CHASSIS				
BXD1320	☐	BLUE		◆
BXD1330	☐	SILVER		○
BXD1340	☐	RED		○
BXD1350	☐	CHAMPAGNE		○
BXD1360	☐	PETROLIUM GREEN		○
BXD1365	☐	WITHOUT COLOUR STRAPS		○
CASTOR ATTACHMENT TYPE				
BXD1370	☐	FIXED		◆
BXD1380	☐	QR		75,83
FRONT CASTORS				
BXD1395	☐	4"x1" - 100X27 BLACK SOFTROLL		○
BXD1400	☐	5"x1" - 125X27 BLACK MEDIUM HARD		◆
BXD1435	☐	6" x 1.1/4" - 150X30 BLACK MEDIUM HARD		○
BXD1455	☐	8" x 1.1/4" - 200X30 BLACK SOLID TYRE		○
BXD1465	☐	8" x 1.1/4" - 200X32 PNEUMATIC BLACK		○
BXD1475	☐	8" x 2" - 200X45 BLACK SOLID TYRE		126,07
REAR WHEELS SIZE				
REAR WHEELS SIZE				
BXD1505	☐	16" / 405 MM - FIXED ATTACHMENT		◆
REAR WHEELS TYPE				
BXD1546	☐	DRUM BRAKE (22/24" : COLORLESS HUB, CLEAR ANODIZED RIM & STAINLESS STEEL SPOKES / 16" : BLACK PLASTIC HUB & RIM)		◆
TYRE TYPE				
BXD1585	☐	TYRES SOLID BLACK 1" 3/8		◆
SAFETY				
BXD1680	☐	USER OPERATED TYRE BRAKES		203,79
BXD1690	☐	PELVIC BELT - PLASTIC BUCKLE		◆
BXA1691	☐	BODYPOINT 2 POINT CENTER-PULL PUSH-BUTTON MEDIUM		120,38
BXA1692	☐	BODYPOINT 2 POINT CENTER-PULL PUSH-BUTTON LARGE		127,01
BXA1693	☐	BODYPOINT 4 POINT CENTER-PULL PUSH-BUTTON MEDIUM		134,60
BXA1694	☐	BODYPOINT 4 POINT CENTER-PULL PUSH-BUTTON LARGE		142,18
BXA1696	☐	BODYPOINT PIVOTFIT HARNESS MEDIUM	ONLY WITH ELITE E2 /ELITE DEEP E2 BACKS OR WITH HEADREST / NECKREST	220,85
BXA1697	☐	BODYPOINT PIVOTFIT HARNESS LARGE	ONLY WITH ELITE E2 /ELITE DEEP E2 BACKS OR WITH HEADREST /NECKREST	227,49
POSITIONING OPTION				
Think of Bodypoint positioning accessories: belts, harnesses, ankle supports.				
OPTIONS				
TABLE TRAY				
BXD1710	☐	TABLE TRAY INCL MOUNTING KIT	NC : 1725	72,82
BXD1715	☐	TABLE TRAY WITH ELBOW PADS	NC : 1725	154,50
BXD1716	☐	HALF TABLE TRAY, CLEAR, FLIP UP, LH (ARMREST WITH STRAIGHT NARROW PAD INCL.)	NC : 1720	72,82
BXD1717	☐	HALF TABLE TRAY, CLEAR, FLIP UP, RH (ARMREST WITH STRAIGHT NARROW PAD INCL.)	NC : 1720	72,82
BXD1730	☐	SWING AWAY TABLE	NC : 1740	300,47
BXD1735	☐	SWING AWAY TABLE WITH ELBOW PADS	NC : 1740	348,82
TABLE TRAY CUSHION				
BXD1720	☐	TABLE CUSHION	NC : 1730, 1735	119,43
BXD1725	☐	PADDING	NC : 1730, 1735	103,32


1311 / 1312 / 1313


1320 1330
1350 1340
1360


1690
1691 / 1692
1693 / 1694



1710
1715
1716
1717
1730
1735


1725

OTHERS OPTIONS					 1820
BXD1740	☐	LOCKING DEVICE FOR TABLE TRAY		59,72	
BXD1820	☐	HARNESS ATTACHMENT BACKREST, UPPER		78,67	
BXD1830	☐	KERB LEVER	NC : 1860	75,83	
BXD1850	☐	TRANSPORTATION BRACKETS FOR OCCUPIED AND NON OCCUPIED TRANSPORT		52,13	
BXD1860	☐	VENTILATOR TRAY		599,05	
BXD1880	☐	DRIP STAND		105,21	
BXD1890	☐	RESTRICTOR KIT		○	

COMPATIBILITY CHART: Seat height / rear wheel size / seat tilt

REA Dahlia 45°				
Seat Height	Rear wheel size	Seat tilt as delivered	Backrest recline as delivered	
350mm	16"	45	30	
	20"	30	30	
380mm	16"	45	30	
	20"	45	10	
	22"	30	30	
400mm	20"	45	30	
430mm	20"	45	30	
	22"	45	30	
450mm	22"	45	30	
	24"	45	30	
480mm	16"	45	30	
	24"	45	30	
500mm	16"	45	30	

RAMPS					 1440530  1654128  1654129  1654130
1440530	☐	Fiberglass Folding Mono Ramp Folded dimensions: 2000 x 230 mm 16.3 kg - maximum capacity: 300 kg		1 787,68	
1654128	☐	Basic ramp 2 telescopic parts in aluminum and non-slip coating. Folded dimensions: 1210 x 194 mm. 8.8 kg per pair - maximum capacity: 270 kg		402,84	
1654129	☐	Quick2go Compact 3-part aluminum telescopic ramp with non-slip coating Folded dimensions: 870 x 237 mm 13.6 kg per pair - maximum capacity: 260 kg		805,69	
1654130	☐	Aluminium folding mono ramp Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg		426,54	