

Rea® Dahlia® 45°

Please contact Invacare EU Export Customer Services on :-
Tel : +33 247 626980 ; Email : serviceclient_export@invacare.com
Or visit our website : www.invacare.eu.com



Rea® Dahlia® 45°

Folding Frame Steel Manual Wheelchair



Description:

- Reclining seat up to 45° *
- Backrest adjustable in angle or tilting from 0° to 30°*
- Reduced overall width: Seat width +180 mm with 20", 22", 24" wheels
- Wheelbase adjustable over 90 mm
- delivered in rearward position.
- Weight: from 35kg.
- Max user weight: 135 kg.
- 2-year warranty period excluding wear parts
- * see table at the end of order form

Date :

Purchase Order :

Customer Code :

Distributor Stamp::



Invacare Unique Customization Service
Please specify the quote or special production number:

☐ Please make your selection with a cross in the box ◆ Standard feature ○ Free of charge option

CODE		DESCRIPTION	NC : Non Compatible NC : 9999 = not compatible with the reference 9999	Euros	
BXA0015	☐	Rea® Dahlia® 45°		2 083,41	
PROPULSION TYPE					
BXA0035		SELF PROPELLED: 24" / 22" / 20" WHEELS	NC : 1548	◆	
BXA0042	☐	ONE ARM DRIVE RIGHT (NEW DHR SYSTEM) - QUICK RELEASE AXLES	NC : 0120, 0140, 1515, 1542, 1544, 1546, 1770	832,23	
BXA0044	☐	ONE ARM DRIVE LEFT (NEW DHR SYSTEM) - QUICK RELEASE AXLES	NC : 0120, 0140, 1515, 1542, 1544, 1546, 1770	832,23	
SEAT					
SEAT WIDTH					
BXA0050	☐	390 MM (SMALL CHASSIS)	NC : 1770	○	
BXA0060	☐	440 MM (MEDIUM CHASSIS)		○	
BXA0070	☐	490 MM (LARGE CHASSIS)		○	
SEAT WIDTH EXTENSION (PRE ADJUSTMENT)					
BXA0080	☐	+ 50 MM		○	
BXA0100	☐	WITHOUT SEAT WIDTH EXTENSION	NC : 0420	◆	
SEAT DEPTH					
BXA0110	☐	430-500 MM		◆	
SEAT HEIGHT					
BXA0120	☐	350 MM/ 14"; (20" AND 16")	NC : 0630, 0770, 0810, 0850, 1465, 1770	○	
BXA0130	☐	380 MM/ 15"; (22", 20" AND 16")	NC : 0630, 0770, 0810, 0850, 1465, 1770	○	
BXA0140	☐	400 MM/ 16"; (20")	NC : 0630, 0770, 0810, 0850, 1465	○	
BXA0150	☐	430 MM/ 17"; (20" AND 22")	NC : 0630, 1465	○	
BXA0160	☐	450 MM/ 18"; (24" AND 22")	NC : 1465	◆	
BXA0170	☐	480 MM/ 19"; (24" AND 16")		○	
SEAT CUSHION					
BXA0220	☐	CUSHION MISTRAL 2 LAYER	NC : 0290, 0305	-43,70	
BXA0230	☐	CUSHION FLOSHAPE		-43,70	
BXA0240	☐	CUSHION MATRX CONTOUR VISCO NG	NC : 0290, 0300, 0305	◆	
SEAT UPHOLSTERY					
BXA0290	☐	BLACK PLUSH TR35		○	
BXA0300	☐	BLACK PU TR26 - MUTLI STRETCH PU COATED FABRIC		◆	
BXA0305	☐	BLACK SPACER TR36		○	




0230



0240

BACKREST					 0370  0390  0400  0450  0460  0470  0480  0540
BACKREST JOINT POSITION					
BXA0330	☐	+ 50 MM		○	
BXA0340	☐	WITHOUT BACKREST JOINT WIDTH EXTENSION		◆	
BACKREST TYPE					
BXA0370	☐	LAGUNA 2 BACKREST PLATE	NC : 0420, 0450, 0470, 0480, 0515	○	
BXA0390	☐	FLEX 3 BACKREST, FIXED PLATE (WIDTH ADJUSTABLE)	NC : 0450, 0515	○	
BXA0400	☐	FLEX 3 BACKREST, TENSION ADJUSTABLE (WIDTH ADJUSTABLE)		◆	
BACKREST FLEX 3 ADJUSTMENT					
BXA0420	☐	FLEX 3 + 50 MM		○	
BXA0440	☐	WITHOUT BACKREST WIDTH EXTENSION		◆	
BACKREST COVER/ CUSHION					
BXA0450	☐	COVER, LATERAL - BACKREST UPHOLSTERY MANDATORY		◆	
BXA0460	☐	CUSHION, LAGUNA (LATERAL SUPPORT) - BACKREST UPHOLSTERY MANDATORY	NC : 0515	○	
BXA0470	☐	CUSHION, MISTRAL 2 (WAIST SUPPORT) - BACKREST UPHOLSTERY MANDATORY	NC : 0515, 0535	○	
BXA0480	☐	CUSHION, PASSAD 2 (SHOULDER SUPPORT) - BACKREST UPHOLSTERY MANDATORY	NC : 0515	○	
EXTRA LARGE BACKREST COVER/BACKREST CUSHION					
BXA0515	☐	XL BACKREST COVER/BACKREST CUSHION		○	
BACKREST UPHOLSTERY					
BXA0520	☐	BLACK PLUSH TR35		○	
BXA0530	☐	BLACK PU TR26 - MUTLI STRETCH PU COATED FABRIC		◆	
BXA0535	☐	BLACK SPACER TR36		○	
PUSHHANDLES					
BXA0540	☐	ANGLE ADJUSTABLE PUSHBAR		147,97	
BXA0550 BXA0560	☐	Height adjustable and removable push handles		◆	
SEATING					
SEAT TILT TYPE					
BXA0580	☐	ASSISTANT HAND OPERATED GAS PISTON FOR SEAT TILT - BACKREST RECLINE MANDATORY		◆	
BXA0595	☐	ELECTRIC BY REMOTE CONTROL - COMPLIES WITH EN 12184 : 2014	NC : 0600, 0620, 0630, 1770, 1860	995,26	
BACKREST RECLINE OPERATION TYPE					
BXA0600	☐	ASSISTANT OPERATED GAS PISTON FOR BACKREST RECLINE		◆	
BXA0620	☐	FIXED BACKREST ANGLE (BARREL SCREW)		○	
LEGRESTS / FOOTRESTS					
CENTRAL LEGRESTS TYPE					
BXA0630	☐	CENTRAL LEGREST, INCL CALFPAD AND FOOTREST.	NC : 0640, 0650, 0655, 0660, 0670, 0690, 0710, 0720, 0740, 0760, 0770, 0790, 0810, 0830, 0850, 1000, 1300, 1310, 1311, 1312, 1313	900,47	
LEGRESTS / HANGERS ADJUSTMENT					
BXA0640	☐	LOW POSITION, STANDARD		◆	
BXA0650	☐	HIGH POSITION FOR LONGER LEGS, 50 MM HIGHER		109,00	
BXA0655	☐	90° HANGER ATTACHMENT	NC : 0690, 0740	52,13	
LEGRESTS / HANGERS LH TYPE					
BXA0660	☐	HANGER ANGLE ADJUSTABLE - LH. WITH KNEE PAD AND CALF SUPPORT	NC : 0760, 0790, 1290	◆	
BXA0670	☐	HANGER FIXED 80 DEG, SWING IN SWING OUT		○	
BXA0690	☐	LEGREST AMPUTEE	NC : 0760, 0770, 0790, 0810, 1290, 1300, 1310	140,28	
LEGRESTS / HANGERS RH TYPE					
BXA0710	☐	HANGER ANGLE ADJUSTABLE - RH. WITH KNEE PAD AND CALF SUPPORT	NC : 0760, 0830, 1290	◆	
BXA0720	☐	HANGER FIXED 80 DEG, SWING IN SWING OUT		○	
BXA0740	☐	LEGREST AMPUTEE	NC : 0760, 0770, 0830, 0850, 1290, 1300, 1310	140,28	

FOOTRESTS					
FOOTRESTS ONE PIECE					
BXA0760	☐	FOOTREST ONE PIECE DEPTH AND ANGLE ADJUSTABLE SHORT TUBE.	NC : 0630, 0660, 0690, 0710, 0740, 0790, 0830, 1311, 1312, 1313	202,84	 0760/0770
BXA0770	☐	FOOTREST ONE PIECE DEPTH AND ANGLE ADJUSTABLE LONG TUBE.	NC : 0790, 0810, 0830, 0850, 1311, 1312, 1313	202,84	
FOOTRESTS LH TYPE					
BXA0790	☐	FOOTREST LOWER PART, DEPTH AND ANGLE ADJUSTABLE WITH SHORT TUBE AND HEEL STRAP, LH	NC : 0660, 0690, 0760, 0770		 0810/ 0850
BXA0810	☐	FOOTREST LOWER PART, DEPTH AND ANGLE ADJUSTABLE WITH LONG TUBE AND HEEL STRAP, LH	NC : 1290		
FOOTRESTS RH TYPE					
BXA0830	☐	FOOTREST LOWER PART, DEPTH AND ANGLE ADJUSTABLE WITH SHORT TUBE AND HEEL STRAP, RH	NC : 0710, 0740, 0760, 0770		 0810/ 0850
BXA0850	☐	FOOTREST LOWER PART, DEPTH AND ANGLE ADJUSTABLE WITH LONG TUBE AND HEEL STRAP, RH	NC : 1330		
ARMRESTS (Height adjustable, Autolock attchment included)					
ARMRESTS LH TYPE					
BXA0860	☐	STRAIGHT NARROW PAD, LH	NC : 1717		 0860
BXA0870	☐	STANDARD PAD, LH	NC : 0985, 1717		
BXA0875	☐	HIGH ARMREST (+55MM), STANDARD PAD, LH	NC : 0985, 1717	36,02	 0870
BXA0890	☐	HEMIPLEGIC ARMRESTS, LH.	NC : 0980, 0985, 1710, 1715, 1717, 1720, 1730, 1735, 1740	113,17	
BXA0910	☐	WITHOUT ARMREST, LH	NC : 0985, 1710, 1715, 1720, 1730, 1735, 1740		
ARMRESTS RH TYPE					
BXA0920	☐	STRAIGHT NARROW PAD, RH	NC : 1716		 0870
BXA0930	☐	STANDARD PAD, RH	NC : 0985, 1716		
BXA0935	☐	HIGH ARMREST (+55MM), STANDARD PAD, RH	NC : 0985, 1716	36,02	 0890
BXA0950	☐	HEMIPLEGIC ARMRESTS, RH	NC : 0985, 1710, 1715, 1716, 1720, 1730, 1735, 1740	113,17	
BXA0970	☐	WITHOUT ARMREST, RH	NC : 0980, 0985, 1710, 1715, 1720, 1730, 1735, 1740		
SEATING OPTIONS					
ARMREST OPTIONS					
BXA0980	☐	PAD, SIDE REST		33,18	 1000
BXA0985	☐	PADDED ARMPAD COVER, BLACK PLUSH TR35	NC :1710, 1715, 1716, 1717, 1720, 1725, 1730, 1735, 1740	41,71	
SEAT OPTIONS					
BXA0990	☐	INCONTINENCE COVER		33,18	 1000
BXA1000	☐	ABDUCTION CUSHION	NC : 1020	246,45	
BXA1010	☐	SEAT PLATE EXTENSION IN WIDTH, FORWARD, REAR OR ASSYMETRIC (AS KIT, TWO UNITS OF PLATES)		83,41	 1040 1060
BXA1020	☐	2 CM SEAT HEIGHT INCREASED SEAT PLATE		94,79	
BACKREST OPTIONS					
BXA1040	☐	HEADREST, SIDEWISE ADJUSTABLE	NC : 1047, 1060, 1070		 1041/ 1047
BXA1060	☐	HEADREST WITH CHEEK SUPPORT, SIDEWISE ADJUSTABLE	NC : 1047, 1050, 1070	225,59	
BXA1041	☐	MATRX ELAN STANDARD PAD (254 mm / 10")	NC : 1050, 1070	218,01	 1040 1060
BXA1046	☐	MATRX ELAN 4-POINT PAD (280W x 254H mm / 11"W x 10"H)	NC : 1050, 1070	408,53	
BXA1047	☐	MATRX ELAN HARDWARE		201,90	 1041/ 1047
BXA1050	☐	COVER FOR HEADREST	NC : 1060, 1070	47,39	
BXA1070	☐	NECKREST			 1070
BXA1090	☐	HANDLES CLINIC KIT FOR HEAD-/NECKREST		30,33	
TRUNK SUPPORT LH					
BXA1100	☐	TRUNK SUPPORT MULTI ADJUSTABLE WITH STANDARD ARM (LH)		174,41	 1100 1110
BXA1180	☐	TRUNK SUPPORT SWINGAWAY (LH)		157,35	

TRUNK SUPPORT RH				
BXA1110	☐	TRUNK SUPPORT MULTI ADJUSTABLE WITH STANDARD ARM (RH)		174,41
BXA1190	☐	TRUNK SUPPORT SWINGAWAY (RH)		157,35
OTHERS BACKREST OPTIONS				
BXA1240	☐	WEDGES (ONE PAIR)		○
BXA1260	☐	TILT SCALE, BACKREST RECLINE		16,11
LEGREST OPTIONS				
BXA1290	☐	CALF STRAP (FOR FOOTREST ONE PIECE)		87,20
BXA1300	☐	FOOT PLATE PADDING		103,32
BXA1310	☐	CALF STRAP PADDED		126,07
BXA1311	☐	BODYPOINT ANKLE HUGGERS LARGE	MOUNTING KIT INCLUDED	170,62
BXA1312	☐	BODYPOINT ANKLE HUGGERS MEDIUM	MOUNTING KIT INCLUDED	170,62
BXA1313	☐	BODYPOINT ANKLE HUGGERS SMALL	MOUNTING KIT INCLUDED	161,14
CHASSIS				
COLOUR STRAPS CHASSIS				
BXA1320	☐	BLUE		◆
BXA1330	☐	SILVER		○
BXA1340	☐	RED		○
BXA1350	☐	CHAMPAGNE		○
BXA1360	☐	PETROLIUM GREEN		○
BXA1365	☐	WITHOUT COLOUR STRAPS		○
CASTOR ATTACHMENT TYPE				
BXA1370	☐	FIXED		◆
BXA1380	☐	QR		75,83
FRONT CASTORS				
BXA1395	☐	4" x 1" - 100X27 BLACK SOFTROLL		○
BXA1400	☐	5" x 1" - 125X27 BLACK MEDIUM HARD		○
BXA1415	☐	6" x 1.1/4" - 140X40 BLACK SOFT		○
BXA1435	☐	8" x 1.1/4" - 150X30 BLACK MEDIUM HARD		◆
BXA1465	☐	8" x 1.1/4" - 200X32 PNEUMATIC BLACK		○
BXA1475	☐	8" x 2" - 200X45 BLACK SOLID TYRE		○
REAR WHEELS				
REAR WHEELS SIZE				
BXA1515	☐	20" / 515 MM - QUICK RELEASE ATTACHMENT	NC : 1542, 1546, 1548, 1585, 1595, 1630	○
BXA1525	☐	22" / 560 MM - QUICK RELEASE ATTACHMENT	NC : 1630	○
BXA1535	☐	24" / 600 MM - QUICK RELEASE ATTACHMENT		◆
REAR WHEELS TYPE				
BXA1542	☐	STANDARD (BLACK HUB, COLORLESS RIM & ZINC PLATTED SPOKES)	NC : 1620, 1630	◆
BXA1544	☐	REINFORCED (COLORLESS HUB, CLEAR ANODIZED RIM & STAINLESS STEEL SPOKES)		○
BXA1546	☐	DRUM BRAKE (22/24" : COLORLESS HUB, CLEAR ANODIZED RIM & STAINLESS STEEL SPOKES / 16" : BLACK PLASTIC HUB & RIM)	NC : 1595	213,27
BXA1548	☐	ONE ARM DRIVE (BLACK HUB & ZINC PLATTED SPOKED WITH ONE ARM DRIVE HANDRIM SYSTEM)	NC : 1565, 1610, 1620, 1630, 1670	○
TYRE TYPE				
BXA1565	☐	PNEUMATIC PROFILED BLACK 1" 3/8		◆
BXA1585	☐	TYRES SOLID BLACK 1" 3/8		○
BXA1595	☐	PNEUMATIC LOW PROFILE BLACK 1"		○
HANDRIM TYPE				
BXA1610	☐	ALUMINIUM		◆
BXA1620	☐	PLASTIC COATED		200,00
BXA1630	☐	BRUSHED STAINLESS STEEL		196,21
WHEEL OPTIONS				
SPOKEGUARD				
BXA1670	☐	FROST		219,91



1180
1190


1311 / 1312 / 1313


1320 1330
1350 1340
1360


Standard


Standard


1" 1.3/8" 1.3/8"
1595 1565 1585

PRICE REDUCTION!

SAFETY

SAFETY OPTIONS

BXA1680	☐	USER OPERATED TYRE BRAKES		◆
BXA1685	☐	ONE ARM BRAKE LH		327,01
BXA1687	☐	ONE ARM BRAKE RH		327,01
BXA1690	☐	PELVIC BELT - PLASTIC BUCKLE		73,93
BXA1691	☐	BODYPOINT 2 POINT CENTER-PULL PUSH-BUTTON MEDIUM		120,38
BXA1692	☐	BODYPOINT 2 POINT CENTER-PULL PUSH-BUTTON LARGE		127,01
BXA1693	☐	BODYPOINT 4 POINT CENTER-PULL PUSH-BUTTON MEDIUM		134,60
BXA1694	☐	BODYPOINT 4 POINT CENTER-PULL PUSH-BUTTON LARGE		142,18
BXA1696	☐	BODYPOINT PIVOTFIT HARNESS MEDIUM	ONLY WITH ELITE E2 /ELITE DEEP E2 BACKS OR WITH HEADREST / NECKREST	220,85
BXA1697	☐	BODYPOINT PIVOTFIT HARNESS LARGE	ONLY WITH ELITE E2 /ELITE DEEP E2 BACKS OR WITH HEADREST /NECKREST	227,49



1690



1691 / 1692



1693 / 1694



1696 / 1697

POSITIONING OPTIONS

Think of Bodypoint positioning accessories: belts, harnesses, ankle supports.



OPTIONS

TABLE TRAY

BXA1710	☐	TABLE TRAY INCL MOUNTING KIT	NC : 1725	72,83
BXA1715	☐	TABLE TRAY WITH ELBOW PADS	NC : 1725	154,50
BXA1716	☐	HALF TABLE TRAY, CLEAR, FLIP UP, LH (ARMREST WITH STRAIGHT NARROW PAD INCL.)	NC : 1720	72,83
BXA1717	☐	HALF TABLE TRAY, CLEAR, FLIP UP, RH (ARMREST WITH STRAIGHT NARROW PAD INCL.)	NC : 1720	72,83
BXA1730	☐	SWING AWAY TABLE	NC : 1740	300,47
BXA1735	☐	SWING AWAY TABLE WITH ELBOW PADS	NC : 1740	348,82



1710



1716
1717



1730



1735



1725



1715



1820

TABLE TRAY CUSHION

BXA1720	☐	TABLE CUSHION	NC : 1730, 1735	104,27
BXA1725	☐	PADDING	NC : 1730, 1735	90,05

OTHERS OPTIONS

BXA1740	☐	LOCKING DEVICE FOR TABLE TRAY		59,72
BXA1770	☐	MOUNTING BRACKET VIAMOBIL	NC : 1830, 1860	453,08
BXA1820	☐	HARNESS ATTACHMENT BACKREST, UPPER		78,67
BXA1830	☐	KERB LEVER	NC : 1860	75,83
BXA1850	☐	TRANSPORTATION BRACKETS FOR OCCUPIED AND NON OCCUPIED TRANSPORT		52,13
BXA1860	☐	VENTILATOR TRAY		599,05
BXA1880	☐	DRIP STAND		105,21
BXA1890	☐	RESTRICTOR KIT		○

COMPATIBILITY CHART: Seat height / rear wheel size / seat tilt

REA Dahlia 45°			
Seat Height	Rear wheel size	Seat tilt as delivered	Backrest recline as delivered
350mm	16"	45	30
	20"	30	30
380mm	16"	45	30
	20"	45	10
	22"	30	30
400mm	20"	45	30
430mm	20"	45	30
	22"	45	30
450mm	22"	45	30
	24"	45	30
480mm	16"	45	30
	24"	45	30
500mm	16"	45	30

RAMPS					
1440530	☐	Fiberglass Folding Mono Ramp Folded dimensions: 2000 x 230 mm 16.3 kg - maximum capacity: 300 kg		1 787,68	 1440530
1654128	☐	Basic ramp 2 telescopic parts in aluminum and non-slip coating. Folded dimensions: 1210 x 194 mm. 8.8 kg per pair - maximum capacity: 270 kg		402,84	 1654128
1654129	☐	Quick2go Compact 3-part aluminum telescopic ramp with non-slip coating Folded dimensions: 870 x 237 mm 13.6 kg per pair - max. : 260 kg		805,69	 1654129
1654130	☐	Aluminium folding mono ramp Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg		426,54	 1654130