

Invacare® Aviva RX20 Modulite AA1

Please contact Invacare EU Export Customer Services on :-
Tel : +33 247 626980 ; Email : serviceclient_export@invacare.com
 Or visit our website : www.invacare.eu.com



Invacare® Aviva RX20 Modulite AA1

Rear drive wheelchair



Date:

User Name:

Customer Code:

Dealer stamp:



New :

- Standard batteries 60 Ah

Descriptive :

- Compactness and manoeuvrability thanks to:
 - Narrow base from 560 mm
 - Reduced wheelbase
 - Front wheels: 8" or 9"
 - Seat height from 435 mm
 - Adjustable CTC suspensions system
 - Max user weight: 136 kg.
 - Warranty: 2 years except batteries and wear parts.

☐ please make your selection with a cross in the box ☒ Standard configuration ☐ Free of charge

CODE		DESCRIPTION	NC: Non Compatible (NC: 9999) not compatible with the reference 9999	EUROS	
JBB0015	☐	Invacare® Aviva® RX20 AA1		3 306,11	
		75A Power Module - 52Ah batteries - max. user weight: 136 kg			
JBB0047	☐	Invacare® Aviva® RX20 AA1 PACK POWER	PACK NOT MODIFIABLE	3 983,14	
		120A Power Module - 60Ah batteries - max. user weight: 136 kg	NC: 2273, 2860, 2219, 2245, 2108, 2220		
		REM050 dual remote included			

BASE AVIVA RX

JBB2810	☐	Narrow chassis - 560 mm		☒	
JBB2830	☐	Wide chassis - 635 mm Recommended with the central legrest		382,24	

Standard Modulite Seat

JBB2105	☐	Standard Modulite seat	NC: 2128, 2113, 0556, 0589, 2229, 2253, 1401, Bodypoint	☒	
---------	--------------------------	------------------------	--	-------------------------------------	--

Seat width (Factory preset) - width adjustable armrests + 25 mm by side

JBB2121	☐	380 mm	NC: 2141, 2174, 2175, 2176	☐	
JBB2122	☐	430 mm		☒	

Seat depth (Factory preset)

JBB2132	☐	410 mm	NC: 2196, 2197, 2198	☐	
JBB2134	☐	460 mm		☒	
JBB2136	☐	510 mm - Seat rail extended by 35 mm if seat depth 510mm with rigid backrest Flex 3		☐	

Seat cushion

JBB2141	☐	Standard cushion seat, black nylon, 50 mm height	NC: 2121, 2155	☒	
JBB2142	☐	Flo-tech Lite seat cushion (for width from 380 to 480mm, 75mm height, max. user weight 127 kg) / Contour (For 530mm width, 100 mm height, max. user weight 152 kg)		☐	
JBB2143	☐	Coussin d'assise Flo-tech Contour Visco NG (height 100 mm, max user weight 100 kg)		76,78	
JBB2147	☐	Matrx Libra seat cushion (90mm height, max user weight 136 kg)		340,28	
JBB2144	☐	Matrx Vi seat cushion (micro ventilated cover)		340,28	



2143



2147

2144

Backposts

JBB2161	☐	Height 480 mm		☒	
---------	--------------------------	---------------	--	-------------------------------------	--

Backrest support

JBB2171	☐	Tension adjustable backrest, bi-material padded incl. Back pocket	NC: 2155, 2230, 2247	☒	
JBB2174	☐	Matrx Posture Back , height 400 mm	NC: 2121	829,38	
JBB2175	☐	Matrx Posture Back , height 500 mm	NC: 2121	829,38	
JBB2176	☐	Matrx Elite , height 500 mm	NC: 2121	829,38	
JBB2177	☐	Matrx Elite TR , height 500 mm		829,38	
JBB2178	☐	Matrx Elite Deep , height 500 mm		829,38	



2171

Find all the trunk supports and all the accessories on the **Matrx** pricelist!

Backrest cushion and / or seat upholstery (depending on configuration)			
JBB2151	☐	Black fabric (nylon)	NC: 2141, 2171
JBB2155	☐	Black Mesh	
Armrests			
JBB2191	☐	Height adjustable armrest 290 to 360 mm, in depth and removable, by pair	
JBB2181	☐	Height adjustable armrest 340 to 400 mm, in depth and removable, by pair	
JBB2198	☐	Enveloping armrest, Dartex coating, by pair	NC: 2132, armpad
JBB2183	☐	Inside curved armrest, up to 50 mm width, 25 mm per side	
Armpad			
JBB2195	☐	Short armpad, length 325 mm, by pair	NC: 2198
JBB2196	☐	Long armpad, length 375 mm, by pair	NC: 2132, 2198
JBB2197	☐	Long ergonomic armpad, length 397 mm, by pair	NC: 2132, 2198, 2230, 2247
Headrest/Neckrest			
JBB1432	☐	Headrest sideways (depth and width) adjustable, dartex	NC: 2230, 2247
JBB1427	☐	Kontour Headrest support multi-adjustable with cheek support, dartex	NC: 2230, 2247
JBB2324	☐	Elan Standard headrest 10" - black breathable cover	NC: 2230, 2247
JBB2325	☐	Elan Occipital headrest 9" - black breathable cover	NC: 2230, 2247
JBB2327	☐	Elan 4 points headrest 11" - black breathable cover	NC: 2230, 2247
JBB1495	☐	Non Invacare Headrest - no mounting hardware, compliant with ISO 7176-19	
Seat lifter / seat tilt			
JBB1091	☐	Manual "fixed pivot" Tilt 0° to 15°	NC: 1401
JBB1092	☐	Powered "fixed pivot" Tilt 0° to 20°	NC: 1401, 2201
Seat height setting			
JBB2857	☐	435 mm	
JBB2858	☐	460 mm	
JBB2859	☐	485 mm	
Backrest recliner			
JBB0975	☐	Manual recliner from 0° to 120°	
Module Modular Seat			
Seating type			
JBB2111	☐	Rigid Modulite Seat, width and depth adjustable - Additional +25 mm by armrest Width: 380 to 530 mm, by step of 50 mm Depth: 410 to 510 mm, stepless adjustable	
JBB2112	☐	Flexible Modulite Seat, tension, width and depth adjustable, width adjustable armrests (+25 mm by side) - +30 mm seat height Width: 380 to 530 mm, by step of 50 mm Depth: 410 to 510 mm, stepless adjustable	
Seat width (Factory preset)			
JBB2121	☐	380 mm	NC: 2701, 2703, 2705
JBB2122	☐	430 mm	NC: 2701, 2703, 2705
JBB2123	☐	480 mm	NC: 2702, 2704, 2706
JBB2124	☐	530 mm Recommended: choose 73,5Ah batteries	NC: Matrx backrests, 2143, 2702, 2704, 2706, 2106
Body fit kit			
JBB2106	☐	Body fit kit (Backrest Pivot Point Spacer Kit) Recommended for molded seat	NC: 2124, 2192, 2194
Seat depth (Factory preset)			
JBB2132	☐	410 mm	NC: 2196, 2197, 2198 Bodypoint
JBB2134	☐	460 mm	
JBB2136	☐	510 mm - Seat rail extended by 35 mm if seat depth 510mm with rigid backrest Flex 3	NC: 2143

Seat cushion				
JBB2142	☐	Flo-tech Lite seat cushion (for width from 380 to 480mm, 75mm height, max. user weight 127 kg) / Contour (For 530mm width, 100 mm height, max. user weight 152 kg)		◆
JBB2143	☐	Coussin d'assise Flo-tech Contour Visco NG (height 100 mm, max user weight 100 kg)	NC: 2134, 2124	76,78
JBB2147	☐	Matrx Libra seat cushion (90mm height, max user weight 136 kg)		340,28
JBB2144	☐	Matrx Vi seat cushion (micro ventilated cover)		340,28
Backposts				
JBB2162	☐	Height 540 mm		○
JBB2163	☐	Height 480 mm	NC: 2173	◆
Push handles				
JBB2108	☐	With push handles	NC: 1307, 2219, 2220, 2227, 2228, 2245, 2291, 2292, 0047,0077	232,23
Backrest support				
JBB2171	☐	Tension adjustable backrest, bi-material padded incl. Back pocket	NC: 2152, 1455, 2155, 2230, 2247,1288, 1289, 2106	◆
JBB2179	☐	Flex 3 Tension Adjustable, delivered with Lateral back cushion, Dartex coating (extra charge)	NC: 2151, 2192, 2193, 2194, 2229, 2155, 2230, 2247	226,54
JBB2173	☐	Rigid backrest Flex 3 width and height adjustable (560 to 790 mm) with Laguna backrest cushion	NC: 2163, 2128	188,63
JBB2174	☐	Matrx Posture Back , height 400 mm	NC: 1445, 2124	830,33
JBB2175	☐	Matrx Posture Back , height 500 mm	NC: 1445, 2124	830,33
JBB2176	☐	Matrx Elite , height 500 mm	NC: 1445, 2124	830,33
JBB2177	☐	Matrx Elite TR , height 500 mm	NC : 1445, 2124	830,33
JBB2178	☐	Matrx Elite Deep , height 500 mm	NC: 1445, 2124	830,33
Find all the trunk supports and all the accessories on the Matrx pricelist!				
Backrest cushion and / or seat upholstery (depending on configuration)				
JBB2151	☐	Black fabric (nylon)	NC: 2179	◆
JBB2152	☐	Black Dartex	NC: 2171	71,09
JBB2155	☐	Black Mesh	NC: 2171, 2179	100,47
Armrests				
JBB2191	☐	Height adjustable armrest 290 to 360 mm, in depth and removable, by pair		◆
JBB2181	☐	Height adjustable armrest 340 to 400 mm, in depth and removable, by pair		70,14
JBB2198	☐	Enveloping armrest, Dartex coating, by pair	NC: 2132, 2195, 2196, 2197, Hip support	283,41
JBB2183	☐	Inside curved armrest, up to 50 mm width, 25 mm per side	NC: Hip support	136,49
JBB2193	☐	Flip-up Armrest, height adjustable from 230 to 360 mm	NC: 1445, 2179	148,82
JBB2192	☐	Following Armrest, Height adjustable from 230 - 300 mm	NC: 1445, 2179, 2106	372,51
JBB2194	☐	Following Armrest, Height adjustable from 300 - 360 mm	NC: 1445, 2179, 2106	372,51
Armpad				
JBB2195	☐	Short armpad, length 325 mm, by pair	NC: 2198	◆
JBB2196	☐	Long armpad, length 375 mm, by pair	NC: 2132, 2198	91,00
JBB2197	☐	Long ergonomic armpad, length 397 mm, by pair	NC: 2132, 2198, 2230, 2247	128,91
Hip supports				
JBB2184	☐	Hip support, left, pad size 140 x 100 mm	NC: 2198, 2183, Bodypoint	332,70
JBB2186	☐	Hip support, left, pad size 230 x 100mm	NC: 2198, 2183, Bodypoint	332,70
JBB2188	☐	Hip support, left, pad size 330 x 100mm	NC: 2198, 2183, Bodypoint	332,70
JBB2185	☐	Hip support, right, pad size 140 x 100mm	NC: 2198, 2183, Bodypoint	332,70
JBB2187	☐	Hip support, right, pad size 230 x 100mm	NC: 2198, 2183, Bodypoint	332,70
JBB2189	☐	Hip support, right, pad size 330 x 100mm	NC: 2198, 2183, Bodypoint	332,70
Mounting hardware for hip supports				
JBB2164	☐	Mounting hardware 155 mm high		◆
JBB2165	☐	Mounting hardware 206 mm high		○



21472144



21712173



21912198



Hip support

Headrest/Neckrest						
JBB1432	☐	Headrest sideways (depth and width) adjustable, dartex	NC: 2230, 2247, 1288, 1289	272,99		1432
JBB1427	☐	Kontour Headrest support multi-adjustable with cheek support, dartex	NC: 2230, 2247, 1288, 1289	361,14		1427
JBB2324	☐	Elan Standard headrest 10" - black breathable cover	NC: 2230, 2247	383,89		2325
JBB2325	☐	Elan Occipital headrest 9" - black breathable cover	NC: 2230, 2247	427,49		2327
JBB2327	☐	Elan 4 points headrest 11" - black breathable cover	NC: 2230, 2247	559,24		
JBB1495	☐	Non Invacare Headrest - no mounting hardware, compliant with ISO 7176-19	NC: 2229	○		
Push bar						
JBB1307	☐	Push bar (dia 22 mm) in conjunction with telescopic backposts	NC: 2108	51,18		
Lateral support (in pair, dartex)						
JBB1445	☐	Lateral support with extended arm, multi-adjustable pad - depth, height, width adjustable	NC: 2171, 2174, 2175, 2176, 2177, 2178, 2179, 2192, 2193, 2194	385,78		1445
Seat lifter / seat tilt						
JBB1091	☐	Manual "fixed pivot" Tilt 0° to 15°	NC: 1401, 2054	◆		
JBB1092	☐	Powered "fixed pivot" Tilt 0° to 20°	NC: 1401, 2054, 2201	472,99		
JBB1093	☐	Powered Tilt (0° - 30°) with CoG shift (max user weight 130 kg if 1450 or 1494 selected)	NC: 1401, 2201	906,16		
JBB1094	☐	300 mm seat lifter with powered tilt (0°-30°) with CoG shift (max user weight 130 kg) - 120A Power module de puissance and 60Ah batteries	NC: 1494, 2220, 2860, 2860	2 573,46		FOLDING BACKREST
Seat height setting						
JBB2857	☐	435 mm		◆		
JBB2858	☐	460 mm	NC: 2054	○		
JBB2859	☐	485 mm	NC: 2054	○		
Seat tilt option (only if 1093 or 1094 selected)						
JBX2054	☐	5° Fixed Anterior Tilt, Assist mount	NC: 1091, 1092, 2858, 2859	488,15		0977
Backrest recliner						
JBB0975	☐	Manual recliner from 0° to 120°		◆		
JBB0977	☐	Powered recliner de 0° à 30°	NC : 2201	815,17		
LEGRESTS / FOOTRESTS						
Angle adjustable Centre mounted legrests with calf pads and angle adjustable footplates BE CAREFUL: ATTENTION : a conflict migh happen between footplates and front wheels - choose wide chassis						
JBB0556	☐	Centre mount legrest, angle settable (from 1,5° à 63°) Length: 280 to 385mm	NC: 2105, 2366, 0517, 1244	563,03		
JBB0589	☐	LNx Power centre mount legrest, length compensating raneg of 90° - closed angle, adjustable at 83°/90°/97°. Delivred at 83° with narrow chassis / 90° with wide chassis	NC 2105, 2201, 1244	1 969,67		
Footplates						
JBB2365	☐	Angle & width adjustable footplates S (127 W x 190 mm D)		◆		
JBB0559	☐	Angle & width adjustable footplates M (140 W x 240 mm D)		○		
JBB0516	☐	Angle & width adjustable footplates L (150 W x 290 mm D)		143,13		
JBB0517	☐	Angle adjustable foot platform M (305 W x 275 mm D)	NC: 0556	143,13		
Footrest hanger type / Footrests (pair)						
JBB0526	☐	leg rests fixed 80° retractable inside/outside	NC: 0504	◆		
JBB0503	☐	leg rests standard adjustable 90°- 65° and retractable		○		
JBB0533	☐	Hanger Vari A (angle adjustable, from 0° to 80°) Storm®4 type	NC: 0512	311,85		
JBB0531	☐	Hanger ADE, powered angle adjustment, from 0° to 80°, with calf pads	NC: 0512, 2201	1 732,70		
Footplates (pair)						
JBB0512	☐	fixed	NC: 0533, 0531	◆		
JBB0504	☐	Angle Adjustable Footplate pair	NC: 0526	○		
JBB0513	☐	Angle and depth adjustable Footplate pair		127,27		0513

LINX REMOTES

LINX PRIMARY REMOTES with proportional Joystick + BRACKETS

JBB2201	☐	Remote LINX DLX-REM100 : Drive only	NC: 1437, 2837, 1092, 1093, 1094, 0977, 0589, 0531, 2229, 2231, 2232, 2230, 2247, 2257, 2233, 2240, 2258, 2219, 2245, 2270, 0077, 1905	◆
JBB2203	☐	Remote LINX REM211 : Driving and control of the actuators	NC: 2837, 1437, 2231, 2232, 2229, 2233, 2230, 2247, 2257, 2240, 2271, 2270, 2272, 2258, 0077	○
JBB2204	☐	Remote LINX REM216 : Driving, control of actuators and lighting	NC: 2231, 2232, 2229, 2233, 2230, 2247, 2257, 2240, 2270, 2271, 2272, 2258	○
JBB2205	☐	Remote LINX REM400 : 3.5 "color touch screen and bluetooth - Driving, control of actuators and lights, mouse emulation	NC: 2220	1 309,00
JBB2206	☐	Screen control LINX REM500 : 3.5 " color touch screen and bluetooth - Driving, control of actuators and lighting, mouse emulation	NC: 2220, 2270	1 969,67

REM400 Option

JBB2270	☐	Assignable Toggle Switch Module REM400 (default set: ON/OFF and speed dial)	NC: 2201, 2203, 2204, 2206	389,57
---------	--------------------------	---	----------------------------	--------

Remote mounting position (REM211/216/400)

JBB1207	☐	Reversible right fixation, no retractable	NC: 2206, 2285, 2283, 2287, 2207, 2265, 2275, 1404	○
JBB1208	☐	Reversible left fixation, no retractable	NC: 2206, 2286, 2284, 2288, 2208, 2266, 2276, 1405	○
JBB1707	☐	Retractable on right + height adjustable, consolidated	NC: 2206, 2285, 2283, 2287, 2207, 2265, 2275, 1404	◆
JBB1708	☐	Retractable on left + height adjustable, consolidated	NC: 2206, 2286, 2284, 2288, 2208, 2266, 2276, 1405	○
JBB2209	☐	Swing away RH, multi-adjustable, for REM500	NC: 2201, 2203, 2204, 2205, 2285, 2283, 2287, 2207, 2265, 2275, 1415, 2217, 1404	○
JBB2210	☐	Swing away LH, multi-adjustable for REM500	NC: 2201, 2203, 2204, 2205, 2286, 2284, 2288, 2208, 2266, 2276, 1339, 2218, 1405	○
PW-4005	☐	Option 2209/2210 with mounting rod for REM500 extended by 200 mm		Special Manufacturing On demand
JBB2213	☐	Central mounting, removable right	NC: 2285, 2283, 2287, 2207, 2265, 2275, 1415, 2217, 1404, 1405	787,68
JBB2214	☐	Central mounting, removable left	NC: 2286, 2284, 2288, 2208, 2266, 2276, 1339, 2218, 1404, 1405	787,68
JBB2227	☐	Fixation in right for third person(moving the manipulator)	NC: 2206, 1287, 2220, 2128, 2108, 2219, 1221, 1312	160,19
JBB2228	☐	Fixation in left for third person(moving the manipulator)	NC: 2206, 1286, 2220, 2128, 2108, 2219, 1222, 1363	160,19
JBX2239	☐	Custom Installation, thank you specify your request:		On demand

Dual LINX remote (User + third person)

JBB2220	☐	Dual Control LINX (REM050 - use driving profile 2 of the REM211/216 - speed limited to 6km/h)	NC: 1094, 2273, 2108, 2205, 2206, 1221, 1222, 2227, 2228	677,02
JBB2219	☐	Dual Compact LINX control - 3 driving profiles dedicated and actuators control	NC: 2201, 2108, 1221, 1222, 2227, 2228	1 254,98
JBB2245	☐	Dual intuitive LINX control - dedicated driving profile	NC: 2201, 2108, 2259, 2260	1 563,98
JBB2259	☐	Bracket on the right - only with REM050 and Compact	NC: 1287, 2291, 2245, 1312	○
JBB2260	☐	Bracket on the left - only with REM050 and Compact	NC: 1286, 2292, 2245, 1363	○
JBB1221	☐	Bracket on the right, removable - only with intuitive LINX control	NC: 1287, 2291, 2220, 2219, 2227, 1312	○
JBB1222	☐	Bracket on the left, removable - only with intuitive LINX control	NC: 1286, 2292, 2220, 2219, 2228, 1363	○

LINX



REM211




REM216



REM400

Bluetooth




REM500

Bluetooth



2270



2209
2210



REM050



2219



2245

If multiple joysticks need to be mounted on the swing-away center mount (2213/2214), select option 2215					
Compact Proportional Joysticks - Only with REM400 and REM500					
JBB2231	☐	LINX proportional Compact Joystick (deflection force needed: 160 g)	NC: 2201, 2203, 2204	1 509,00	 2231 2232
JBB2232	☐	LINX proportional Compact Low Force joystick (deflection force: 112 g)	NC: 2201, 2203, 2204	1 509,00	
JBB2207	☐	Mounted on the right hand side	NC: 1207, 1707, 2209, 2213, 2217, 1404	○	
JBB2208	☐	Mounted on the left hand side	NC: 1208, 1708, 2210, 2214, 2218, 1405	○	
JBB2265	☐	Centre Mount, swing-away to right hand	NC: 1207, 1707, 2209, 2213, 2217, 1404, 1405, 1415	824,64	
JBB2266	☐	Centre Mount, swing-away to left hand	NC: 1208, 1708, 2210, 2214, 2218, 1404, 1405, 1339	824,64	
JBX2215	☐	Custom Installation, thank you specify your request:		On demand	
CHIN CONTROL + BRACKETS					
JBB2229	☐	Proportional Chin Joystick (ASL138) + egg switch	NC: 1495, 2201, 2203, 2204, 2230, 2247, 2233, 2257, 2240, 2105, 2179, 2128	3 462,56	 1288 1286 1289 1287
JBB1289	☐	Swing Away Bracket to the right hand, side manual (ASL628) (ONLY WITH ELAN 2125)	NC: 2171, 1432, 1427	○	
JBB1288	☐	Swing Away Bracket to the left hand, side manual (ASL628) (ONLY WITH ELAN 2125)	NC: 2171, 1432, 1427	○	
JBB1287	☐	Swing Away Bracket to the right hand, powered	NC: 2227, 2259, 1221, 2291, 1312, 1415	1 661,61	
JBB1286	☐	Swing Away Bracket to the left hand, powered	NC: 2228, 2260, 1222, 2292, 1363, 1339	1 661,61	
HEAD CONTROL ATOM Technology					
JBB2230	☐	Head Control with ultrasonic proximity sensors, ATOM ASL104, with standard wings and egg switch	NC: 2201, 2203, 2204, 2229, 2233, 2092, 2257, 2240, 2175, 2171, 2197, 1350, 1432, 1427, Elan headrests	6 494,79	 2230  2247
JBB2247	☐	Head Control with ultrasonic proximity sensors PROTON ASL104P, with PROTON wings and egg switch	NC: 2203, 2204, 2229, 2233, 2257, 2240, 2175, 2171, 2197, 1350, 1432, 1427, Elan headrest	6 494,79	
FOUR-SWITCH PROXIMITY ARRAY (with ATOM Technology)					
JBB2257	☐	Four-Switch Proximity Array (ASL106)	NC: 2201, 2203, 2204, 2229, 2230, 2247, 2233, 2240, 2128	7 048,34	 2233
JBB2275	☐	Centre Mount, swing-away to right hand, Nucleus	NC: 1207, 1707, 2209, 2213, 2217, 1404, 1405, 1415	○	
JBB2276	☐	Centre Mount, swing-away to left hand, Nucleus	NC: 1208, 1708, 2210, 2214, 2218, 1404, 1405, 1339	○	
JBX2269	☐	Custom Installation, thank you specify your request:		On demand	
LINX - PROPORTIONAL REMOTES WITH TPI / INPUTS & BRACKETS					
JBB2233	☐	MEC Proportional Joystick (ASL130)	NC: 2201, 2203, 2204, 2229, 2230, 2247, 2257, 2128	3 871,09	 2251
JBB2240	☐	Proportional Heavy Duty Remote Joystick ASL133	NC: 2201, 2203, 2204, 2229, 2230, 2247, 2257, 2128	3 115,64	
JBB2285	☐	Tray Mount right hand (100 x 150 mm)	NC: 1207, 1707, 2209, 2213, 2217, 1404, 1405, 1415	824,64	
JBB2286	☐	Tray Mount left hand (100 x 150 mm)	NC: 1208, 1708, 2210, 2214, 2218, 1404, 1405, 1339	824,64	
JBB2283	☐	Centre Mount, swing-away to right hand, Nucleus	NC: 1207, 1707, 2209, 2213, 2217, 1404, 1405, 1415	○	
JBB2284	☐	Centre Mount, swing-away to left hand, Nucleus	NC: 1208, 1708, 2210, 2214, 2218, 1404, 1405, 1339	○	
JBB2287	☐	Centre Mount on tray ASL603 (100x150 mm), swing-away to right hand	NC: 1207, 1707, 2209, 2213, 2217, 1404, 1405, 1415	824,64	
JBB2288	☐	Centre Mount on tray ASL603 (100x150 mm), swing-away to left hand	NC: 1208, 1708, 2210, 2214, 2218, 1404, 1405, 1339	824,64	
JBX2289	☐	Custom Installation, thank you specify your request:		On demand	
Alternative seating control					
JBB2251	☐	10-Way Switch, delivered with double output Jack cable 2252		610,43	 2251
JBB2217	☐	Bracket right hand, mounted for user	NC: 1415, 2207, 2287, 2283, 2295, 2275, 2213, 2209, 2265, 1404	○	
JBB2218	☐	Bracket left hand, mounted for user	NC: 1339, 2208, 2288, 2284, 2286, 2276, 2214, 2210, 2266, 1405	○	
JBB2291	☐	Bracket right hand, mounted for attendant	NC: 2128, 2259, 1221, 1287, 2108	○	
JBB2292	☐	Bracket left hand, mounted for attendant	NC: 2128, 2260, 1222, 1288, 2108	○	
JBB2225	☐	Without mounting		○	

LiNX accessories				 2253	
JBB2253	☐	USB Charger Port (2 sockets)	NC: Bodypoint		271,09
JBB2281	☐	Right hand mount			○
JBB2282	☐	Left hand mount			○
Remote Stop Switch					
JBB2258	☐	Remote Stop Switch (ASL504)	NC: 2201, 2203, 2204	955,45	
INPUT200 Module					
JBB2273	☐	IN200 Module (Jack port for external power button + control inputs via DB9) (Needed to have an external switch ON/OFF with REM110/2XX)	NC: 2220	400,00	
Further LiNX accessories					
JBB2300	☐	To be enclosed only		○	
JBX2301	☐	To be connected and programmed		On demand	
Buddy Buttons (63 mm diam. - delivered not mounted - option 2252 required if no REM400/500)					
JBB1685	☐	Red Buddy Button		148,82	
JBB1686	☐	Yellow Buddy Button		148,82	
JBB1687	☐	Green Buddy Button		148,82	
JBB1690	☐	Blue Buddy Button		148,82	
Egg switch (option 2252 required if no REM400)					
JBB2254	☐	Egg switch, black		118,48	
Piko Buttons (30 mm diam. - delivered not mounted - option 2252 required if no REM400/500)					
JBB1711	☐	Red Piko Button		148,82	
JBB1712	☐	Yellow Piko Button		148,82	
JBB1713	☐	Green Piko Button		148,82	
JBB1714	☐	Orange Piko Button		148,82	
JBB1715	☐	Blue Piko Button		148,82	
JBB1716	☐	Black Piko Button		148,82	
Bodypoint Joysticks knobs - delivered not mounted					
JBB2721	☐	3 inch U-Shaped, Joystick Handle - 76 mm width - PC101A		79,00	
JBB2722	☐	4 inch U-Shaped, Joystick Handle - 100 mm width - PC102A		79,00	
JBB2723	☐	Domed Rubber, Joystick Handle - 66 mm diameter - PC107A		79,00	
JBB2724	☐	Mushroom Grooved, Joystick Handle - 42 mm diameter - PC110A		79,00	
DB9 / 5 jack adapter					
JBB1681	☐	DB9 / 5 jack adapter		172,51	
WHEELBASE DETAILS					
Colours					
JBB2871	☐	Black/Anthracite Shroud		○	
JBB2872	☐	Silver Shroud		○	
JBB2873	☐	Bengal Red Shroud		○	
JBB2874	☐	Mercury Blue Shroud		○	
JBB2875	☐	Midnight Purple Shroud		○	
Rim insert colour					
JBB2882	☐	Black rim inserts		◆	
Forks					
JBB2632	☐	Double sided fork		◆	
Castors					
JBB0835	☐	9" Castor, pneumatic		◆	
JBB0836	☐	9" Castor, puncture proof solid tyre		○	
JBB0838	☐	9" Castor, puncture protected		71,09	
JBB0828	☐	8" Castor, puncture proof solid tyre	NC: 1223	168,72	
Castor lock					
JBB1490	☐	Front fork locking system		251,18	
Drive wheels					
JBB0704	☐	DW 14", Pneumatic		◆	
JBB0705	☐	DW 14", Solid inlay		274,88	
JBB0706	☐	DW 14", Puncture protected		71,09	
CTC SUSPENSIONS					
CTC - Control-Traction-Comfort					
JBB2870	☐	CTC-Suspensions		◆	
Customized suspension settings					
JBB1910	☐	Suspension up to 70 kg User Weight	NC: 1021, 1094	○	
JBB1912	☐	Suspension up to 90 kg User Weight	NC: 1094	○	
JBB1911	☐	Suspension up to 110 kg User Weight	NC: 1021	○	
JBB1915	☐	Suspension up to 136 kg User Weight		○	


2253




2721
2722


2723


2724


1681


2871 2872
2873 2874
2875








PERFORMANCES				
Motors type / Speed options				
JBB1282	☐	OPS Drive 6 km/h		◆
JBB1283	☐	OPS Drive 10 km/h		○
JBB1223	☐	10 km/h OPS Drive motors , programmable up to 12 km/h 73,5 Ah batteries / 120A power module included	NC: 0828, 2860, 1259, 1260, 0015, 0077	1 132,70
Batteries				
JBB1259	☐	60 Ah GEL batteries	NC: 1223	◆
JBB1260	☐	73,5 Ah GEL batteries	NC: 1223, 1450	396,21
GYROSCOPE				
G-Trac				
JBB1215	☐	G-Trac module (Directional path control while driving)		1 188,63
Charger				
JBB1343	☐	8A Opticharge Charger		◆
JBB1313	☐	10A Opticharge Charger		159,24
JBB1344	☐	8A Opticharge Charger (UK)		○
JBB1314	☐	10A Opticharge Charger (UK)		159,24
POSITIONING OPTIONS				
Think about Bodypoint products ! Hip belts, harnesses, ...				
OPTIONS				
Anti-tippers				
JBB1205	☐	Anti-tippers		◆
Light				
JBB1437	☐	LED Light system with Indicators - 30 Lux headlights - Indicators, position lights, warning lights (Choose REM216 , REM400 or REM500)	NC: 2201,2203	746,92
JBB2837	☐	LED Light system extra bright with indicators - 60 Lux headlights - Indicators, position lights, warning lights (Choose REM216 , REM400 or REM500)	NC: 2201, 2203	918,48
JBB1254	☐	Without light system		◆
Kerb rider				
JBB1244	☐	Kerb rider	NC: 0522, 2830, 0556, 0589	334,60
Preparation for docking station				
JBB1450	☐	Preparation for DAHL-Docking station (Adequate headrest is compulsory)	NC: 1260	330,81
Transportation kit 4 or 6-point tie downs				
JBB1493	☐	4-Point tie-down front/back	NC: 2894	◆
JBB1494	☐	4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19)	NC: 1094	○
JBB1401	☐	6-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19)) required for variants with combined Lift & Tilt module	NC: 2105, 1091, 1092, 1093	○
Tie down points				
JBB2894	☐	Easily accessible front tie-down points, additionally mounted for 4- or 6- point-tie-down	NC: 1493	104,27
Lap belts				
JBB1329	☐	Lap belt with auto lock - standard mount on backrest		◆
JBB2113	☐	Lap belt with auto lock - flexible mount in side rails	NC: 2105	57,82
Bodypoint positioning belts (hardware included)				
JBB2701	☐	Bodypoint Evoflex Pelvic Stabilizer, Rehab Latch - Size L	NC: 2105,2121, 2122, 2132, 2253 thigh wedges	156,40
JBB2702	☐	Bodypoint Evoflex Pelvic Stabilizer, Rehab Latch - Size M	NC: 2105, 2123, 2153, thigh wedges	156,40
JBB2703	☐	Bodypoint 2-Point Hip Belt, Ctr-Pull, Push Butt, Cinch- Mount - Size L	NC: 2105, 2121, 2122, 2132, 2253 thigh wedges	132,70
JBB2704	☐	Bodypoint 2-Point Hip Belt, Ctr-Pull, Push Butt, Cinch- Mount - Size M	NC: 2105, 2123, 2124, thigh wedges	132,70
JBB2705	☐	Bodypoint 2-Point Hip Belt, Dual-Pull, Side-Release Butt. Cinch-Mount - Size L	NC: 2105, 2121, 2122, 2132, 2253 thigh wedges	116,59
JBB2706	☐	Bodypoint 2-Point Hip Belt, Dual-Pull, Side-Release Butt. Cinch-Mount - Size M	NC: 2105, 2123, 2253, thigh wedges	116,59
Rearview mirror				
JBB1415	☐	Rear view mirror right hand	NC: 1287, 2217, 2285, 2209, 2213, 2265, 2275, 2283, 2287	79,62
JBB1339	☐	Rear view mirror left hand	NC: 1286, 2218, 2286, 2210, 2214, 2266, 2276, 2284, 2288	79,62



1244



1329



2701, 2702



2703, 2704



2705, 2706

ACCESSORIES					
Bag hooks (Max load: 6kg)					
JBB2128	☐	Bag hooks	NC: 2105, 2173, 2227, 2228, 2229, 2233, 2240, 2257, 2291, 2292	172,51	
Caneholder					2128
JBB1312	☐	Caneholder right hand	NC: 1287, 2227, 2259, 1221	76,78	
JBB1363	☐	Caneholder left hand	NC: 1286, 2228, 2260, 1222	76,78	
Fender (black)					1416
JBB1416	☐	Fender for castors		132,70	
JBB1417	☐	Fender for drive wheels		164,93	
Tray					1417
JBB1404	☐	Tray, swing-away right hand	NC: 1207, 1707, 2209, 2275, 2276, 2287, 2288, 2283, 2284, 2285, 2286, 2265, 2266, 2207, 2213, 2214, 2217	579,15	
JBB1405	☐	Tray, swing-away left hand	NC: 1208, 1708, 2210, 2275, 2276, 2287, 2288, 2283, 2284, 2285, 2286, 2265, 2266, 2208, 2213, 2214, 2218	579,15	
Tool kit					1404
JBB1333	☐	Tool kit		33,18	
Ramps					
1440530	☐	Fiberglass Folding Mono Ramp Folded dimensions: 2000 x 230 mm 16.3 kg - maximum capacity: 300 kg		1 787,68	
1654128	☐	Basic ramp 2 telescopic parts in aluminum and non-slip coating. Folded dimensions: 1210 x 194 mm. 8.8 kg per pair - maximum capacity: 270 kg		298,58	
1654129	☐	Quick2go Compact 3-part aluminum telescopic ramp with non-slip coating Folded dimensions: 870 x 237 mm 13.6 kg per pair - maximum capacity: 260 kg		559,24	
1654130	☐	Aluminium folding mono ramp Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg		317,54	