

Invacare® Aviva® RX40 Modulte AA2

Please contact Invacare EU Export Customer Services on :-
Tel : +33 247 626980 ; Email : serviceclient_export@invacare.com
 Or visit our website : www.invacare.eu.com



Invacare® Aviva® RX40 Modulte AA2

Rear drive wheelchair



Descriptive :

-Compactness and manoeuvrability thanks to:
 -Narrow base from 560 mm
 -Reduced wheelbase
 -Front wheels: 8" or 9"
 -Seat height from 435 mm.
 -Adjustable CTC suspensions system.
 -340W 4 pole motors, as standard.
 -Max. user weight : 136 kg.
 -Warranty : 2 years except batteries and wear parts.

As standard :

- 120 A Power Module
 - 73 Ah batteries
 - Seat tilt from 0° to 30°
 - LED lights system
 - Fender for castors and drive wheels
 - Single sided fork
 - Metallic colours on frame, rims and backrest
 - 10A charger
 - Speed up to 12 km/h as standard



Date :

User name :

Customer Code :

Dealer stamp:

☐ Please make your selection with a cross in the box ☒ Standard configuration ☐ Free of charge

CODE	DESCRIPTION	NC : Non Compatible NC : 9999 : non compatible with the reference 9999	EUROS	
JBG0025	☐ AVIVA RX 40 AA2 Includes 120A Power Module, 73Ah Batteries - Max user weight up to 136 kg	NC : 1259	6 857,82	
CHASSIS AVIVA RX				
JBG2810	☐ Chassis Narrow (560 mm/22")		◆	
JBG2830	☐ Chassis Wide (635 mm/25")	NC : 1244	333,65	
SEATING TYPE				
SEAT FRAME AND SEAT PLATE / SLING SEAT				
JBG2111	☐ Telescopic Seat Frame and Plate with Side Rails width 380 to 530 mm Additional 50 mm by arms		◆	 2111
JBG2112	☐ Telescopic Seat Frame + Sling Seat with Side Rails width 380 to 530 mm; + 30 mm seat height Additional 50 mm by arms		120,38	 2112
SEAT WIDTH SETTING FOR ADJUSTABLE SEAT FRAME				
JBG2121	☐ 380 mm Seat Plate	NC : 2701, 2703, 2705	○	
JBG2122	☐ 430 mm Seat Plate	NC : 2701, 2703, 2705,	◆	
JBG2123	☐ 480 mm Seat Plate	NC : 2702, 2704, 2706	○	
JBG2124	☐ 530 mm Seat Plate	NC : 2174, 2175, 2176, 2177, 2178, 2143, 2702, 2704, 2706, 2106	120,38	
BODYFIT KIT				
JBG2106	☐ Body fit Kit Outrigging Backrest Brackets and Pivot Point (outrig: 1 inch/2,54 cm per side)	NC : 2124, 2192, 2194,	○	 2143
SEAT DEPTH SETTING				
JBG2132	☐ 410 mm	NC : 2196, 2197, 2198, Bodypoint	○	
JBG2134	☐ 460 mm		◆	
JBG2136	☐ 510 mm	NC : 2143	○	
SEAT CUSHIONS				
JBG2142	☐ Matrix Flo-tech Cushion With Seat Width 530: Flo-tech Contour		◆	
JBG2143	☐ Matrix Flo-tech Contour Visco; (2-way stretch material)	NC : 2136, 2124	76,78	
JBG2147	☐ Matrix Libra Cushion, 90 mm thick Extended lead time: + 4 days		340,28	 2147
JBG2144	☐ Matrix Vi Cushion (Mesh fabric)		340,28	 2144
BACKREST SUPPORT				
JBG2162	☐ Backposts tall (540 mm)		○	
JBG2163	☐ Backposts short (480 mm)	NC : 2173	◆	
PUSH HANDLES				
JBG2107	☐ Push handles		◆	
JBG2108	☐ Backposts without push handles	NC : 1307, 2219, 2220, 2227, 2228, 2245, 2291, 2292	203,79	

BACKREST UPHOLSTERY / CUSHION					
JBG2171	☐	Tension Adjustable Upholstery nylon overlay tall = 540 mm / 8 straps; short = 480 mm / 7 straps measured from seat plate to top of upholstery	NC : 2152, 1445, 1496, 2155, 2230, 2247,1288, 1289	◆	 2171
JBG2179	☐	Flex3 Tension Adjustable Upholstery height 540 mm (seat plate to top of upholstery)	NC : 2151, 2192, 2193, 2194, 2229, 2155, 2230, 2247	196,21	
JBG2173	☐	Flex3 adjustable Backrest Plates with Laguna Backrest cushion Flex3 Backrest plate width and height adjustable 560 mm - 790 mm	NC : 2163, 2128	○	 2173
JBG2174	☐	Matrx Posture Back, height 400 mm (Mesh fabric)	NC : 1445, 2124	830,33	
JBG2175	☐	Matrx Posture Back, height 500 mm (Mesh fabric)	NC : 1445, 2124	830,33	
JBG2176	☐	Matrx Elite Back, height 500 mm (Mesh fabric)	NC : 1445, 2124	830,33	
JBG2177	☐	Matrx Elite TR Back, height 500 mm (Mesh fabric)	NC : 1445, 2124	830,33	
JBG2178	☐	Matrx Elite Deep Back, height 500 mm (Mesh fabric)	NC : 1445, 2124	830,33	
Find the trunk supports and all the accessories on the Matrx measurement sheet!					
UPHOLSTERY COLOUR					
JBG2151	☐	Black Fabric Upholstery	NC : 2179	◆	
JBG2152	☐	Black Dartex Upholstery	NC : 2171	71,09	
JBG2155	☐	Black Spacer Fabric Upholstery	NC : 2171, 2179	87,20	
ARMREST (Pair)					
JBG2191	☐	T-Arm detachable, Standard Adjustment range from seat plate: 245 - 315 mm		◆	 2191
JBG2181	☐	T-Arm detachable, Extended height Adjustment range from seat plate: 295 - 365 mm		60,66	
JBG2198	☐	Padded Armrest with integrated cloth guard	NC : 2132, 2195, 2196, 2197, Hip Support	247,39	 2198
JBG2183	☐	Inrigged Armrests Reduces SW by 25 mm each side	NC : Hip Support	120,38	
JBG2193	☐	Flip-up Armrest Up to 150 kg max user weight	NC : 1445, 2179	128,91	
JBG2192	☐	Following Armrest Height adjustable from 230 - 300 mm	NC : 1445, 2179, 2106	372,51	
JBG2194	☐	Following Armrest Height adjustable from 300 - 360 mm	NC : 1445, 2179, 2106	372,51	
ARMPAD (Pair)					
JBG2195	☐	Short Armpad (325 mm)	NC : 2198	◆	
JBG2196	☐	Long Armpad (375 mm)	NC : 2132, 2198	78,67	
JBG2197	☐	Long Ergonomic Armpad (397 mm)	NC : 2132, 2198, 2230, 2247	120,38	
Hemiplegic gutters					
	☐	Hemiplegic gutter in special manufacture		On demand	
	☐	Hemi concave mouthpiece with flat or curved horn palmar support and 360° right or left reversible rotor, in 18° steps		On demand	
HIP SUPPORTS					
JBG2184	☐	Hip Support LH, pad size 140 x 100 mm	NC : 2198, 2183, Bodypoint	290,05	 Hip support
JBG2186	☐	Hip Support LH, pad size 230 x 100 mm	NC : 2198, 2183, Bodypoint	290,05	
JBG2188	☐	Hip Support LH, pad size 330 x 100 mm	NC : 2198, 2183, Bodypoint	290,05	
JBG2185	☐	Hip Support RH, pad size 140 x 100 mm	NC : 2198, 2183, Bodypoint	290,05	
JBG2187	☐	Hip Support RH, pad size 230 x 100 mm	NC : 2198, 2183, Bodypoint	290,05	
JBG2189	☐	Hip Support RH, pad size 330 x 100 mm	NC : 2198, 2183, Bodypoint	290,05	
MOUNTING HARDWARE FOR HIP SUPPORTS					
JBG2164	☐	Mounting hardware for hip supports (6,1" / 155 mm high)		◆	
JBG2165	☐	Mounting hardware for hip supports (8,1" / 206 mm high)		○	
HEADREST / NECKREST (Dartex)					
JBG1350	☐	Neckrest depth adjustable, Dartex coating	NC : 2230, 2247, 1288, 1289	◆	 1432
JBG1432	☐	Headrest sideways adjustable	NC : 2230, 2247, 1288, 1289	○	
JBG1427	☐	Headrest with cheek support	NC : 2230, 2247, 1288, 1289	313,74	 1427
JBG2324	☐	Elan Standard Pad 255 mm / 10" wide w/standard cover (ESP26)	NC : 2230, 2247	665,40	
JBG2325	☐	Elan Occipital Pad 230x180 mm / 9"x7" w/standard cover (EOP23)	NC : 2230, 2247	427,49	 2325
JBG2327	☐	Elan 4 Point Headrest Pad 280x255 mm / 11"x10" w/standard	NC : 2230, 2247	559,24	
JBG1495	☐	Non Invacare Headrest - no mounting hardware With Backbrace/Pushbar dia. 22mm in conjunction with telescopic seat frame/backposts	NC : 2229	○	

PUSH BAR				
JBG1307	☐	Push bar (dia 22 mm) in conjunction with telescopic backposts	NC : 2108	43,60
LATERAL SUPPORT (in pairs; Dartex)				
JBG1445	☐	Lateral Support with extended arm, multi-adjustable pad	NC : 2171, 2174, 2175, 2176, 2177, 2178, 2192, 2193, 2194	335,55
SEAT LIFTER / SEAT TILT				
JBG1093	☐	Powered Tilt (0°- 30°) with CoG shift	NC : 1401	◆
JBG1094	☐	Seat lifter with powered tilt (300 mm, 30°) with CoG shift	NC : 1494, 2201, 2220, 2860	2 127,01
SEAT HEIGHT SETTING Measured without seat cushion at 0°				
JBG2857	☐	Seat-to-Floor Height 435 mm		◆
JBG2858	☐	Seat-to-Floor Height 460 mm	NC : 2054	○
JBG2859	☐	Seat-to-Floor Height 485 mm	NC : 2054	○
SEAT TILT OPTION (only if option 1093 or 1094 has been selected)				
JBX2054	☐	5° Fixed Anterior Tilt, Assist mount	NC : 2858, 2859	424,64
BACKREST RECLINER				
JBG0977	☐	Powered Recliner 30°		◆
LEGRESTS / FOOTRESTS				
CENTRE MOUNTED LEGRESTS				
JBG0556	☐	Centre mount legrest, angle settable Length: 280 - 385 mm	NC : 0517, 1244	563,03
JBG0589	☐	LNx Power centre mount legrest, length compensating Length: 340 - 410 mm	NC : 2201, 1244	1 745,02
FOOTPLATES / FOOT PLATFORM				
JBG2365	☐	Angle & width adjustable footplates S (127 W x 190 mm D / 5"x7.5")		○
JBG0559	☐	Angle & width adjustable footplates M (140 W x 240 mm D / 5.5"x9.5")		◆
JBG0516	☐	Angle & width adjustable footplates L (150 W x 290 mm D / 6"x11.5)		124,17
JBG0517	☐	Angle adjustable foot platform M (305 W x 275 mm D / 12"x10.75")	NC : 0556	124,17
FOOTREST HANGER TYPE / PAIRS				
JBG0533	☐	Hanger Vari A pair Lower leg length: 290 - 460 mm Angle adjustment: 70 - 0° with handwheel and calf pad		◆
JBG0531	☐	Hanger ADE pair Lower leg length: 290 - 460 mm Powered Angle adjustment: 80 - 0° with calf pad		878,67
FOOTPLATE TYPE / PAIRS				
JBG0504	☐	Angle Adjustable Footplate pair		◆
JBG0513	☐	Angle and depth adjustable Footplate pair		106,16
REMOTES LINX				
LINX PRIMARY REMOTES with proportional Joystick + BRACKETS				
JBG2201	☐	Remote LiNX DLX-REM110 = Drive only	NC : 2231, 2232, 2229, 2233, 2230, 2247, 2257, 2240, 2270, 2258	◆
JBG2205	☐	Rehab Remote LiNX, touch-screen user interface DLX-REM400	NC : 2220	1 137,44
JBG2206	☐	Rehab Remote LiNX without joystick for alternative access users DLX-REM500 Requires a user input/alternative joystick: 2231, 2232, 2229, 2230, 2247, 2233	NC : 2220, 2270	1 712,80
REM400 TOGGLE OPTION				
JBG2270	☐	Assignable Toggle Switch Module f. REM400 (DLX-SW400TGL)	NC : 2203, 2204, 2206	340,28



1445





0977



0513





REM211



REM216



REM400

Bluetooth



REM500

Bluetooth



2270

PRIMARY REMOTE AND DISPLAY MOUNTING POSITION					
JBG1207	☐	Standard Bracket RH	NC : 2206, 2285, 2283, 2287, 2207, 2265, 2275, 1404	○	
JBG1208	☐	Standard Bracket LH	NC : 2206, 2286, 2284, 2288, 2208, 2266, 2276, 1405	○	
JBG1707	☐	Swing Away Bracket RH	NC : 2206, 2285, 2283, 2287, 2207, 2265, 2275, 1404	◆	
JBG1708	☐	Swing Away Bracket LH	NC : 2206, 2286, 2284, 2288, 2208, 2266, 2276, 1405	○	
JBG2209	☐	Swing away RH, multi-adjustable	NC : 2201, 2203, 2204, 2205, 2285, 2283, 2287, 2207, 2265, 2275, 1415, 2217, 1404	○	
JBG2210	☐	Swing away LH, multi-adjustable	NC : 2201, 2203, 2204, 2205, 2286, 2284, 2288, 2208, 2266, 2276, 1339, 2218, 1405	○	
PW-4005	☐	Option 2209/2210 with mounting rod for REM500 extended by 200 mm		On demand	2209 2210
JBG2213	☐	Centre Mount, swing-away to RH, Nucleus	NC : 2285, 2283, 2287, 2207, 2265, 2275, 1415, 2217, 1404, 1405	685,31	 REM050  2219  2245
JBG2214	☐	Centre Mount, swing-away to LH, Nucleus	NC : 2286, 2284, 2288, 2208, 2266, 2276, 1339, 2218, 1404, 1405	685,31	
JBG2227	☐	Bracket RH, mounted for Attendant	NC : 2206, 1287, 2220, 2128, 2108, 2219, 1221, 1312	160,19	
JBG2228	☐	Bracket LH, mounted for Attendant	NC : 2206, 1286, 2220, 2128, 2108, 2219, 1222, 1363	160,19	
JBX2239	☐	Individual mounting option per request (Special)		On demand	
DUAL CONTROL LINX + BRACKETS					
JBG2220	☐	Dual Control LiNX (DLX-REM050 as secondary remote)	NC : 1094, 2273, 2108, 2205, 2206, 1221, 1222, 2227, 2228	677,02	 2231 2232
JBG2219	☐	Compact Dual Control LiNX (DLX-ACU200)	NC : 2108, 1221, 1222, 2227, 2228	1 091,94	
JBG2245	☐	Invacare LiNX IDC Dual control	NC : 2108, 2259, 2260	1 563,98	
JBG2259	☐	Bracket RH, Attendant	NC : 1287, 2291, 2245, 1312	○	
JBG2260	☐	Bracket LH, Attendant	NC : 1286, 2292, 2245, 1363	○	
JBG1221	☐	Bracket RH, detachable	NC : 1287, 2291, 2220, 2219, 2227, 1312	○	
JBG1222	☐	Bracket LH, detachable	NC : 1286, 2292, 2220, 2219, 2228, 1363	○	
Si plusieurs joysticks doivent être montés sur le support escamotable pour montage en position centrale (2213/2214), sélectionnez l'option 2215					
LINX - COMPACT REMOTES + BRACKETS REQUIRES PRIMARY REMOTE (DLX-REM400 or DLX-REM500)					
JBG2231	☐	Proportional Compact Remote DLX-CR400	NC : 2203, 2204	1 191,47	 2231 2232
JBG2232	☐	Proportional Compact Remote Low Force DLX-CR-400LF	NC : 2203, 2204	1 312,80	
JBG2207	☐	RH Mount	NC : 1207, 1707, 2209, 2213, 2217, 1404	○	
JBG2208	☐	LH Mount	NC : 1208, 1708, 2210, 2214, 2218, 1405	○	
JBG2265	☐	Centre Mount, swing-away to RH (Nucleus)	NC : 1207, 1707, 2209, 2213, 2217, 1404, 1405, 1415	717,54	
JBG2266	☐	Centre Mount, swing-away to LH (Nucleus)	NC : 1208, 1708, 2210, 2214, 2218, 1404, 1405, 1339	717,54	
JBX2215	☐	Individual mounting option per request (Special)		On demand	
CHIN CONTROL + BRACKETS REQUIRES PRIMARY REMOTE (DLX-REM400 or DLX-REM500)					
JBG2229	☐	Proportional Chin Joystick (ASL138) SELECTED HEADREST ALWAYS WITH STD MOUNTING HARDWARE	NC : 1495, 2203, 2204, 2230, 2247, 2233, 2257, 2240, 2179, 2128	3 011,37	
JBG1289	☐	Swing Away Bracket RH, side manual (ASL628) Requires Elan Headrest	NC : 2171, 1350, 1432, 1427	○	
JBG1288	☐	Fixation escamotable manuellement, à gauche (Appui-tête ELAN obligatoire) Requires Elan Headrest	NC : 2171, 1350, 1432, 1427	○	
JBG1287	☐	Swing Away Bracket RH, powered	NC : 2227, 2259, 1221, (2121+0977), 2291, 1312, 1415	1 445,50	
JBG1286	☐	Swing Away Bracket LH, powered	NC : 2228, 2260, 1222, 2292, 1363, 1339	1 445,50	
					1288 1286 1289 1287

HEAD CONTROL ATOM Technology				
JBG2230	☐	Head Control with ultrasonic proximity sensors (ATOM, ASL104) with standard wings M3	NC : 2203, 2204, 2229, 2233, 2092, 2257, 2240, 2175, 2171, 2197, 1350, 1432, 1427, Elan backrest	5 648,34
JBG2247	☐	Head Control with ultrasonic proximity sensors (PROTON, ASL104P) with PROTON wings	NC : 2203, 2204, 2229, 2233, 2092, 2257, 2240, 2175, 2171, 2197, 1350, 1432, 1427, Elan backrest	5 704,27
FOUR-SWITCH PROXIMITY ARRAY (with ATOM Technology)				
JBG2257	☐	Four-Switch Proximity Array (ASL106)	NC : 2203, 2204, 2229, 2230, 2247, 2233, 2240, 2128	6 129,86
JBG2275	☐	Centre Mount, swing-away to RH, Nucleus	NC : 1207, 1707, 2209, 2213, 2217, 1404, 1405, 1415	○
JBG2276	☐	Centre Mount, swing-away to LH, Nucleus	NC : 1208, 1708, 2210, 2214, 2218, 1404, 1405, 1339	○
JBX2269	☐	Individual mounting option per request (Special)		On demand
LINX - PROPORTIONAL REMOTES WITH TPI / INPUTS & BRACKETS				
JBG2233	☐	MEC Proportional Joystick (Micro Extremity Control ASL130)	NC : 2203, 2204, 2229, 2230, 2247, 2257, 2128	3 366,82
JBG2240	☐	Proportional Heavy Duty Remote Joystick w mode switch (ASL133)	NC : 2203, 2204, 2229, 2230, 2247, 2257, 2128	2 709,95
JBG2285	☐	Tray Mount RH (100x150 mm)	NC : 1207, 1707, 2209, 2213, 2217, 1404, 1405, 1415	717,54
JBG2286	☐	Tray Mount LH (100x150 mm)	NC : 1208, 1708, 2210, 2214, 2218, 1404, 1405, 1339	717,54
JBG2283	☐	Centre Mount, swing-away to RH, Nucleus	NC : 1207, 1707, 2209, 2213, 2217, 1404, 1405, 1415	○
JBG2284	☐	Centre Mount, swing-away to LH, Nucleus	NC : 1208, 1708, 2210, 2214, 2218, 1404, 1405, 1339	○
JBG2287	☐	Centre Mount, swing-away to RH, Nucleus	NC : 1207, 1707, 2209, 2213, 2217, 1404, 1405, 1415	717,54
JBG2288	☐	Centre Mount, swing-away to LH, Nucleus	NC : 1208, 1708, 2210, 2214, 2218, 1404, 1405, 1339	717,54
JBX2289	☐	Individual mounting option per request (Special)		On demand
LINX 10-WAY SWITCH				
JBG2251	☐	10-Way Switch DLX-SW10-A for direct Powered Seating Access		530,81
JBG2217	☐	Bracket RH, mounted for user	NC : 1415, 2207, 2287, 2283, 2275, 2213, 2209, 2265, 1404	○
JBG2218	☐	Bracket LH, mounted for user	NC : 1339, 2208, 2288, 2284, 2286, 2276, 2214, 2210, 2266, 1405	○
JBG2291	☐	Bracket RH, mounted for attendant	NC : 2128, 2259, 1221, 1287, 2108	○
JBG2292	☐	Bracket LH, mounted for attendant	NC : 2128, 2260, 1222, 1288, 2108	○
JBG2225	☐	Without mounting		○
LINX ACCESSORIES				
JBG2253	☐	USB Charger Port DLX-USB02-A	NC : Bodypoint	236,02
JBG2281	☐	RH Mount		○
JBG2282	☐	LH Mount		○
Remote Stop Switch				
JBG2258	☐	Remote Stop Switch (ASL504)	NC : 2203, 2204	831,28
INPUT200 MODULE				
JBG2273	☐	IN200 Module (Jack port for external power button + control inputs via DB9)	NC : 2220	349,76
FURTHER LINX COMPONENTS / ACCESSORIES				
JBG2300	☐	To be enclosed only		○
JBX2301	☐	To be connected and programmed (Special)		On demand
BUDDY BUTTONS				
JBG1685	☐	Red Buddy Button		130,81
JBG1686	☐	Yellow Buddy Button		130,81
JBG1687	☐	Green Buddy Button		130,81
JBG1690	☐	Blue Buddy Button		130,81
EGG SWITCH				
JBG2254	☐	Egg Switch, black		103,32
PIKO BUTTONS				
JBG1711	☐	Red Piko Button		130,81
JBG1712	☐	Yellow Piko Button		130,81
JBG1713	☐	Green Piko Button		130,81
JBG1714	☐	Orange Piko Button		130,81
JBG1715	☐	Blue Piko Button		130,81
JBG1716	☐	Black Piko Button		130,81

 2230

 2247

 2233

 2251

 2253





BODYPOINT JOYSTICK KNOBS				 2721  2722  2723  2724  1681
JBG2721	☐	3 inch U-Shaped, Joystick Handle, Bodypoint PC101A	79,00	
JBG2722	☐	4 inch U-Shaped, Joystick Handle, Bodypoint PC102A	79,00	
JBG2723	☐	Domed Rubber, Joystick Handle, Bodypoint PC107A	79,00	
JBG2724	☐	Mushroom Grooved, Joystick Handle, Bodypoint PC110A	79,00	
SWITCH ADAPTER				
JBH1681	☐	5:1 Switch Adapter (9-pin sub D to 5 jack ports)	151,66	
WHEELBASE DETAILS				
COLOURS				 2871  2872  2873  2874  2875  2865  2866  2867  2868
JBG2871	☐	Mid range - Black/Anthracite Shroud	-284,36	
JBG2872	☐	Mid range - Silver Shroud	-284,36	
JBG2873	☐	Mid range - Bengal Red Shroud	-284,36	
JBG2874	☐	Mid range - Mercury Blue Shroud	-284,36	
JBG2875	☐	Mid range - Midnight Purple Shroud	-284,36	
JBX0299	☐	Premium - Individual Shroud Colour (includes coloured spreader bars on Modulite back)	781,99	
JBG2865	☐	Premium - Racing Green Shroud RAL6035	○	
JBG2866	☐	Premium - Deep Ocean Blue Satin Shroud RAL5026	○	
JBG2867	☐	Premium - Frosty Blue Shroud RAL5025	○	
JBG2868	☐	Premium - Gold Shroud RAL1035	○	
RIM INSERT COLOURS				
JBG2882	☐	Mid range - Black Rim Inserts	-80,57	
JBG2883	☐	Mid range - Silver Rim Inserts	-80,57	
JBG2884	☐	Mid range - Bengal Red Rim Inserts	-80,57	
JBG2885	☐	Mid range - Mercury Blue Rim Inserts	-80,57	
JBG2886	☐	Mid range - Midnight Purple Rim Inserts	-80,57	
JBG2887	☐	Premium - Individual Rim Insert Colour	207,58	
JBG2888	☐	Premium - Racing Green Rim Inserts RAL6035	○	
JBG2889	☐	Premium - Deep Ocean Blue Satin Rim Inserts RAL5026	○	
JBG2890	☐	Premium - Frosty Blue Rim Inserts RAL5025	○	
JBG2891	☐	Premium - Gold Rim Inserts RAL1035	○	
FORKS				
JBG2631	☐	Single sided fork	◆	
JBG2632	☐	Double sided fork	○	
CASTORS				
JBG0835	☐	9" (225 mm) x 2.80 (70 mm) Castor, pneumatic	◆	
JBG0836	☐	9" (225 mm) x 2.80 (70 mm) Castor, puncture proof solid tyre	○	
JBG0838	☐	9" (225 mm) x 2.80 (70 mm) Castor, puncture protected	61,61	
JBG0828	☐	8" (200 mm) x 2.50-4 (65 mm) Castor, puncture proof solid tyre	NC : 1223 149,76	
CASTOR LOCK				
JBG1490	☐	Castor Lock	NC : (2631+1416) 218,01	
DRIVE WHEELS				
JBG0704	☐	DW 14" (355 mm) x 3" (75 mm), Pneumatic	◆	
JBG0705	☐	DW 14" (355 mm) x 3" (75 mm), Solid inlay	238,86	
JBG0706	☐	DW 14" (355 mm) x 3" (75 mm), Puncture protected	61,61	
SUSPENSIONS				
CTC SUSPENSION				
JBG2870	☐	CTC Suspension Control - Traction - Comfort	◆	
CUSTOMIZED SUSPENSION SETTINGS for RX20/RX40				
JBG1910	☐	Soft (suggested for up to 70 kg User Weight)	NC : 1094 ○	
JBG1912	☐	Medium (suggested for up to 90 kg User Weight)	NC : 1094 ○	
JBG1911	☐	Firm (suggested for up to 110 kg User Weight)	○	
JBG1915	☐	Very firm (suggested for up to 136 kg User Weight)	○	
4-Pole MOTOR TYPE / SPEED OPTIONS				
Motors				
JBG1282	☐	OPS Drive 6 km/h	○	
JBG1283	☐	OPS Drive 10 km/h	◆	
JBG1223	☐	OPS Drive 10 km/h Setting for Ultra High Speed Motor Always combined with 73.5Ah Batteries	NC : 0828, 1259, 1260 ○	

BATTERY					
JBG1260	☐	73,5 Ah Gel	NC : 0025, 1223		◆
GYROSCOPE					
G-Trac					
JBG1215	☐	G-Trac Module			1 034,12
CHARGER					
JBG1313	☐	Opti Charge Charger 10A (IP44)		◆	
SP1606545	☐	10A Opticharge Charger (UK)		○	
OPTIONS				 1244  1329  2701, 2702  2703, 2704  2705, 2706  2128  1416  1417  1404 1405	
ANTI-TIPPERS					
JBG1205	☐	Anti-tipper			◆
LIGHT					
JBG1437	☐	LED Light system with Indicators 30 Lux headlights	NC : 2203		◆
JBG2837	☐	LED Light system extra bright with indicators 60 Lux headlights	NC : 2203		403,79
KERB RIDER					
JBG1244	☐	Kerb Rider	NC : 2830, 0556, 0589		291,00
TRANSPORTATION KIT 4-POINT TIE DOWNS					
JBG1494	☐	4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19)	NC : 1094		◆
JBG1401	☐	6-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19)) required for variants with combined Lift & Tilt module	NC : 1093		○
TIE DOWN POINTS					
JBG2894	☐	Easily accessible front tie-down points, additionally mounted for 4- or 6- point-tie-down			91,94
LAP BELTS					
JBG1329	☐	Lap belt with Auto Lock Standard mount on backrest			◆
JBG2113	☐	Lap belt with Auto Lock Flexible mount in side rails	NC : 2121, 2122, 2132, 2253, hip support		50,24
JBG2701	☐	BP Evoflex Pelvic Stabilizer, Rehab Latch Size L	NC : 2123, 2124, 2253, hip support		156,40
JBG2702	☐	Ceinture Bodypoint Evoflex, Loquet Rehab, taille M	NC : 2121, 2122, 2132, 2253, hip support		156,40
JBG2703	☐	BP 2-Point Hip Belt, Ctr-Pull, Push Butt, Cinch-Mount Size L	NC : 2123, 2124, 2253, hip support		133,65
JBG2704	☐	BP 2-Point Hip Belt, Ctr-Pull, Push Butt, Cinch-Mount Size M	NC : 2121, 2122, 2132, 2253, hip support		133,65
JBG2705	☐	BP 2-Point Hip Belt, Dual-Pull, Side-Release Butt. Cinch-Mount Size L	NC : 2123, 2124, 2253, hip support	116,59	
JBG2706	☐	BP 2-Point Hip Belt, Dual-Pull, Side-Release Butt. Cinch-Mount Size M		116,59	
REARVIEW MIRROR					
JBG1415	☐	Rear view mirror RH	NC : 1287, 2217, 2285, 2209, 2213, 2265, 2275, 2283, 2287	70,14	
JBG1339	☐	Rear view mirror LH	NC : 1286, 2218, 2286, 2210, 2214, 2266, 2276, 2284, 2288	70,14	
ACCESSORIES					
BAG HOOKS					
JBG2128	☐	Bag Hooks on Modulite Seat	NC : 2105, 2173, 2227, 2228, 2229, 2233, 2240, 2257, 2291, 2292	150,71	
CANEHOLDER					
JBG1312	☐	Cane holder RH	NC : 1287, 2227, 2259, 1221	68,25	
JBG1363	☐	Cane holder LH	NC : 1286, 2228, 2260, 1222	68,25	
FENDER CASTORS (black)					
JBG1416	☐	Fender for Castors		◆	
JBG1417	☐	Fender for Drive wheels		◆	
TRAY					
JBG1404	☐	Tray, Swing Away RH	NC : 1207, 1707, 2209, 2275, 2276, 2287, 2288, 2283, 2284, 2285, 2286, 2265, 2266, 2207, 2213, 2214, 2217	502,37	
JBG1405	☐	Tray, Swing Away LH	NC : 1208, 1708, 2210, 2275, 2276, 2287, 2288, 2283, 2284, 2285, 2286, 2265, 2266, 2208, 2213, 2214, 2218	502,37	
TOOLKIT					
JBG1333	☐	Toolkit		29,38	

RAMPS				
1440530	☐	Fiberglass Folding Mono Ramp Folded dimensions: 2000 x 230 mm 16.3 kg - maximum capacity: 300 kg		1 787,68
1654128	☐	Basic ramp 2 telescopic parts in aluminum and non-slip coating. Folded dimensions: 1210 x 194 mm. 8.8 kg per pair - maximum capacity: 270 kg		298,58
1654129	☐	Quick2go Compact 3-part aluminum telescopic ramp with non-slip coating Folded dimensions: 870 x 237 mm 13.6 kg per pair - maximum capacity: 260 kg		559,24
1654130	☐	Aluminium folding mono ramp Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg		317,54



1440530



1654128



1654129



1654130