

Invacare® Aviva® RX40 Modulite HD AA1

Please contact Invacare EU Export Customer Services on :-
Tel : +33 247 626980 ; Email : serviceclient_export@invacare.com
 Or visit our website : www.invacare.eu.com



Invacare® Aviva® RX40 Modulite HD AA1

Rear drive wheelchair



Descriptive :

- Seat width up to 600 mm
- Seat depth up to 480 mm
- Max. user weight: 160 kg.
- Warranty : 2 years except batteries and wear parts

As standard :

- 340W motors, 4 pole
- 120 A power module
- 73 Ah batteries and 10A charger
- LED lights system
- Fender for castors and drive wheels
- Single sided fork
- Metallic colours on frame, rims and backrest

CE

Date:

User Name:

Customer Code:

Dealer stamp:

☐ Please make your selection with a cross in the box ☒ Standard configuration ☐ Free of charge

CODE	DESCRIPTION	NC : Non Compatible NC : 9999 : non compatible with the reference 9999	EUROS	
JBH0028	☐ AVIVA RX 40 HD AA1 Max user weight up to 160 kg HD Version includes 120A Power Module, 73Ah Batteries; Wide Base only	WHEELCHAIR NOT AVAILABLE ON E-COMMERCE	6 559,24	
CHASSIS AVIVA RX				
JBH2830	☐ Chassis Wide (635 mm/25")		◆	
MODULITE SEAT HD				
SEATING TYPE				
JBX2101	☐ Invacare® Modulite HD Seat Unit On RX 40 HD only		◆	
SEAT WIDTH SETTING FOR ADJUSTABLE SEAT FRAME				
JBH2124	☐ 530 mm Seat Plate		◆	
JBX2104	☐ 550 mm Seat Plate		○	
SEAT DEPTH SETTING				
JBH2136	☐ 510 mm		◆	
JBX2137	☐ 580 mm		○	
SEAT CUSHION				
JBH2148	☐ Seat Cushion (90 mm high)		◆	
BACKREST SUPPORT				
JBH2162	☐ Backposts tall (540 mm)		◆	
BACKREST UPHOLSTERY / CUSHION				
JBH2171	☐ Tension Adjustable tall = 540 mm		◆	
UPHOLSTERY COLOUR				
JBH2156	☐ Black Nylon		◆	
ARMREST (Pair)				
JBH2191	☐ T-Arm detachable, Standard Adjustment range 245 - 315 mm		◆	
JBH2181	☐ T-Arm detachable, Extended height Adjustment range 295 - 365 mm		60,66	
ARMPAD (Pair)				
JBH2195	☐ Short Armpad (325 mm)		◆	
JBH2196	☐ Long Armpad (375 mm)		78,67	
JBH2197	☐ Long Ergonomic Armpad (397 mm)		113,74	
HEADREST/NECKREST (Dartex)				
JBH1432	☐ Headrest sideways adjustable		237,91	
JBH1427	☐ Headrest with cheek support		313,74	
JBH2324	☐ Elan Standard Pad 255 mm / 10" wide w/standard cover (ESP26)		383,89	
JBH2325	☐ Elan Occipital Pad 230x180 mm / 9"x7" w/standard cover (EOP23)		427,49	
JBH2327	☐ Elan 4 Point Headrest Pad 280x255 mm / 11"x10" w/standard		559,24	
JBH1495	☐ Non Invacare Headrest - no mounting hardware		○	
SEAT LIFTER / SEAT TILT				
JBH1091	☐ Manually settable Seat Tilt (0°-12°)	NC : 1401	◆	
JBH1092	☐ Powered "fixed pivot" Tilt 20°	NC : 1401, 2201	626,54	
JBH1093	☐ Powered Tilt (0°- 30°) with CoG shift	NC : 1401, 2201	787,68	
JBH1094	☐ Seat lifter with powered tilt (300 mm, 30°), CoG shift	NC : 1494, 2201, 2220	2 127,01	



2171



2191



1432




1427



2325




2327



SEAT HEIGHT SETTING				
JBH2857	☐	Seat-to-Floor Height 435 mm		◆
JBH2858	☐	Seat-to-Floor Height 460 mm		○
JBH2859	☐	Seat-to-Floor Height 485 mm		○
BACKREST RECLINER				
JBH0975	☐	Manual Settable Recliner (in 3.75° steps)		◆
JBH0977	☐	Powered Recliner	NC : 2201	709,00
LEGRESTS / FOOTRESTS				
CENTRE MOUNTED LEGRESTS CENTRE MOUNTED LEGRESTS				
JBH0556	☐	Centre mount legrest, angle settable Length: 280 - 385 mm	NC : 0517	536,03
JBH0589	☐	LNx Power centre mount legrest, length compensating Length: 340 - 410 mm	NC : 2201	1 712,80
FOOTPLATES / FOOT PLATFORM				
JBH2365	☐	Angle & width adjustable footplates S (127 W x 190 mm D / 5"x7.5")		○
JBH0559	☐	Angle & width adjustable footplates M (140 W x 240 mm D / 5.5"x9.5")		◆
JBH0516	☐	Angle & width adjustable footplates L (150 W x 290 mm D / 6"x11.5)		124,17
JBH0517	☐	Angle adjustable foot platform M (305 W x 275 mm D / 12"x10.75")	NC : 0556	124,17
FOOTRESTS (PAIR)				
JBH0503	☐	Hanger Vari F pair Lower leg length: 290 - 460 mm Angle adjustment: 70 - 0° with handwheel and calf pad		◆
JBH0533	☐	Hanger Vari A pair Lower leg length: 290 - 460 mm Angle adjustment: 70 - 0° with handwheel and calf pad	NC : 0512	270,14
JBH0531	☐	Hanger ADE pair Lower leg length: 290 - 460 mm Powered Angle adjustment: 80 - 0° with calf pad	NC : 0512, 2201	1 507,11
FOOTPLATE TYPE / PAIRS				
JBH0512	☐	Fixed Footplate pair	NC : 0533, 0531	◆
JBH0504	☐	Angle Adjustable Footplate pair		○
JBH0513	☐	Angle and depth adjustable Footplate pair		106,16
REMOTES LINX				
LINX PRIMARY REMOTES with proportional Joystick + BRACKETS				
JBH2203	☐	Remote LiNX DLX-REM211 = Drive & Actuators 3 Drive functions and power module incl. 2 Actuators	NC : 2231, 2232, 2233, 2257, 2240, 2270, 2258	◆
JBH2205	☐	Rehab Remote LiNX, touch-screen user interface DLX-REM400 Configurable jack sockets	NC : 2220	1 137,44
JBH2206	☐	Rehab Remote LiNX without joystick for alternative access users DLX-REM500 Requires a user input/alternative joystick: 2231, 2232, 2229, 2230, 2247, 2233	NC : 2220, 2270	1 712,80
REM400 TOGGLE OPTION				
JBH2270	☐	Assignable Toggle Switch Module f. REM400 (DLX-SW400TGL)	NC : 2201, 2203, 2204, 2206	340,28
PRIMARY REMOTE AND DISPLAY MOUNTING POSITION				
JBH1207	☐	Standard Bracket RH	NC : 2206, 2285, 2283, 2287, 2207, 2265, 2275, 1404	○
JBH1208	☐	Standard Bracket LH	NC : 2206, 2286, 2284, 2288, 2208, 2266, 2276, 1405	○
JBH1707	☐	Swing Away Bracket RH	NC : 2206, 2285, 2283, 2287, 2207, 2265, 2275, 1404	◆
JBH1708	☐	Swing Away Bracket LH	NC : 2206, 2286, 2284, 2288, 2208, 2266, 2276, 1405	○
JBH2209	☐	Swing away RH, multi-adjustable	NC : 2201, 2203, 2204, 2205, 2285, 2283, 2287, 2207, 2265, 2275, 1415, 2217, 1404	○
JBH2210	☐	Swing away LH, multi-adjustable	NC : 2201, 2203, 2204, 2205, 2286, 2284, 2288, 2208, 2266, 2276, 1339, 2218, 1405	○
PW-4005	☐	Option 2209/2210 with mounting rod for REM500 extended by 200 mm		On demand



JBH2213	☐	Centre Mount, swing-away to RH, Nucleus	NC : 2285, 2283, 2287, 2207, 2265, 2275, 1415, 2217, 1404, 1405	685,31	 REM050
JBH2214	☐	Centre Mount, swing-away to LH, Nucleus	NC : 2286, 2284, 2288, 2208, 2266, 2276, 1339, 2218, 1404, 1405	685,31	
JBH2227	☐	Bracket RH, mounted for Attendant	NC : 2206, 1287, 2220, 2128, 2108, 2219, 1221, 1312	160,19	
JBH2228	☐	Bracket LH, mounted for Attendant	NC : 2206, 1286, 2220, 2128, 2108, 2219, 1222, 1363	160,19	
JBX2239	☐	Individual mounting option per request (Special)		On demand	
DUAL CONTROL LiNX + BRACKETS					
JBH2220	☐	Dual Control LiNX (DLX-REM050 as secondary remote)	NC : 1094, 2273, 2205, 2206, 1221, 1222, (2201+1283), 2227, 2228	677,02	 2219
JBH2219	☐	Compact Dual Control LiNX (DLX-ACU200)	NC : 2201, 1221, 1222, 2227, 2228	1 091,94	
JBH2245	☐	Invacare LiNX IDC Dual control	NC : 2201, 2259, 2260	1 563,98	
JBH2259	☐	Bracket RH, Attendant	NC : 1287, 2291, 2245, 1312	○	
JBH2260	☐	Bracket LH, Attendant	NC : 1286, 2292, 2245, 1363	○	
JBH1221	☐	Bracket RH, detachable	NC : 1287, 2291, 2220, 2219, 2227, 1312	○	 2245
JBH1222	☐	Bracket LH, detachable	NC : 1286, 2292, 2220, 2219, 2228, 1363	○	
LiNX - COMPACT REMOTES + BRACKETS REQUIRES PRIMARY REMOTE (DLX-REM400 or DLX-REM500)					
JBH2231	☐	Proportional Compact Remote DLX-CR400	NC : 2201, 2203, 2204	1 191,47	 2231 2232
JBH2232	☐	Proportional Compact Remote Low Force DLX-CR-400LF	NC : 2201, 2203, 2204	1 312,80	
JBH2207	☐	RH Mount	NC : 1207, 1707, 2209, 2213, 2217, 1404	○	
JBH2208	☐	LH Mount	NC : 1208, 1708, 2210, 2214, 2218, 1405	○	
JBH2265	☐	Centre Mount, swing-away to RH (Nucleus)	NC : 1207, 1707, 2209, 2213, 2217, 1404, 1405, 1415	717,54	
JBH2266	☐	Centre Mount, swing-away to LH (Nucleus)	NC : 1208, 1708, 2210, 2214, 2218, 1404, 1405, 1339	717,54	
JBX2215	☐	Individual mounting option per request (Special)		On demand	
FOUR-SWITCH PROXIMITY ARRAY (with ATOM Technology)					
JBH2257	☐	Four-Switch Proximity Array (ASL106)	NC : 2201, 2203, 2204, 2229, 2230, 2247, 2233, 2240, 2128	6 129,86	 2233
JBH2275	☐	Centre Mount, swing-away to RH, Nucleus	NC : 1207, 1707, 2209, 2213, 2217, 1404, 1405, 1415	○	
JBH2276	☐	Centre Mount, swing-away to LH, Nucleus	NC : 1208, 1708, 2210, 2214, 2218, 1404, 1405, 1339	○	
JBX2269	☐	Individual mounting option per request (Special)		On demand	
LiNX - PROPORTIONAL REMOTES WITH TPI / INPUTS & BRACKETS					
JBH2233	☐	MEC Proportional Joystick (Micro Extremity Control ASL130)	NC : 2201, 2203, 2204, 2229, 2230, 2247, 2257, 2128	3 366,82	 2251
JBH2240	☐	Proportional Heavy Duty Remote Joystick w mode switch (ASL133)	NC : 2201, 2203, 2204, 2229, 2230, 2247, 2257, 2128	2 709,95	
JBH2285	☐	Tray Mount RH (100x150 mm)	NC : 1207, 1707, 2209, 2213, 2217, 1404, 1405, 1415	717,54	
JBH2286	☐	Tray Mount LH (100x150 mm)	NC : 1208, 1708, 2210, 2214, 2218, 1404, 1405, 1339	717,54	
JBH2283	☐	Centre Mount, swing-away to RH, Nucleus	NC : 1207, 1707, 2209, 2213, 2217, 1404, 1405, 1415	○	
JBH2284	☐	Centre Mount, swing-away to LH, Nucleus	NC : 1208, 1708, 2210, 2214, 2218, 1404, 1405, 1339	○	
JBH2287	☐	Centre Mount, swing-away to RH, Nucleus	NC : 1207, 1707, 2209, 2213, 2217, 1404, 1405, 1415	717,54	
JBH2288	☐	Centre Mount, swing-away to LH, Nucleus	NC : 1208, 1708, 2210, 2214, 2218, 1404, 1405, 1339	717,54	
JBX2289	☐	Individual mounting option per request (Special)		On demand	
LiNX 10-WAY SWITCH					
JBH2251	☐	10-Way Switch DLX-SW10-A for direct Powered Seating Access		530,81	 2251
JBH2217	☐	Bracket RH, mounted for user	NC : 1415, 2207, 2287, 2283, 2285, 2275, 2213, 2209, 2265, 1404	○	
JBH2218	☐	Bracket LH, mounted for user	NC : 1339, 2208, 2288, 2284, 2286, 2276, 2214, 2210, 2266, 1405	○	
JBH2291	☐	Bracket RH, mounted for attendant	NC : 2128, 2259, 1221	○	
JBH2292	☐	Bracket LH, mounted for attendant	NC : 2128, 2260, 1222	○	
JBH2225	☐	Without mounting		○	

LINX ACCESSORIES				 2253	
JBH2253	☐	USB Charger Port DLX-USB02-A	236,02		
JBH2281	☐	RH Mount	○		
JBH2282	☐	LH Mount	○		
REMOTE STOP SWITCH					
JBH2258	☐	Remote Stop Switch (ASL504)	NC : 2201, 2203, 2204		831,28
INPUT200 MODULE					
JBH2273	☐	IN200 Module (Jack port for external power button + control inputs via DB9)	NC : 2220		349,76
FURTHER LINX COMPONENTS / ACCESSORIES					
JBH2300	☐	To be enclosed only			○
JBX2301	☐	To be connected and programmed (Special)		On demand	
BUDDY BUTTONS					
JBH1685	☐	Red Buddy Button			130,81
JBH1686	☐	Yellow Buddy Button			130,81
JBH1687	☐	Green Buddy Button			130,81
JBH1690	☐	Blue Buddy Button			130,81
EGG SWITCH					
JBH2254	☐	Egg Switch, black			103,02
PIKO BUTTONS				 2721 2722	
JBH1711	☐	Red Piko Button			130,81
JBH1712	☐	Yellow Piko Button			130,81
JBH1713	☐	Green Piko Button			130,81
JBH1714	☐	Orange Piko Button			130,81
JBH1715	☐	Blue Piko Button			130,81
JBH1716	☐	Black Piko Button			130,81
BODYPOINT JOYSTICK KNOBS				 2723  2724	
JBH2721	☐	3 inch U-Shaped, Joystick Handle, Bodypoint PC101A			91,94
JBH2722	☐	4 inch U-Shaped, Joystick Handle, Bodypoint PC102A			91,94
JBH2723	☐	Domed Rubber, Joystick Handle, Bodypoint PC107A			91,94
JBH2724	☐	Mushroom Grooved, Joystick Handle, Bodypoint PC110A			91,94
SWITCH ADAPTER				 1681	
JBH1681	☐	5:1 Switch Adapter (9-pin sub D to 5 jack ports)			151,66
WHEELBASE DETAILS					
COLOURS				 2871 2872 2873 2874 2875 2865 2866 2867 2868	
JBH2871	☐	Mid range - Black/Anthracite Shroud	-284,36		
JBH2872	☐	Mid range - Silver Shroud	-284,36		
JBH2873	☐	Mid range - Bengal Red Shroud	-284,36		
JBH2874	☐	Mid range - Mercury Blue Shroud	-284,36		
JBH2875	☐	Mid range - Midnight Purple Shroud	-284,36		
JBX0299	☐	Premium - Individual Shroud Colour (includes coloured spreader bars on Modulite back)	781,99		
JBH2865	☐	Premium - Racing Green Shroud RAL6035	○		
JBH2866	☐	Premium - Deep Ocean Blue Satin Shroud RAL5026	○		
JBH2867	☐	Premium - Frosty Blue Shroud RAL5025	○		
JBH2868	☐	Premium - Gold Shroud RAL1035	○		
RIM INSERT COLOURS					
JBH2882	☐	Mid range - Black Rim Inserts	-80,57		
JBH2883	☐	Mid range - Silver Rim Inserts	-80,57		
JBH2884	☐	Mid range - Bengal Red Rim Inserts	-80,57		
JBH2885	☐	Mid range - Mercury Blue Rim Inserts	-80,57		
JBH2886	☐	Mid range - Midnight Purple Rim Inserts	-80,57		
JBH2887	☐	Premium - Individual Rim Insert Colour	207,58		
JBH2888	☐	Premium - Racing Green Rim Inserts RAL6035	○		
JBH2889	☐	Premium - Deep Ocean Blue Satin Rim Inserts RAL5026	○		
JBH2890	☐	Premium - Frosty Blue Rim Inserts RAL5025	○		
JBH2891	☐	Premium - Gold Rim Inserts RAL1035	○		
FORKS					
JBH2631	☐	Single sided fork	◆		
JBH2632	☐	Double sided fork	○		

CASTORS				
JBH0835	☐	9" (225 mm) x 2.80 (70 mm) Castor, pneumatic		◆
JBH0836	☐	9" (225 mm) x 2.80 (70 mm) Castor, puncture proof solid tyre		○
JBH0838	☐	9" (225 mm) x 2.80 (70 mm) Castor, puncture protected		61,61
JBH0828	☐	8" (200 mm) x 2.50-4 (65 mm) Castor, puncture proof solid tyre		149,76
CASTOR LOCK				
JBH1490	☐	Castor Lock	NC : (2631+1416)	218,01
DRIVE WHEELS				
JBH0704	☐	DW 14" (355 mm) x 3" (75 mm), Pneumatic		◆
JBH0705	☐	DW 14" (355 mm) x 3" (75 mm), Solid inlay		238,86
JBH0706	☐	DW 14" (355 mm) x 3" (75 mm), Puncture protected		61,61
CTC SUSPENSION				
JBH2870	☐	CTC Suspension Control - Traction - Comfort		◆
SUSPENSION FOR RX 40 HD				
JBH1916	☐	Suspension up to 160 kg User Weight		◆
4-Pole MOTOR TYPE / SPEED OPTIONS				
Motors				
JBH1282	☐	OPS Drive 6 km/h		○
JBH1283	☐	OPS Drive 10 km/h		◆
JBH1223	☐	OPS Drive 10 km/h Setting for Ultra High Speed Motor Always combined with 73,5Ah Batteries	NC : 0828, 1260	○
BATTERY				
JBH1260	☐	73,5 Ah Gel		◆
GYROSCOPE				
G-Trac				
JBH1215	☐	G-Trac Module		1 034,12
CHARGER				
JBH1313	☐	Opti Charge Charger 10A (IP44)		◆
SP1606545	☐	Opticharge Charger 10A (UK)		○
ANTI-TIPPERS				
JBH1205	☐	Anti-tipper		◆
LIGHT				
JBH1437	☐	LED Light system with Indicators 30 Lux headlights	NC : 2201, 2203	◆
JBH2837	☐	LED Light system extra bright with indicators 60 Lux headlights	NC : 2201, 2203	402,84
TRANSPORTATION KIT 4-POINT TIE DOWNS				
JBH1493	☐	4-Point tie-down (For wheelchair transportation without user)	NC : 2894	◆
JBH1494	☐	4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19)	NC : 1094	○
JBH1401	☐	6-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19)) required for variants with combined Lift & Tilt module	NC : 1091, 1092,1093	○
TIE DOWN POINTS				
JBH2894	☐	Easily accessible front tie-down points, additionally mounted for 4- or 6- point-tie-down	NC : 1493	91,94
LAP BELTS				
JBH1329	☐	Lap belt with Auto Lock Standard mount on backrest		◆
JBH2113	☐	Lap belt with Auto Lock Flexible mount in side rails		50,24
REARVIEW MIRROR				
JBH1415	☐	Rear view mirror RH	NC : 1287, 2217, 2285, 2209, 2213, 2265, 2275, 2283, 2287	70,14
JBH1339	☐	Rear view mirror LH	NC : 1286, 2218, 2286, 2210, 2214, 2266, 2276, 2284, 2288	70,14







1329



1329

ACCESSORIES

BAG HOOKS

JBH2128	☐	Bag Hooks on Modulite Seat Max load up to 6 kg = impact on max user weight	NC : 2227, 2228, 2233, 2240, 2291, 2292	149,76
---------	--------------------------	--	---	--------



2128

CANEHOLDER

JBH1312	☐	Cane holder RH	NC : 1287, 2227, 2259, 1221	68,25
JBH1363	☐	Cane holder LH	NC : 1286, 2228, 2260, 1222	68,25



1416



1417

FENDER CASTORS (black)

JBH1416	☐	Fender for Castors		◆
JBH1417	☐	Fender for Drive wheels		◆

TRAY

JBH1404	☐	Tray, Swing Away RH	NC : 1207, 1707, 2209, 2275, 2276, 2287, 2288, 2283, 2284, 2285, 2286, 2265, 2266, 2207, 2213, 2214, 2217	502,37
JBH1405	☐	Tray, Swing Away LH	NC : 1208, 1708, 2210, 2275, 2276, 2287, 2288, 2283, 2284, 2285, 2286, 2265, 2266, 2208, 2213, 2214, 2218	502,37



1404

1405

TOOLKIT

JBH1333	☐	Toolkit		29,38
---------	--------------------------	---------	--	-------

Ramps

1440530	☐	Fiberglass Folding Mono Ramp Folded dimensions: 2000 x 230 mm 16.3 kg - maximum capacity: 300 kg		1 787,68
1654128	☐	Basic ramp 2 telescopic parts in aluminum and non-slip coating. Folded dimensions: 1210 x 194 mm. 8.8 kg per pair - maximum capacity: 270 kg		298,58
1654129	☐	Quick2go Compact 3-part aluminum telescopic ramp with non-slip coating Folded dimensions: 870 x 237 mm 13.6 kg per pair - maximum capacity: 260 kg		559,24
1654130	☐	Aluminium folding mono ramp Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg		317,54



1440530



1654128



1654129



1654130