

# Invacare® Aviva® RX40 Modulite HD AA2

Please contact Invacare EU Export Customer Services on :-  
**Tel : +33 247 626980 ; Email : serviceclient\_export@invacare.com**  
 Or visit our website : www.invacare.eu.com



## Invacare® Aviva® RX40 Modulite HD AA2

Rear drive wheelchair



### Descriptive :

-Seat width up to 600 mm  
 -Seat depth up to 480 mm  
 -Max. user weight: 160 kg.  
 -Warranty : 2 years except batteries and wear parts

### As standard :

-340W motors, 4 pole  
 -120 A power module  
 -73 Ah batteries and 10A charger  
 -LED lights system  
 -Fender for castors and drive wheels  
 -Single sided fork  
 -Metallic colours on frame, rims and backrest



Date :

User name :

Customer Code :


Dealer stamp:

☐ Please make your selection with a cross in the box

☒ Standard configuration

☐ Free of charge

| CODE                                                | DESCRIPTION                                                                                                                                      | NC : Non Compatible<br>NC : 9999 : non compatible with the reference 9999 | EUROS    |   |
|-----------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------|----------|---|
| JB10029                                             | <input type="checkbox"/> <b>AVIVA RX 40 HD AA2</b><br>includes 120A Power Module - 73Ah Batteries; Wide Base only - Max user weight up to 160 kg |                                                                           | 7 156,40 |   |
| <b>CHASSIS AVIVA RX</b>                             |                                                                                                                                                  |                                                                           |          |   |
| JB12830                                             | <input type="checkbox"/> Chassis Wide (635 mm/25")                                                                                               | NC : 1244                                                                 |          |   |
| <b>MODULITE HD SEAT</b>                             |                                                                                                                                                  |                                                                           |          |   |
| <b>SEATING TYPE</b>                                 |                                                                                                                                                  |                                                                           |          |   |
| JBX2101                                             | <input type="checkbox"/> <b>Invacare® Modulite HD Seat Unit</b><br>On RX 40 HD only                                                              |                                                                           |          | ◆ |
| <b>SEAT WIDTH SETTING FOR ADJUSTABLE SEAT FRAME</b> |                                                                                                                                                  |                                                                           |          |   |
| JB12124                                             | <input type="checkbox"/> 530 mm Seat Plate                                                                                                       |                                                                           |          | ◆ |
| JBX2104                                             | <input type="checkbox"/> 550 mm Seat Plate                                                                                                       |                                                                           |          | ○ |
| <b>SEAT DEPTH SETTING</b>                           |                                                                                                                                                  |                                                                           |          |   |
| JB12136                                             | <input type="checkbox"/> 510 mm                                                                                                                  |                                                                           |          | ◆ |
| JBX2137                                             | <input type="checkbox"/> 580 mm                                                                                                                  |                                                                           |          | ○ |
| <b>SEAT CUSHION</b>                                 |                                                                                                                                                  |                                                                           |          |   |
| JB12148                                             | <input type="checkbox"/> Seat Cushion (90 mm high)                                                                                               |                                                                           |          | ◆ |
| <b>BACKREST SUPPORT</b>                             |                                                                                                                                                  |                                                                           |          |   |
| JB12162                                             | <input type="checkbox"/> Backposts tall (540 mm)                                                                                                 |                                                                           |          | ◆ |
| <b>BACKREST UPHOLSTERY / CUSHION</b>                |                                                                                                                                                  |                                                                           |          |   |
| JB12171                                             | <input type="checkbox"/> Tension Adjustable tall = 540 mm                                                                                        |                                                                           |          | ◆ |
| <b>UPHOLSTERY COLOUR</b>                            |                                                                                                                                                  |                                                                           |          |   |
| JB12156                                             | <input type="checkbox"/> Black Nylon                                                                                                             |                                                                           |          | ◆ |
| <b>ARMREST (Pair)</b>                               |                                                                                                                                                  |                                                                           |          |   |
| JB12191                                             | <input type="checkbox"/> T-Arm detachable, Standard Adjustment range 245 - 315 mm                                                                |                                                                           |          | ◆ |
| JB12181                                             | <input type="checkbox"/> T-Arm detachable, Extended height Adjustment range 295 - 365 mm                                                         |                                                                           | 60,66    |   |
| <b>ARMPAD (Pair)</b>                                |                                                                                                                                                  |                                                                           |          |   |
| JB12195                                             | <input type="checkbox"/> Short Armpad (325 mm)                                                                                                   |                                                                           |          | ◆ |
| JB12196                                             | <input type="checkbox"/> Long Armpad (375 mm)                                                                                                    |                                                                           | 78,67    |   |
| JB12197                                             | <input type="checkbox"/> Long Ergonomic Armpad (397 mm)                                                                                          |                                                                           | 113,74   |   |
| <b>HEADREST/NECKREST (Dartex)</b>                   |                                                                                                                                                  |                                                                           |          |   |
| JB11350                                             | <input type="checkbox"/> Neckrest depth adjustable                                                                                               | NC : 2230, 2247, 1288, 1289                                               |          | ◆ |
| JB11432                                             | <input type="checkbox"/> Headrest sideways adjustable                                                                                            |                                                                           |          | ○ |
| JB11427                                             | <input type="checkbox"/> Headrest with cheek support                                                                                             |                                                                           | 313,74   |   |
| JB12324                                             | <input type="checkbox"/> Elan Standard Pad 255 mm / 10" wide w/standard cover (ESP26)                                                            |                                                                           | 383,89   |   |
| JB12325                                             | <input type="checkbox"/> Elan Occipital Pad 230x180 mm / 9"x7" w/standard cover (EOP23)                                                          |                                                                           | 427,49   |   |
| JB12327                                             | <input type="checkbox"/> Elan 4 Point Headrest Pad 280x255 mm / 11"x10" w/standard                                                               |                                                                           | 559,24   |   |
| JB11495                                             | <input type="checkbox"/> Non Invacare Headrest - no mounting hardware                                                                            |                                                                           |          | ○ |



| SEAT LIFTER / SEAT TILT                                    |                          |                                                                                                                                                              |                                                                             |  |          |
|------------------------------------------------------------|--------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|------------------------------------------------------------------------------------|----------|
| JB11092                                                    | <input type="checkbox"/> | Powered "fixed pivot" Tilt 20°                                                                                                                               | NC : 1401                                                                   |                                                                                    | ◆        |
| JB11093                                                    | <input type="checkbox"/> | Powered Tilt (0°- 30°) with CoG shift                                                                                                                        | NC : 1401                                                                   |                                                                                    | 787,68   |
| JB11094                                                    | <input type="checkbox"/> | Seat lifter with powered tilt (300 mm, 30°), CoG shift                                                                                                       | NC : 1494, 2220                                                             |                                                                                    | 2 127,01 |
| SEAT HEIGHT SETTING                                        |                          |                                                                                                                                                              |                                                                             |                                                                                    |          |
| JB12857                                                    | <input type="checkbox"/> | Seat-to-Floor Height 435 mm                                                                                                                                  |                                                                             | ◆                                                                                  |          |
| JB12858                                                    | <input type="checkbox"/> | Seat-to-Floor Height 460 mm                                                                                                                                  |                                                                             | ○                                                                                  |          |
| JB12859                                                    | <input type="checkbox"/> | Seat-to-Floor Height 485 mm                                                                                                                                  |                                                                             | ○                                                                                  |          |
| BACKREST RECLINER                                          |                          |                                                                                                                                                              |                                                                             |                                                                                    |          |
| JB10977                                                    | <input type="checkbox"/> | Powered Recliner                                                                                                                                             |                                                                             | ◆                                                                                  |          |
| LEGRESTS / FOOTRESTS                                       |                          |                                                                                                                                                              |                                                                             |                                                                                    |          |
| CENTRE MOUNTED LEGRESTS                                    |                          |                                                                                                                                                              |                                                                             |                                                                                    |          |
| JB10556                                                    | <input type="checkbox"/> | Centre mount legrest, angle settable Length: 280 - 385 mm                                                                                                    | NC : 2366, 0517, 1244                                                       | 563,03                                                                             |          |
| JB10589                                                    | <input type="checkbox"/> | LNX Power centre mount legrest, length compensating Length: 340 - 410 mm                                                                                     | NC : 1244                                                                   | 1 712,80                                                                           |          |
| FOOTPLATES / FOOT PLATFORM                                 |                          |                                                                                                                                                              |                                                                             |                                                                                    |          |
| JB12365                                                    | <input type="checkbox"/> | Angle & width adjustable footplates S (127 W x 190 mm D / 5"x7.5")                                                                                           |                                                                             | ○                                                                                  |          |
| JB10559                                                    | <input type="checkbox"/> | Angle & width adjustable footplates M (140 W x 240 mm D / 5.5"x9.5")                                                                                         |                                                                             | ◆                                                                                  |          |
| JB10516                                                    | <input type="checkbox"/> | Angle & width adjustable footplates L (150 W x 290 mm D / 6"x11.5)                                                                                           |                                                                             | 124,17                                                                             |          |
| JB12366                                                    | <input type="checkbox"/> | Angle adjustable foot platform S (305 W x 215 mm D / 12"x8.5")                                                                                               | NC : 0556                                                                   | 124,17                                                                             |          |
| JB10517                                                    | <input type="checkbox"/> | Angle adjustable foot platform M (305 W x 275 mm D / 12"x10.75")                                                                                             | NC : 0556                                                                   | 124,17                                                                             |          |
| FOOTREST HANGER TYPE / PAIRS                               |                          |                                                                                                                                                              |                                                                             |                                                                                    |          |
| JB10533                                                    | <input type="checkbox"/> | Hanger Vari A pair Lower leg length: 290 - 460 mm<br>Angle adjustment: 70 - 0° with handwheel and calf pad                                                   |                                                                             | ◆                                                                                  |          |
| JB10531                                                    | <input type="checkbox"/> | Hanger ADE pair Lower leg length: 290 - 460 mm<br>Powered Angle adjustment: 80 - 0° with calf pad                                                            |                                                                             | 878,67                                                                             |          |
| FOOTPLATE TYPE / PAIRS                                     |                          |                                                                                                                                                              |                                                                             |                                                                                    |          |
| JB10504                                                    | <input type="checkbox"/> | Angle Adjustable Footplate pair                                                                                                                              | NC : 0501                                                                   | ◆                                                                                  |          |
| JB10513                                                    | <input type="checkbox"/> | Angle and depth adjustable Footplate pair                                                                                                                    | NC : 0501                                                                   | 106,16                                                                             |          |
| REMOTES LINX                                               |                          |                                                                                                                                                              |                                                                             |                                                                                    |          |
| LINX PRIMARY REMOTES with proportional Joystick + BRACKETS |                          |                                                                                                                                                              |                                                                             |                                                                                    |          |
| JB12204                                                    | <input type="checkbox"/> | Remote LiNX<br>DLX-REM216 = Drive, Actuators & Lights 3 Drive functions and power module incl. 2 Actuators & Lights                                          | NC : 2231, 2232, 2233, 2230, 2240, 2270, 2258                               | ◆                                                                                  |          |
| JB12205                                                    | <input type="checkbox"/> | Rehab Remote LiNX, touch-screen user interface<br>DLX-REM400                                                                                                 | NC : 2220                                                                   | 1 137,44                                                                           |          |
| JB12206                                                    | <input type="checkbox"/> | Rehab Remote LiNX without joystick for alternative access users<br>DLX-REM500 Requires a user input/alternative joystick: 2231, 2232, 2229, 2230, 2247, 2233 | NC : 2220, 2270                                                             | 1 712,80                                                                           |          |
| REM400 TOGGLE OPTION                                       |                          |                                                                                                                                                              |                                                                             |                                                                                    |          |
| JB12270                                                    | <input type="checkbox"/> | Assignable Toggle Switch Module f. REM400 (DLX-SW400TGL)                                                                                                     | NC : 2203, 2204, 2206                                                       | 340,28                                                                             |          |
| PRIMARY REMOTE AND DISPLAY MOUNTING POSITION               |                          |                                                                                                                                                              |                                                                             |                                                                                    |          |
| JB11207                                                    | <input type="checkbox"/> | Standard Bracket RH                                                                                                                                          | NC : 2206, 2285, 2283, 2287, 2207, 2265, 2275, 1404                         | ○                                                                                  |          |
| JB11208                                                    | <input type="checkbox"/> | Standard Bracket LH                                                                                                                                          | NC : 2206, 2286, 2284, 2288, 2208, 2266, 2276, 1405                         | ○                                                                                  |          |
| JB11707                                                    | <input type="checkbox"/> | Swing Away Bracket RH                                                                                                                                        | NC : 2206, 2285, 2283, 2287, 2207, 2265, 2275, 1404                         | ◆                                                                                  |          |
| JB11708                                                    | <input type="checkbox"/> | Swing Away Bracket LH                                                                                                                                        | NC : 2206, 2286, 2284, 2288, 2208, 2266, 2276, 1405                         | ○                                                                                  |          |
| JB12209                                                    | <input type="checkbox"/> | Swing away RH, multi-adjustable                                                                                                                              | NC : 2203, 2204, 2205, 2285, 2283, 2287, 2207, 2265, 2275, 1415, 2217, 1404 | ○                                                                                  |          |
| JB12210                                                    | <input type="checkbox"/> | Swing away LH, multi-adjustable                                                                                                                              | NC : 2203, 2204, 2205, 2286, 2284, 2288, 2208, 2266, 2276, 1339, 2218, 1405 | ○                                                                                  |          |
| PW-4005                                                    | <input type="checkbox"/> | Option 2209/2210 with mounting rod for REM500 extended by 200 mm                                                                                             |                                                                             | On demand                                                                          |          |
| JB12213                                                    | <input type="checkbox"/> | Centre Mount, swing-away to RH, Nucleus                                                                                                                      | NC : 2285, 2283, 2287, 2207, 2265, 2275, 1415, 2217, 1404, 1405             | 685,31                                                                             |          |

  
0977






  
0533  
0513

  
0533  
0513

  
REM216

  
REM400

  
Bluetooth

  
REM500

  
Bluetooth

  
2270

  
2209  
2210

|                                                                                             |                          |                                                                       |                                                                 |           |                                                                                            |
|---------------------------------------------------------------------------------------------|--------------------------|-----------------------------------------------------------------------|-----------------------------------------------------------------|-----------|--------------------------------------------------------------------------------------------|
| JB12214                                                                                     | <input type="checkbox"/> | Centre Mount, swing-away to LH, Nucleus                               | NC : 2286, 2284, 2288, 2208, 2266, 2276, 1339, 2218, 1404, 1405 | 685,31    |                                                                                            |
| JB12227                                                                                     | <input type="checkbox"/> | Bracket RH, mounted for Attendant                                     | NC : 2206, 1287, 2220, 2128, 2219, 1221, 1312                   | 160,19    |                                                                                            |
| JB12228                                                                                     | <input type="checkbox"/> | Bracket LH, mounted for Attendant                                     | NC : 2206, 1286, 2220, 2128, 2219, 1222, 1363                   | 160,19    |                                                                                            |
| JBX2239                                                                                     | <input type="checkbox"/> | Individual mounting option per request (Special)                      |                                                                 | On demand |                                                                                            |
| <b>DUAL CONTROL LiNX + BRACKETS</b>                                                         |                          |                                                                       |                                                                 |           |                                                                                            |
| JB12220                                                                                     | <input type="checkbox"/> | Dual Control LiNX (DLX-REM050 as secondary remote)                    | NC : 1094, 2273, 2205, 2206, 1221, 1222, 2227, 2228             | 677,02    |  REM050 |
| JB12219                                                                                     | <input type="checkbox"/> | Compact Dual Control LiNX (DLX-ACU200)                                | NC : 1221, 1222, 2227, 2228                                     | 1 091,94  |  2219   |
| JB12245                                                                                     | <input type="checkbox"/> | Invacare LiNX IDC Dual control                                        | NC : 2259, 2260                                                 | 1 563,98  |                                                                                            |
| JB12259                                                                                     | <input type="checkbox"/> | Bracket RH, Attendant                                                 | NC : 1287, 2291, 2245, 1312                                     | ○         |  2245   |
| JB12260                                                                                     | <input type="checkbox"/> | Bracket LH, Attendant                                                 | NC : 1286, 2292, 2245, 1363                                     | ○         |                                                                                            |
| JB11221                                                                                     | <input type="checkbox"/> | Bracket RH, detachable                                                | NC : 1287, 2291, 2220, 2219, 2227, 1312                         | ○         |                                                                                            |
| JB11222                                                                                     | <input type="checkbox"/> | Bracket LH, detachable                                                | NC : 1286, 2292, 2220, 2219, 2228, 1363                         | ○         |                                                                                            |
| <b>LiNX - COMPACT REMOTES + BRACKETS REQUIRES PRIMARY REMOTE (DLX-REM400 or DLX-REM500)</b> |                          |                                                                       |                                                                 |           |                                                                                            |
| JB12231                                                                                     | <input type="checkbox"/> | Proportional Compact Remote DLX-CR400                                 | NC : 2203, 2204                                                 | 1 191,47  |  2231   |
| JB12232                                                                                     | <input type="checkbox"/> | Proportional Compact Remote Low Force DLX-CR-400LF                    | NC : 2203, 2204                                                 | 1 312,80  | 2232                                                                                       |
| JB12207                                                                                     | <input type="checkbox"/> | RH Mount                                                              | NC : 1207, 1707, 2209, 2213, 2217, 1404                         | ○         |                                                                                            |
| JB12208                                                                                     | <input type="checkbox"/> | LH Mount                                                              | NC : 1208, 1708, 2210, 2214, 2218, 1405                         | ○         |                                                                                            |
| JB12265                                                                                     | <input type="checkbox"/> | Centre Mount, swing-away to RH (Nucleus)                              | NC : 1207, 1707, 2209, 2213, 2217, 1404, 1405, 1415             | 717,54    |                                                                                            |
| JB12266                                                                                     | <input type="checkbox"/> | Centre Mount, swing-away to LH (Nucleus)                              | NC : 1208, 1708, 2210, 2214, 2218, 1404, 1405, 1339             | 717,54    |                                                                                            |
| JBX2215                                                                                     | <input type="checkbox"/> | Individual mounting option per request (Special)                      |                                                                 | On demand |                                                                                            |
| <b>FOUR-SWITCH PROXIMITY ARRAY (with ATOM Technology)</b>                                   |                          |                                                                       |                                                                 |           |                                                                                            |
| JB12257                                                                                     | <input type="checkbox"/> | Four-Switch Proximity Array (ASL106)                                  | NC : 2203, 2204, 2229, 2230, 2247, 2233, 2240, 2128             | 6 129,86  |                                                                                            |
| JB12275                                                                                     | <input type="checkbox"/> | Centre Mount, swing-away to RH, Nucleus                               | NC : 1207, 1707, 2209, 2213, 2217, 1404, 1405, 1415             | ○         |                                                                                            |
| JB12276                                                                                     | <input type="checkbox"/> | Centre Mount, swing-away to LH, Nucleus                               | NC : 1208, 1708, 2210, 2214, 2218, 1404, 1405, 1339             | ○         |                                                                                            |
| JBX2269                                                                                     | <input type="checkbox"/> | Individual mounting option per request (Special)                      |                                                                 | On demand |                                                                                            |
| <b>LiNX - PROPORTIONAL REMOTES WITH TPI / INPUTS &amp; BRACKETS</b>                         |                          |                                                                       |                                                                 |           |                                                                                            |
| JB12233                                                                                     | <input type="checkbox"/> | MEC Proportional Joystick (Micro Extremity Control ASL130)            | NC : 2203, 2204, 2229, 2230, 2247, 2257, 2128                   | 3 366,82  |  2233 |
| JB12240                                                                                     | <input type="checkbox"/> | Proportional Heavy Duty Remote Joystick w mode switch (ASL133)        | NC : 2203, 2204, 2229, 2230, 2247, 2257, 2128                   | 2 709,95  |                                                                                            |
| JB12285                                                                                     | <input type="checkbox"/> | Tray Mount RH (100x150 mm)                                            | NC : 1207, 1707, 2209, 2213, 2217, 1404, 1405, 1415             | 717,54    |                                                                                            |
| JB12286                                                                                     | <input type="checkbox"/> | Tray Mount LH (100x150 mm)                                            | NC : 1208, 1708, 2210, 2214, 2218, 1404, 1405, 1339             | 717,54    |                                                                                            |
| JB12283                                                                                     | <input type="checkbox"/> | Centre Mount, swing-away to RH, Nucleus                               | NC : 1207, 1707, 2209, 2213, 2217, 1404, 1405, 1415             | ○         |                                                                                            |
| JB12284                                                                                     | <input type="checkbox"/> | Centre Mount, swing-away to LH, Nucleus                               | NC : 1208, 1708, 2210, 2214, 2218, 1404, 1405, 1339             | ○         |                                                                                            |
| JB12287                                                                                     | <input type="checkbox"/> | Centre Mount, swing-away to RH, Nucleus Incl. Tray ASL603, 100x150 mm | NC : 1207, 1707, 2209, 2213, 2217, 1404, 1405, 1415             | 717,54    |                                                                                            |
| JB12288                                                                                     | <input type="checkbox"/> | Centre Mount, swing-away to LH, Nucleus Incl. Tray ASL603, 100x150 mm | NC : 1208, 1708, 2210, 2214, 2218, 1404, 1405, 1339             | 717,54    |                                                                                            |
| JBX2289                                                                                     | <input type="checkbox"/> | Individual mounting option per request (Special)                      |                                                                 | On demand |                                                                                            |
| <b>LiNX 10-WAY SWITCH</b>                                                                   |                          |                                                                       |                                                                 |           |                                                                                            |
| JB12251                                                                                     | <input type="checkbox"/> | 10-Way Switch DLX-SW10-A for direct Powered Seating Access            |                                                                 | 530,81    |                                                                                            |
| JB12217                                                                                     | <input type="checkbox"/> | Bracket RH, mounted for user                                          | NC : 1415, 2207, 2287, 2283, 2275, 2213, 2209, 2265, 1404       | ○         |  2251 |
| JB12218                                                                                     | <input type="checkbox"/> | Bracket LH, mounted for user                                          | NC : 1339, 2208, 2288, 2284, 2286, 2276, 2214, 2210, 2266, 1405 | ○         |                                                                                            |
| JB12291                                                                                     | <input type="checkbox"/> | Bracket RH, mounted for attendant                                     | NC : 2128, 2259, 1221, 1287                                     | ○         |                                                                                            |
| JB12292                                                                                     | <input type="checkbox"/> | Bracket LH, mounted for attendant                                     | NC : 2128, 2260, 1222, 1288                                     | ○         |                                                                                            |
| JB12225                                                                                     | <input type="checkbox"/> | Without mounting                                                      |                                                                 | ○         |                                                                                            |
| <b>LiNX ACCESSORIES</b>                                                                     |                          |                                                                       |                                                                 |           |                                                                                            |
| JB12253                                                                                     | <input type="checkbox"/> | USB Charger Port DLX-USB02-A                                          | NC : 2706                                                       | 236,02    |  2253 |
| JB12281                                                                                     | <input type="checkbox"/> | RH Mount                                                              |                                                                 | ○         |                                                                                            |
| JB12282                                                                                     | <input type="checkbox"/> | LH Mount                                                              |                                                                 | ○         |                                                                                            |

|                                              |                                                                                                                |                 |           |
|----------------------------------------------|----------------------------------------------------------------------------------------------------------------|-----------------|-----------|
| <b>Remote Stop Switch</b>                    |                                                                                                                |                 |           |
| JB12258                                      | <input type="checkbox"/> Remote Stop Switch (ASL504)                                                           | NC : 2203, 2204 | 831,28    |
| <b>INPUT200 MODULE</b>                       |                                                                                                                |                 |           |
| JB12273                                      | <input type="checkbox"/> IN200 Module (Jack port for external power button + control inputs via DB9)           | NC : 2220       | 349,76    |
| <b>FURTHER LINX COMPONENTS / ACCESSORIES</b> |                                                                                                                |                 |           |
| JB12300                                      | <input type="checkbox"/> To be enclosed only                                                                   |                 | ○         |
| JBX2301                                      | <input type="checkbox"/> To be connected and programmed (Special)                                              |                 | On demand |
| <b>BUDDY BUTTONS</b>                         |                                                                                                                |                 |           |
| JB11685                                      | <input type="checkbox"/> Red Buddy Button                                                                      |                 | 130,81    |
| JB11686                                      | <input type="checkbox"/> Yellow Buddy Button                                                                   |                 | 130,81    |
| JB11687                                      | <input type="checkbox"/> Green Buddy Button                                                                    |                 | 130,81    |
| JB11690                                      | <input type="checkbox"/> Blue Buddy Button                                                                     |                 | 130,81    |
| <b>EGG SWITCH</b>                            |                                                                                                                |                 |           |
| JB12254                                      | <input type="checkbox"/> Egg Switch, black                                                                     |                 | 103,32    |
| <b>PIKO BUTTONS</b>                          |                                                                                                                |                 |           |
| JB11711                                      | <input type="checkbox"/> Red Piko Button                                                                       |                 | 130,81    |
| JB11712                                      | <input type="checkbox"/> Yellow Piko Button                                                                    |                 | 130,81    |
| JB11713                                      | <input type="checkbox"/> Green Piko Button                                                                     |                 | 130,81    |
| JB11714                                      | <input type="checkbox"/> Orange Piko Button                                                                    |                 | 130,81    |
| JB11715                                      | <input type="checkbox"/> Blue Piko Button                                                                      |                 | 130,81    |
| JB11716                                      | <input type="checkbox"/> Black Piko Button                                                                     |                 | 130,81    |
| <b>BODYPOINT JOYSTICK KNOBS</b>              |                                                                                                                |                 |           |
| JB12721                                      | <input type="checkbox"/> 3 inch U-Shaped, Joystick Handle, Bodypoint PC101A                                    |                 | 91,94     |
| JB12722                                      | <input type="checkbox"/> 4 inch U-Shaped, Joystick Handle, Bodypoint PC102A                                    |                 | 91,94     |
| JB12723                                      | <input type="checkbox"/> Domed Rubber, Joystick Handle, Bodypoint PC107A                                       |                 | 91,94     |
| JB12724                                      | <input type="checkbox"/> Mushroom Grooved, Joystick Handle, Bodypoint PC110A                                   |                 | 91,94     |
| <b>SWITCH ADAPTER</b>                        |                                                                                                                |                 |           |
| JBH1681                                      | <input type="checkbox"/> 5:1 Switch Adapter ( 9-pin sub D to 5 jack ports)                                     |                 | 151,66    |
| <b>WHEELBASE DETAILS</b>                     |                                                                                                                |                 |           |
| <b>COLOURS</b>                               |                                                                                                                |                 |           |
| JB12871                                      | <input type="checkbox"/> Mid range - Black/Anthracite Shroud                                                   |                 | -284,36   |
| JB12872                                      | <input type="checkbox"/> Mid range - Silver Shroud                                                             |                 | -284,36   |
| JB12873                                      | <input type="checkbox"/> Mid range - Bengal Red Shroud                                                         |                 | -284,36   |
| JB12874                                      | <input type="checkbox"/> Mid range - Mercury Blue Shroud                                                       |                 | -284,36   |
| JB12875                                      | <input type="checkbox"/> Mid range - Midnight Purple Shroud                                                    |                 | -284,36   |
| JBX0299                                      | <input type="checkbox"/> Premium - Individual Shroud Colour (includes coloured spreader bars on Modulite back) |                 | 781,99    |
| JB12865                                      | <input type="checkbox"/> Premium - Racing Green Shroud RAL6035                                                 |                 | ○         |
| JB12866                                      | <input type="checkbox"/> Premium - Deep Ocean Blue Satin Shroud RAL5026                                        |                 | ○         |
| JB12867                                      | <input type="checkbox"/> Premium - Frosty Blue Shroud RAL5025                                                  |                 | ○         |
| JB12868                                      | <input type="checkbox"/> Premium - Gold Shroud RAL1035                                                         |                 | ○         |
| <b>RIM INSERT COLOURS</b>                    |                                                                                                                |                 |           |
| JB12882                                      | <input type="checkbox"/> Mid range - Black Rim Inserts                                                         |                 | -80,57    |
| JB12883                                      | <input type="checkbox"/> Mid range - Silver Rim Inserts                                                        |                 | -80,57    |
| JB12884                                      | <input type="checkbox"/> Mid range - Bengal Red Rim Inserts                                                    |                 | -80,57    |
| JB12885                                      | <input type="checkbox"/> Mid range - Mercury Blue Rim Inserts                                                  |                 | -80,57    |
| JB12886                                      | <input type="checkbox"/> Mid range - Midnight Purple Rim Inserts                                               |                 | -80,57    |
| JB12887                                      | <input type="checkbox"/> Premium - Individual Rim Insert Colour                                                |                 | 207,58    |
| JB12888                                      | <input type="checkbox"/> Premium - Racing Green Rim Inserts RAL6035                                            |                 | ○         |
| JB12889                                      | <input type="checkbox"/> Premium - Deep Ocean Blue Satin Rim Inserts RAL5026                                   |                 | ○         |
| JB12890                                      | <input type="checkbox"/> Premium - Frosty Blue Rim Inserts RAL5025                                             |                 | ○         |
| JB12891                                      | <input type="checkbox"/> Premium - Gold Rim Inserts RAL1035                                                    |                 | ○         |
| <b>FORKS</b>                                 |                                                                                                                |                 |           |
| JB12631                                      | <input type="checkbox"/> Single sided fork                                                                     |                 | ◆         |
| JB12632                                      | <input type="checkbox"/> Double sided fork                                                                     |                 | ○         |
| <b>CASTORS</b>                               |                                                                                                                |                 |           |
| JB10835                                      | <input type="checkbox"/> 9" (225 mm) x 2.80 (70 mm) Castor, pneumatic                                          |                 | ◆         |
| JB10836                                      | <input type="checkbox"/> 9" (225 mm) x 2.80 (70 mm) Castor, puncture proof solid tyre                          |                 | ○         |
| JB10838                                      | <input type="checkbox"/> 9" (225 mm) x 2.80 (70 mm) Castor, puncture protected                                 |                 | 61,61     |
| JB10828                                      | <input type="checkbox"/> 8" (200 mm) x 2.50-4 (65 mm) Castor, puncture proof solid tyre                        |                 | 149,76    |



|                                             |                                                                                                                                                                                    |                                                                                                           |          |
|---------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|----------|
| <b>CASTOR LOCK</b>                          |                                                                                                                                                                                    |                                                                                                           |          |
| JB11490                                     | <input type="checkbox"/> Castor Lock                                                                                                                                               | NC : (2631+1416)                                                                                          | 218,86   |
| <b>DRIVE WHEELS</b>                         |                                                                                                                                                                                    |                                                                                                           |          |
| JB10704                                     | <input type="checkbox"/> DW 14" (355 mm) x 3" (75 mm), Pneumatic                                                                                                                   |                                                                                                           | ◆        |
| JB10705                                     | <input type="checkbox"/> DW 14" (355 mm) x 3" (75 mm), Solid inlay                                                                                                                 |                                                                                                           | 238,86   |
| JB10706                                     | <input type="checkbox"/> DW 14" (355 mm) x 3" (75 mm), Puncture protected                                                                                                          |                                                                                                           | 61,61    |
| <b>CTC SUSPENSION</b>                       |                                                                                                                                                                                    |                                                                                                           |          |
| JB12870                                     | <input type="checkbox"/> <i>CTC Suspension Control - Traction - Comfort</i>                                                                                                        |                                                                                                           | ◆        |
| <b>SUSPENSION FOR RX 40 HD</b>              |                                                                                                                                                                                    |                                                                                                           |          |
| JB11916                                     | <input type="checkbox"/> Suspension up to 160 kg User Weight                                                                                                                       |                                                                                                           | ◆        |
| <b>PERFORMANCES</b>                         |                                                                                                                                                                                    |                                                                                                           |          |
| <b>4-Pole MOTOR TYPE / SPEED OPTIONS</b>    |                                                                                                                                                                                    |                                                                                                           |          |
| JB11282                                     | <input type="checkbox"/> OPS Drive 6 km/h                                                                                                                                          |                                                                                                           | ○        |
| JB11283                                     | <input type="checkbox"/> OPS Drive 10 km/h                                                                                                                                         |                                                                                                           | ◆        |
| JB11223                                     | <input type="checkbox"/> OPS Drive 10 km/h Setting for Ultra High Speed Motor<br>Always combined with 73,5Ah Batteries                                                             | NC : 0828, 1259, 1260                                                                                     | ○        |
| <b>BATTERY</b>                              |                                                                                                                                                                                    |                                                                                                           |          |
| JB11260                                     | <input type="checkbox"/> 73,5 Ah Gel                                                                                                                                               |                                                                                                           | ◆        |
| <b>GYROSCOPE</b>                            |                                                                                                                                                                                    |                                                                                                           |          |
| <b>G-Trac</b>                               |                                                                                                                                                                                    |                                                                                                           |          |
| JB11215                                     | <input type="checkbox"/> G-Trac Module                                                                                                                                             |                                                                                                           | 1 034,12 |
| <b>CHARGER</b>                              |                                                                                                                                                                                    |                                                                                                           |          |
| JB11313                                     | <input type="checkbox"/> Opti Charge Charger 10A (IP44)                                                                                                                            |                                                                                                           | ◆        |
| SP1606545                                   | <input type="checkbox"/> Opticharge Charger 10A (UK)                                                                                                                               |                                                                                                           | ○        |
| <b>ANTI-TIPPERS</b>                         |                                                                                                                                                                                    |                                                                                                           |          |
| JB11205                                     | <input type="checkbox"/> Anti-tipper                                                                                                                                               |                                                                                                           | ◆        |
| <b>LIGHT</b>                                |                                                                                                                                                                                    |                                                                                                           |          |
| JB11437                                     | <input type="checkbox"/> LED Light system with Indicators 30 Lux headlights                                                                                                        | NC : 2203                                                                                                 | ◆        |
| JB12837                                     | <input type="checkbox"/> LED Light system extra bright with indicators 60 Lux headlights                                                                                           | NC : 2203                                                                                                 | 402,84   |
| <b>TRANSPORTATION KIT 4-POINT TIE DOWNS</b> |                                                                                                                                                                                    |                                                                                                           |          |
| JB11494                                     | <input type="checkbox"/> 4-Point tie-down<br>(Tested version for using wheelchair as a vehicle seat according to ISO 7176-19)                                                      | NC : 1094                                                                                                 | ◆        |
| JB11401                                     | <input type="checkbox"/> 6-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19)) required for variants with combined Lift & Tilt module | NC : 1091, 1092, 1093                                                                                     | ○        |
| <b>TIE DOWN POINTS</b>                      |                                                                                                                                                                                    |                                                                                                           |          |
| JB12894                                     | <input type="checkbox"/> Easily accessible front tie-down points, additionally mounted for 4- or 6- point-tie-down                                                                 | NC : 1493                                                                                                 | 91,94    |
| <b>LAP BELTS</b>                            |                                                                                                                                                                                    |                                                                                                           |          |
| JB11329                                     | <input type="checkbox"/> Lap belt with Auto Lock Standard mount on backrest                                                                                                        |                                                                                                           | ◆        |
| JB12113                                     | <input type="checkbox"/> Lap belt with Auto Lock Flexible mount in side rails                                                                                                      |                                                                                                           | 50,24    |
| <b>REARVIEW MIRROR</b>                      |                                                                                                                                                                                    |                                                                                                           |          |
| JB11415                                     | <input type="checkbox"/> Rear view mirror RH                                                                                                                                       | NC : 1287, 2217, 2285, 2209, 2213, 2265, 2275, 2283, 2287                                                 | 70,14    |
| JB11339                                     | <input type="checkbox"/> Rear view mirror LH                                                                                                                                       | NC : 1286, 2218, 2286, 2210, 2214, 2266, 2276, 2284, 2288                                                 | 70,14    |
| <b>ACCESSORIES</b>                          |                                                                                                                                                                                    |                                                                                                           |          |
| <b>BAG HOOKS</b>                            |                                                                                                                                                                                    |                                                                                                           |          |
| JB12128                                     | <input type="checkbox"/> Bag Hooks on Modulite Seat Max load up to 6 kg = impact on max user weight                                                                                | NC : 2227, 2228, 2233, 2240, 2257, 2291, 2292                                                             | 149,76   |
| <b>CANEHOLDER</b>                           |                                                                                                                                                                                    |                                                                                                           |          |
| JB11312                                     | <input type="checkbox"/> Cane holder RH                                                                                                                                            | NC : 1287, 2227, 2259, 1221                                                                               | 68,25    |
| JB11363                                     | <input type="checkbox"/> Cane holder LH                                                                                                                                            | NC : 1286, 2228, 2260, 1222                                                                               | 68,25    |
| <b>FENDER CASTORS (black)</b>               |                                                                                                                                                                                    |                                                                                                           |          |
| JB11416                                     | <input type="checkbox"/> Fender for Castors                                                                                                                                        |                                                                                                           | ◆        |
| JB11417                                     | <input type="checkbox"/> Fender for Drive wheels                                                                                                                                   |                                                                                                           | ◆        |
| <b>TRAY</b>                                 |                                                                                                                                                                                    |                                                                                                           |          |
| JB11404                                     | <input type="checkbox"/> Tray, Swing Away RH                                                                                                                                       | NC : 1207, 1707, 2209, 2275, 2276, 2287, 2288, 2283, 2284, 2285, 2286, 2265, 2266, 2207, 2213, 2214, 2217 | 502,37   |
| JB11405                                     | <input type="checkbox"/> Tray, Swing Away LH                                                                                                                                       | NC : 1208, 1708, 2210, 2275, 2276, 2287, 2288, 2283, 2284, 2285, 2286, 2265, 2266, 2208, 2213, 2214, 2218 | 502,37   |
| <b>TOOLKIT</b>                              |                                                                                                                                                                                    |                                                                                                           |          |
| JB11333                                     | <input type="checkbox"/> TOOLKIT                                                                                                                                                   |                                                                                                           | 29,38    |



| RAMPS   |                          |                                                                                                                                                                 |  |          |
|---------|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|--|----------|
| 1440530 | <input type="checkbox"/> | <b>Fiberglass Folding Mono Ramp</b><br>Folded dimensions: 2000 x 230 mm<br>16.3 kg - maximum capacity: 300 kg                                                   |  | 1 787,68 |
| 1654128 | <input type="checkbox"/> | <b>Basic ramp 2 telescopic parts</b> in aluminum and non-slip coating. Folded dimensions: 1210 x 194 mm.<br>8.8 kg per pair - maximum capacity: 270 kg          |  | 298,58   |
| 1654129 | <input type="checkbox"/> | <b>Quick2go Compact 3-part aluminum telescopic ramp</b> with non-slip coating<br>Folded dimensions: 870 x 237 mm<br>13.6 kg per pair - maximum capacity: 260 kg |  | 559,24   |
| 1654130 | <input type="checkbox"/> | <b>Aluminium folding mono ramp</b><br>Folded dimensions: 1824 x 714 mm<br>13.9 kg - maximum capacity: 300 kg                                                    |  | 317,54   |



1440530



1654128



1654129



1654130