

Invacare® Aviva® RX40 Modulte Teen AA1/AA2

Please contact Invacare EU Export Customer Services on :-
Tel : +33 247 626980 ; Email : serviceclient_export@invacare.com
 Or visit our website : www.invacare.eu.com

LiNX



Invacare® Aviva® RX40 Modulte Teen AA1/AA2

Rear drive wheelchair



Descriptive :

- Compactness and manoeuvrability thanks to :
 - Narrow base from 560 mm
 - Front wheels: 8" or 9"
- Seat height from 435 mm
- Max user weight: 98 kg.
- Warranty: 2 years except batteries and wear parts.

News :

- Evolutive seat **Modulte Teen**
- Seat width from 305 to 355 mm : obtained thanks to inwardly curved armrests
- Seat depth from 205 to 410 mm
- **Matrx Mini** backrest, **Matrx Vi** seat cushion

As standard :

- 120 A power module
- 73 Ah batteries, 340W motors, 4 pole
- LED lights system
- Fender for castors and drive wheels
- Single sided fork
- Metallic colours on frame, rims and backrest

Special manufacture: 10 days delay

Date :

User name :

Customer Code :

Dealer stamp:

Indicative Public Rate - Use the online configurator on Invacare Pro to generate quotes or orders that are free from incompatibilities.

☐ Please make your selection with a cross in the box ☒ Standard configuration ☐ Free of charge

CODE	DESIGNATION	NC : Non Compatible NC : 9999 : non compatible with the reference 9999	Euros																																							
JBG0024	☐ AVIVA RX 40 AA1 ☐ Max user weight up to 136 kg includes 120A Power Module, 73Ah Batteries		6 857,82																																							
CHASSIS AVIVA RX																																										
JBF2810	☐ Chassis Narrow (560 mm/22")		◆																																							
SEATING TYPE																																										
JBZ2111	☐ Telescopic Seat Frame and Plate with Side Rails width 380 to 530 mm		◆																																							
SEAT WIDTH (Pré-réglage d'usine) - obtenu à l'aide d'accoudoirs courbés vers l'intérieur																																										
	☐ 305 mm		142,18																																							
	☐ 330 mm		○																																							
	☐ 355 mm		◆																																							
SEAT DEPTH SETTING																																										
	☐ 305 mm		○																																							
	☐ 355 mm		◆																																							
JBZ2132	☐ 410 mm		○																																							
Cushion																																										
	☐ Cushion Matrx Vi or Matrx Kidabra-Vi		◆																																							
BACKREST SUPPORT																																										
JBZ2163	☐ Backposts short (480 mm)		◆																																							
BACKREST UPHOLSTERY / CUSHION																																										
JBZ2171	☐ Tension Adjustable Upholstery nylon overlay		◆																																							
	☐ tall = 540 mm / 8 straps; short = 480 mm / 7 straps measured from seat plate to top of upholstery		○																																							
 Dossier Matrx Mini (fixations incluses) Profondeur du dossier : 80 mm - Poids max utilisateur : 68 kg <table border="1"> <thead> <tr> <th rowspan="2">Largeur du dossier^(1/3)</th> <th rowspan="2">Adaptable sur fauteuil largeur d'assise⁽²⁾</th> <th rowspan="2">Largeur du buste indicative</th> <th colspan="4">Hauteur du dossier</th> </tr> <tr> <th>180 mm</th> <th>260 mm</th> <th>310 mm</th> <th>360 mm</th> </tr> </thead> <tbody> <tr> <td>280 mm</td> <td>280mm - 300mm</td> <td>200 mm</td> <td>☐</td> <td>☐</td> <td>☐</td> <td></td> </tr> <tr> <td>310 mm</td> <td>300mm - 320mm</td> <td>215 mm</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> </tr> <tr> <td>330 mm</td> <td>330mm - 360mm</td> <td>240 mm</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> </tr> <tr> <td>360 mm</td> <td>360mm - 380mm</td> <td>290 mm</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> </tr> </tbody> </table>				Largeur du dossier ^(1/3)	Adaptable sur fauteuil largeur d'assise ⁽²⁾	Largeur du buste indicative	Hauteur du dossier				180 mm	260 mm	310 mm	360 mm	280 mm	280mm - 300mm	200 mm	☐	☐	☐		310 mm	300mm - 320mm	215 mm	☐	☐	☐	☐	330 mm	330mm - 360mm	240 mm	☐	☐	☐	☐	360 mm	360mm - 380mm	290 mm	☐	☐	☐	☐
Largeur du dossier ^(1/3)	Adaptable sur fauteuil largeur d'assise ⁽²⁾	Largeur du buste indicative	Hauteur du dossier																																							
			180 mm	260 mm	310 mm	360 mm																																				
280 mm	280mm - 300mm	200 mm	☐	☐	☐																																					
310 mm	300mm - 320mm	215 mm	☐	☐	☐	☐																																				
330 mm	330mm - 360mm	240 mm	☐	☐	☐	☐																																				
360 mm	360mm - 380mm	290 mm	☐	☐	☐	☐																																				
Retrouvez les cale-troncs et tous les accessoires sur la fiche de mesure Matrx !																																										

ARMREST (Pair)				
JBZ2183	☐	Inrigged Armrests		◆
ARMPAD (Pair)				
JBF2195	☐	Short Armpad (325 mm)		◆
	☐	Gouttière hémiplégique droite raccourcie avec mécanisme pivotant (longueur 380 mm)		454,03
	☐	Gouttière hémiplégique gauche raccourcie avec mécanisme pivotant (longueur 380 mm)		454,03
HEADREST / NECKREST (Dartex)				
	☐	without headresst		-47,45
	☐	Multi-adjustable headrest Action 3 Junior		◆
JBF2324	☐	Elan Standard Pad 255 mm / 10" wide w/standard cover (ESP26)		383,89
JBF2325	☐	Elan Standard Pad 355 mm / 14" wide w/standard cover (ESP26)		427,49
	☐	Appui-tête Elan Standard 8,5" - housse noire respirante		559,24
SEAT LIFTER / SEAT TILT				
JBF1091	☐	Manually settable Seat Tilt		-189,57
JBF1092	☐	Powered "fixed pivot" Tilt 20°		◆
JBF1093	☐	Powered Tilt (0°- 30°) with CoG shift	NC : 1438	787,68
JBF1094	☐	Seat lifter with powered tilt (300 mm, 30°) with CoG shift	NC : 1438	2 238,86
BACKREST RECLINER				
JBF0975	☐	Manual Settable Recliner (in 3.75° steps) 90° - 120°		-189,57
JBF0977	☐	Powered Recliner 30°		◆
FOOTREST HANGER TYPE / PAIRS				
FOOTREST HANGER TYPE / PAIRS				
JBF0526	☐	Standard hanger 80° pair Lower leg length: 350 - 450 mm	NC : 0522	○
JBF0533	☐	Hanger Vari A pair Lower leg length: 290 - 460 mm Angle adjustment: 70 - 0° with handwheel and calf pad		◆
JBF0531	☐	Hanger ADE pair Lower leg length: 290 - 460 mm Powered Angle adjustment: 80 - 0° with calf pad	NC : 0522	1 264,45
FOOTPLATE TYPE / PAIRS				
JBF0513	☐	Angle and depth adjustable Footplate pair		◆
REMOTES LINX				
LINX PRIMARY REMOTES with proportional Joystick + BRACKETS				
JBF2201	☐	Remote LiNX DLX-REM110 = Drive only	NC : 1437, 2837, 1092, 1093, 1094, 0977, 0531, 2229, 2231, 2232, 2230, 2247, 2257, 2233, 2240, 2258, 2219, 2245, 2270	◆
JBF2203	☐	Remote LiNX DLX-REM211 = Drive & Actuators	NC : 2837, 1437, 2231, 2232, 2229, 2233, 2230, 2247, 2257, 2240, 2270, 2258	○
JBF2204	☐	Remote LiNX DLX-REM216 = Drive, Actuators & Lights	NC : 2231, 2232, 2229, 2233, 2230, 2247, 2257, 2240, 2270, 2258	○
JBF2205	☐	Rehab Remote LiNX, touch-screen user interface DLX-REM400 Configurable jack sockets	NC : 2220	1 195,26
JBF2206	☐	Rehab Remote LiNX without joystick for alternative access users DLX-REM500 Requires a user input/alternative joystick: 2231, 2232, 2229, 2230, 2247, 2233	NC : 2220, 2270	1 800,00
REM400 TOGGLE OPTION				
JBF2270	☐	Assignable Toggle Switch Module f. REM400 (DLX-SW400TGL)	NC : 2201, 2203, 2204, 2206	340,28



Shortened hemi gutter



Action 3 Junior

2323
2324



2325



2327





0533







REM211 REM216



REM400




Bluetooth
REM500



2270

PRIMARY REMOTE AND DISPLAY MOUNTING POSITION				
JBF1207	☐	Standard Bracket RH	NC : 2206, 2285, 2283, 2287, 2207, 2265, 2275, 1404	○
JBF1208	☐	Standard Bracket LH	NC : 2206, 2286, 2284, 2288, 2208, 2266, 2276, 1405	○
JBF1707	☐	Swing Away Bracket RH	NC : 2206, 2285, 2283, 2287, 2207, 2265, 2275, 1404	◆
JBF1708	☐	Swing Away Bracket LH	NC : 2206, 2286, 2284, 2288, 2208, 2266, 2276, 1405	○
JBF2209	☐	Swing away RH, multi-adjustable	NC : 2201, 2203, 2204, 2205, 2285, 2283, 2287, 2207, 2265, 2275, 1415, 2217, 1404	○
JBF2210	☐	Swing away LH, multi-adjustable	NC : 2201, 2203, 2204, 2205, 2286, 2284, 2288, 2208, 2266, 2276, 1339, 2218, 1405	○
PW-4005	☐	Option 2209/2210 with mounting rod for REM500 extended by 200 mm		Specials On quote
JBF2213	☐	Centre Mount, swing-away to RH, Nucleus	NC : 2285, 2283, 2287, 2207, 2265, 2275, 1415, 2217, 1404, 1405	685,31
JBF2214	☐	Centre Mount, swing-away to LH, Nucleus	NC : 2286, 2284, 2288, 2208, 2266, 2276, 1339, 2218, 1404, 1405	685,31
JBF2227	☐	Bracket RH, mounted for Attendant	NC : 2206, 1287, 2220, 2128, 2108, 2219, 1221, 1312	160,19
JBF2228	☐	Bracket LH, mounted for Attendant	NC : 2206, 1286, 2220, 2128, 2108, 2219, 1222, 1363	160,19
JBX2239	☐	Individual mounting option per request (Special)		On demand only
DUAL CONTROL LiNX + BRACKETS				
JBF2220	☐	Dual Control LiNX (DLX-REM050 as secondary remote)	NC : 1094, 2273, 2108, 2205, 2206, 1221, 1222, (2201+1283/1223/1224), 2227, 2228	677,02
JBF2219	☐	Compact Dual Control LiNX (DLX-ACU200)	NC : 2201, 2108, 1221, 1222, 2227, 2228	1 091,94
JBF2245	☐	Invacare LiNX IDC Dual control	NC : 2201, 2108, 2259, 2260	1 563,98
JBF2259	☐	Bracket RH, Attendant	NC : 1287, 2291, 2245, 1312	○
JBF2260	☐	Bracket LH, Attendant	NC : 1286, 2292, 2245, 1363	○
JBF1221	☐	Bracket RH, detachable	NC : 1287, 2291, 2220, 2219, 2227, 1312	○
JBF1222	☐	Bracket LH, detachable	NC : 1286, 2292, 2220, 2219, 2228, 1363	○
If more than one joystick is to be mounted on the retractable centre mount bracket (2213/2214), select option 2215				



2209
2210



REM050



2219



2245

LINX - COMPACT REMOTES + BRACKETS REQUIRES PRIMARY REMOTE (DLX-REM400 or DLX-REM500)				
JBF2231	☐	Proportional Compact Remote DLX-CR400	NC : 2201, 2203, 2204	1 191,47
JBF2232	☐	Proportional Compact Remote Low Force DLX-CR-400LF	NC : 2201, 2203, 2204	1 312,80
JBF2207	☐	RH Mount	NC : 1207, 1707, 2209, 2213, 2217, 1404	○
JBF2208	☐	LH Mount	NC : 1208, 1708, 2210, 2214, 2218, 1405	○
JBF2265	☐	Centre Mount, swing-away to RH (Nucleus)	NC : 1207, 1707, 2209, 2213, 2217, 1404, 1405, 1415	717,54
JBF2266	☐	Centre Mount, swing-away to LH (Nucleus)	NC : 1208, 1708, 2210, 2214, 2218, 1404, 1405, 1339	717,54
JBX2215	☐	Centre Mount, swing-away to LH (Nucleus)	On demand only	
ALTERNATIVE JOYSTICKS + INPUTS + BRACKETS REQUIRES PRIMARY REMOTE (DLX-REM400 or DLX-REM500)				
JBF2229	☐	Proportional Chin Joystick (ASL138) SELECTED HEADREST ALWAYS WITH STD MOUNTING HARDWARE	NC : 1495, 2201, 2203, 2204, 2230, 2247, 2233, 2257, 2240, 2179, 2128	3 011,37
JBF1289	☐	Swing Away Bracket RH, side manual (ASL628) Requires Elan Headrest	NC : 2171, 1350, 1432, 1427, 2322, 1496	○
JBF1288	☐	Swing Away Bracket LH, side manual (ASL628) Requires Elan Headrest	NC : 2171, 1350, 1432, 1427, 2322, 1496	○
JBF1287	☐	Swing Away Bracket RH, powered	NC : 2227, 2259, 1221, 2291, 1312, 1415	1 445,50
JBF1286	☐	Swing Away Bracket LH, powered	NC : 2228, 2260, 1222, 2292, 1363, 1339	1 445,50
HEAD CONTROL ATOM Technology				
JBF2230	☐	Head Control with ultrasonic proximity sensors (ATOM, ASL104) with standard wings M3	NC : 2201, 2203, 2204, 2229, 2233, 2092, 2257, 2240, 2175, 2171, 2197, 1350, 1432, 1427, Elan headrest	5 648,34
JBF2247	☐	Head Control with ultrasonic proximity sensors (PROTON, ASL104P) with PROTON wings	NC : 2201, 2203, 2204, 2229, 2233, 2092, 2257, 2240, 2175, 2171, 2197, 1350, 1432, 1427, Elan headrest	5 649,34
FOUR-SWITCH PROXIMITY ARRAY (with ATOM Technology)				
JBF2257	☐	Four-Switch Proximity Array (ASL106)	NC : 2201, 2203, 2204, 2229, 2230, 2247, 2233, 2240, 2128	6 129,86
JBF2275	☐	Centre Mount, swing-away to RH, Nucleus Incl. Eclipse Tray ASL619, 360x180 mm)	NC : 1207, 1707, 2209, 2213, 2217, 1404, 1405, 1415	○
JBF2276	☐	Centre Mount, swing-away to LH, Nucleus Incl. Eclipse Tray ASL619, 360x180 mm)	NC : 1208, 1708, 2210, 2214, 2218, 1404, 1405, 1339	○
JBX2269	☐	Individual mounting option per request (Special)	On demand only	
LINX - PROPORTIONAL REMOTES WITH TPI / INPUTS & BRACKETS				
JBF2233	☐	MEC Proportional Joystick (Micro Extremity Control ASL130)	NC : 2201, 2203, 2204, 2229, 2230, 2247, 2257, 2128	3 366,82
JBF2240	☐	Proportional Heavy Duty Remote Joystick w mode switch (ASL133)	NC : 2201, 2203, 2204, 2229, 2230, 2247, 2257, 2128	2 709,95
JBF2285	☐	Tray Mount RH (100x150 mm)	NC : 1207, 1707, 2209, 2213, 2217, 1404, 1405, 1415	717,54
JBF2286	☐	Tray Mount LH (100x150 mm)	NC : 1208, 1708, 2210, 2214, 2218, 1404, 1405, 1339	717,54



2231
2232



1288 1286
1289 1287



2230



2247



2233

JBF2283	☐	Centre Mount, swing-away to RH, Nucleus	NC : 1207, 1707, 2209, 2213, 2217, 1404, 1405, 1415	☐	
JBF2284	☐	Centre Mount, swing-away to LH, Nucleus	NC : 1208, 1708, 2210, 2214, 2218, 1404, 1405, 1339	☐	
JBF2287	☐	Centre Mount, swing-away to RH, Nucleus Incl. Tray ASL603, 100x150 mm	NC : 1207, 1707, 2209, 2213, 2217, 1404, 1405, 1415		717,54
JBF2288	☐	Centre Mount, swing-away to LH, Nucleus Incl. Tray ASL603, 100x150 mm	NC : 1208, 1708, 2210, 2214, 2218, 1404, 1405, 1339		717,54
JBX2289	☐	Individual mounting option per request (Special)			On demand only
ALTERNATIVE SEATING CONTROL					
JBF2251	☐	10-Way Switch DLX-SW10-A for direct Powered Seating Access			530,81
JBF2217	☐	Bracket RH, mounted for user	NC : 1415, 2207, 2287, 2283, 2275, 2213, 2209, 2265, 1404	☐	
JBF2218	☐	Bracket LH, mounted for user	NC : 1339, 2208, 2288, 2284, 2286, 2276, 2214, 2210, 2266, 1405	☐	
JBF2291	☐	Bracket RH, mounted for attendant	NC : 2128, 2259, 1221, 1287, 2108	☐	
JBF2292	☐	Bracket LH, mounted for attendant	NC : 2128, 2260, 1222, 1288, 2108	☐	
JBF2225	☐	Without mounting		☐	
LINX ACCESSORIES					
JBF2253	☐	USB Charger Port DLX-USB02-A	NC : 2706		236,02
JBF2281	☐	RH Mount		☐	
JBF2282	☐	LH Mount		☐	
REMOTE STOP SWITCH					
JBF2258	☐	Remote Stop Switch (ASL504)	NC : 2201, 2203, 2204		831,28
INPUT200 MODULE					
JBF2273	☐	IN200 Module (Jack port for external power button + control inputs via DB9)	NC : 2220		349,76
FURTHER LINX COMPONENTS / ACCESSORIES					
JBF2300	☐	To be enclosed only		☐	
JBX2301	☐	To be connected and programmed (Special)			On demand only
BUDDY BUTTONS					
JBF1685	☐	Red Buddy Button			130,81
JBF1686	☐	Yellow Buddy Button			130,81
JBF1687	☐	Green Buddy Button			130,81
JBF1690	☐	Green Buddy Button			130,81
EGG SWITCH					
JBF2254	☐	Egg Switch, black			103,32
PIKO BUTTONS					
JBF1711	☐	Red Piko Button			130,81
JBF1712	☐	Yellow Piko Button			130,81
JBF1713	☐	Green Piko Button			130,81
JBF1714	☐	Orange Piko Button			130,81
JBF1715	☐	Blue Piko Button			130,81
JBF1716	☐	Black Piko Button			130,81
BODYPOINT JOYSTICK KNOBS					
JBF2721	☐	3 inch U-Shaped, Joystick Handle, Bodypoint PC101A			91,94
JBF2722	☐	4 inch U-Shaped, Joystick Handle, Bodypoint PC102A			91,94
JBF2723	☐	Domed Rubber, Joystick Handle, Bodypoint PC107A			91,94
JBF2724	☐	Mushroom Grooved, Joystick Handle, Bodypoint PC110A			91,94
SWITCH ADAPTER					
JBH1681	☐	5:1 Switch Adapter (9-pin sub D to 5 jack ports)			151,66


2251


2253




2721
2722


2723


2724


1681

WHEELBASE DETAILS						
COLOURS						
JBF2871	☐	Mid range - Black/Anthracite Shroud		-284,36	 2871  2872	
JBF2872	☐	Mid range - Silver Shroud		-284,36		
JBF2873	☐	Mid range - Bengal Red Shroud		-284,36		
JBF2874	☐	Mid range - Mercury Blue Shroud		-284,36		
JBF2875	☐	Mid range - Midnight Purple Shroud		-284,36		
JBX0299	☐	Premium - Individual Shroud Colour (includes coloured spreader bars on Modulite back)		787,99	 2873  2874	
JBF2865	☐	Premium - Racing Green Shroud RAL6035		○	 2875	
JBF2866	☐	Premium - Deep Ocean Blue Satin Shroud RAL5026		○	 2865  2866	
JBF2867	☐	Premium - Frosty Blue Shroud RAL5025		○		
JBF2868	☐	Premium - Gold Shroud RAL1035		○		
RIM INSERT COLOURS						
JBF2882	☐	Mid range - Black Rim Inserts		-80,57	 2867  2868	
JBF2883	☐	Mid range - Silver Rim Inserts		-80,57		
JBF2884	☐	Mid range - Bengal Red Rim Inserts		-80,57		
JBF2885	☐	Mid range - Mercury Blue Rim Inserts		-80,57		
JBF2886	☐	Mid range - Midnight Purple Rim Inserts		-80,57		
JBF2887	☐	Premium - Individual Rim Insert Colour		218,01		
JBF2888	☐	Premium - Racing Green Rim Inserts RAL6035		○		
JBF2889	☐	Premium - Deep Ocean Blue Satin Rim Inserts RAL5026		○		
JBF2890	☐	Premium - Frosty Blue Rim Inserts RAL5025		○		
JBF2891	☐	Premium - Gold Rim Inserts RAL1035		○		
FORKS						
JBF2631	☐	Single sided fork		◆	   	
JBF2632	☐	Double sided fork		○		
CASTORS						
JBF0835	☐	9" (225 mm) x 2.80 (70 mm) Castor, pneumatic		◆		
JBF0836	☐	9" (225 mm) x 2.80 (70 mm) Castor, puncture proof solid tyre		○		
JBF0838	☐	9" (225 mm) x 2.80 (70 mm) Castor, puncture protected		61,61		
JBF0828	☐	8" (200 mm) x 2.50-4 (65 mm) Castor, puncture proof solid tyre	NC : 1223	149,76		
CASTOR LOCK						
JBF1490	☐	Castor Lock	NC : (2631+1416)	218,01		
DRIVE WHEELS						
JBF0704	☐	DW 14" (355 mm) x 3" (75 mm), Pneumatic		◆		
JBF0705	☐	DW 14" (355 mm) x 3" (75 mm), Solid inlay		238,86		
JBF0706	☐	DW 14" (355 mm) x 3" (75 mm), Puncture protected		61,61		
CTC SUSPENSION						
CTC - Comfort Traction Control (Propulsion unit suspended in the horizontal and vertical planes in relation to the chassis and adjustable firmness)						
JBF2870	☐	CTC Suspension Control - Traction - Comfort		◆		
CUSTOMIZED SUSPENSION SETTINGS for RX20/RX40						
JBF1910	☐	Soft (suggested for up to 70 kg User Weight)	NC : 1094	○		
JBF1912	☐	Medium (suggested for up to 90 kg User Weight)	NC : 1094	○		
JBF1911	☐	Firm (suggested for up to 110 kg User Weight)		○		
JBF1915	☐	Very firm (suggested for up to 136 kg User Weight)		○		
4-Pole MOTOR TYPE / SPEED OPTIONS						
Motors						
JBF1282	☐	OPS Drive 6 km/h		○		
JBF1283	☐	OPS Drive 10 km/h		◆		
JBF1223	☐	OPS Drive 10 km/h Setting for Ultra High Speed Motor Always combined with 73,5Ah Batteries	NC : 0828, 1259, 1260	○		

BATTERY				
JBF1259	☐	60 Ah Gel	NC : 0024, 1223	
JBF1260	☐	73,5 Ah Gel	NC : 0024, 1223, 1450	
GYROSCOPE				
G-Trac				
JBF1215	☐	G-Trac Module	1 034,12	
CHARGER				
JBF1313	☐	Opti Charge Charger 10A (IP44)	◆	
SP1606545	☐	10A Opticharge Charger (UK)	○	
OPTIONS DE POSITIONNEMENT				
Pensez aux accessoires de positionnement Bodypoint : ceintures, harnais, maintiens de chevilles.				
OPTIONS				
<i>Les roulettes anti-basculer sont montées de série</i>				
ANTI-TIPPERS				
JBF1205	☐	Anti-tipper	◆	
LIGHT				
JBF1437	☐	LED Light system with Indicators 30 Lux headlights	◆	
JBF2837	☐	LED Light system extra bright with indicators 60 Lux headlights	402,84	
KERB RIDER				
JBF1244	☐	Kerb Rider	NC : 0522, 2830, 0556	291,00
PREPARATION FOR DOCKING STATION				
JBF1450	☐	Preparation for DAHL-Docking station (Adequate headrest is compulsory)	NC : 1260	288,15
TRANSPORTATION KIT 4-POINT TIE DOWNS				
JBF1493	☐	4-Point tie-down (For wheelchair transportation without user)	NC : 2894	◆
JBF1494	☐	4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19)	NC : 1094	○
JBF1401	☐	6-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19)) required for variants with combined Lift & Tilt module	NC : 1091, 1092, 1093	○
TIE DOWN POINTS				
JBF2894	☐	Easily accessible front tie-down points, additionally mounted for 4- or 6- point-tie-down	NC : 1493	91,94
LAP BELTS				
JBF1329	☐	Lap belt with Auto Lock Standard mount on backrest		◆
JBF2113	☐	Lap belt with Auto Lock Flexible mount in side rails	NC : 2121, 2122, 2132, 2253, Hip support	50,24
Ceintures de positionnement Bodypoint (fixations incluses)				
JBF2702	☐	BP Evoflex Pelvic Stabilizer, Rehab Latch Size M	NC : 2121, 2122, 2132, 2253, Hip support	147,87
JBF2704	☐	BP 2-Point Hip Belt, Ctr-Pull, Push Butt, Cinch-Mount Size M	NC : 2121, 2122, 2132, 2253, Hip support	133,65
JBF2706	☐	BP 2-Point Hip Belt, Dual-Pull, Side-Release Butt. Cinch-Mount Size M		115,64
REARVIEW MIRROR				
JBF1415	☐	Rear view mirror RH	NC : 1287, 2217, 2285, 2209, 2213, 2265, 2275, 2283, 2287	70,14
JBF1339	☐	Rear view mirror LH	NC : 1286, 2218, 2286, 2210, 2214, 2266, 2276, 2284, 2288	70,14



1244



1329



2702



2704



2706

ACCESSORIES					
BAG HOOKS					
JBF2128	☐	Bag Hooks on Modulite Seat Max load up to 6 kg = impact on max user weight	NC : 2105, 2173, 2227, 2228, 2229, 2233, 2240, 2257, 2291, 2292	149,76	
CANEHOLDER					
JBF1312	☐	Cane holder RH	NC : 1287, 2227, 2259, 1221	68,25	 2128
JBF1363	☐	Cane holder LH	NC : 1286, 2228, 2260, 1222	68,25	
FENDER CASTORS (black)					
JBF1416	☐	Fender for Castors		◆	 1416
JBF1417	☐	Fender for Drive wheels		◆	
TRAY					
JBF1404	☐	Tray, Swing Away RH	NC : 1207, 1707, 2209, 2275, 2276, 2287, 2288, 2283, 2284, 2285, 2286, 2265, 2266, 2207, 2213, 2214, 2217	502,37	 1417  1404 1405
JBF1405	☐	Tray, Swing Away LH	NC : 1208, 1708, 2210, 2275, 2276, 2287, 2288, 2283, 2284, 2285, 2286, 2265, 2266, 2208, 2213, 2214, 2218	502,37	
TOOLKIT					
JBF1333	☐	Toolkit		29,38	
RAMPS					
1440530	☐	Fiberglass Folding Mono Ramp Folded dimensions: 2000 x 230 mm 16.3 kg - maximum capacity: 300 kg		1 787,68	 1440530
1654128	☐	Basic ramp 2 telescopic parts in aluminum and non-slip coating. Folded dimensions: 1210 x 194 mm. 8.8 kg per pair - maximum capacity: 270 kg		298,58	 165412
1654129	☐	Quick2go Compact 3-part aluminum telescopic ramp with non-slip coating Folded dimensions: 870 x 237 mm 13.6 kg per pair - maximum capacity: 260 kg		559,24	 165412
1654130	☐	Aluminium folding mono ramp Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg		317,54	 1654130