

Invacare® Storm®4 & Storm®4 X-plore AA1

Please contact Invacare EU Export Customer Services on :-
Tel : +33 247 626980 ; Email : serviceclient_export@invacare.com
Or visit our website : www.invacare.eu.com



Invacare® Storm®4 & Storm®4 X-plore AA1

Electric wheelchair with rear wheel drive for indoor and outdoor use



- Description:**
- LiNX electronics as standard, programmable and _evolving
 - Weight of the chair : from 175 kg
 - Maximum user weight: 150 kg
 - 2 years warranty, excluding battery and wearing parts



Date :

User name :

Customer Code :

Dealer stamp:



Customization Service Invacare Unique
Please indicate your quote number or special manufacturing number :

☐ Please make your selection with a cross in the box ☒ Standard feature ☐ Free of Charge

CODE		DESCRIPTION	NC : Non Compatible NC : 9999 : non compatible with reference 9999	EUROS	
ATB0015	☐	Invacare®Storm®4 AA1		8 234,12	
ATB0018	☐	Invacare®Storm®4X-plore AA1	NC : 1030	9 520,38	

Invacare® Modulite Modulable Seat Unit

SEATING TYPE

ATB2111	☐	Telescopic Seat Frame and Plate with Side Rails width 380 to 530 mm Additional 50 mm by arms		☒	
ATB2112	☐	Telescopic Seat Frame + Sling Seat with Side Rails width 380 to 530 mm; + 30 mm seat height Additional 50 mm by arms		☐	



2111



2112

SEAT WIDTH SETTING FOR ADJUSTABLE SEAT FRAME

		330mm (choose seat width 380 mm 2121 and inward curved armrests 2183)	NC : 2143, 2701, 2703, 2705		
ATB2121	☐	380 mm	NC : 2143, 2701, 2703, 2705	☐	
ATB2122	☐	430 mm	NC : 2701, 2703, 2705	☒	
ATB2123	☐	480 mm	NC : 2702, 2704, 2706	☐	
ATB2124	☐	530 mm	NC : MatrX backrest, 2143, 2702, 2704, 2706	☐	

SEAT DEPTH SETTING

ATB2132	☐	410 mm	NC : 2196, 2197, 2198, Bodypoint	☐	
ATB2134	☐	460 mm		☒	
ATB2136	☐	510 mm - Seat rail extended by 35 mm for a chair ordered with a depth of 510 mm and a Flex 3 backrest	NC : 2143	☐	

SEAT CUSHION

ATB2142	☐	Matrx Flo-tech Cushion - Lite (75mm up to 127 kg); Contour (100mm up to 191 kg)		☒	
ATB2143	☐	Matrx Flo-tech Contour Visco; (2-way stretch material) - 430 x 430 mm [max. user weight 125 kg]	NC : 2155		76,78
ATB2147	☐	Matrx Libra Cushion, 90 mm thick Standard (up to 136 kg)/HD (up to 227 kg) Extended lead time: + 4 days	NC : 2155		340,28
ATB2144	☐	Matrx Vi Cushion (Mesh fabric)	NC : 2155		340,28



2143



2147

2144

BACKREST SUPPORT

ATB2162	☐	Backposts short (480 mm)		☐	
ATB2163	☐	Backposts tall (540 mm)	NC : 2173	☐	

PUSH HANDLES for BACKPOSTS

ATB2107	☐	Backposts with push handles		☒	
ATB2108	☐	Backposts without push handles	NC : 1307, 1332, 2223, 2220, 2219, 2245	☐	



FOLDING
BACKREST

BACKREST UPHOLSTERY / CUSHION				
ATB2171	☐	Tension Adjustable - tall = 540 mm /short = 480 mm	NC : 1445, 2152, 2155, 2322, 2323, 2324, 2325, 2326, 2327, Elan Headrest	◆
ATB2179	☐	Flex3 Tension Adjustable - tall = 540 mm /short = 480 mm	NC : 2151, 2155, 2192, 2193, 2194, 1445, 2229, 2322, 2323, 2324, 2325, 2326, 2327, Elan Headrest	196,21
ATB2173	☐	Flex3 adjustable Backrest Plates with Laguna Backrest cushion	NC : 2128	164,93
ATB2174	☐	Matrx Posture Back, height 400 mm (Mesh fabric)		830,33
ATB2175	☐	Matrx Posture Back, height 500 mm (Mesh fabric)		830,33
ATB2176	☐	Matrx Elite Back , height 500 mm (Mesh fabric)		830,33
ATB2177	☐	Matrx Elite TR Back, height 500 mm (Mesh fabric)		830,33
ATB2178	☐	Matrx Elite Deep Back, height 500 mm (Mesh fabric)		830,33
Find the trunk supports and all the accessories on the Matrx measurement sheet! 				
UPHOLSTERY COLOUR				
ATB2151	☐	Black Fabric		◆
ATB2152	☐	LK Version, Black with orange seam		○
ATB2155	☐	Black Spacer Fabric		○
ARMREST (Pair)				
ATB2191	☐	T-Arm detachable, Standard - Adjustment range 245 - 315 mm		◆
ATB2181	☐	T-Arm detachable, Extended height - Adjustment range 295 - 365 mm		60,66
ATB2198	☐	Padded Armrest with integrated cloth guard	NC : 2195, 2196, 2197, hip support	247,39
ATB2183	☐	Inrigged Armrests - Reduces SW by 25 mm each side	NC : hip support	○
ATB2193	☐	Flip-up Armrest - For 150 kg max user weight	NC : 1445	○
ATB2192	☐	Following Armrest Adjustment range from 230 - 300 mm For 150 kg max user weight	NC : 1445	302,37
ATB2194	☐	Following Armrest Adjustment range from 300 - 360 mm For 150 kg max user weight	NC : 1445	302,37
ARMPAD (Pair)				
ATB2195	☐	Short Armpad (325 mm)		◆
ATB2196	☐	Long Armpad (375 mm)		78,67
ATB2197	☐	Long Ergonomic Armpad (397 mm)		92,89
Hemiplegic gutters 				
	☐	Hemiplegic gutter in special manufacture		On demand
	☐	Hemi concave gutter with flat or curved horn palmar support and 360° right or left reversible rotator, in 18° steps		On demand
HIP SUPPORTS				
ATB2184	☐	Hip Support LH, pad size 140 x 100 mm	NC : Bodypoint	290,05
ATB2186	☐	Hip Support LH, pad size 230 x 100 mm	NC : Bodypoint	290,05
ATB2188	☐	Hip Support LH, pad size 330 x 100 mm	NC : Bodypoint	290,05
ATB2185	☐	Hip Support RH, pad size 140 x 100 mm	NC : Bodypoint	290,05
ATB2187	☐	Hip Support RH, pad size 230 x 100 mm	NC : Bodypoint	290,05
ATB2189	☐	Hip Support RH, pad size 330 x 100 mm	NC : Bodypoint	290,05
MOUNTING HARDWARE FOR HIP SUPPORTS				
ATB2164	☐	Mounting hardware for hip supports (6,1" / 155 mm high)		◆
ATB2165	☐	Mounting hardware for hip supports (8,1" / 206 mm high)		○
HEADREST/NECKREST (Black wipedown cover)				
ATB1307	☐	Push bar (dia 22 mm) in conjunction with telescopic backposts	NC : 2161	43,60
ATB1432	☐	Headrest sideways adjustable		237,91
ATB1427	☐	Headrest with cheek support		314,69
ATB2324	☐	Elan Standard Pad 255 mm / 10" wide w/standard cover (ESP26)		383,89
ATB2325	☐	Elan Occipital Pad 230x180 mm / 9"x7" w/standard cover (EOP23)		427,49
ATB1445	☐	Lateral Support with extended arm, multi-adjustable pad	NC : Matrx backrests	336,49



2171



2173



2191



2198







1427



2325



2327



1445



SEATING OPTIONS				
SEAT HEIGHT & SEAT RISER				
SEAT HEIGHT				
ATB1023	☐	Fix Seat Height 450 mm		◆
ATB1025	☐	Fix Seat Height 480 mm		○
ATB1030	☐	Electr. Seat Riser (400 - 650 mm)	NC : X-plore Version, 2201	2 381,99
ATB1040	☐	Electr. Seat Riser (440 - 690 mm) incl. Adapter	NC : 2201	2 381,99
SEAT TILT				
ATB1002	☐	Manual Seat Tilt by spindle		◆
ATB1014	☐	Electrical Tilt 0° to 25°		787,68
BACKREST RECLINER				
ATB0975	☐	Manual Settable Recliner (in 3.75° steps)		◆
ATB0977	☐	Powered Recliner		708,06
LEGRESTS / FOOTRESTS				
Tilt-adjustable central legrest with calf support and angle-adjustable paddle				
PW-2006	☐	Manual LNX (adjustable from 1.5° to 63°)	NC : hip support	On demand
PW-2007	☐	Electric LNX with compensation, positioned at 90° adjustable to +7°/-7°.		On demand
FOOTREST HANGER TYPE / PAIRS				
ATB0503	☐	Hanger Vari F pair		◆
ATB0533	☐	Hanger Vari A pair	NC : 0512	271,09
ATB0531	☐	Hanger ADE 0° - 80° pair	NC : 0512,2201	1 507,11
FOOTPLATE TYPE / PAIRS				
ATB0512	☐	Fixed Footplate pair		○
ATB0504	☐	Angle Adjustable Footplate pair		◆
ATB0513	☐	Angle and depth adjustable Footplate pair		247,39
REMOTES LiNX				
LiNX PRIMARY REMOTES with proportional Joystick + BRACKETS				
ATB2201	☐	Remote LiNX DLX-REM110 = Drive only	NC : 2231, 2232, 2229, 2270, 2245	-984,83
ATB2203	☐	Remote LiNX DLX-REM211 = Drive & Actuators	NC : 2331, 2232, 2229, 2270	-984,83
ATB2204	☐	Remote LiNX DLX-REM216 = Drive, Actuators & Lights	NC : 2331, 2232, 2229, 2270	-984,83
ATB2205	☐	Rehab Remote LiNX, touch-screen user interface DLX-REM400	NC : 2220	◆
ATB2206	☐	Rehab Remote LiNX without joystick for alternative access users DLX-REM500	NC : 2220, 2270	576,30
REM400 TOGGLE OPTION				
ATB2270	☐	Assignable Toggle Switch Module f. REM400 (DLX-SW400TGL)		340,28
REMOTE MOUNTING POSITION				
ATB1207	☐	Standard Bracket RH	NC : 1404	○
ATB1208	☐	Standard Bracket LH	NC : 1405	○
ATB1707	☐	Swing Away Bracket RH	NC : 1404	◆
ATB1708	☐	Swing Away Bracket LH	NC : 1405	○
ATB2213	☐	Centre Mount, swing-away to RH, Nucleus	NC : 1404, 1405, 1415	685,31
ATB2214	☐	Centre Mount, swing-away to LH, Nucleus	NC : 1404,1405, 1339	685,31
ATB2227	☐	Bracket RH, mounted for Attendant	NC : 2219, 2220, 1287, 2128	33,85
ATB2228	☐	Bracket LH, mounted for Attendant	NC : 2219, 2220, 1286, 2128	33,85
ATZ2229	☐	Individual mounting option per request (Special)		On demand
LiNX REM500 (DISPLAY ONLY) BRACKETS				
ATB2209	☐	Swing away RH, multi-adjustable	NC : 1404	◆
ATB2210	☐	Swing away LH, multi-adjustable	NC : 1405	○
PW-4005	☐	Option 2209/2210 with mounting rod for REM500 extended by 200 mm		On demand
ATB2213	☐	Centre Mount, swing-away to RH, Nucleus	NC : 1404, 1405, 1415	685,31
ATB2214	☐	Centre Mount, swing-away to LH, Nucleus	NC : 1404,1405, 1339	685,31
ATZ2239	☐	Individual mounting option per request (Special)		On demand
DUAL CONTROL LiNX + BRACKETS				
ATB2220	☐	Dual Control LiNX (DLX-REM050 as secondary remote)	NC : 1221, 1222, 2227, 2228	677,02
ATB2219	☐	Compact Dual Control LiNX (DLX-ACU200)	NC : 1221, 1222, 2227, 2228	1 091,94
ATB2245	☐	Invacare LiNX IDC Dual control	NC : 1207, 1208	1 563,98
ATB1207	☐	Standard Bracket RH		◆
ATB1208	☐	Standard Bracket LH		○
ATB1221	☐	Bracket RH, detachable		◆
ATB1222	☐	Bracket LH, detachable		○
If multiple joysticks are to be mounted on the retractable center mount bracket (2213/2214), select option 2215				



0533

LiNX®



REM110



REM211




REM216



REM400



2270



2209

2210



REM500



2219

2245

LINX - COMPACT REMOTES + BRACKETS				
ATB2231	☐	Proportional Compact Remote DLX-CR400		1 192,42
ATB2232	☐	Proportional Compact Remote Low Force DLX-CR-400LF		1 312,80
ATB2207	☐	RH Mount	NC : 1404	◆
ATB2208	☐	LH Mount	NC : 1405	○
ATB2213	☐	Centre Mount, swing-away to RH (Nucleus)	NC : 1404, 1405, 1415	717,54
ATB2214	☐	Centre Mount, swing-away to LH (Nucleus)	NC : 1404, 1405, 1339	717,54
ATZ2215	☐	Individual mounting option per request (Special)		On demand
CHIN CONTROL + BRACKETS				
ATB2229	☐	Proportional Chin Joystick (ASL138)	NC : 2128	3 011,37
ATB1289	☐	Swing Away Bracket RH, side manual (ASL628)		◆
ATB1288	☐	Swing Away Bracket LH, side manual (ASL628)		○
ATB1287	☐	Swing Away Bracket RH, powered	NC : 1404, 1415, 1312	1 445,50
ATB1286	☐	Swing Away Bracket LH, powered	NC : 1405, 1339, 1363	1 445,50
HEAD CONTROL ATOM Technology				
ATB2230	☐	Head Control with ultrasonic proximity sensors (ATOM, ASL104) with standard wings M3	NC : 2233, 2092, 2324, 2325, 2257, 2240	5 648,34
ATB2247	☐	Head Control with ultrasonic proximity sensors (PROTON, ASL104P) with PROTON wings	NC : 2233, 2092, 2324, 2325, 2257, 2240	5 648,34
MICRO EXTREMITY CONTROL				
ATB2233	☐	MEC Proportional Joystick (Micro Extremity Control ASL130)	NC : 2240	3 366,82
ATB2235	☐	Tray Mount RH (100x150 mm)		○
ATB2236	☐	Tray Mount LH (100x150 mm)		○
ATB2213	☐	Centre Mount, swing-away to RH, Nucleus	NC : 1404, 1405, 2310, 2311	717,54
ATB2214	☐	Centre Mount, swing-away to LH, Nucleus	NC : 1404, 1405, 2310, 2311	717,54
ATB2241	☐	Centre Mount, swing-away to RH, Nucleus	NC : 1404, 1405, 2310, 2311	717,54
ATB2242	☐	Centre Mount, swing-away to LH, Nucleus		717,54
ATZ2215	☐	Individual Mounting option per request (Special)		On demand
LINX 10-WAY SWITCH				
ATB2251	☐	10-Way Switch DLX-SW10-A f. direct Powered Seating Access		530,81
ATB2217	☐	Bracket RH, mounted for user	NC : 2209, 2213, 1415	○
ATB2218	☐	Bracket LH, mounted for user	NC : 2210, 2214	○
ATB2227	☐	Bracket RH, mounted for attendant	NC : 1287	○
ATB2228	☐	Bracket LH, mounted for attendant	NC : 1286	○
ATB2225	☐	Without mounting		○
ATB2252	☐	Loom providing jack sockets for “Drive” and “Mode”		87,20
LINX ACCESSORIES				
ATB2253	☐	USB Charger Port DLX-USB02-A	NC : Bodypoint	236,02
ATB2207	☐	RH Mount		○
ATB2208	☐	LH Mount		○
FURTHER COMPONENTS / ACCESSORIES				
ATB2300	☐	To be enclosed only		○
ATZ2301	☐	To be connected and programmed (Special)		On demand
BUDDY BUTTONS				
ATB1685	☐	Red Buddy Button		130,81
ATB1686	☐	Yellow Buddy Button		130,81
ATB1687	☐	Green Buddy Button		130,81
ATB1690	☐	Blue Buddy Button		130,81
EGG SWITCH				
ATB2254	☐	Egg Switch, black		103,32
PIKO BUTTONS				
ATB1711	☐	Red Piko Button		130,81
ATB1712	☐	Yellow Piko Button		130,81
ATB1713	☐	Green Piko Button		130,81
ATB1714	☐	Orange Piko Button		130,81
ATB1715	☐	Blue Piko Button		130,81
ATB1716	☐	Black Piko Button		130,81
BODYPPOINT JOYSTICK KNOBS				
ATB2721	☐	3 inch U-Shaped, Joystick Handle, Bodypoint PC101A		79,00
ATB2722	☐	4 inch U-Shaped, Joystick Handle, Bodypoint PC102A		79,00
ATB2723	☐	Domed Rubber, Joystick Handle, Bodypoint PC107A		79,00
ATB2724	☐	Mushroom Grooved, Joystick Handle, Bodypoint PC110A		79,00



2231



1288 1289 1286 1287



2230



2247



2233



2251



2253



2721 2722



2723



2724

DRIVE UNIT DETAILS				
SHROUD COLOURS				
ATB0202	☐	Blue		○
ATB0228	☐	Black		○
ATB0220	☐	Champagne		○
ATB0204	☐	Transparent Cherry Red		217,06
ATZ0299	☐	Special Shroud Colour (RAL code required)		764,93
CASTORS				
ATB0851	☐	3.00 - 6 Pneumatic, Grey		◆
ATB0853	☐	3.00 - 6 Puncture Proof sealed, Grey		130,81
ATB0855	☐	3.00 - 6 Puncture Proof (solid inlay), Grey		150,71
DRIVE WHEEL				
ATB0771	☐	3.00 - 8 Pneumatic, Grey		◆
ATB0773	☐	3.00 - 8 Puncture Proof(sealed), Grey		130,81
ATB0750	☐	3.00 - 8 Puncture Proof (solid inlay), Grey		238,86
PERFORMANCES				
MOTORTYPE				
ATB1277	☐	6 km/h Motor		◆
ATB1285	☐	10 km/h Motor		○
ATB1223	☐	10 km/h Setting for DuraWatt High Speed Motor		○
BATTERY				
ATB1364	☐	73,5 Ah Gel		◆
ATB1313	☐	Without Battery		◆
REAR SUSPENSION				
ATB1240	☐	Suspension low (up to 80kg user weight)		○
ATB1241	☐	Suspension middle (from 70kg up to 100kg user weight)		◆
ATB1242	☐	Suspension hard (from 90kg up to 150kg user weight)		○
SUSPENSION Storm4 X-plore				
ATB1233	☐	REAR SUSPENSION		◆
ATB1238	☐	Front suspension (up to 100 kg)		◆
ATB1239	☐	Front suspension (above 100 kg)		○
G-TRAC				
G-Trac				
ATB1215	☐	G-Trac Module		1 035,07
POSITIONING OPTIONS				
Consider Bodypoint positioning accessories: belts, harnesses, ankle supports.				
OPTIONS				
LIGHT SYSTEM				
ATB1437	☐	LED Light system with indicators		650,24
ATB1254	☐	Without Light system		◆
ANTI-TIPPER				
ATB1205	☐	Anti-tipper (standard version)		◆
ATB1204	☐	Flip-down anti-tipper		144,08
KERB RIDER				
ATB1244	☐	Kerb Rider	NC : 1450	291,00
TRANSPORTATION KIT				
ATB1450	☐	Preparation for DAHL-Docking station (Adequate headrest is compulsory) Docking Station for car implementation has to be ordered separately with DAHL Engineering		○
ATB1493	☐	4-Point tie-down (For wheelchair transportation without user)		◆
ATB1494	☐	4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19) (Adequate headrest is compulsory)		◆
LAP BELT				
ATB1329	☐	Lap Belt with Auto Lock		◆
ATB2113	☐	Lap belt with auto lock (flexible mount in side rails)		19,91
ATB1332	☐	H-Belt		271,09

BODYPOINT PELVIC BELTS																																							
ATB2701	☐	Evoflex Pelvic Stabilizer, Rehab Latch Size L		156,40																																			
ATB2702	☐	Evoflex Pelvic Stabilizer, Rehab Latch Size M		156,40																																			
ATB2703	☐	2-Point Hip Belt, Ctr-Pull, Push Butt, Cinch-Mount Size L		133,65																																			
ATB2704	☐	2-Point Hip Belt, Ctr-Pull, Push Butt, Cinch-Mount Size M		133,65																																			
ATB2705	☐	2-Point Hip Belt, Dual-Pull, Side-Release Butt. Cinch-Mount Size L		116,59																																			
ATB2706	☐	2-Point Hip Belt, Dual-Pull, Side-Release Butt. Cinch-Mount Size M		116,59																																			
REARVIEW MIRROR																																							
ATB1415	☐	Rearview mirror RH		70,14																																			
ATB1339	☐	Rearview mirror LH		70,14																																			
BAG HOOKS																																							
ATB2128	☐	Bag hooks (on Modulite Seat)		150,71																																			
CANEHOLDER																																							
ATB1312	☐	RH		68,25																																			
ATB1363	☐	LH		68,25																																			
FENDER																																							
ATB1416	☐	Fender for castors		88,15																																			
ATB1417	☐	Fender for rear/drive wheels		220,85																																			
TRAY																																							
ATB1404	☐	Swing Away RH		503,32																																			
ATB1405	☐	Swing Away LH		503,32																																			
Tool kit																																							
ATB1333	☐	Tool kit		29,38																																			
Accessories																																							
SP1522428	☐	Storm®4 labelled stickers for front arms - color Blue (pair)		40,76																																			
SP1523651	☐	Storm®4 labelled stickers for front arms - black color (pair)		40,76																																			
SP1529145	☐	Storm®4 labelled stickers for front arms - Champagne color (pair)		40,76																																			
SP1529393	☐	Storm®4 labelled stickers for front arms - color Red (pair)		40,76																																			
SP1529395	☐	Storm®4 labelled stickers for front arms - color Red (pair)		40,76																																			
SP1529397	☐	Storm®4 labelled stickers for front arms - color Green (pair)		40,76																																			
<table><tr><th colspan="2">Invacare® Storm 4 & X-plore AA I</th><th colspan="3">Hauteur d'assise sol/Plaque d'assise (en mm)</th></tr><tr><th colspan="2">Assise</th><th>Assise Standard</th><th>Assise modulable rigide</th><th>Assise modulable souple</th></tr><tr><th colspan="2">Type d'assise (fixe ou avec lift)</th><th>ATB2110</th><th>ATB2111</th><th>ATB2112</th></tr><tr><td colspan="2">ATB1023 : Hauteur d'assise fixe 450 mm</td><td>450 mm</td><td>450 mm</td><td>480 mm</td></tr><tr><td colspan="2">ATB1025 : Hauteur d'assise fixe 480 mm</td><td>480 mm</td><td>480 mm</td><td>510 mm</td></tr><tr><td colspan="2">ATB1030 : Lift de 400 à 650 mm</td><td>400 à 650 mm</td><td>400 à 650 mm</td><td>430 à 680 mm</td></tr><tr><td colspan="2">ATB1040 : Lift de 440 à 690 mm</td><td>440 à 690 mm</td><td>440 à 690 mm</td><td>470 à 720 mm</td></tr></table>					Invacare® Storm 4 & X-plore AA I		Hauteur d'assise sol/Plaque d'assise (en mm)			Assise		Assise Standard	Assise modulable rigide	Assise modulable souple	Type d'assise (fixe ou avec lift)		ATB2110	ATB2111	ATB2112	ATB1023 : Hauteur d'assise fixe 450 mm		450 mm	450 mm	480 mm	ATB1025 : Hauteur d'assise fixe 480 mm		480 mm	480 mm	510 mm	ATB1030 : Lift de 400 à 650 mm		400 à 650 mm	400 à 650 mm	430 à 680 mm	ATB1040 : Lift de 440 à 690 mm		440 à 690 mm	440 à 690 mm	470 à 720 mm
Invacare® Storm 4 & X-plore AA I		Hauteur d'assise sol/Plaque d'assise (en mm)																																					
Assise		Assise Standard	Assise modulable rigide	Assise modulable souple																																			
Type d'assise (fixe ou avec lift)		ATB2110	ATB2111	ATB2112																																			
ATB1023 : Hauteur d'assise fixe 450 mm		450 mm	450 mm	480 mm																																			
ATB1025 : Hauteur d'assise fixe 480 mm		480 mm	480 mm	510 mm																																			
ATB1030 : Lift de 400 à 650 mm		400 à 650 mm	400 à 650 mm	430 à 680 mm																																			
ATB1040 : Lift de 440 à 690 mm		440 à 690 mm	440 à 690 mm	470 à 720 mm																																			
RAMPS																																							
1440530	☐	Fiberglass Folding Mono Ramp Folded dimensions: 2000 x 230 mm 16.3 kg - maximum capacity: 300 kg		1 787,68																																			
1654128	☐	Basic ramp 2 telescopic parts in aluminum and non-slip coating. Folded dimensions: 1210 x 194 mm. 8.8 kg per pair - maximum capacity: 270 kg		402,84																																			
1654129	☐	Quick2go Compact 3-part aluminum telescopic ramp with non-slip coating Folded dimensions: 870 x 237 mm 13.6 kg per pair - maximum capacity: 260 kg		805,69																																			
1654130	☐	Aluminium folding mono ramp Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg		426,54																																			