

Invacare® TDX® SP2 AA1

Please contact Invacare EU Export Customer Services on :-
Tel : +33 247 626980 ; Email : serviceclient_export@invacare.com
 Or visit our website : www.invacare.eu.com



Invacare® TDX® SP2 AA1

Mixt Power wheelchair 6 wheels



Description :

- 2-year warranty excluding batteries and wearing parts.



Date :

User Name :

Customer Code:

Dealer stamp :

☐ Sélectionner les options choisies par une croix dans les cases

◆ Configuration standard

○ Options sans supplément de prix

CODE		DESCRIPTION	NC : Non Compatible (nc : 9999) not compatible with the reference 9999	EUROS	
ARH0015	☐	Invacare® TDX® SP2 AA1		8 234,12	
ARH0071	☐	Invacare® TDX® SP2 AA1 - Low Rider version - including 73.5 Ah batteries - Reduced seat height 420 mm - 30° seat tilt and lift included - Armrests not adjustable in width	NC : 1091, 1092, 1093, 1095, 1145, 2110, 2184, 2185, 2186, 2187, 2188, 2189, 2229, 2134+0589, 2121	10 930,81	
ARH0072	☐	Invacare® TDX® SP2 AA1 - Low Rider version - including 60Ah batteries - Reduced seat height 403 mm - 30° seat tilt and lift included	NC : 1091, 1092, 1093, 1095, 1145, 1260, 2110, 2184, 2185, 2186, 2187, 2188, 2189, 2134+0589, 2121	10 930,81	
Invacare® Module Seat Unit					
ARH2110	☐	One Piece Seat Plate, width 430 mm Adjustable by arms 440 - 480 mm	NC : 0556,0589, 0977, 1092, 1093, 1094, 1095, 1332, 2108, 2113,2192, 2193, 2194, thigh braces, 2128, Bodypoint	◆	 2110
SEAT DEPTH SETTING					
ARH2132	☐	410 mm	NC : 2196, 2197,2198	○	
ARH2134	☐	460 mm		◆	
ARH2136	☐	510 mm	NC : 2143	○	
SEAT CUSHIONS					
ARH2141	☐	Standard Foam Cushion 50 mm thick	NC : 2152, 2153, 2155, Bodypoint	◆	 2143
ARH2142	☐	Matrx Flo-tech Cushion Lite (75mm up to 127 kg); Contour (100mm up to 191 kg)		○	
ARH2143	☐	Matrx Flo-tech Contour Visco; (2-way stretch material) 430 x 430 mm [max. user weight 125 kg]	NC : 2155	76,78	
ARH2147	☐	Matrx Libra Cushion, 90 mm thick Standard (up to 136 kg)/HD (up to 227 kg). Extended lead time: + 4 days	NC : 2155	340,28	
ARH2144	☐	Matrx Vi Cushion (Mesh fabric)	NC : 2155	340,28	
BACKREST SUPPORT					
ARH2161	☐	Backrest frame, detachable, height 480 mm	NC : 1307	◆	
ARH2171	☐	Tension Adjustable - tall = 540 mm /short = 480 mm	NC : 2152, 2153, 2155, 1445, 2230, 2247, 2322, 2323, 2324, 2325, 2326, 2327, Elan Headrests	◆	 2171
ARH2174	☐	Matrx Posture Back, height 400 mm (Mesh fabric)		829,38	
ARH2175	☐	Matrx Posture Back, height 500 mm (Mesh fabric)		829,38	
ARH2176	☐	Matrx Elite E2 Back , height 500 mm (Mesh fabric)		829,38	
ARH2177	☐	Matrx Elite TR Back, height 500 mm (Mesh fabric)		829,38	
ARH2178	☐	Matrx Elite Deep E2 Back, height 500 mm (Mesh fabric)		829,38	
Find the trunk supports and all the accessories on the Matrx measurement sheet!					

MODULITE MODULAR SEAT

Seat type

ARH2111	☐	Telescopic Seat Frame and Plate with Side Rails width 380 to 530 mm Additional 50 mm by arms	107,11
ARH2112	☐	Telescopic Seat Frame + Sling Seat with Side Rails width 380 to 530 mm; + 30 mm seat height Additional 50 mm by arms	120,38



Seat width (Factory preset)

		330mm (take seat width 380 mm (2121) + Inside curved armrest (2183))	NC : 2143, 2701, 2703, 2705, 2138+2142/2147/2144	
ARH2121	☐	380 mm	NC : 2143, 0071, 0072, 2138+2142/2147/2144, 2701, 2703, 2705	○
ARH2122	☐	430 mm	NC : 2138, 2701, 2703, 2705	◆
ARH2123	☐	480 mm	NC : 2138+2142/2147, 2702, 2704, 2706	○
ARH2124	☐	530 mm	NC : Matrx backrests, 2143, 2702, 2704, 2706	○

Seat width (Factory preset)

ARH2129	☐	Standard Depth Package (SD range 410 - 510 mm)	NC : 2138	◆
ARH2130	☐	Extended Depth Package (SD range 510 - 560 mm)	NC : 2132, 2134	○

Seat Depth (Factory preset)

ARH2132	☐	410 mm	NC : 2196, 2197, 2198, 0556+thigh wedge, Bodypoint	○
ARH2134	☐	460 mm	NC : 0556+thigh wedge	◆
ARH2136	☐	510 mm	NC : 2143, 0556+thigh wedge	○
ARH2138	☐	560 mm (only with seat width 530 mm)	NC : 2143	○

Seat cushion

ARH2142	☐	Seat cushion Flo-tech Lite (for width from 380 to 480 mm, height 75 mm, max weight 127 kg) / Contour (for width 530 mm, height 100 mm, max weight 152 kg)		◆
ARH2143	☐	Seat cushion Flo-tech Contour Visco 430 x 430 mm (height 90 mm, max weight 100 kg)	NC : 2155	76,78
ARH2147	☐	Seat cushion Matrx Libra, (height 90mm, max weight 136kg)	NC : 2155	340,28
ARH2144	☐	Seat cushion Matrx Vi (micro ventilated cover)	NC : 2155	340,28



Backposts

ARH2162	☐	Height 540 mm		◆
ARH2163	☐	Height 480 mm	NC : 1307, 1332, 2220, 2219, 2245, 2227, 2228	○

Pusch handles

ARH2107	☐	Pusch handles		◆
ARH2108	☐	Without pusch handles - only for Flex 3 backrests		○

Backrest support

ARH2171	☐	Tension adjustable backrest, bi-material padded incl. Back pocket	NC : 1445, 2152, 2153, 2155, 2230, 2247, 2324, 2325, 2327, Elan headrest	◆
ARH2179	☐	Flex3 Tension Adjustable, delivered with Lateral back cushion, Dartex coating (extra charge)	NC : 1445, 2152, 2153, 2155, 2230, 2247, 2324, 2325, 2327, Elan Headrest	196,21
ARH2173	☐	Rigid backrest Flex 3 width and height adjustable (560 to 790 mm) with Laguna backrest cushion	NC : 2128	164,93
ARH2174	☐	Matrx Posture Back, height 400 mm - incl. Back pocket		829,38
ARH2175	☐	Matrx Posture Back, height 500 mm - incl. Back pocket		829,38
ARH2176	☐	Matrx Elite, height 500 mm - incl. Back pocket		829,38
ARH2178	☐	Matrx Elite Deep, height 500 mm - incl. Back pocket		829,38



Find the trunk supports and all the accessories on the Matrx measurement sheet!

COMMON OPTIONS FOR MODULITE SEATING

Backrest cushion and / or seat upholstery (depending on configuration)

ARH2151	☐	Nylon noir		◆
ARH2152	☐	Dartex noir		○
ARH2153	☐	Extra LK (black with orange seam)		○
ARH2155	☐	Mesh black		○

Armrest

ARH2191	☐	Height adjustable armrest 290 to 360 mm, in depth and removable, by pair		◆
ARH2198	☐	Height adjustable armrest 340 to 400 mm, in depth and removable, by pair	NC : 2195, 2196, 2197, cale-cuisses	247,39
ARH2181	☐	Enveloping armrest, Dartex coating, by pair		60,66
ARH2183	☐	Inside curved armrest, up to 50 mm width, 25 mm per side	NC : cale-cuisses	○
ARH2193	☐	Lifting armrest, ajustable height 230 - 360 mm		○
ARH2192	☐	Lifting and parallel armrest, ajustable height 230 - 300 mm	NC : 1445	302,37
ARH2194	☐	Lifting and parallel armrest, ajustable height 300 - 360 mm	NC : 1445	302,37



Manchettes				
ARH2195	☐	Standard armpad, length 325 mm, by pair		◆
ARH2196	☐	Long armpad, length 375 mm, by pair		78,67
ARH2197	☐	Ergonomic long armpad, length 397 mm, by pair	NC : 2230, 2247	113,74
Hemiplegic gutter				
	☐	Hemiplegic gutter in special manufacturing		On Demand
	☐	Hemi concave gutter with flat or curved horn palmar support and 360° right or left reversible rotator, in 18° steps		On Demand
Seat accessories				
ARH2184	☐	Left thigh wedge, 140x100 mm	NC : Bodypoint	290,05
ARH2186	☐	Left thigh wedge, 230x100 mm	NC : Bodypoint	290,05
ARH2188	☐	Left thigh wedge, 330x100 mm	NC : Bodypoint	290,05
ARH2185	☐	Right thigh wedge 140x100 mm	NC : Bodypoint	290,05
ARH2187	☐	Right thigh wedge 230x100 mm	NC : Bodypoint	290,05
ARH2189	☐	Right thigh wedge 330x100 mm	NC : Bodypoint	290,05
Wedge-thigh support height				
ARH2164	☐	Wedge-thigh support 155 mm		◆
ARH2165	☐	Wedge-thigh support 206 mm		○
Appuis-têtes et autres accessoires				
ARH1307	☐	Push bar (dia 22 mm) in conjunction with telescopic backposts	NC : 2161	43,60
ARH1432	☐	Adjustable headrest in depth , height and sideways, Dartex-coated	NC : 2229, 2230, 2247	237,91
ARH1427	☐	Multi adjuastable neckrest Kontour with side earflaps, dartex coating	NC : 2229, 2230, 2247	314,69
ARH2324	☐	Headrest Elan Standard 10" - Black cover	NC : 2230, 2247	427,49
ARH2325	☐	Headrest Elan Occipital 9" - Black cover	NC : 2230, 2247	427,49
ARH2327	☐	Headrest Elan 4 points 11" - Black cover	NC : 2230, 2247	559,24
ARH1445	☐	Lateral support with extended arm, Dartex upholstery, pair	NC : Matrx backrests	336,49
SEAT ADJUSTMENTS FOR MODULITE SEAT				
Seat lifter / Seat tilt				
ARH1091	☐	Manually settable Seat Tilt	NC : 2054	◆
ARH1092	☐	Powered tilt 0° à 20°	NC : 2054, 2201	412,32
ARH1095	☐	Powered "fixed pivot" Tilt 20°, heavy duty	NC : 2054, 2201	412,32
ARH1093	☐	Powered tilt with CoG shift 0° à 30°	NC : 2201	787,68
ARH1094	☐	Electric with compensation from 0° to 30° + Lift 300 mm - Electrically lifting seat (Max weight 130 kg) from 460 to 760 mm - Choose suspensions 1219 obligatorily	NC : 2201	2 237,91
Height floor-plate for electric from 0° to 20°				
ARH0354	☐	450 mm		◆
ARH0364	☐	475 mm		○
Seat Tilt Option (only if option 1093 or 1094 has been selected)				
ARH2054	☐	5° Fixed Anterior Tilt, Assist mount (will reduce max tilt angle by 5°)		424,64
Backrest recliner				
ARH0975	☐	Manual from 0° to 30° in steps of 3.75° REMOVABLE BACKREST WITHOUT TOOLS		◆
ARH0977	☐	Electric from 0° to 30° FOLDING BACKREST WITHOUT TOOLS	NC : 2201	709,00
SEAT AND BACKREST MAX				
ARH1145	☐	Seat Max and backrest Max	NC : 1332, 2113, 0526, 1404, 1405, 2253, 2205, 2206, 2229, 2128, 2258, Bodypoint	1 483,41
Seat width				
ARH0378	☐	550 mm		◆
ARH0380	☐	610 mm		○
Seat depth				
ARH0396	☐	560 mm		○
ARH0397	☐	595 mm		◆
ARH0398	☐	630 mm		○
Armrests				
ARH0635	☐	Removable armrests, height adjustable 250 to 340 mm		○



1432




1427



2325



2327



1445



FOLDABLE
BACKREST



0975



0977

Armrests, pair, reinforced bracket			
ARH0647	☐ Short Armpad (325 mm)		○
ARH0649	☐ Long Armpad (375 mm)		◆
HEADREST			
ARH1432	☐ Headrest, sideways adjustable		237,91
ARH1427	☐ Headrest with cheek support, sideways adjustable		314,69
SEAT TILT			
<i>Inclinaison d'assise</i>			
ARH1091	☐ Manually settable Seat Tilt		◆
ARH1092	☐ Powered "fixed pivot" Tilt 20° *(up to 136 kg)	NC : 2201	412,32
ARH1095	☐ Powered "fixed pivot" Tilt 20°, heavy duty (up to 180 kg)	NC : 2201	412,32
SEAT HEIGHT SETTING			
ARH1024	☐ Fix Seat Height 470 mm		◆
ARH1046	☐ Fix Seat Height 495 mm		○
BACKREST RECLINER			
ARH0958	☐ Settable Recliner, by spindle (0 - 25°)		◆
ARH0947	☐ Electrical Recliner (with high pivot, shearing compensation)	NC : 2201	708,06
LEGRESTS / FOOTRESTS			
CENTRE MOUNTED LEGRESTS			
ARH0556	☐ Hanger, centre mounted, angle settable - Length: 280 - 385 mm	NC : 0517	○
ARH0589	☐ LNX Power centre mount legrest, length compensating - Length: 340 - 410 mm	NC : 2201	1 713,74
FOOTPLATES / FOOT PLATFORM			
ARH2365	☐ Angle & width adjustable footplates S (127 W x 190 mm D / 5"x7.5")		○
ARH0559	☐ Angle & width adjustable footplates M (140 W x 240 mm D / 5.5"x9.5")		◆
ARH0516	☐ Angle & width adjustable footplates L (150 W x 290 mm D / 6"x11.5)		124,17
ARH0517	☐ Angle adjustable foot platform M (305 W x 275 mm D / 12"x10.75")		124,17
SIDE MOUNTED LEGREST PAIRS LH/RH			
ARH0526	☐ Standard hanger 80° pair	NC : 0504	○
ARH0503	☐ Hanger Vari F pair		◆
ARH0533	☐ Hanger Vari A pair		271,09
ARH0531	☐ Hanger ADE 0° - 80° pair	NC : 2201	1 507,11
FOOTPLATE TYPE / PAIRS			
ARH0504	☐ Angle Adjustable Footplate pair		◆
ARH0513	☐ Angle and depth adjustable Footplate pair		107,11
REMOTES LINX			
LINX PRIMARY REMOTES with proportional Joystick + BRACKETS			
ARH2201	☐ Remote LINX DLX-REM110 = Drive only	NC : 2229, 2230, 2247, 2257, 2233, 2240, 2270, 2245	-984,83
ARH2203	☐ Remote LINX DLX-REM211 = Drive & Actuators	NC : 2229, 2231, 2232, 2230, 2247, 2257, 2233, 2240, 2270	-984,83
ARH2204	☐ Remote LINX DLX-REM216 = Drive, Actuators & Lights	NC : 2229, 2231, 2232, 2230, 2247, 2257, 2233, 2240, 2270	-984,83
ARH2205	☐ Rehab Remote LINX, touch-screen user interface DLX-REM400	NC : 2220	◆
ARH2206	☐ Rehab Remote LINX without joystick for alternative access users. DLX-REM500	NC : 2220, 2270	576,30
REM400 TOGGLE OPTION			
ARH2270	☐ Assignable Toggle Switch Module f. REM400 (DLX-SW400TGL)		340,28
REMOTE MOUNTING POSITION			
ARH1207	☐ Standard Bracket RH	NC : 1404	○
ARH1208	☐ Standard Bracket LH	NC : 1405	○
ARH1707	☐ Swing Away Bracket RH	NC : 1404	◆
ARH1708	☐ Swing Away Bracket LH	NC : 1405	○
ARH2213	☐ Centre Mount, swing-away to RH, Nucleus	NC : 1404, 1405, 1415	685,31
ARH2214	☐ Centre Mount, swing-away to LH, Nucleus	NC : 1404, 1405, 1339	685,31
ARH2227	☐ Bracket RH, mounted for Attendant	NC : 2219, 2220, 1287, 1228, 2128, 2108	33,85
ARH2228	☐ Bracket LH, mounted for Attendant	NC : 2219, 2220, 1286, 2128, 2108	33,85
ARW2239	☐ Individual mounting option per request (Special)		On Demand



0533

0531

LINX



REM110 REM211



REM216



REM400



2270

LiNX REM500 (DISPLAY ONLY) BRACKETS			
ARH2209	☐	Swing away RH, multi-adjustable	NC : 1404, 1415
ARH2210	☐	Swing away LH, multi-adjustable	NC : 1405, 1339
PW-4005	☐	Centre Mount, swing-away to RH, Nucleus	On Demand
ARH2213	☐	Centre Mount, swing-away to LH, Nucleus	652,13
ARH2214	☐	Individual mounting option per request (Special)	652,13
ARW2239	☐	Montage personnalisé, merci de nous préciser votre demande :	On Demand
DUAL CONTROL LiNX + BRACKETS			
ARH2220	☐	Dual Control LiNX (DLX-REM050 as secondary remote)	NC : 2227, 2228, 1221, 1222
ARH2219	☐	Compact Dual Control LiNX (DLX-ACU200)	NC : 1221, 1222, 2227, 2228
ARH2245	☐	Invacare LiNX IDC Dual control	NC : 1207, 1208, 2227, 2228
ARH1207	☐	Standard Bracket RH	◆
ARH1208	☐	Standard Bracket LH	○
ARH1221	☐	Bracket RH, detachable	◆
ARH1222	☐	Bracket LH, detachable	○
If several joysticks are to be mounted on the retractable support for mounting in the central position (2213/2214), select option 2215			
LiNX - COMPACT REMOTES + BRACKETS			
REQUIRES PRIMARY REMOTE (DLX-REM400 or DLX-REM500)			
ARH2231	☐	Proportional Compact Remote DLX-CR400	1 192,42
ARH2232	☐	Proportional Compact Remote Low Force DLX-CR-400LF	1 312,80
ARH2207	☐	RH Mount	NC : 1404
ARH2208	☐	LH Mount	NC : 1405
ARH2213	☐	Centre Mount, swing-away to RH (Nucleus)	NC : 1404, 1405, 1415
ARH2214	☐	Centre Mount, swing-away to LH (Nucleus)	NC : 1404, 1405, 1339
ARW2215	☐	Individual mounting option per request (Special)	On Demand
CHIN CONTROL + BRACKETS			
REQUIRES PRIMARY REMOTE (DLX-REM400 or DLX-REM500)			
ARH2229	☐	Proportional Chin Joystick (ASL138)	NC : 2128
ARH1289	☐	Swing Away Bracket RH, side manual (ASL628) - Requires ELAN Headrest	NC : 1350, 1432, 1427
ARH1288	☐	Swing Away Bracket LH, side manual (ASL628) - Requires ELAN Headrest	NC : 1350, 1432, 1427
ARH1287	☐	Swing Away Bracket RH, powered	NC : 2125, 2227, 1404, 1415, 1312
ARH1286	☐	Swing Away Bracket LH, powered	NC : 2125, 2228, 1405, 1339, 1363
HEAD CONTROL ATOM Technology			
ARH2230	☐	Head Control with ultrasonic proximity sensors (ATOM, ASL104) with standard wings M3	NC : 2233, 2092, 2324, 2325, 2327, 2257, 2240
ARH2247	☐	Head Control with ultrasonic proximity sensors (PROTON, ASL104P) with PROTON wings	NC : 2233, 2092, 2324, 2325, 2327, 2257, 2240
FOUR-SWITCH PROXIMITY ARRAY (with ATOM Technology)			
ARH2257	☐	Four-Switch Proximity Array (ASL106)	NC : 2233, 2240
ARH2275	☐	Centre Mount, swing-away to RH, Nucleus - Incl. Eclipse Tray ASL619, 360x180 mm)	○
ARH2276	☐	Centre Mount, swing-away to LH, Nucleus - Incl. Eclipse Tray ASL619, 360x180 mm)	○
ARW2215	☐	Individual mounting option per request (Special) - Requires additional information/specification	On Demand
LiNX - PROPORTIONAL REMOTES / INPUTS & BRACKETS			
REQUIRES PRIMARY REMOTE (DLX-REM400 or DLX-REM500)			
ARH2233	☐	MEC Proportional Joystick (Micro Extremity Control ASL130)	NC : 2240
ARH2240	☐	Commande joystick renforcé proportionnel ASL133	
ARH2235	☐	Tray Mount RH (ASL603, 100x150 mm)	○
ARH2236	☐	Tray Mount LH (ASL603, 100x150 mm)	○
ARH2213	☐	Centre Mount, swing-away to RH, Nucleus	NC : 1404, 1405, 2310, 2311
ARH2214	☐	Centre Mount, swing-away to LH, Nucleus	NC : 1404, 1405, 2310, 2311
ARH2241	☐	Centre Mount, swing-away to RH, Nucleus - Incl. Tray ASL603, 100x150 mm	NC : 1404, 1405, 2310, 2311
ARH2242	☐	Centre Mount, swing-away to LH, Nucleus - Incl. Tray ASL603, 100x150 mm	
ARW2215	☐	Individual mounting option per request (Special) - Requires additional information/specification	On Demand
ALTERNATIVE SEATING CONTROL - LiNX 10-WAY SWITCH			
ARH2251	☐	10-Way Switch DLX-SW10-A f. direct Powered Seating Access	
ARH2217	☐	Bracket RH, mounted for user	NC : 2209, 2213, 1415
ARH2218	☐	Bracket LH, mounted for user	NC : 2210, 2214
ARH2227	☐	Bracket RH, mounted for attendant	NC : 1287
ARH2228	☐	Bracket LH, mounted for attendant	NC : 1286
ARH2225	☐	Without mounting	○
ARH2252	☐	Loom providing jack sockets for "Drive" and "Mode"	



2209
2210



REM050




2219
2245



2231
2232



2229



2230



2247



2257



2233



2240



2251

LiNX ACCESSORIES				
LiNX ACCESSORIES				
ARH2253	☐	USB Charger Port DLX-USB02-A	NC : 2110, Bodypoint	236,02
ARH2207	☐	RH Mount	NC : 1404	○
ARH2208	☐	LH Mount	NC : 1405	○
FURTHER COMPONENTS / ACCESSORIES				
ARH2300	☐	To be enclosed only		○
ARW2301	☐	To be connected and programmed (Special)		Sur devis
BUDDY BUTTONS - Accessory loom 2252 required, if no REM400 or REM500 is selected				
ARH1685	☐	Red Buddy Button		130,81
ARH1686	☐	Yellow Buddy Button		130,81
ARH1687	☐	Green Buddy Button		130,81
ARH1690	☐	Blue Buddy Button		130,81
EGG SWITCH - Accessory loom 2252 required, if no REM400 or REM500 is selected				
ARH2254	☐	Egg Switch, black		103,32
PIKO BUTTONS - Accessory loom 2252 required, if no REM400 or REM500 is selected				
ARH1711	☐	Red Piko Button		130,81
ARH1712	☐	Yellow Piko Button		130,81
ARH1713	☐	Green Piko Button		130,81
ARH1714	☐	Orange Piko Button		130,81
ARH1715	☐	Blue Piko Button		130,81
ARH1716	☐	Black Piko Button		130,81
REMOTE STOP SWITCH				
ARH2258	☐	Remote Stop Switch (ASL504)		831,28
BODYPPOINT JOYSTICK KNOBS				
ARH2721	☐	3 inch U-Shaped, Joystick Handle, Bodypoint PC101A		79,00
ARH2722	☐	4 inch U-Shaped, Joystick Handle, Bodypoint PC102A		79,00
ARH2723	☐	Domed Rubber, Joystick Handle, Bodypoint PC107A		79,00
ARH2724	☐	Mushroom Grooved, Joystick Handle, Bodypoint PC110A		79,00
DRIVE UNIT DETAILS				
SHROUD COLOURS				
ARH2601	☐	SpaceStation Silver		○
ARH2602	☐	Island Blue		○
ARH2603	☐	Grape JellyBean		○
ARH2607	☐	Rockstar Red		○
ARH2608	☐	Lights Out Black – Matte		○
ARH2609	☐	Invacare® Blue		○
ARH0228	☐	Wet Black		○
RIM INSERT COLOURS				
ARH2620	☐	Wet Black		○
ARH2611	☐	SpaceStation Silver		○
ARH2612	☐	Island Blue		○
ARH2613	☐	Grape JellyBean		○
ARH2617	☐	Rockstar Red		○
ARH2618	☐	Lights Out Black – Matte		○
ARH2619	☐	Invacare® Blue		○
ARH2621	☐	Without Rim insert		◆
PERFORMANCE				
FORKS				
ARH2631	☐	Single sided fork (new) incl. black castor		399,05
ARH2632	☐	Double sided fork		◆
CENTRE / DRIVE WHEELS				
ARH0704	☐	14"x3" Black Tires, Pneumatic		◆
ARH0732	☐	14"x3" Black Tires, Puncture protected (sealed), 3.00-8		○
ARH0733	☐	14"x3" Black Tires with Gel Foam Inserts		○
MOTOR TYPE / SPEED OPTIONS				
ARH1282	☐	OPS Drive 6 km/h (4-pole)		○
ARH1285	☐	OPS Drive 10 km/h (4-pole)		○
ARH1223	☐	10 km/h Setting for OPS Drive High Speed Motor		○
BATTERY				
ARH1260	☐	73,5 Ah Gel		◆
CHARGER				
ARH1313	☐	OptiCharge Charger 10A (IP44)		◆
ARH1314	☐	Opti Charge Charger 10A (IP44) (FDO : UK Plug)		○


2253


2252


2258


2721
2722
2723
2724


2601
2602
2603
2607
2608
2609
0228
2611
2612
2613
2617
2618
2619
0220

GYROSCOPE				
G-Trac				
ARH1215	☐	G-Trac Module		1 035,07
OPTIONS				
LIGHT				
ARH1367	☐	Light system with indicators (Choose REM216, REM400 or REM500)		627,49
ARH1437	☐	LED Light system (Choose REM216, REM400 or REM500)		650,24
ARH1254	☐	Without Light system		◆
TRANSPORTATION KIT				
ARH1450	☐	Preparation for DAHL-Docking station (Adequate headrest is compulsory) - Docking Station for car implementation has to be ordered separately with DAHL Engineering		○
TIE-DOWNS				
ARH1493	☐	4-Point tie-down (For wheelchair transportation without user)		◆
ARH1494	☐	4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19) (Adequate headrest is compulsory)		○
LAP BELT				
ARH1329	☐	Lap Belt with Auto Lock - X-tra long for Max Seat		◆
ARH2113	☐	Lap Belt with Auto Lock - Flexible mount in side rails		○
ARH1332	☐	H-Belt -		271,09
BODYPOINT PELVIC BELTS - Includes mounting kit				
ARH2701	☐	Evoflex Pelvic Stabilizer, Rehab Latch Size L - Padded length 620 mm		156,40
ARH2702	☐	Evoflex Pelvic Stabilizer, Rehab Latch Size M - Padded length 460 mm		156,40
ARH2703	☐	2-Point Hip Belt, Ctr-Pull, Push Butt, Cinch-Mount Size L - Padded length 620 mm		133,65
ARH2704	☐	2-Point Hip Belt, Ctr-Pull, Push Butt, Cinch-Mount Size M - Padded length 460 mm		133,65
ARH2705	☐	2-Point Hip Belt, Dual-Pull, Side-Release Butt. Cinch-Mount Size L - Padded length 620 mm		116,59
ARH2706	☐	2-Point Hip Belt, Dual-Pull, Side-Release Butt. Cinch-Mount, Size M - Padded length 460 mm		116,59
REARVIEW MIRROR				
ARH1415	☐	RH Mirror		70,14
ARH1339	☐	LH Mirror		70,14
BAG HOOKS				
ARH2128	☐	Bag hooks (on Modulite Seat) - Max load up to 6 kg = impact on max user weight		150,71
CANEHOLDER				
ARH1312	☐	Caneholder RH		68,25
ARH1363	☐	Caneholder LH		68,25
TRAY				
ARH1404	☐	Tray, Swing Away RH		503,32
ARH1405	☐	Tray, Swing Away LH		503,32
RAMPS				
1440530	☐	Fiberglass Folding Mono Ramp Folded dimensions: 2000 x 230 mm 16.3 kg - maximum capacity: 300 kg		1 787,68
1654130	☐	Aluminium folding mono ramp Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg		317,54








 1493

 1329

 2701, 2702

 2703, 2704

 2705, 2706

 2128

 1404
1405

 1440530

 1654130