

Please contact Invacare EU Export Customer Services on :-
Tel : +33 247 626980 ; Email : serviceclient_export@invacare.com
 Or visit our website : www.invacare.eu.com



Invacare® TDX® SP2 AA2

Mixt Power wheelchair 6 wheels



Date :

User Name :

Customer Code:

Dealer stamp :



Description :

- Weight : from 154kg
- Max user weight : 160kg or 180kg according to the configuration
- Warranty: 2 years except batteries and wear parts

☐ Please make your selection with a cross in the box ☒ Standard configuration ☐ Free of charge

CODE	DESIGNATION	NC : Non Compatible (nc : 9999) not compatible with the reference 9999	Euros	
ARJ0016	☐ Invacare® TDX® SP2 AA2 Modulite		10 325,12	
ARJ0073	☐ Invacare® TDX® SP2 AA2 Modulite <i>Low Rider Version - 73,5 Ah battery included - Lower seat height 420 mm - Seat tilt 30° & lift included (1094) - Non width adjustable armrests</i>	NC : 1092, 1093, 1095, 1145, 2184, 2185, 2186, 2187, 2188, 2189, 2121	13 021,80	
ARJ0074	☐ Invacare® TDX® SP2 AA2 Modulite <i>Low Rider Version - 60 Ah battery included - Lower seat height 403 mm - Seat tilt 30° & lift included (1094) - Non width adjustable armrests</i>	NC : 1092, 1093, 1095, 1145, 2184, 2185, 2186, 2187, 2188, 2189, 2121	13 021,80	

MODULITE MODULAR SEAT

Seat type

ARJ2111	☐ Rigid Modulite Seat , width and depth adjustable, width adjustable armrests, (+25 mm per side) Width : 380 to 530 mm, adjustable in steps of 50 mm Depth : 410 to 510 mm STEPLESS ADJUSTABLE		☒	
ARJ2112	☐ Flexible Modulite Seat , tension, width and depth adjustable, width adjustable armrests, (+25 mm per side) - + 30 mm seat height Width : 380 to 530 mm, adjustable in steps of 50 mm Depth : 410 to 510 mm STEPLESS ADJUSTABLE		☐	

Seat width (Factory preset)

	330mm (take seat width 380 mm (2121) + Inside curved armrest (2183))	NC : 2143, 2701, 2703, 2705, 2138+2142/2147/2144		
ARJ2121	☐ 380 mm	NC : 2143, 2701, 2703, 2705, 0073, 0074, 2138+2142/2147/2144	☐	
ARJ2122	☐ 430 mm	NC : 2138, 2701, 2703, 2705	☒	
ARJ2123	☐ 480 mm	NC : 2138+2142/2147, 2702, 2704, 2706	☐	
ARJ2124	☐ 530 mm	NC : Matrx backrests, 2143, 2702, 2704, 2706	☐	

Seat width (Factory preset)

ARJ2129	☐ Standard Depth Package (SD range 410 - 510 mm)	NC : 2138	☒	
ARJ2130	☐ Extended Depth Package (SD range 510 - 560 mm)	NC : 2132, 2134	☐	

Seat Depth (Factory preset)

ARJ2132	☐ 410 mm	NC : 2196, 2197, 2198, 0556+wedge-thight, Bodypoint belt	☐	
ARJ2134	☐ 460 mm	NC : 0556+wedge-thight	☒	
ARJ2136	☐ 510 mm	NC : 2143, 0556+wedge-thight	☐	
ARJ2138	☐ 560 mm (only with seat width 530 mm)	NC : 2143	☐	

Seat cushion

ARJ2142	☐ Seat cushion Flo-tech Lite (for width from 380 to 480 mm, height 75 mm, max weight 127 kg) / Contour (for width 530 mm, height 100 mm, max weight 152 kg)		☒	
ARJ2143	☐ Seat cushion Flo-tech Contour Visco 430 x 430 mm (hauteur 90 mm, max weight 100 kg)	NC : 2155	76,78	
ARJ2147	☐ Seat cushion Matrx Libra , (height 90mm, max weight 136kg)	NC : 2155	340,28	
ARJ2144	☐ Seat cushion Matrx Vi (micro ventilated cover)	NC : 2155	340,28	

Backposts

ARJ2162	☐ Height 540 mm		☐	
ARJ2163	☐ Height 480 mm	NC : 2173	☐	

Pusch handles			
ARJ2107	☐	Pusch handles	◆
ARJ2108	☐	Without pusch handles - only for Flex 3 backrests	○ NC : 1307, 1332, 2220, 2219, 2245, 2227, 2228
Backrest support			
ARJ2171	☐	Tension adjustable backrest,bi-material padded incl. Back pocket	◆ NC : 1445, 2152, 2153, 2155, 2230, 2247, 2324, 2325, 2327, Elan headrest
ARJ2179	☐	Flex3 Tension Adjustable, delivered with Lateral back cushion, Dartex coating (extra charge)	196,21 NC : 1445, 2152, 2153, 2155, 2230, 2247, 2324, 2325, 2327, Elan Headrest
ARJ2173	☐	Rigid backrest Flex 3 width and height adjustable (560 to 790 mm) with Laguna backrest cushion	○ NC : 2128
ARJ2174	☐	Matrx Posture Back , height 400 mm - incl. Back pocket	829,38
ARJ2175	☐	Matrx Posture Back , height 500 mm - incl. Back pocket	829,38
ARJ2176	☐	Matrx Elite , height 500 mm - incl. Back pocket	829,38
ARJ2177	☐	Matrx Elite TR , height 500 mm - incl. Back pocket	829,38
ARJ2178	☐	Matrx Elite Deep , height 500 mm - incl. Back pocket	829,38
COMMON OPTIONS FOR MODULITE SEATING			
Backrest cushion and / or seat upholstery (depending on configuration)			
ARJ2151	☐	Nylon noir	◆
ARJ2152	☐	Dartex noir	○
ARJ2153	☐	Extra LK (black with orange seam)	○
ARJ2155	☐	Mesh black	○
Armrest			
ARJ2191	☐	Height adjustable armrest 290 to 360 mm, in depth and removable, by pair	◆
ARJ2181	☐	Height adjustable armrest 340 to 400 mm, in depth and removable, by pair	60,66 NC : 2195, 2196, 2197, wedge-thight
ARJ2198	☐	Enveloping armrest, Dartex coating, by pair	247,39
ARJ2183	☐	Inside curved armrest, up to 50 mm width, 25 mm per side	○ NC : wedge-thight
ARJ2193	☐	Lifting armrest, ajustable height 230 - 360 mm	○
ARJ2192	☐	Lifting and parallel armrest, ajustable height 230 - 300 mm	302,37 NC : 1445
ARJ2194	☐	Lifting and parallel armrest, ajustable height 300 - 360 mm	302,37 NC : 1445
Armpad			
ARJ2195	☐	Standard armpad, length 325 mm, by pair	◆
ARJ2196	☐	Long armpad, length 375 mm, by pair	78,67
ARJ2197	☐	Ergonomic long armpad, length 397 mm, by pair	113,74 NC : 2230, 2247
Hemiplegic gutter			
	☐	Hemiplegic gutter in special manufacturing	On demand
	☐	Hemi concave gutter with flat or curved horn palmar support and 360° right or left reversible rotator, in 18° steps	On demand
Seat accessories			
ARJ2184	☐	Left wedge-thight, 140x100 mm	290,05 NC : Bodypoint
ARJ2186	☐	Left wedge-thight, 230x100 mm	290,05 NC : Bodypoint
ARJ2188	☐	Left wedge-thight, 330x100 mm	290,05 NC : Bodypoint
ARJ2185	☐	Right wedge-thight 140x100 mm	290,05 NC : Bodypoint
ARJ2187	☐	Right wedge-thight 230x100 mm	290,05 NC : Bodypoint
ARJ2189	☐	Right wedge-thight 330x100 mm	290,05 NC : Bodypoint
Wedge-tight support height			
ARJ2164	☐	Wedge-tight support 155 mm	◆
ARJ2165	☐	Wedge-tight support 206 mm	○
Headrest and accessories			
ARJ1350	☐	Neckrest depth adjustable, Dartex coating	◆ NC : 2230, 2247
ARJ1432	☐	Neckrest depth and width adjustable	○ NC : 2230, 2247
ARJ1427	☐	Multi adjuastable neckrest Kontour with side earflaps, dartex coating	314,69 NC : 2230, 2247
ARJ2324	☐	Headrest Elan Standard 10" - Black cover	383,89 NC : 2230, 2247
ARJ2325	☐	Headrest Elan Occipital 9" - Black cover	427,49 NC : 2230, 2247
ARJ2327	☐	Headrest Elan 4 points 11" - Black cover	559,24 NC : 2230, 2247
ARJ1307	☐	Push bar (dia 22 mm) in conjunction with telescopic backposts	43,60
ARJ1445	☐	Lateral support with extended arm, Dartex upholstery, pair	336,49 NC : Matrx backrests
SEAT ADJUSTMENTS FOR MODULITE SEAT			
Seat lifter / Seat tilt			
ARJ1092	☐	Powered tilt 0° à 20°	○ NC : 2054
ARJ1095	☐	Powered "fixed pivot" Tilt 20°, heavy duty	○ NC : 2054
ARJ1093	☐	Powered tilt with CoG shift 0° à 30°	◆
ARJ1094	☐	Electric with compensation from 0 ° to 30 ° + Lift 300 mm - Electrically lifting seat (Max weight 130 kg) from 460 to 760 mm - Choose suspensions 1219 obligatorily	2 238,86
Height floor-plate for electric from 0 ° to 20 °			
ARJ0354	☐	450 mm	◆
ARJ0364	☐	475 mm	○

Seat Tilt Option (only if option 1093 or 1094 has been selected)				 0977
ARJ2054	☐	5° Fixed Anterior Tilt, Assist mount (will reduce max tilt angle by 5°)	424,64	
Backrest recliner				
ARJ0977	☐	Electric from 0° to 30°	◆	
SEAT AND BACKREST MAX				
ARJ1145	☐	Seat Max et backrest Max	NC : 1332, 2113, 0526, 1404, 1405, 2253, 2220, 2206, 2205, 2229, 2128, 2258, Bodypoint	1 483,41
Seat width				
ARJ0378	☐	550 mm		◆
ARJ0380	☐	610 mm		○
Seat depth				
ARJ0396	☐	560 mm		○
ARJ0397	☐	595 mm		◆
ARJ0398	☐	630 mm		○
Armrests				
ARJ0635	☐	Removable armrests, height adjustable from 250 to 340 mm		○
Armrests, pair, reinforced bracket				
ARJ0647	☐	Short armrests (325 mm) pair		○
ARJ0649	☐	Long armrests (375 mm) pair		◆
Seat Accessories only for Max				
ARJ1427	☐	Kontour multi-adjustable headrest with Dartex -coated side ear cups		314,69
ARJ1432	☐	Adjustable headrest in depth , height and sideways, Dartex -coated		◆
SEAT AND BACKREST MAX ADJUSTEMENTS				
Seat tilt				
ARJ1092	☐	Electric from 0° to 20° (Max user weight 136kg)		○
ARJ1095	☐	Electric from 0° to 20° (Max user weight 180kg)		◆
Floor-seat height for seat inclination				
ARJ1024	☐	470 mm		◆
ARJ1046	☐	495 mm		○
BACKREST RECLINER				
ARJ0947	☐	Electric from 0° to 20°		◆
FOOTREST / LEGRESTS				
Legrest / Footrest (pair) - Centre mounted legrests (incl calf pads)				
ARJ0556	☐	Centre mount legrest, angle settable		○
ARJ0589	☐	LNx Power centre mount legrest, length compensating		1 713,74
Footplates (pair)				
ARJ2365	☐	Angle & width adjustable footplates S (127 W x 190 mm D / 5"x7.5")		○
ARJ0559	☐	Angle & width adjustable footplates M (140 W x 240 mm D / 5.5"x9.5")		◆
ARJ0516	☐	Angle & width adjustable footplates L (150 W x 290 mm D / 6"x11.5)		124,17
ARJ0517	☐	Angle adjustable foot platform M (305 W x 275 mm D / 12"x10.75")		124,17
Footrest Hanger Type / Pairs				
ARJ0533	☐	Hanger Vari A pair		◆
ARJ0532	☐	Hanger ADManual 0° - 80° pair		193,36
ARJ0531	☐	Hanger ADElectric 0° - 80° pair		879,62
Footplate type / Pairs				
ARJ0504	☐	Angle Adjustable Footplate pair		◆
ARJ0513	☐	Angle and depth adjustable Footplate pair		107,11
ARJ0522	☐	Footplate		118,48
REMOTE LINX				
Main control unit only for Electronic LINX				
ARJ2203	☐	Remote LINX REM211 : Driving and control of the cylinders	NC : 2229, 2231, 2232, 2230, 2247, 2257, 2233, 2240, 2270, 2219, 2245	-984,83
ARJ2204	☐	Remote LINX REM216 : Driving, control of cylinders and lighting	NC : 2229, 2231, 2232, 2230, 2247, 2257, 2233, 2240, 2270, 2219, 2245	-984,83
ARJ2205	☐	Remote LINX REM400 : 3.5 "color touch screen and bluetooth - Driving, control of jacks and lights, mouse emulation	NC : 2220	◆
ARJ2206	☐	Screen control LINX REM500 : 3.5 " color touch screen and bluetooth - Driving, cylinder and lighting control, mouse emulation	NC : 2220, 2270	576,30
REM400 option				
ARJ2270	☐	"Assignable Toggle Switch Module for REM400 (DLX-SW400TGL) as default set to left: ON/OFF, right speed dial"		340,28

Remote mounting position (REM211/216/400)			
ARJ1207	☐ Reversible right fixation, no retractable	NC : 1404	○
ARJ1208	☐ Reversible left fixation, no retractable	NC : 1405	○
ARJ1707	☐ Retractable on right + height adjustable, consolidated	NC : 1404	◆
ARJ1708	☐ Retractable on left + height adjustable, consolidated	NC : 1405	○
ARJ2213	☐ Central mounting, removable right	NC : 1404, 1405, 1415	685,31
ARJ2214	☐ Central mounting, removable left	NC : 1404, 1405, 1339	685,31
ARJ2227	☐ Fixation in right for third person(moving the manipulator)	NC : 2219, 2220, 2108, 1287, 2128	33,85
ARJ2228	☐ Fixation in left for third person(moving the manipulator)	NC : 2219, 2220, 2108, 1286	33,85
AVZ2239	☐ Custom Installation, thank you specify your request:		On demand
Mounting the LiNX REM500 Control Screen			
ARJ2209	☐ Swing away RH, multi-adjustable	NC : 1404, 1415	◆
ARJ2210	☐ Swing away LH, multi-adjustable	NC : 1405, 1339	○
PW-4005	☐ Option 2209/2210 with mounting rod for REM500 extended by 200 mm		Special manufacturing On demand
ARJ2213	☐ Centre Mount, swing-away to RH, Nucleus	NC : 1404, 1405, 1415	652,13
ARJ2214	☐ Centre Mount, swing-away to LH, Nucleus	NC : 1404, 1405, 1339	652,13
ARW2239	☐ Custom Installation, thank you specify your request:		On demand
Dual LiNX remote (User + third person)			
ARJ2220	☐ Dual Control LiNX (REM050 - use driving profile 2 of the REM211/216 - speed limited to 6km/h)	NC : 2108, 2205, 2206, 2227, 2228, 1221, 1222	677,02
ARJ2219	☐ Dual Compact LiNX control- 3 driving profiles dedicated and cylinder control	NC : 1221, 1222, 2108, 2227, 2228	1 091,94
ARJ2245	☐ Dual intuitive LiNX control- dedicated driving profile	NC : 1207, 1208, 2108, 2227, 2228	1 563,98
ARJ1207	☐ Fixing on the right - only with REM050 and Compact		◆
ARJ1208	☐ Fixing on the left - only with REM050 and Compact		○
ARJ1221	☐ Right fixations, removable - only with intuitive LiNX control		◆
ARJ1222	☐ Left fixations, removable - only with intuitive LiNX control		○
If multiple joysticks are to be mounted on the center mount mount (2213/2214), select option 2215			
Compact Proportional Joysticks - Only with REM400 and REM500			
ARJ2231	☐ LiNX Compact proportionel joystick (deflection force: 160 g)		1 192,42
ARJ2232	☐ LiNX Compact Proportional Low Force joystick (deflection force: 112 g)		1 312,80
ARJ2207	☐ Fixing on the right	NC : 1404	◆
ARJ2208	☐ Fixing on the left - only with REM050 and Compact	NC : 1405	○
ARJ2213	☐ Central fixing, retractable on the right	NC : 1404, 1405, 1415	717,54
ARJ2214	☐ Central fixing, retractable on the left	NC : 1404, 1405, 1339	717,54
ARW2215	☐ Custom Installation, thank you specify your request:		On demand
Chin control - Only with REM400 and REM500			
ARJ2229	☐ Proportional Chin Joystick (ASL138) + egg switch		3 011,37
ARJ1289	☐ Swing Away Bracket RH, side manual (ASL628) (ONLY IN COMBINATION WITH HEADREST 2125)	NC : 1350, 1432, 1427	◆
ARJ1288	☐ Swing Away Bracket LH, side manual (ASL628) (ONLY IN COMBINATION WITH HEADREST 2125)	NC : 1350, 1432, 1427	○
ARJ1287	☐ Swing Away Bracket RH, powered	NC : 2125, 2227, 1404, 1415, 1312	1 445,50
ARJ1286	☐ Swing Away Bracket LH, powered	NC : 1405, 1339, 1363	1 445,50
Additional options LiNX			
ARJ2230	☐ Head Control with ultrasonic proximity sensors (ATOM, ASL104) with standard wings M3	NC : 2233, 2092, 2324, 2325, 2327, 2257, 2240	5 648,34
ARJ2247	☐ Head Control with ultrasonic proximity sensors (PROTON, ASL104P) with PROTON wings	NC : 2233, 2092, 2324, 2325, 2327, 2257, 2240	5 648,34
Four-Switch Proximity Array (with ATOM technology)			
ARJ2257	☐ Four-Switch Proximity Array (ASL106)	NC : 2233, 2240	6 129,86
ARJ2275	☐ Centre Mount, swing-away to RH, Nucleus (incl. Eclipse Tray ASL619, 360x180 mm)		○
ARJ2276	☐ Centre Mount, swing-away to LH, Nucleus (incl. Eclipse Tray ASL619, 360x180 mm)		○
ARW2215	☐ Individual mounting option per request (Special) - REQUIRES ADDITIONAL INFORMATION / SPECIFICATION		On demand



2209
2210



REM050



2219



2231
2232



2229



2230



2247



2257

Micro extremity control					
ARJ2233	☐	MEC Proportional Joystick (Micro Extremity Control ASL130)	NC : 2240	3 366,82	 2233
ARJ2235	☐	Tray Mount RH (100x150 mm)		○	
ARJ2236	☐	Tray Mount LH (100x150 mm)		○	
ARJ2213	☐	Centre Mount, swing-away to RH, Nucleus	NC : 1404, 1405, 2310, 2311	○	
ARJ2214	☐	Centre Mount, swing-away to LH, Nucleus	NC : 1404, 1405, 2310, 2311	○	
ARJ2241	☐	Centre Mount, swing-away to RH, Nucleus (incl. Tray 100x150 mm)	NC : 1404, 1405, 2310, 2311	717,54	
ARJ2242	☐	Centre Mount, swing-away to LH, Nucleus (incl. Tray 100x150 mm)		717,54	
ARW2215	☐	Individual Mounting option per request (Special)		On demand	
Heavy Duty Remote Joystick					
ARJ2240	☐	Proportional Heavy Duty Remote Joystick with mode switch (ASL133)		2 709,95	 2240
ARJ2235	☐	Tray Mount RH (ASL603, 100x150 mm)		○	
ARJ2236	☐	Tray Mount LH (ASL603, 100x150 mm)		○	
ARJ2213	☐	Centre Mount, swing-away to RH, Nucleus		○	
ARJ2214	☐	Centre Mount, swing-away to LH, Nucleus		○	
ARJ2241	☐	Centre Mount, swing-away to RH, Nucleus (incl. Tray ASL603, 100x150 mm)		717,54	
ARJ2242	☐	Centre Mount, swing-away to LH, Nucleus (incl. Tray ASL603, 100x150 mm)		717,54	
ARW2215	☐	Individual mounting option per request (Special) - REQUIRES ADDITIONAL INFORMATION / SPECIFICATION		On demand	
Additional options LiNX					
ARJ2251	☐	10-Way Switch DLX-SW10-A for direct Powered Seating Access (includes loom to connect + additional jack for mode switch)		530,81	 2251
ARJ2217	☐	Bracket RH, mounted for user	NC : 2209, 2213, 1415	○	
ARJ2218	☐	Bracket LH, mounted for user	NC : 2210, 2214	○	
ARJ2227	☐	Bracket RH, mounted for attendant	NC : 1287	○	
ARJ2228	☐	Bracket LH, mounted for attendant	NC : 1286	○	
ARJ2225	☐	Without mounting		○	
ARJ2252	☐	Loom providing jack sockets for "Drive" and "Mode" (includes connection for 10-Way Switch)		87,20	
Accessories LiNX					
ARJ2253	☐	USB Charger Port DLX-USB02-A	NC : Bodypoint	236,02	 2253
ARJ2207	☐	Fixing on the right	NC : 1404	○	
ARJ2208	☐	Fixing on the left	NC : 1405	○	
Others accessories and contactors					
ARJ2300	☐	To be included with the armchair		○	
ARW2301	☐	To connect and program (Special)		On demand	
Round and flat switch (diameter 63 mm - delivered unassembled - take option 2252 obligatorily if no REM400 or REM500)					
ARJ1685	☐	Red Buddy Button		130,81	
ARJ1686	☐	Yellow Buddy Button		130,81	
ARJ1687	☐	Green Buddy Button		130,81	
ARJ1690	☐	Blue Buddy Button		130,81	
ARJ1690	☐	Blue Buddy Button		130,81	
Egg switch (option 2252 required if no REM400)					
ARJ2254	☐	Egg switch, black		103,32	
Mini contactors round and flat (diameter 30 mm - delivered unassembled - to take option 2252 obligatorily if not REM400 or REM500)					
ARJ1711	☐	Mini contactor Red		130,81	 2258
ARJ1712	☐	Mini contactor Yellow		130,81	
ARJ1713	☐	Mini contactor Green		130,81	
ARJ1714	☐	Mini contactor Orange		130,81	
ARJ1715	☐	Mini contactor Blue		130,81	
ARJ1716	☐	Mini contactor Black		130,81	
ARJ1716	☐	Mini contactor Black		130,81	
Remote Stop Switch					
ARJ2258	☐	Remote Stop Switch (ASL504)	NC : Bodypoint	831,28	
Bodypoint					
ARJ2721	☐	3 inch U-Shaped, Joystick Handle, Bodypoint PC101A		79,00	 2721  2722  2723  2724
ARJ2722	☐	4 inch U-Shaped, Joystick Handle, Bodypoint PC102A		79,00	
ARJ2723	☐	Domed Rubber, Joystick Handle, Bodypoint PC107A		79,00	
ARJ2724	☐	Mushroom Grooved, Joystick Handle, Bodypoint PC110A		79,00	
DRIVE UNIT OPTIONS					
Shroud Colors					
ARJ2601	☐	SpaceStation Silver		○	
ARJ2602	☐	Island Blue		○	
ARJ2603	☐	Grape JellyBean		○	
ARJ2607	☐	Rockstar Red		○	
ARJ2608	☐	Lights Out Black – Matte		○	
ARJ2609	☐	Invacare® Blue		○	
ARJ0228	☐	Wet Black		○	

Side Shroud Colors			
ARJ2611	☐	SpaceStation Silver	○
ARJ2612	☐	Island Blue	○
ARJ2613	☐	Grape JellyBean	○
ARJ2617	☐	Rockstar Red	○
ARJ2618	☐	Lights Out Black – Matte	○
ARJ2619	☐	Invacare® Blue	○
ARJ2620	☐	Wet Black	○
ARJ2621	☐	Without Rim insert	◆
Performance			
Forks			
ARJ2631	☐	Single sided fork (new) incl. black castor	399,05
ARJ2632	☐	Double sided fork	◆
Rear wheels type Storm®4			
ARJ0704	☐	14"x3" Black Tires, Pneumatic	◆
ARJ0732	☐	14"x3" Black Tires, Puncture protected (sealed), 3.00-8	○
ARJ0733	☐	14"x3" Black Tires with Gel Foam Inserts	○
Motor type / Speed Options			
ARJ1282	☐	OPS DDrive 6 km/h (4-pole)	○
ARJ1285	☐	OPS Drive 10 km/h (4-pole)	○
ARJ1223	☐	OPS Drive 10 km/h (4-pole) - programmable up to 12 km/h	○
Battery			
ARJ1260	☐	73,5 Ah Gel	◆
Charger			
ARJ1313	☐	OptiCharge Charger 10A	◆
GYROSCOPE			
G-Trac			
ARJ1215	☐	G-Trac modul (Directional control of the trajectory while driving)	1 035,07
POSITIONNING OPTIONS			
For Bodypoint accessories, please refer to the Bodypoint specific pricelist.			
OPTIONS			
Lights			
ARJ1367	☐	Standard security light system equipment Storm®3 type - Blinkers, position lights, warning (check a LINX REM216, REM400 or REM500 manipulator)	NC : 1438 627,49
ARJ1437	☐	LED Security light system equipment Storm®3 type - Blinkers, position lights, warning (check a LINX REM216, REM400 or REM500 manipulator)	650,24
ARJ1254	☐	Without light system	◆
Transportation Kit			
ARJ1450	☐	Preparation for DAHL-Docking station, (Adequate headrest is compulsory) IN COMBINATION WITH 30°TILT OR TILT/LIFTMODULE (1093/1094) MAX USER WEIGHT IS LIMITED TO 136 KG!	○
Kerb rider			
ARJ1494	☐	Kerb rider	◆
Fixation belt			
ARJ1329	☐	Fixation Belt with Auto Lock	◆
ARJ2113	☐	Fixation beltwith auto lock with adjustable attachment points on the seat	○
ARJ1332	☐	H-Belt	271,09
Ceintures de positionnement Bodypoint (fixations incluses)			
ARJ2701	☐	Evoflex Pelvic Stabilizer, Rehab Latch Size L (padded length 620 mm)	156,40
ARJ2702	☐	Evoflex Pelvic Stabilizer, Rehab Latch Size M (padded length 460 mm)	156,40
ARJ2703	☐	2-Point Hip Belt, Ctr-Pull, Push Butt, Cinch-Mount Size L (padded length 620 mm)	133,65
ARJ2704	☐	2-Point Hip Belt, Ctr-Pull, Push Butt, Cinch-Mount Size M (padded length 460 mm)	133,65
ARJ2705	☐	2-Point Hip Belt, Dual-Pull, Side-Release Butt. Cinch-Mount Size L (padded length 620 mm)	116,59
ARJ2706	☐	2-Point Hip Belt, Dual-Pull, Side-Release Butt. Cinch-Mount Size M (padded length 460 mm)	116,59
Rearview mirror			
ARJ1415	☐	Right	70,14
ARJ1339	☐	Left	70,14
Back Hook			
ARJ2128	☐	Bag hooks (on Modulite Seat) (max load up to 6 kg = impact on max user weight)	150,71






 1329

 2701, 2702

 2703, 2704

 2705, 2706

 2128



DAHL
ENGINEERING



1329



2701, 2702



2703, 2704



2705, 2706



2128

Caneholder				 1404 1405
ARJ1312	☐	Right	68,25	
ARJ1363	☐	Left	68,25	
Swing away tray				
ARJ1404	☐	Right	503,32	
ARJ1405	☐	Left	503,32	
RAMPS				 1440530  1654130
1440530	☐	Fiberglass Folding Mono Ramp Folded dimensions: 2000 x 230 mm 16.3 kg - maximum capacity: 300 kg	1 787,68	
1654130	☐	Aluminium folding mono ramp Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg	426,54	