

Invacare® TDX® SP2 AA2 Ultra Low Maxx

Please contact Invacare EU Export Customer Services on :-
Tel : +33 247 626980 ; Email : serviceclient_export@invacare.com
Or visit our website : www.invacare.eu.com



Invacare® TDX® SP2 AA2 Ultra Low Maxx

Mixt Power wheelchair 6 wheels



Date :

User name :

Customer Code :

Dealer stamp:



Descriptive :

- Weight : from 154kg
- Max user weight : 136kg
- Warranty: 2 years except batteries and wear parts

Seat lift 300 mm : without extra charges!

News :


- Hip support height
- Bodypoint joystick knobs
- DuraWatt 10 km/h motor, programmable up to 12 km/h

☐ Please make your selection with a cross in the box

☒ Standard configuration

☐ Free of charge

CODE	DESCRIPTION	NC : Non Compatible (nc : 9999) not compatible with the reference 9999	EUROS
ARO0080	☐ Invacare® TDX® SP2 AA2 Ultra Low Maxx		16 605,69
ARO0069	☐ Invacare® TDX® SP2 AA2 Ultra Low Maxx - Low Rider version - including batteries 73,5Ah - Height seat reduce to 420 mm - Seat lifter included	NC : 0592, 2052, 0337, 0331, 0339, 2184, 2185, 2186, 2187, 2188, 2189, 2114, 2115	20 166,82
Power Module : 90 A - Motors : 340W, 4 poles - Autonomy : +/- 26 km (50Ah)			



Customized settings:		Measured from:
A	Seat Height	Seat plate to floor
B	Seat Width	Front seat plate edge LH to seat plate edge RH
C	Seat Depth	Front of seat plate (incl. curve) to bracket of backrest (lowest point)
D	Finished Back Height	Seat plate to top of back
E	Armrest Height LH	Seat plate to top of tube
F	Armrest Height RH	Seat plate to top of tube
G	Centre mount legrest	Top of seat plate to top of footplate, parallel to legrest / knee-to-heel length
H	Side mount Legrest LH	Top of seat plate to top of footplate, parallel to legrest / knee-to-heel length
K	Side mount Legrest RH	Top of seat plate to top of footplate, parallel to legrest / knee-to-heel length
H	Pivot Plus Legrest LH	Top of seat plate to top of footplate, parallel to legrest / knee-to-heel length
K	Pivot Plus Legrest RH	Top of seat plate to top of footplate, parallel to legrest / knee-to-heel length

ULTRA LOW MAXX

Seating type

ARO2020 ☐ Ultra Low Maxx Powered Positioning System

☐

SEAT TILT AND BACKREST RECLINER

Seat tilt

ARO2052 ☐ Ultra Low Maxx CG tilt (0 to 50°)

☐

ARO2053 ☐ Ultra Low Maxx CG tilt (0 to 45°) combined with 300 mm
seat lifter

NC : 2263, 2264

☒

NOW AS
STANDARD!

A - Seat height setting

ARO0337 ☐ Seat-to-Floor Height 440 mm

☒

ARO0331 ☐ Seat-to-Floor Height 460 mm

☐

ARO0339 ☐ Seat-to-Floor Height 490 mm

☐

Anterior and posterior tilt options			
ARO2057	☐	Ultra Low Maxx CG Tilt Standard Mount	◆
ARO2054	☐	Ultra Low Maxx CG tilt 5° Fixed Anterior Assist mount	447,39
ARO2055	☐	Ultra Low Maxx CG tilt 10° Fixed Anterior Assist mount	530,81
ARO2056	☐	Ultra Low Maxx CG tilt 5° Fixed Posterior -tilt Assist mount	404,74
Backrest recline			
ARO2060	☐	Powered Recline 90 to 170° , Standard Mount	◆
ARO2063	☐	Powered Recline, 8° Precline mount, 82° to 162°	○
ARO2066	☐	Powered Recline, 30° Precline mount, 60° to 140°	530,81
ULTRA LOW MAXX SEATING SYSTEM			
Seat frame width range			
ARO2021	☐	405 mm - 505 mm (increments of 25 mm) / 16" - 20"	◆
ARX2003	☐	480 mm - 555 mm (increments of 25 mm) / 19" - 22"	○
ARO2022	☐	505 mm - 610 mm (increments of 25 mm) / 20" - 24" NC : 2174, 2175	○
Seat frame depth range			
ARO2008	☐	405 mm - 505 mm (increments of 25 mm) / 16" - 20"	◆
ARO2024	☐	480 mm - 580 mm (increments of 25 mm) / 19" - 23"	○
B - Seat width setting for adjustable seat frame			
ARO2025	☐	405 mm / 16" NC : 2022, 2041, 2042, 2701, 2703, 2705	○
ARO2026	☐	430 mm / 17" NC : 2022, 2041, 2142, 2701, 2703, 2705	○
ARO2027	☐	455 mm / 18" NC : 2022, 2701, 2703, 2705	○
ARO2028	☐	480 mm / 19" NC : 2022, 2702, 2704, 2706	○
ARO2029	☐	505 mm / 20" NC : 2702, 2704, 2706	○
ARO2030	☐	530 mm / 21" NC : 2021, 2034, 2035, 2036, 2174, 2175, 2145, 2702, 2704, 2706	○
ARO2031	☐	555 mm / 22" NC : 2021, 2034, 2035, 2036, 2174, 2175, 2145, 2702, 2704, 2706	○
ARO2032	☐	580 mm / 23" NC : 2021, 2034, 2035, 2036, 2174, 2175, 2147, 2145, 2702, 2704, 2706	○
ARO2033	☐	610 mm / 24" NC : 2021, 2034, 2035, 2036, 2174, 2175, 1404, 1405, 2147, 2145, , 2702, 2704, 2706	○
C - Seat depth setting			
ARO2035	☐	405 mm / 16" NC : 2024, Bodypoint belt	○
ARO2036	☐	430 mm / 17" NC : 2024	○
ARO2037	☐	455 mm / 18" NC : 2024	○
ARO2038	☐	480 mm / 19"	○
ARO2039	☐	505 mm / 20" NC : 2023	○
ARO2040	☐	530 mm / 21" NC : 2023	○
ARO2041	☐	555 mm / 22" NC : 2023, 2145	○
ARO2042	☐	580 mm / 23" NC : 2023, 2145, 2146	○
Size cushion (sizes according to seat frame settings)			
ARO2144	☐	Matrx Vi Cushion [Mesh fabric]	○
ARO2145	☐	Matrx Flo-Tech Lite (black smooth cover, 75 mm thick, up to 127 kg) NC : 2041, 2042, 2030, 2031, 2032, 2033	◆
ARO2146	☐	Matrx Flo-tech Contour (black smooth cover, 100 mm thick, up to 191 kg) NC : 2042	○
ARO2147	☐	Matrx Libra Cushion, 90 mm thick Standard (up to 136 kg); HD (up to 227 kg) Startex NC : 2032, 2033, 2034	○
Backrest support options (material height, see below for overall back height)			
ARO2050	☐	High Back , height 405 mm / 16" [Mesh fabric]	◆
ARO2051	☐	High Back , height 455 mm / 18" [Mesh fabric]	○
ARO2320	☐	High Back , height 505 mm / 20" [Mesh fabric]	○
ARO2550	☐	Matrx Elite Back , height 355mm / 14" / 16 - 18" wide NC : 2030, 2031, 2032, 2033	○
ARO2551	☐	Matrx Elite Back , height 405 mm / 16" NC : 2030, 2031, 2032, 2033	○
ARO2552	☐	Matrx Elite Back , height 455 mm / 18" NC : 2030, 2031, 2032, 2033	○
ARO2553	☐	Matrx Elite Back , height 505 mm / 20" NC : 2030, 2031, 2032, 2033	○
ARO2554	☐	Matrx Elite Max Back , height 405 mm / 16" NC : 2025, 2026, 2027, 2028, 2029	○
ARO2555	☐	Matrx Elite Max Back , height 505 mm / 20" NC : 2025, 2026, 2027, 2028, 2029	○
ARO2556	☐	Matrx Elite TR Back , height 405 mm / 16" [Mesh fabric] NC : 2030, 2031, 2032, 2033	○
ARO2557	☐	Matrx Elite TR Back , height 455 mm / 18" [Mesh fabric] NC : 2030, 2031, 2032, 2033	○
ARO2177	☐	Matrx Elite TR Back , height 505 mm / 20" [Mesh fabric] NC : 2030, 2031, 2032, 2033	○

ARO2563	☐	Matrx Elite TR Max Back , height 505 mm / 20" [Mesh fabric]	NC : 2025, 2026, 2027, 2028, 2029	☐
ARO2558	☐	Matrx Elite Deep Back , height 405 mm / 16" [Mesh fabric]	NC : 2030, 2031, 2032, 2033	☐
ARO2559	☐	Matrx Elite Deep Back , height 455 mm / 18" [Mesh fabric]	NC : 2030, 2031, 2032, 2033	☐
ARO2178	☐	Matrx Elite Deep Back , height 505 mm / 20" [Mesh fabric]	NC : 2030, 2031, 2032, 2033	☐
ARO2174	☐	Matrx PB Back , height 405 mm / 16" [Mesh fabric]		☐
ARO2175	☐	Matrx PB Back , height 505 mm / 20" [Mesh fabric]		☐
ARO2560	☐	Matrx PB Deep Back , height 405mm / 16"		☐
ARO2561	☐	Matrx PB Deep Back , height 505 mm / 20"		☐
ARO2562	☐	Matrx Elite Deep Max , height 505 mm / 20"		☐
D - Finished back height - SEAT PAN TO TOP OF THE BACK				
ARO2506	☐	505 mm / 20" - only with : 2550		☐
ARO2501	☐	535 mm / 21" - only with : 2550		☐
ARO2070	☐	555 mm / 22" - only with : 2050, 2551, 2554, 2556, 2558, 2174, 2560		☐
ARO2071	☐	585 mm / 23" - only with : 2050, 2551, 2554, 2556, 2558, 2174, 2560		☐
ARO2072	☐	610 mm / 24" - only with : 2051, 2552, 2557, 2559		☐
ARO2073	☐	635 mm / 25" - only with : 2051, 2552, 2557, 2559		☐
ARO2074	☐	660 mm / 26" - only with : 2320, 2553, 2555, 2177, 2563, 2178, 2175, 2561, 2562		☐
ARO2502	☐	685 mm / 27" - only with : 2320, 2553, 2555, 2177, 2563, 2178, 2175, 2561, 2562		☐
Armrest type				
ARO2095	☐	Cantilever Flip-Back Arm, width, height and angle adjustable. 240 - 330 mm (9.5" - 13")		☒
ARO2096	☐	Cantilever Flip-Back Arm, width, height and angle adjustable. 340 - 405 mm (12.5-16")		☐
ARO2097	☐	Two-post Recline Arm, Flip Back, adjustable height 230 - 330 mm (9-13")		☐
Armrest accessories				
ARO2308	☐	1" Offset Armrest Spacer (pair), for two-post recline only		159,24
ARO2309	☐	1/2" Offset Armrest Spacer (pair), for two-post recline only		159,24
Left arm pad				
ARO2012	☐	Desk arm pad with Startex cover visco foam (255mm); 40 mm thick		☒
ARO2013	☐	Full length arm pad with Startex cover visco foam (355mm), 40 mm thick		☐
ARO2014	☐	Ergonomic arm trough; 30 mm thick	NC : 2347, 2348, 2349, 2350, 1404, 1405	163,98
Right arm pad				
ARO2016	☐	Desk arm pad with Startex cover visco foam (255mm); 40 mm thick		☒
ARO2017	☐	Full length arm pad with Startex cover visco foam (355mm); 40 mm thick		☐
ARO2018	☐	Ergonomic arm trough, 30 mm thick	NC : 2351, 2352, 2353, 2354, 1404, 1405	163,98
Arm pad accessories & mounting options				
ARO2080	☐	Flat Hand Pad Left		159,24
ARO2083	☐	Flat Hand Pad Right		86,26
ARO2081	☐	Ergonomic Mounting Hardware to mount Otto Bock (EMO) hand pad options Left		158,29
ARO2084	☐	Ergonomic Mounting Hardware to mount Otto Bock (EMO) hand pad options Right		86,26
Multi-axis upper extremity supports				
ARO2082	☐	Multi Axis Upper Extremity Support (MACES) Left, lowest armpad height will be increased by 43 mm		309,95
ARO2085	☐	Multi Axis Upper Extremity Support (MACES) Right, lowest armpad height will be increased by 43 mm		309,95
E - Height setting: Armrest LH - SEAT PAN TO TOP OF THE TUBE				
Customized :				
☐ 290 mm				☒
☐ 230 mm ☐ 240 mm ☐ 250 mm ☐ 260 mm ☐ 270 mm				☐
☐ 280 mm ☐ 300 mm ☐ 310 mm ☐ 320 mm ☐ 330 mm				☐
☐ 340 mm ☐ 350 mm ☐ 360 mm ☐ 370 mm ☐ 380 mm				☐
☐ 390 mm ☐ 405 mm				☐


F - Height setting: Armrest RH - SEAT PAN TO TOP OF THE TUBE			
Customized :			
☐ 290 mm			◆
☐ 230 mm ☐ 240 mm ☐ 250 mm ☐ 260 mm ☐ 270 mm			○
☐ 280 mm ☐ 300 mm ☐ 310 mm ☐ 320 mm ☐ 330 mm			○
☐ 340 mm ☐ 350 mm ☐ 360 mm ☐ 370 mm ☐ 380 mm			○
☐ 390 mm ☐ 405 mm			○
Elbow block left: pads			
ARO2347	☐ Elbow Block XS (110 mm wide x 83 mm high)		296,68
ARO2348	☐ Elbow Block S (135 mm wide x 90 mm high)		296,68
ARO2349	☐ Elbow Block M (145 mm wide x 95 mm high)		296,68
ARO2350	☐ Elbow Block L (165 mm wide x 110 mm high)		296,68
Elbow block left: mounting hardware			
ARO2361	☐ Vertical 3"/ Horizontal 5"		○
ARO2362	☐ Vertical 3"/ Horizontal 7"		○
ARO2363	☐ Vertical 5"/ Horizontal 5"		○
ARO2364	☐ Vertical 5"/ Horizontal 7"		○
Elbow block right: pads			
ARO2351	☐ Elbow Block XS (110 mm wide x 83 mm high)		296,68
ARO2352	☐ Elbow Block S (135 mm wide x 90 mm high)		296,68
ARO2353	☐ Elbow Block M (145 mm wide x 95 mm high)		296,68
ARO2354	☐ Elbow Block L (165 mm wide x 110 mm high)		296,68
Elbow block right: mounting hardware			
ARO2371	☐ Vertical 3"/ Horizontal 5"		○
ARO2372	☐ Vertical 3"/ Horizontal 7"		○
ARO2373	☐ Vertical 5"/ Horizontal 5"		○
ARO2374	☐ Vertical 5"/ Horizontal 7"		○
Hip Supports			
ARO2184	☐ Hip Support LH, Quick Release, pad size 140 x 100 mm	NC : Bodypoint Belt	296,68
ARO2114	☐ Hip Support LH, Quick Release, pad size 180 x 150 mm	NC : Bodypoint Belt	296,68
ARO2186	☐ Hip Support LH, Quick Release, pad size 230 x 100 mm	NC : Bodypoint Belt	296,68
ARO2188	☐ Hip Support LH, Quick Release, pad size 330 x 100 mm	NC : Bodypoint Belt	296,68
ARO2185	☐ Hip Support RH, Quick release, pad size 140 x 100 mm	NC : Bodypoint Belt	296,68
ARO2115	☐ Hip Support RH, Quick Release, pad size 180 x 150 mm	NC : Bodypoint Belt	296,68
ARO2187	☐ Hip Support RH, Quick release, pad size 230 x 100 mm	NC : Bodypoint Belt	296,68
ARO2189	☐ Hip Support RH, Quick Release, pad size 330 x 100 mm	NC : Bodypoint Belt	296,68
Mounting hardware for hip supports			
ARO2164	☐ Mounting hardware for hip supports (155 mm high)		◆
ARO2165	☐ Mounting hardware for hip supports (206 mm high)		○
Headrest and mounting hardware			
ARO2092	☐ Onyx Auto Style Headrest		◆
ARO2324	☐ Elan Standard Pad 260 mm / 10" wide w/standard cover (ESP26)		○
ARO2325	☐ Elan Occipital Pad 230 mm wide w/standard cover (EOP23)		227,49
ARO1495	☐ Head Control or equivalent Headrest, provided independently from this order	NC : 2229	○
Lateral supports			
ARO2343	☐ Lateral Support Maxx Style Quick Release, pad size (110 mm wide x 83 mm high) LH		290,05
ARO2345	☐ Lateral Support Maxx Style Quick Release, pad size (135 mm wide x 90 mm high) LH		290,05
ARO2043	☐ Lateral Support Maxx Style Quick Release, pad size (145 mm wide x 95 mm high) LH		290,05
ARO2045	☐ Lateral Support Maxx Style Quick Release, pad size (165 mm wide x 110 mm high) LH		290,05
ARO2344	☐ Lateral Support Maxx Style Quick Release, pad size (110 mm wide x 83 mm high) RH		290,05
ARO2346	☐ Lateral Support Maxx Style Quick Release, pad size (135 mm wide x 90 mm high) RH		290,05
ARO2044	☐ Lateral Support Maxx Style Quick Release, pad size (145 mm wide x 95 mm high) RH		290,05
ARO2046	☐ Lateral Support Maxx Style Quick Release, pad size (165 mm wide x 110 mm high) RH		290,05
ARO2049	☐ Additional telescopic link for Maxx Style lateral support, 25 mm, Pair		107,11

LEGRESTS / FOOTRESTS				
Centre mount legrests (Incl. Calf pads)				
ARO0586	☐	Centre mount legrest, angle settable Length: 310 - 410 mm	NC : 0517, 2034, 2035, 2366	338,39
ARO0589	☐	LNX Power centre mount legrest, length compensating; Length: 340 - 410 mm	NC : 2261, 2262, 2263, 2264	1 713,74
ARX0592	☐	LNX Power centre mount legrest with telescoping foot platform (lowers to the ground); Length: 380 - 419 mm	NC : 2263, 2264	3 002,84
Footplates/Foot platform (nc : 0592)				
ARO2365	☐	Angle & width adjustable footplates S (127 W x 190 mm D / 5"x7.5")		○
ARO0559	☐	Angle & width adjustable footplates M (140 W x 240 mm D / 5.5"x9.5")		◆
ARO0516	☐	Angle & width adjustable footplates L (150 W x 290 mm D / 6"x11.5)		124,17
ARO2366	☐	Angle adjustable foot platform S (305 W x 215 mm D / 12"x8.5")		124,17
ARO0517	☐	Angle adjustable foot platform M (305 W x 275 mm D / 12"x10.75")		124,17
G - Height setting: Centre Mount Legrest (options 0586, 0589) - SEAT PAN TO FOOTPLATE				
Customized :				
☐ 375 mm				◆
☐ 310 mm ☐ 325 mm ☐ 335 mm ☐ 345 mm				○
☐ 355 mm ☐ 364 mm ☐ 385 mm ☐ 410 mm				○
G - Height setting: Centre Mount w telescoping foot platform - SEAT PAN TO FOOTPLATE				
Customized :				
☐ 380 mm ☐ 393 mm ☐ 406 mm ☐ 419 mm				○
Vari legrests LH				
ARO0537	☐	Hanger Vari A LH		◆
ARO0538	☐	Hanger ADM 0° - 80° LH		96,68
ARO0539	☐	Hanger ADE 0° - 80° LH	NC : 2261, 2262, 2263, 2264	343,13
Vari legrests RH				
ARO0547	☐	Hanger Vari A RH		◆
ARO0548	☐	Hanger ADM 0° - 80° RH		96,68
ARO0549	☐	Hanger ADE 0° - 80° RH	NC : 2261, 2262, 2263, 2264	343,13
Individual footplate type LH				
ARO0509	☐	Angle adjustable Footplate LH		◆
ARO0511	☐	Angle and depth adjustable Footplate LH		124,17
Individual footplate type RH				
ARO0506	☐	Angle adjustable Footplate RH		◆
ARO0508	☐	Angle and depth adjustable Footplate RH		124,17
H - Height setting: Vari Hanger LH (options 0537, 0538 & 0539) - SEAT PAN TO FOOTPLATE				
Customized :				
☐ 370 mm				◆
☐ 270 mm ☐ 280 mm ☐ 290 mm ☐ 300 mm				○
☐ 310 mm ☐ 320 mm ☐ 330 mm ☐ 340 mm				○
☐ 350 mm ☐ 360 mm ☐ 380 mm ☐ 390 mm				○
☐ 400 mm ☐ 410 mm ☐ 420 mm ☐ 430 mm				○
K - Height setting: Vari Hanger RH (options 0547, 0548 & 0549) - SEAT PAN TO FOOTPLATE				
Customized :				
☐ 370 mm				◆
☐ 270 mm ☐ 280 mm ☐ 290 mm ☐ 300 mm				○
☐ 310 mm ☐ 320 mm ☐ 330 mm ☐ 340 mm				○
☐ 350 mm ☐ 360 mm ☐ 380 mm ☐ 390 mm				○
☐ 400 mm ☐ 410 mm ☐ 420 mm ☐ 430 mm				○
REMOTES				
LiNX primary remotes & brackets				
ARO2203	☐	Remote LiNX DLX-REM211 = Drive & Actuators	NC : 2229, 2231, 2232, 2230, 2247, 2257, 2233, 2240, 2270, 2219, 2245	○
ARO2204	☐	Remote LiNX DLX-REM216 = Drive, Actuators & Lights	NC : 2229, 2231, 2232, 2230, 2247, 2257, 2233, 2240, 2270, 2219, 2245	○
ARO2205	☐	Rehab Remote LiNX, touch-screen user interface DLX-REM400		◆
ARO2206	☐	Rehab Remote LiNX without joystick for alternative access users DLX-REM500	NC : 2270	473,93
			   REM211 REM216	
			  REM400 REM500	
			 Bluetooth®	

Use mount/REM400 toggle option			
ARO2270	☐	Assignable Toggle Switch Module for REM400 (DLX-SW400TGL) as default set to left: ON/OFF, right speed dial	340,28
Use mount/Remote mounting position			
ARO2107	☐	Standard Bracket RH	NC : 1404
ARO2108	☐	Standard Bracket LH	NC : 1405
ARO1707	☐	Swing Away Bracket RH	NC : 1404
ARO1708	☐	Swing Away Bracket LH	NC : 1405
ARO2293	☐	Retractable inwards and outwards, multi-adjustable, right-positioned	NC : 1404
ARO2294	☐	Retractable inwards and outwards, multi-adjustable, left-positioned	NC : 1405
ARO2075	☐	Swing Away + height / width adjust. Mount on RH for user, Quad link design	NC : 1415
ARO2076	☐	Swing Away + height / width adjust. Mount on LH for user, Quad link design	NC : 1339
ARO2213	☐	Centre Mount, swing-away to RH, Nucleus	NC : 1404, 1405
ARO2214	☐	Centre Mount, swing-away to LH, Nucleus	NC : 1404, 1405
ARO2227	☐	Bracket RH, mounted for Attendant	NC : 2219, 2245
ARO2228	☐	Bracket LH, mounted for Attendant	NC : 2219, 2245
ARO2239	☐	Individual mounting option per request (Special)	On demand
LiNX REM500 (Display only) brackets			
ARO2209	☐	Swing away RH, multi-adjustable	NC : 1404, 2311
ARO2210	☐	Swing away LH, multi-adjustable	NC : 1405, 2310
PW-4005	☐	Option 2209/2210 avec tige de fixation pour REM500 rallongée de 200 mm	On demand
ARO2213	☐	Centre Mount, swing-away to RH, Nucleus	NC : 1404, 1405, 2310, 2311
ARO2214	☐	Centre Mount, swing-away to LH, Nucleus	NC : 1404, 1405, 2310, 2311
ARX2239	☐	Individual mounting option per request (Special)	On demand
Dual control LiNX + brackets			
ARO2219	☐	Compact Dual Control LiNX (DLX-ACU200)	NC : 1221, 1222, 2227, 2228
ARO2245	☐	Invacare LiNX IDC Dual control	NC : 1207, 1208, 2227, 2228, 2069
ARO1207	☐	Standard Bracket RH	NC : 2245
ARO1208	☐	Standard Bracket LH	NC : 2245
ARO1221	☐	Bracket RH, detachable	NC : 2219
ARO1222	☐	Bracket LH, detachable	NC : 2219
If multiple joysticks are to be mounted on the center mount mount (2213/2214), select option 2215			
LiNX - Compact remotes & brackets			
ARO2231	☐	Proportional Compact Remote DLX-CR400	938,39
ARO2232	☐	Proportional Compact Remote Low Force DLX-CR-400LF	1 033,18
ARO2207	☐	RH Mount	NC : 1404
ARO2208	☐	LH Mount	NC : 1405
ARO2213	☐	Centre Mount, swing-away to RH (Nucleus)	NC : 1404, 1405
ARO2214	☐	Centre Mount, swing-away to LH (Nucleus)	NC : 1404, 1405
ARX2215	☐	Individual mounting option per request (Special)	On demand
ALTERNATIVE JOYSTICKS & INPUTS & BRACKETS			
Chin control & brackets			
ARO2229	☐	Proportional Chin Joystick (ASL138)	NC : 2230, 2247, 2233, 2257, 2240
ARO1289	☐	Swing Away Bracket RH, side manual (ASL628)	
ARO1288	☐	Swing Away Bracket LH, side manual (ASL628)	
ARX1287	☐	Swing Away Bracket RH, powered	
ARX1286	☐	Swing Away Bracket LH, powered	
Head control ATOM technology			
ARO2230	☐	Head Control with ultrasonic proximity sensors (ATOM, ASL104) with standard wings M3	NC : 2233, 2092, 2324, 2325, 2257, 2240
ARO2247	☐	Head Control with ultrasonic proximity sensors (PROTON, ASL104P) with PROTON wings	NC : 2233, 2092, 2324, 2325, 2257, 2240



2270



2209
2210



2219
2245



2231



2229



2230



2247



2270



2209
2210



2219
2245



2231



2229





2230



2247

Four-switch proximity array				 2257	
ARO2257	☐	Four-Switch Proximity Array (ASL106)	NC : 2233, 2240		6 129,86
ARO2275	☐	Centre Mount, swing-away to RH, Nucleus			○
ARO2276	☐	Centre Mount, swing-away to LH, Nucleus			○
ARO2215	☐	Individual mounting option per request (Special)			On demand
LiNX - Proportional remotes / inputs & brackets					
ARO2233	☐	MEC Proportional Joystick (Micro Extremity Control ASL130)	NC : 2240	2 649,29	 2233
ARO2235	☐	Tray Mount RH (ASL603, 100x150 mm)		○	
ARO2236	☐	Tray Mount LH (ASL603, 100x150 mm)		○	
ARO2213	☐	Centre Mount, swing-away to RH, Nucleus	NC : 1404, 1405	○	
ARO2214	☐	Centre Mount, swing-away to LH, Nucleus	NC : 1404, 1405	○	
ARO2241	☐	Centre Mount, swing-away to RH, Nucleus - Incl. Tray ASL603, 100x150 mm	NC : 1404, 1405	563,98	 2240
ARO2242	☐	Centre Mount, swing-away to LH, Nucleus - Incl. Tray ASL603, 100x150 mm		563,98	
ARO2215	☐	Individual mounting option per request (Special)		On demand	
LiNX - Enhanced proportional remotes / inputs & brackets					
ARO2240	☐	Proportional Heavy Duty Remote Joystick w mode switch (ASL133)		2 132,70	
ARO2235	☐	Tray Mount RH (ASL603, 100x150 mm)		○	 2243
ARO2236	☐	Tray Mount LH (ASL603, 100x150 mm)		○	
ARO2213	☐	Centre Mount, swing-away to RH, Nucleus		○	
ARO2214	☐	Centre Mount, swing-away to LH, Nucleus		○	
ARO2241	☐	Centre Mount, swing-away to RH, Nucleus - Incl. Tray ASL603, 100x150 mm		563,98	
ARO2242	☐	Centre Mount, swing-away to LH, Nucleus - Incl. Tray ASL603, 100x150 mm		563,98	 2243
ARO2215	☐	Individual mounting option per request (Special) - REQUIRES ADDITIONAL INFORMATION /		On demand	
Pediatric compact					
ARO2243	☐	Proportional Pediatric Compact (ASL132), includes Input Module		2 383,89	
ARO2235	☐	Tray Mount RH (ASL603, 100x150 mm)		○	
ARO2236	☐	Tray Mount LH (ASL603, 100x150 mm)		○	 2255 2256
ARO2213	☐	Centre Mount, swing-away to RH, Nucleus		○	
ARO2214	☐	Centre Mount, swing-away to LH, Nucleus		○	
ARO2241	☐	Centre Mount, swing-away to RH, Nucleus - Incl. Tray ASL603, 100x150 mm		563,98	
ARO2242	☐	Centre Mount, swing-away to LH, Nucleus - Incl. Tray ASL603, 100x150 mm		563,98	
ARO2215	☐	Individual mounting option per request (Special) - REQUIRES ADDITIONAL INFORMATION /		On demand	 2255 2256
Sip'n puff head control					
ARO2255	☐	Sip'n Puff Head Control (ASL109), includes Input Module and Lip Switch (ASL 301 LIP)		5 298,58	
Sip'n puff control & input module					
ARO2256	☐	Sip'n Puff Control (including Sip'n Puff kit, Lip Switch ASL301LIP and Input module)		5 298,58	
LiNX interface options (mounted & connected)					
ARO2271	☐	Input Module DLX-IN500-A (sub D, Sip'n Puff)		398,10	 2251
LiNX 10-way switch (For alternative joystick: only on opposite side of joystick)					
ARO2251	☐	10-Way Switch DLX-SW10-A for direct Powered Seating Access		417,06	
ARO2217	☐	Bracket RH, mounted for user		○	
ARO2218	☐	Bracket LH, mounted for user		○	
ARO2226	☐	For attendant, mounted on back shroud		○	 2263
ARO2225	☐	Without mounting		○	
Toggles/Buttons					
ARO2263	☐	Four-Way Toggle - direct control for tilt & recline		322,27	
ARO2264	☐	Four-Way Button - direct control for tilt & recline		322,27	
ARO2207	☐	RH Mount		○	 2253
ARO2208	☐	LH Mount		○	
ARO2225	☐	Without mounting		○	
LiNX ACCESSORIES					
USB charger port					
ARO2253	☐	USB Charger Port DLX-USB02-A	NC : Bodypoint Belt	184,83	
ARO2207	☐	RH Mount		○	
ARO2208	☐	LH Mount		○	

Remote stop switch					2258
ARO2258	☐	Remote Stop Switch (ASL504)	654,03		
Output module					2272
ARO2272	☐	LiNX Output Module (DLX-OUT500)	591,47		
Further LiNX components / accessories					
ARO2300	☐	To be enclosed only	○		
ARX2301	☐	To be connected and programmed (Special)	On demand		
Buddy buttons (diameter 63 mm)					
ARO1685	☐	Red Buddy Button	102,37		
ARO1686	☐	Yellow Buddy Button	102,37		
ARO1687	☐	Green Buddy Button	102,37		
ARO1690	☐	Blue Buddy Button	102,37		
Egg switch					
ARO2254	☐	Egg switch, black	81,52		
Piko buttons (diameter: 30 mm)					
ARO1711	☐	Red Piko Button	102,37		
ARO1712	☐	Yellow Piko Button	102,37		
ARO1713	☐	Green Piko Button	102,37		
ARO1714	☐	Orange Piko Button	102,37		
ARO1715	☐	Blue Piko Button	102,37		
ARO1716	☐	Black Piko Button	102,37		
Bodypoint joystick knobs					
ARO2721	☐	3 inch U-Shaped, Joystick Handle, Bodypoint PC101A	79,00		
ARO2722	☐	4 inch U-Shaped, Joystick Handle, Bodypoint PC102A	79,00		
ARO2723	☐	Domed Rubber, Joystick Handle, Bodypoint PC107A	79,00		
ARO2724	☐	Mushroom Grooved, Joystick Handle, Bodypoint PC110A	79,00		
DRIVE UNIT DETAILS					
Shroud colours					
ARO2061	☐	SpaceStation Silver	○		
ARO2602	☐	Island Blue	○		
ARO2603	☐	Grape JellyBean	○		
ARO2607	☐	Rockstar Red	○		
ARO2608	☐	Lights Out Black – Matte	○		
ARO2609	☐	Invacare® Blue	○		
ARO0228	☐	Wet Black	○		
Rim insert colours					
ARO2611	☐	SpaceStation Silver	○		
ARO2612	☐	Island Blue	○		
ARO2613	☐	Grape JellyBean	○		
ARO2617	☐	Rockstar Red	○		
ARO2618	☐	Lights Out Black – Matte	○		
ARO2619	☐	Invacare® Blue	○		
ARO2620	☐	Wet Black	◆		
PERFORMANCES					
Forks					
ARO2631	☐	Single sided fork (new) incl. black castor	399,05		
ARO2632	☐	Double sided fork	◆		
Centre / Drive wheels					
ARO0704	☐	14"x3" Black Tires, Pneumatic	◆		
ARO0732	☐	14"x3" Black Tires, Puncture protected (sealed), 3.00-8	○		
ARO0733	☐	14"x3" Black Tires with Gel Foam Inserts	○		
Motor type / Speed options					
ARO1282	☐	OPS Drive 6 km/h (4-pole)	◆		
ARO1283	☐	OPS Drive 10 km/h (4-pole)	○		
ARO1223	☐	OPS Drive 10 km/h, programmable up to 12 km/h	○		
Battery					
ARO1260	☐	73,5 Ah	◆		
Charger					
ARO1313	☐	OptiCharge Charger 10A	◆		
GYROSCOPE					
G-Trac					
ARO1215	☐	G-Trac Module	1 035,07		

POSITIONNING OPTIONS								
For Bodypoint accessories, please refer to Bodypoint specific pricelist								
OPTIONS								
Light								
ARO1367	☐	Light system with Indicators			627,49		1367	
ARO1437	☐	LED Light System			650,24			
ARO1254	☐	Without Light system			◆			
Transportation kit								
ARO1450	☐	Preparation for DAHL-Docking station (Adequate headrest is compulsory)			○	  		
Taxi hook								
ARO1494	☐	4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19:2001) (Adequate headrest is compulsory)			◆			
ARO1401	☐	6-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19)) required for variants with combined Lift & Tilt module (Adequate headrest is compulsory)			○			
Lap belt								
ARO2113	☐	Lap Belt with Auto Lock (flexible mount in side rails)	NC : Bodypoint belt		◆		2701, 2702	
Bodypoint positioning belts (fasteners included)								
ARO2701	☐	Evoflex Pelvic Stabilizer, Rehab Latch - Size L			156,40		2703, 2704	
ARO2702	☐	Evoflex Pelvic Stabilizer, Rehab Latch - Size M			156,40			
ARO2703	☐	2-Point Hip Belt, Ctr-Pull, Push Butt, Cinch-Mount - Size L			133,65			
ARO2704	☐	2-Point Hip Belt, Ctr-Pull, Push Butt, Cinch-Mount - Size M			133,65		2705, 2706	
ARO2705	☐	2-Point Hip Belt, Dual-Pull, Side-Release Butt. Cinch-Mount - Size L			116,59			
ARO2706	☐	2-Point Hip Belt, Dual-Pull, Side-Release Butt. Cinch-Mount - Size M			116,59			
Rearview mirror								
ARX1415	☐	RH Mirror			70,14		1440530	
ARX1339	☐	LH Mirror			70,15			
Tray								
ARO1404	☐	Swing Away RH			478,67		1654130	
ARO1405	☐	Swing Away LH			478,67			
RAMPS								
1440530	☐	Fiberglass Folding Mono Ramp Folded dimensions: 2000 x 230 mm 16.3 kg - maximum capacity: 300 kg			1 787,68			
1654130	☐	Aluminium folding mono ramp Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg			317,54			