

Invacare® TDX® SP2^{NB} AA2 Ultra Low Maxx

Please contact Invacare EU Export Customer Services on :-
Tel : +33 247 626980 ; Email : serviceclient_export@invacare.com
Or visit our website : www.invacare.eu.com



Invacare® TDX® SP2^{NB} AA2 Ultra Low Maxx Mid Power wheelchair 6 wheels



Description:

- Weight: from 154kg
- Max weight user: 136kg
- 2-year warranty excluding batteries and wearing parts.



Date :


User Name :

Customer Code:

Dealer stamp :

☐ Please make your selection with a cross in the box ◆ Standard configuration ○ Free of charge

CODE	DESCRIPTION	NC : Non Compatible NC : 9999 : non compatible avec la référence 9999	Euros
ARP0080	☐ <i>Invacare® TDX® SP2^{NB} AA2 Ultra Low Maxx</i> - Code LPPR 9125996 Power module: 90 A - Motors: 340W, 4 poles - Range: +/- 26 km (50Ah)		11 345,97



Customized settings:	Measured from:
A Seat Height	Seat plate to floor
B Seat Width	Front seat plate edge LH to seat plate edge RH
C Seat Depth	Front of seat plate (incl. curve) to bracket of backrest (lowest point)
D Finished Back Height	Seat plate to top of back
E Armrest Height LH	Seat plate to top of tube
F Armrest Height RH	Seat plate to top of tube
G Centre mount legrest	Top of seat plate to top of footplate, parallel to legrest / knee-to-heel length
H Side mount Legrest LH	Top of seat plate to top of footplate, parallel to legrest / knee-to-heel length
K Side mount Legrest RH	Top of seat plate to top of footplate, parallel to legrest / knee-to-heel length
H Pivot Plus Legrest LH	Top of seat plate to top of footplate, parallel to legrest / knee-to-heel length
K Pivot Plus Legrest RH	Top of seat plate to top of footplate, parallel to legrest / knee-to-heel length

SEATING TYPE

SEATING TYPE

ARP2020 ☐ Ultra Low Maxx Powered Positioning System ○

POWERED POSITIONING OPTIONS

SEAT TILT and combined SEAT TILT & SEAT LIFTER

ARP2052	☐ Ultra Low Maxx CG Tilt (0 to 50°)	○
ARP2053	☐ Ultra Low Maxx CG Tilt (0 to 45°) combined w 300 mm Seat Lifter - Increased STF Height by 4 mm	◆ NC : 2263, 2264

A - SEAT HEIGHT SETTING

SEAT-TO-FLOOR HEIGHT MAY INCREASE DUE TO SETTINGS!

ARP0337	☐ 440 mm	◆
ARP0331	☐ 460 mm	○
ARP0339	☐ 490 mm	○

ANTERIOR and POSTERIOR TILT OPTIONS			
ARP2057	☐	Ultra Low Maxx CG Tilt Standard Mount - No anterior or posterior tilt	◆
ARP2054	☐	Ultra Low Maxx CG tilt 5° Fixed Anterior Assist mount - Will reduce max tilt angle by 5°	447,39
ARP2055	☐	Ultra Low Maxx CG tilt 10° Fixed Anterior Assist mount - Will reduce max tilt angle by 10°	530,81
ARP2056	☐	Ultra Low Maxx CG tilt 5° Fixed Posterior-tilt Assist mount - Will increase max tilt angle by 5°	447,39
BACKREST RECLINER			
ARP2060	☐	Powered Recline 90 to 170° , Standard Mount	◆
ARP2063	☐	Powered Recline, 8° Precline mount, 82° to 162°	○
ARP2066	☐	Powered Recline, 30° Precline mount, 60° to 140°	530,81
SEAT DIMENSIONS			
SEAT FRAME WIDTH RANGE			
ARP2021	☐	405 mm - 505 mm (increments of 25 mm) / 16" - 20"	◆
ARU2003	☐	480 mm - 555 mm (increments of 25 mm) / 19" - 22"	○
ARU2022	☐	505 mm - 610 mm (increments of 25 mm) / 20" - 24" NC : 2174, 2175	○
SEAT FRAME DEPTH RANGE			
ARP2008	☐	405 mm - 505 mm (increments of 25 mm) / 16" - 20"	◆
ARP2024	☐	480 mm - 580 mm (increments of 25 mm) / 19" - 23"	○
B - SEAT WIDTH SETTING FOR ADJUSTABLE SEAT FRAME			
ARP2025	☐	405 mm NC : 2022, 2041, 2042, 2701, 2703, 2705	○
ARP2026	☐	430 mm NC : 2022, 2041, 2142, 2701, 2703, 2705	○
ARP2027	☐	455 mm NC : 2022, 2701, 2703, 2705	○
ARP2028	☐	480 mm NC : 2022, 2702, 2704, 2706	○
ARP2029	☐	505 mm NC : 2702, 2704, 2706	○
ARP2030	☐	530 mm NC : 2021, 2034, 2035, 2036, 2174, 2175, 2702, 2704, 2706	○
ARP2031	☐	555 mm NC : 2021, 2034, 2035, 2036, 2174, 2175, 2702, 2704, 2706	○
ARP2032	☐	580 mm NC : 2021, 2034, 2035, 2036, 2174, 2175, 2147, 2702, 2704, 2706	○
ARP2033	☐	610 mm NC : 2021, 2034, 2035, 2036, 2174, 2175, 1404, 1405, 2147, 2702, 2704, 2706	○
C - SEAT DEPTH SETTING			
ARP2035	☐	405 mm NC : 2024, 0586, 0589, Bodypoint Belt	○
ARP2036	☐	430 mm NC : 2024	○
ARP2037	☐	455 mm NC : 2024	○
ARP2038	☐	480 mm	○
ARP2039	☐	505 mm NC : 2023	○
ARP2040	☐	530 mm NC : 2023	○
ARP2041	☐	555 mm NC : 2023	○
ARP2042	☐	580 mm NC : 2023	○
SEAT CUSHION			
ARP2144	☐	Matrx Vi Cushion [Mesh fabric]	340,28
ARP2145	☐	Matrx Flo-Tech Lite black smooth cover, 75 mm thick - Up to 127 kg NC : 2041, 2042, 2030, 2031, 2032, 2033	◆
ARP2146	☐	Matrx Flo-tech Contour, black smooth cover, 100 mm thick - Up to 191 kg NC : 2042	○
ARP2147	☐	Matrx Libra Cushion, 90 mm thick - Standard: up to 136kg/ HD: up to 227kg - Extended lead time: + 4 days	340,28
BACK CANE HEIGHT - STRAIGHT OR ANGLED BACK CANES			
ARP2050	☐	High Back, height 405 mm / 16" [Mesh fabric]	◆
ARP2051	☐	High Back, height 455 mm / 18" [Mesh fabric]	○
ARP2320	☐	High Back, height 505 mm / 20" [Mesh fabric]	○
ARP2550	☐	Matrx Elite E2 Back, height 355mm / 14" / 16 - 18" wide NC : 2030, 2031, 2032, 2033	○
ARP2551	☐	Matrx Elite E2 Back, height 405 mm / 16" NC : 2030, 2031, 2032, 2033	○
ARP2552	☐	Matrx Elite E2 Back, height 455 mm / 18" NC : 2030, 2031, 2032, 2033	○
ARP2553	☐	Matrx Elite E2 Back, height 505 mm / 20" NC : 2030, 2031, 2032, 2033	○
ARP2554	☐	Matrx Elite HD Back, height 405 mm / 16" NC : 2025, 2026, 2027, 2028, 2029	608,53
ARP2555	☐	Matrx Elite HD Back, height 505 mm / 20" NC : 2025, 2026, 2027, 2028, 2029	608,53
ARP2556	☐	Matrx Elite TR Back, height 405 mm / 16" [Mesh fabric] NC : 2030, 2031, 2032, 2033	608,53
ARP2557	☐	Matrx Elite TR Back, height 455 mm / 18" [Mesh fabric] NC : 2030, 2031, 2032, 2033	608,53
ARP2177	☐	Matrx Elite TR Back, height 505 mm / 20" [Mesh fabric] NC : 2025, 2026, 2027, 2028, 2029	608,53
ARP2563	☐	Matrx Elite TR HD Back, height 505 mm / 20" [Mesh fabric] NC : 2025, 2026, 2027, 2028, 2029	608,53
ARP2558	☐	Matrx Elite Deep E2 Back, height 405 mm / 16" [Mesh fabric] NC : 2030, 2031, 2032, 2033	608,53


ARP2559	☐	Matrx Elite Deep E2 Back, height 455 mm / 18" [Mesh fabric]	NC : 2030, 2031, 2032, 2033	608,53
ARP2178	☐	Matrx Elite Deep E2 Back, height 505 mm / 20" [Mesh fabric]	NC : 2030, 2031, 2032, 2033	608,53
ARP2174	☐	Matrx PB Back, height 405 mm / 16" [Mesh fabric]		723,22
ARP2175	☐	Matrx PB Back, height 505 mm / 20" [Mesh fabric]		723,22
ARP2560	☐	Matrx PB Deep Back, height 405mm / 16"		723,22
ARP2561	☐	Matrx PB Deep Back, height 505 mm / 20"		723,22
ARP2562	☐	Matrx Elite Deep HD Back, height 505 mm / 20"		608,53
D - FINISHED BACK HEIGHT				
ARP2506	☐	505 mm - unique with : 2550		☐
ARP2501	☐	535 mm - unique with : 2550		☐
ARP2070	☐	555 mm - unique with : 2050, 2551, 2554, 2556, 2558, 2174, 2560		☐
ARP2071	☐	585 mm - unique with : 2050, 2551, 2554, 2556, 2558, 2174, 2560		☐
ARP2072	☐	610 mm - unique with : 2051, 2552, 2557, 2559		☐
ARP2073	☐	635 mm - unique with : 2051, 2552, 2557, 2559		☐
ARP2074	☐	660 mm - unique with : 2320, 2553, 2555, 2177, 2563, 2178, 2175, 2561, 2562		☐
ARP2502	☐	685 mm - unique with : 2320, 2553, 2555, 2177, 2563, 2178, 2175, 2561, 2562		☐
ARMRESTS FOR ESR RECLINE SYSTEM				
ARP2095	☐	Cantilever Flip-Back Arm, width, height and angle adjustable, 240 - 330 mm (9.5" - 13")		☐
ARP2096	☐	Cantilever Flip-Back Arm, width, height and angle adjustable, 340 - 405 mm (13.5 -16")		☐
ARP2097	☐	Two-post Recline Arm, Flip Back, adjustable height 230 - 330 mm (9-13")		302,37
ACCESSORIES FOR ARMRESTS				
ARP2308	☐	Spacers for armrest spacing reinforced with 25 mm per side		159,24
ARP2309	☐	Spacers for armrest spacing reinforced with 25 mm per side		159,24
ARM PAD Left Hand				
ARP2012	☐	Desk arm pad with startex cover visco foam [255mm]; 40 mm thick		☐
ARP2013	☐	Full length arm pad with startex cover visco foam [355mm], 40 mm thick		☐
ARP2014	☐	Ergonomic arm trough; 30 mm thick	NC : 2347, 2348, 2349, 2350, 1404, 1405	163,98
ARM PAD Right Hand				
ARP2016	☐	Desk arm pad with startex cover visco foam [255mm]; 40 mm thick		☐
ARP2017	☐	Full length arm pad with startex cover visco foam [355mm]; 40 mm thick		☐
ARP2018	☐	Ergonomic arm trough, 30 mm thick	NC : 2351, 2352, 2353, 2354, 1404, 1405	163,98
ARM PAD ACCESSORIES & MOUNTING OPTIONS				
Only in combination with arm trough / Always to be mounted on the opposite side of remote				
ARP2080	☐	Flat Hand Pad Left		159,24
ARP2083	☐	Flat Hand Pad Right		86,26
MULTI-AXIS UPPER EXTREMITY SUPPORTS				
ARP2082	☐	Multi Axis Upper Extremity Support (MACES) Left, lowest armpad height will be increased by 43 mm		309,95
ARP2085	☐	Multi Axis Upper Extremity Support (MACES) Right, lowest armpad height will be increased by 43 mm		309,95
E - Height setting: ARMREST LH SEAT PAN TO TOP OF THE TUBE				
Customized :				
☐ 290 mm				☐
☐ 230 mm ☐ 240 mm ☐ 250 mm ☐ 260 mm ☐ 270 mm				☐
☐ 280 mm ☐ 300 mm ☐ 310 mm ☐ 320 mm ☐ 330 mm				☐
☐ 340 mm ☐ 350 mm ☐ 360 mm ☐ 370 mm ☐ 380 mm				☐
☐ 390 mm ☐ 405 mm				☐
F - Height setting: ARMREST RH SEAT PAN TO TOP OF THE TUBE				
Customized :				
☐ 290 mm				☐
☐ 230 mm ☐ 240 mm ☐ 250 mm ☐ 260 mm ☐ 270 mm				☐
☐ 280 mm ☐ 300 mm ☐ 310 mm ☐ 320 mm ☐ 330 mm				☐
☐ 340 mm ☐ 350 mm ☐ 360 mm ☐ 370 mm ☐ 380 mm				☐
☐ 390 mm ☐ 405 mm				☐

ELBOW BLOCK LEFT: PADS			
ARP2347	☐ Elbow Block XS (110 mm wide x 83 mm high)		296,68
ARP2348	☐ Elbow Block S (135 mm wide x 90 mm high)		296,68
ARP2349	☐ Elbow Block M (145 mm wide x 95 mm high)		296,68
ARP2350	☐ Elbow Block L (165 mm wide x 110 mm high)		296,68
ELBOW BLOCK LEFT: MOUNTING HARDWARE			
ARP2361	☐ Vertical 3"/ Horizontal 5"		○
ARP2362	☐ Vertical 3"/ Horizontal 7"		○
ARP2363	☐ Vertical 5"/ Horizontal 5"		○
ARP2364	☐ Vertical 5"/ Horizontal 7"		○
ELBOW BLOCK RIGHT: PADS			
ARP2351	☐ Elbow Block XS (110 mm wide x 83 mm high)		296,68
ARP2352	☐ Elbow Block S (135 mm wide x 90 mm high)		296,68
ARP2353	☐ Elbow Block M (145 mm wide x 95 mm high)		296,68
ARP2354	☐ Elbow Block L (165 mm wide x 110 mm high)		296,68
ELBOW BLOCK RIGHT: MOUNTING HARDWARE			
ARP2371	☐ Vertical 3"/ Horizontal 5"		○
ARP2372	☐ Vertical 3"/ Horizontal 7"		○
ARP2373	☐ Vertical 5"/ Horizontal 5"		○
ARP2374	☐ Vertical 5"/ Horizontal 7"		○
HIP SUPPORTS			
ARP2184	☐ Hip Support LH, Quick Release, pad size 140 x 100 mm	NC : Bodypoint Belt	290,05
ARP2114	☐ Hip Support LH, Quick Release, pad size 180 x 150 mm	NC : Bodypoint Belt	290,05
ARP2186	☐ Hip Support LH, Quick Release, pad size 230 x 100 mm	NC : Bodypoint Belt	290,05
ARP2188	☐ Hip Support LH, Quick Release, pad size 330 x 100 mm	NC : Bodypoint Belt	290,05
ARP2185	☐ Hip Support RH, Quick release, pad size 140 x 100 mm	NC : Bodypoint Belt	290,05
ARP2115	☐ Hip Support RH, Quick Release, pad size 180 x 150 mm	NC : Bodypoint Belt	290,05
ARP2187	☐ Hip Support RH, Quick release, pad size 230 x 100 mm	NC : Bodypoint Belt	290,05
ARP2189	☐ Hip Support RH, Quick Release, pad size 330 x 100 mm	NC : Bodypoint Belt	290,05
MOUNTING HARDWARE FOR HIP SUPPORTS			
ARP2164	☐ Mounting hardware for hip supports (155 mm high)		◆
ARP2165	☐ Mounting hardware for hip supports (206 mm high)		○
HEADREST AND MOUNTING HARDWARE			
ARP2092	☐ Onyx Auto Style Headrest		◆
ARP2324	☐ Elan Standard Pad 260 mm / 10" wide w/standard cover (ESP26)	Head Control or equivalent Headrest, provided independently from order	○
ARP2325	☐ Elan Occipital Pad 230 mm wide w/standard cover (EOP23)	Head Control or equivalent Headrest, provided independently from order	263,51
ARP1495	☐ Head Control or equivalent Headrest, provided independently from this order	NC : 2229	○
LATERAL SUPPORTS			
ARP2343	☐ Lateral Support Maxx Style Quick Release, pad size [110 mm wide x 83 mm high] LH		290,05
ARP2345	☐ Lateral Support Maxx Style Quick Release, pad size [135 mm wide x 90 mm high] LH		290,05
ARP2043	☐ Lateral Support Maxx Style Quick Release, pad size [145 mm wide x 95 mm high] LH		290,05
ARP2045	☐ Lateral Support Maxx Style Quick Release, pad size [165 mm wide x 110 mm high] LH		290,05
ARP2344	☐ Lateral Support Maxx Style Quick Release, pad size [110 mm wide x 83 mm high] RH		290,05
ARP2346	☐ Lateral Support Maxx Style Quick Release, pad size [135 mm wide x 90 mm high] RH		290,05
ARP2044	☐ Lateral Support Maxx Style Quick Release, pad size [145 mm wide x 95 mm high] RH		290,05
ARP2046	☐ Lateral Support Maxx Style Quick Release, pad size [165 mm wide x 110 mm high] RH		290,05
ARP2049	☐ Additional telescopic link for Maxx Style lateral support, 25 mm, Pair		107,11
LEGRESTS / FOOTRESTS			
CENTRE MOUNT LEGRESTS (Incl Calf pads)			
ARP0586	☐ Centre mount legrest, angle settable Length: 310 - 410 mm	NC : 0517	338,39
ARP0589	☐ LNX Power centre mount legrest, length compensating; Length: 340 - 410 mm	NC : 2263, 2264	1 505,21
ARU0592	☐ LNX Power centre mount legrest with telescoping foot platform (lowers to the ground); Length: 380 - 419 mm	NC : 2263, 2264, 2265	3 002,84



2325

FOOTPLATES / FOOT PLATFORM			
ARP2365	☐ Angle & width adjustable footplates S (127 W x 190 mm D / 5"x7.5")		○
ARP0559	☐ Angle & width adjustable footplates M (140 W x 240 mm D / 5.5"x9.5")		◆
ARP0516	☐ Angle & width adjustable footplates L (150 W x 290 mm D / 6"x11.5)		124,17
ARP0517	☐ Angle adjustable foot platform M (305 W x 275 mm D / 12"x10.75")		124,17
G - Height setting: Centre Mount Legrest, options 0586 & 0589			
SEAT PAN TO FOOTPLATE			
Customized :			
☐ 375 mm			◆
☐ 310 mm ☐ 325 mm ☐ 335 mm ☐ 345 mm			○
☐ 355 mm ☐ 364 mm ☐ 385 mm ☐ 410 mm			○
G- Height setting: Centre Mount w telescoping foot platform			
SEAT PAN TO FOOTPLATE			
Customized :			
☐ 380 mm ☐ 393 mm ☐ 406 mm ☐ 419 mm			○
SIDE MOUNTED FRONT RIGGINGS FOR ULTRA LOW-MAXX			
ARP0537	☐ Hanger Vari A LH		◆
ARP0539	☐ Hanger ADE 0° - 80° LH		343,13
ARP0547	☐ Hanger Vari A RH		◆
ARP0549	☐ Hanger ADE 0° - 80° RH		343,13
H - Height setting: Vari Hanger LH			
SEAT PAN TO FOOTPLATE			
Customized :			
☐ 370 mm			◆
☐ 270 mm ☐ 280 mm ☐ 290 mm ☐ 300 mm			○
☐ 310 mm ☐ 320 mm ☐ 330 mm ☐ 340 mm			○
☐ 350 mm ☐ 360 mm ☐ 380 mm ☐ 390 mm			○
☐ 400 mm ☐ 410 mm ☐ 420 mm ☐ 430 mm			○
H - Height setting: Vari Hanger LH			
SEAT PAN TO FOOTPLATE			
Customized :			
☐ 370 mm			◆
☐ 270 mm ☐ 280 mm ☐ 290 mm ☐ 300 mm			○
☐ 310 mm ☐ 320 mm ☐ 330 mm ☐ 340 mm			○
☐ 350 mm ☐ 360 mm ☐ 380 mm ☐ 390 mm			○
☐ 400 mm ☐ 410 mm ☐ 420 mm ☐ 430 mm			○
INDIVIDUAL FOOTPLATE TYPE; LH			
ARP0509	☐ Angle Adjustable Footplate LH		◆
INDIVIDUAL FOOTPLATE TYPE; RH			
ARP0506	☐ Angle Adjustable Footplate RH		◆
LiNX REMOTES			
LiNX PRIMARY REMOTES with proportional Joystick + BRACKETS			
ARP2203	Remote LiNX ☐ DLX-REM211 = Drive & Actuators 3 Drive functions and power module incl. 2 Actuators	NC : 2229, 2231, 2232, 2230, 2247, 2257, 2233, 2240, 2270, 2219, 2245	◆
ARP2204	Remote LiNX ☐ DLX-REM216 = Drive, Actuators & Lights 3 Drive functions and power module incl. 2 Actuators & Lights	NC : 2229, 2231, 2232, 2230, 2247, 2257, 2233, 2240, 2270, 2219, 2245	○
ARP2205	Rehab Remote LiNX, touch-screen user interface ☐ DLX-REM400 Configurable jack sockets		576,30
ARP2206	Rehab Remote LiNX without joystick for alternative access users ☐ DLX-REM500 Requires a user input/alternative joystick: 2231, 2232, 2229, 2230, 2247, 2257, 2233, 2240, 2243, 2255, 2256, 2271 or 2216	NC : 2270	1 713,74
REM400 TOGGLE OPTION			
ARP2270	Assignable Toggle Switch Module for REM400 ☐ (DLX-SW400TGL) as default set to left: ON/OFF, right speed dial		340,28



REMOTE MOUNTING POSITION			
ARP2107	☐ Standard Bracket RH	NC : 1404	○
ARP2108	☐ Standard Bracket LH	NC : 1405	○
ARP1707	☐ Swing Away Bracket RH	NC : 1404	◆
ARP1708	☐ Swing Away Bracket LH	NC : 1405	○
ARP2075	☐ Swing Away + height / width adjust. Mount on RH for user, Quad link design	NC : 1415	233,18
ARP2076	☐ Swing Away + height / width adjust. Mount on LH for user, Quad link design	NC : 1339	233,18
ARP2213	☐ Centre Mount, swing-away to RH, Nucleus	NC : 1404, 1405	563,98
ARP2214	☐ Centre Mount, swing-away to LH, Nucleus	NC : 1404, 1405	563,98
ARP2227	☐ Bracket RH, mounted for Attendant	NC : 1221, 2219, 2245	161,14
ARP2228	☐ Bracket LH, mounted for Attendant	NC : 1222, 2219, 2245	161,14
ARU2239	☐ Montage personnalisé, merci de nous préciser votre demande :		On Demand
LINX REM500 (DISPLAY ONLY) BRACKETS			
ARP2209	☐ Swing away RH, multi-adjustable	NC : 1404	◆
ARP2210	☐ Swing away LH, multi-adjustable	NC : 1405	○
PW-4005	☐ Option 2209/2210 with fixing rod for REM500 extended by 200 mm		On Demand
ARP2213	☐ Centre Mount, swing-away to RH, Nucleus	NC : 1404, 1405	685,31
ARP2214	☐ Centre Mount, swing-away to LH, Nucleus	NC : 1404, 1405	685,31
ARU2239	☐ Individual mounting option per request (Special) :		On Demand
DUAL CONTROL LINX + BRACKETS			
ARP2219	☐ Compact Dual Control LiNX (DLX-ACU200)	NC : 1221, 1222, 2227, 2228	1 091,94
ARP2245	☐ Invacare LiNX IDC Dual control	NC : 1207, 1208, 2227, 2228, 2069	1 563,98
ARP1207	☐ Standard Bracket RH		◆
ARP1208	☐ Standard Bracket LH		○
ARP1221	☐ Bracket RH, detachable		○
ARP1222	☐ Bracket LH, detachable		○
If several joysticks (or Joystick + REM500) should be mounted on one Nucleus, please select special mounting option 2215!			
LINX - COMPACT REMOTES & BRACKETS			
ARP2231	☐ Proportional Compact Remote DLX-CR400		1 192,42
ARP2232	☐ Proportional Compact Remote Low Force DLX-CR-400LF		1 311,85
ARP2207	☐ RH Mount	NC : 1404	◆
ARP2208	☐ LH Mount	NC : 1405	○
ARP2213	☐ Centre Mount, swing-away to RH (Nucleus)	NC : 1404, 1405	717,54
ARP2214	☐ Centre Mount, swing-away to LH (Nucleus)	NC : 1404, 1405	717,54
ARU2215	☐ Individual mounting option per request (Special) :		On Demand
ALTERNATIVE JOYSTICKS + INPUTS + BRACKETS			
CHIN CONTROL + BRACKETS			
ARP2229	☐ Proportional Chin Joystick (ASL138)	NC : 2230, 2247, 2233, 2257, 2240	3 011,37
ARP1289	☐ Swing Away Bracket RH, side manual (ASL628)	Requires ELAN Headrest	◆
ARP1288	☐ Swing Away Bracket LH, side manual (ASL628)	Requires ELAN Headrest	○
ARU1287	☐ Swing Away Bracket RH, powered		1 445,50
ARU1286	☐ Swing Away Bracket LH, powered		1 445,50
HEAD CONTROL ATOM Technology			
ARP2230	☐ Head Control with ultrasonic proximity sensors (ATOM, ASL104) with standard wings M3	NC : 2233, 2092, 2324, 2325, 2257, 2240	5 648,34
ARP2247	☐ Head Control with ultrasonic proximity sensors (PROTON, ASL104P) with PROTON wings	NC : 2233, 2092, 2324, 2325, 2257, 2240	5 648,34
FOUR-SWITCH PROXIMITY ARRAY (with ATOM Technology)			
ARP2257	☐ Four-Switch Proximity Array (ASL106)	NC : 2233, 2240	6 129,89
ARP2275	☐ Centre Mount, swing-away to RH, Nucleus	Incl. Eclipse Tray ASL619, 360x180 mm)	○
ARP2276	☐ Centre Mount, swing-away to LH, Nucleus	Incl. Eclipse Tray ASL619, 360x180 mm)	○
ARU2215	☐ Individual mounting option per request (Special) :		On Demand
WIRELESS ACCESSORIES FOR ATOM			
ARP2250	☐ Wireless Mouse Emulator (ASL558)		1 506,16
LINX - PROPORTIONAL REMOTES / INPUTS & BRACKETS			
ARP2233	☐ MEC Proportional Joystick (Micro Extremity Control ASL130)	NC : 2240	3 366,82
ARP2235	☐ Tray Mount RH (ASL603, 100x150 mm)		717,54
ARP2236	☐ Tray Mount LH (ASL603, 100x150 mm)		717,54
ARP2213	☐ Centre Mount, swing-away to RH, Nucleus	NC : 1404, 1405	○
ARP2214	☐ Centre Mount, swing-away to LH, Nucleus	NC : 1404, 1405	○
ARP2241	☐ Centre Mount, swing-away to RH, Nucleus	Incl. Tray ASL603, 100x150 mm	717,54
ARP2242	☐ Centre Mount, swing-away to LH, Nucleus	Incl. Tray ASL603, 100x150 mm	717,54
ARU2215	☐ Individual mounting option per request (Special) :		On Demand



2209
2210



2219
2245



2231
2232



2229



2230



2247



2257



2250



2233

Proportional reinforced joystick control				
ARP2240	☐	Proportional Heavy Duty Remote Joystick w mode switch (ASL133)		3 366,82
PEDIATRIC COMPACT				
ARP2243	☐	Proportional Pediatric Compact (ASL132), includes Input Module		3 030,33
ARP2235	☐	Tray Mount RH (ASL603, 100x150 mm)		○
ARP2236	☐	Tray Mount LH (ASL603, 100x150 mm)		○
ARP2213	☐	Centre Mount, swing-away to RH, Nucleus		○
ARP2214	☐	Centre Mount, swing-away to LH, Nucleus		○
ARP2241	☐	Centre Mount, swing-away to RH, Nucleus (incl. Tray ASL603, 100x150 mm)		717,54
ARP2242	☐	Centre Mount, swing-away to LH, Nucleus (incl. Tray ASL603, 100x150 mm)		717,54
ARU2215	☐	Individual mounting option per request (Special) :		On Demand
SIP'N PUFF HEAD CONTROL				
ARP2255	☐	Sip'n Puff Head Control (ASL109), (Combines simple sip and puff controls with head movements)	Includes Input Module and Lip Switch (ASL301 LIP)	6 731,75
SIP'N PUFF CONTROL & INPUT MODULE				
ARP2256	☐	Sip'n Puff Control	Includes Sip'n Puff kit, Lip Switch ASL301LIP, Input module	6 731,75
LiNX INTERFACE OPTIONS (mounted & connected)				
ARP2271	☐	Input Module DLX-IN500-A (sub D, Sip'n Puff)		507,11
ALTERNATIVE SEATING CONTROL				
ARP2251	☐	10-Way Switch DLX-SW10-A for direct Powered Seating Access		530,81
ARP2217	☐	Bracket RH, mounted for user		○
ARP2218	☐	Bracket LH, mounted for user		○
ARP2226	☐	For Attendant, mounted on back shroud		○
ARP2225	☐	Without mounting		○
TOGGLES / BUTTONS				
ARP2261	☐	Stereo Toggle - direct control for tilt only		290,05
ARP2262	☐	Stereo Button - direct control for tilt only		290,05
ARP2263	☐	Four-Way Toggle - direct control for tilt & recline		410,43
ARP2264	☐	Four-Way Button - direct control for tilt & recline		410,43
ARP2207	☐	RH Mount		○
ARP2208	☐	LH Mount		○
ARP2225	☐	Without mounting		○
LiNX ACCESSORIES				
USB CHARGER PORT				
ARP2253	☐	USB Charger Port DLX-USB02-A	NC : Bodypoint Belt	236,02
ARP2207	☐	RH Mount		○
ARP2208	☐	LH Mount		○
REMOTE STOP SWITCH				
ARP2258	☐	Remote Stop Switch (ASL504)		831,28
OUTPUT MODULE				
ARP2272	☐	LiNX Output Module (DLX-OUT500)		590,52
FURTHER COMPONENTS / ACCESSORIES				
ARP2300	☐	To be enclosed only	Not mounted to the chair	○
ARU2301	☐	To be connected and programmed (Special)		On Demand
BUDDY BUTTONS				
Accessory loom 2252 required, if no REM400 or REM500 is selected				
ARP1685	☐	Red Buddy Button		130,81
ARP1686	☐	Yellow Buddy Button		130,81
ARP1687	☐	Green Buddy Button		130,81
ARP1690	☐	Blue Buddy Button		130,81
EGG SWITCH				
Accessory loom 2252 required, if no REM400 or REM500 is selected				
ARP2254	☐	Egg Switch, black		103,32
PIKO BUTTONS				
Accessory loom 2252 required, if no REM400 or REM500 is selected				
ARP1711	☐	Red Piko Button		130,81
ARP1712	☐	Yellow Piko Button		130,81
ARP1713	☐	Green Piko Button		130,81
ARP1714	☐	Orange Piko Button		130,81
ARP1715	☐	Blue Piko Button		130,81
ARP1716	☐	Black Piko Button		130,81
BODYPOINT JOYSTICK KNOBS				
ARP2721	☐	3 inch U-Shaped, Joystick Handle, Bodypoint PC101A		79,00
ARP2722	☐	4 inch U-Shaped, Joystick Handle, Bodypoint PC102A		79,00
ARP2723	☐	Domed Rubber, Joystick Handle, Bodypoint PC107A		79,00
ARP2724	☐	Mushroom Grooved, Joystick Handle, Bodypoint PC110A		79,00



2240



2243



2255

2256



2251



2263



2253



2258



2272



2721

2722




2723



2724

DRIVE UNIT DETAILS				
SHROUD COLOURS				
ARP2601	☐	SpaceStation Silver		○
ARP2602	☐	Island Blue		○
ARP2603	☐	Grape JellyBean		○
ARP2607	☐	Rockstar Red		○
ARP2608	☐	Lights Out Black – Matte		○
ARP2609	☐	Invacare® Blue		○
ARP0228	☐	Wet Black		○
RIM INSERT COLOURS				
ARP2611	☐	SpaceStation Silver		○
ARP2612	☐	Island Blue		○
ARP2613	☐	Grape JellyBean		○
ARP2617	☐	Rockstar Red		○
ARP2618	☐	Lights Out Black – Matte		○
ARP2619	☐	Invacare® Blue		○
ARP2620	☐	Wet Black		○
ARP2621	☐	Without Rim insert		○
PERFORMANCE				
Forks				
ARP2631	☐	Single sided fork (new) incl. black castor		399,05
ARP2632	☐	Double sided fork		◆
CENTRE / DRIVE WHEELS				
ARP0704	☐	14"x3" Black Tires, Pneumatic		◆
ARP0732	☐	14"x3" Black Tires, Puncture protected (sealed), 3.00-8		○
ARP0733	☐	14"x3" Black Tires with Gel Foam Inserts		○
MOTOR TYPE / SPEED OPTIONS				
ARP1282	☐	OPS Drive 6 km/h (4-pole)		◆
ARP1283	☐	OPS Drive 10 km/h (4-pole)		○
BATTERY				
ARP1257	☐	50 Ah Gel Batteries		◆
CHARGER				
ARP1313	☐	OptiCharge Charger 10A		◆
ARP1313	☐	Opti Charge Charger 10A (IP44) (UK Plug)		○
G-Trac				
ARP1215	☐	G-Trac Module		1 035,07
OPTIONS				
LIGHT				
ARP1367	☐	Light system with Indicators		627,49
ARP1437	☐	LED Light System		650,24
ARP1254	☐	Without Light system		◆
TRANSPORTATION KIT				
ARP1450	☐	Preparation for DAHL-Docking station (Adequate headrest is compulsory) Docking Station for car implementation, please order separately with DAHL Engineering		○
TIE-DOWNS				
ARP1494	☐	4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19) (Adequate headrest is compulsory)		◆
ARP1401	☐	6-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19) required for variants with combined Lift & Tilt module (Adequate headrest is compulsory)		○
LAP BELT				
ARP2113	☐	Lap belt with auto lock (flexible mount in side rails)	NC : Bodypoint Belt	◆



DAHL
ENGINEERING



BODYPOINT PELVIC BELTS - Includes mounting kit				
ARP2701	☐	Evoflex Pelvic Stabilizer, Rehab Latch Size L	156,40	 2701, 2702  2703, 2704  2705, 2706
ARP2702	☐	Evoflex Pelvic Stabilizer, Rehab Latch Size M	156,40	
ARP2703	☐	2-Point Hip Belt, Ctr-Pull, Push Butt, Cinch-Mount Size L	133,65	
ARP2704	☐	2-Point Hip Belt, Ctr-Pull, Push Butt, Cinch-Mount Size M	133,65	
ARP2705	☐	2-Point Hip Belt, Dual-Pull, Side-Release Butt. Cinch-Mount. Size L	116,59	
ARP2706	☐	2-Point Hip Belt, Dual-Pull, Side-Release Butt. Cinch-Mount. Size M	116,59	
REARVIEW MIRROR				
ARU1415	☐	RH Mirror	70,14	
ARU1339	☐	LH Mirror	70,14	
TRAY				
ARP1404	☐	Swing Away RH	478,67	
ARP1405	☐	Swing Away LH	478,67	
RAMPS				
1440530	☐	Fiberglass Folding Mono Ramp Folded dimensions: 2000 x 230 mm 16.3 kg - maximum capacity: 300 kg	1 787,68	 1440530
1654130	☐	Aluminium folding mono ramp Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg	317,54	 1654130