

Invacare® TDX® SP2^{NB} Modulite Teen AA1 / AA2

Please contact Invacare EU Export Customer Services on :-
Tel : +33 247 626980 ; Email : servicedclient_export@invacare.com
 Or visit our website : www.invacare.eu.com



Invacare® TDX® SP2^{NB}* Modulite Teen AA1 / AA2

Mixt Power wheelchair 6 wheels



Invacare® Modulite®
 Individual fit and adaptability



Date :

User name :

Customer Code :

Dealer stamp :



Descriptive :

- Weight : from 125 kg
- Max user weight: 68 kg.
- Warranty : 2 years except batteries and wear parts
- *NB : Narrow Base = Version étroite. Engine base chair width 610 mm.
- Special fabrication : 10 days period

News :

- Assise Evolutive **Modulite Teen**
- Seat width from 305 to 355 mm : obtain thanks to inside curved armrests
- Seat depth from 305 to 410 mm
- **Matrx Mini** backrest
- **Matrx Vi** cushion

Indicative Public Rate - Use the online configurator on Invacare Pro to generate quotes or orders that are free from incompatibilities.

☐ Please make your selection with a cross in the box

☒ Standard configuration

☐ Free of charge

			Euros
			Public Price
CODE	DESIGNATION	NC : Non Compatible NC : 9999 : non compatible with the reference 9999	HT
ARZ0016	☐ Invacare® TDX® SP2 ^{NB} AA1 / AA2 Modulite - LiNX REM050 Dual control included and mounted on the wheelchair, ☐ <u>Incompatible with LiNX REM400</u> Power Module : 90 A Motors : 340W, 4 poles Autonomy : +/- 26 km (50Ah)	CAN'T BE ORDERED ON THE E-COMMERCE	6 123,22
ARZ0016	☐ Invacare® TDX® SP2 ^{NB} AA1 / AA2 Modulite - LiNX Compact Dual control included and mounted on the wheelchair Power Module : 90 A Motors : 340W, 4 poles Autonomy : +/- 26 km (50Ah)	CAN'T BE ORDERED ON THE E-COMMERCE	6 358,29
ARZ0016	☐ Invacare® TDX® SP2 ^{NB} AA1 / AA2 Modulite - LiNX Intuitive Dual control included and mounted on the wheelchair Power Module : 90 A Motors : 340W, 4 pôles Autonomy : +/- 26 km (50Ah)	CAN'T BE ORDERED ON THE E-COMMERCE	6 834,12
MODULITE MODULAR SEAT			
ARZ2111	☐ Rigid Modulite Seat, width and depth adjustable , with adjustable armrests (+25 mm per side)		◆
Seat width (Factory preset) - inside curved armpad			
	☐ 305 mm		172,51
	☐ 330 mm		○
	☐ 355 mm		◆
Seat Depth (Factory preset)			
	☐ 305 mm		○
	☐ 355 mm		◆
ARZ2132	☐ 410 mm		○
Seat cushion			
	☐ Matrx Vi or Matrx Kidabra-Vi seat cushion- according to dimensions		◆
Backposts			

ARZ2163	☐	Height 480 mm				◆																																							
Push handles																																													
ARZ2107	☐	Push handles				◆																																							
Backrest support																																													
ARZ2171	☐	Tension adjustable backrest, bi-material padded incl. Back pocket (width between backposts: 340 mm)				◆																																							
	☐	Matrx Mini backrest Depth contour : 80 mm Fixations included - Choose the size in the below table				○																																							
 Dossier Matrx Mini (fixations incluses) Profondeur du dossier : 80 mm - Poids max utilisateur : 68 kg <table border="1"> <thead> <tr> <th rowspan="2">Largeur du dossier^{(1)/(3)}</th><th rowspan="2">Adaptable sur fauteuil largeur d'assise⁽²⁾</th><th rowspan="2">Largeur du buste indicative</th><th colspan="4">Hauteur du dossier</th></tr> <tr> <th>180 mm</th><th>260 mm</th><th>310 mm</th><th>360 mm</th></tr> </thead> <tbody> <tr> <td>280 mm</td><td>280mm - 300mm</td><td>200 mm</td><td>☐</td><td>☐</td><td>☐</td><td></td></tr> <tr> <td>310 mm</td><td>300mm - 320mm</td><td>215 mm</td><td>☐</td><td>☐</td><td>☐</td><td>☐</td></tr> <tr> <td>330 mm</td><td>330mm - 360mm</td><td>240 mm</td><td>☐</td><td>☐</td><td>☐</td><td>☐</td></tr> <tr> <td>360 mm</td><td>360mm - 380mm</td><td>290 mm</td><td>☐</td><td>☐</td><td>☐</td><td>☐</td></tr> </tbody> </table>							Largeur du dossier ^{(1)/(3)}	Adaptable sur fauteuil largeur d'assise ⁽²⁾	Largeur du buste indicative	Hauteur du dossier				180 mm	260 mm	310 mm	360 mm	280 mm	280mm - 300mm	200 mm	☐	☐	☐		310 mm	300mm - 320mm	215 mm	☐	☐	☐	☐	330 mm	330mm - 360mm	240 mm	☐	☐	☐	☐	360 mm	360mm - 380mm	290 mm	☐	☐	☐	☐
Largeur du dossier ^{(1)/(3)}	Adaptable sur fauteuil largeur d'assise ⁽²⁾	Largeur du buste indicative	Hauteur du dossier																																										
			180 mm	260 mm	310 mm	360 mm																																							
280 mm	280mm - 300mm	200 mm	☐	☐	☐																																								
310 mm	300mm - 320mm	215 mm	☐	☐	☐	☐																																							
330 mm	330mm - 360mm	240 mm	☐	☐	☐	☐																																							
360 mm	360mm - 380mm	290 mm	☐	☐	☐	☐																																							
Backrest cushion and / or seat upholstery																																													
ARM2152	☐	Black dartex				◆																																							
Armrest																																													
ARM2183	☐	Inside curved armrest				◆																																							
Armpad																																													
ARM2195	☐	Standard armpad, length 325 mm, by pair				◆																																							
	☐	Shorten right hemiplegic armpad with pivoting mechanism (380 mm length)			454,03																																								
	☐	Shorten left hemiplegic armpad with pivoting mechanism (380 mm length)			454,03																																								
Headrest and accessories																																													
	☐	Without headrest			-47,45																																								
	☐	Multi adjustable neckrest Action 3 Junior			◆																																								
ARM2324	☐	Headrest Elan Standard 10" - Black cover			383,89																																								
ARM2325	☐	Headrest Elan Occipital 9" - Black cover			427,49																																								
	☐	Headrest Elan Standard 8,5" - Black cover			559,24																																								
SEAT ADJUSTMENTS FOR MODULITE SEAT																																													
Seat lifter / Sea tilt																																													
ARM1091	☐	Manual tilt from 0° to 12° - Seat height 440 mm	NC : 2054		-189,57																																								
ARM1092	☐	Powered tilt from 0° to 20° - Seat height 440 mm	NC : 2054		◆																																								
ARM1093	☐	Powered tilt from 0° to 30° - Seat height 450 mm			816,11																																								
ARM1094	☐	Electric with compensation from 0° to 30° + Lift 300 mm - Seat height 465 mm			5 366,82																																								
Height floor-plate for electric from 0 ° to 20 °																																													
ARM0337	☐	440 mm			○																																								
Seat Tilt Option (only if option 1093 or 1094 has been selected)																																													
ARM2054	☐	5° Fixed Anterior Tilt, Assist mount (will reduce max tilt angle by 5°)			424,64																																								
Backrest recliner																																													
ARM0975	☐	Manual Settable Recliner from 0° to 30° (in 3,75° steps) Dismounting backrest without tools			○																																								
ARM0977	☐	Electric from 0° to 30° Foldable backrest without tools			◆																																								



hemi gutter



2323, 2324



2327



0977


FOOTRESTS / LEGRESTS				
Footrest Hanger Type / Pairs				
ARM0526	☐	Fixed legrests and footrests 80°, Swing in and out - UL : 200 to 260 mm	NC : 0522	○
ARM0533	☐	Manually adjustable legrests - Storm® 3 type - UL : 190 to 360 mm		◆
ARM0531	☐	Electrical Ergonomic Legrests from 0° to 80° - UL : 190 to 370 mm	NC : 0522	1 265,40
Footplate type / Pairs				
ARM0513	☐	Angle and depth adjustable Footplate pair		◆
ARM0522	☐	Angle adjustable one-piece pallet		○
REMOTE LINX				
Main control unit only for Electronic LINX				
ARM2203	☐	Remote LINX REM211 : Driving and control of the cylinders	NC : 2229, 2231, 2232, 2230, 2247, 2257, 2233, 2240, 2270, 2219, 2245	◆
ARM2204	☐	Remote LINX REM216 : Driving, control of cylinders and lighting	NC : 2229, 2231, 2232, 2230, 2247, 2257, 2233, 2240, 2270, 2219, 2245	○
ARM2205	☐	Remote LINX REM400 : 3.5 "color touch screen and bluetooth - Driving, control of jacks and lights, mouse emulation	NC : 2220	1 195,26
ARM2206	☐	Screen control LINX REM500 : 3.5 " color touch screen and bluetooth - Driving, cylinder and lighting control, mouse emulation	NC : 2220, 2270	1 800,00
REM400 Option				
ARM2270	☐	Assignable Toggle Switch Module for REM400 (DLX-SW400TGL) as default set to left: ON/OFF, right speed dial		340,28
Remote mounting position (REM211/216/400)				
ARM1207	☐	Reversible right fixation, no retractable	NC : 1404	○
ARM1208	☐	Reversible left fixation, no retractable	NC : 1405	○
ARM1707	☐	Retractable on right + height adjustable, consolidated	NC : 1404	◆
ARM1708	☐	Retractable on left + height adjustable, consolidated	NC : 1405	○
ARM2213	☐	Central assembly, swing-away RH	NC : 1404, 1405, 1415	685,31
ARM2214	☐	Central assembly, swing-away LH	NC : 1404, 1405, 1339	685,31
ARM2227	☐	Fixation in right for third person(moving the manipulator)	NC : 2220, 1287, 2128	161,14
ARM2228	☐	Fixation in left for third person(moving the manipulator)	NC : 2220, 1286, 2128	161,14
ARV2239	☐	Custom Installation, thank you specify your request:		On demand only
Mounting the LINX REM500 Control Screen				
ARM2209	☐	Swing away RH, multi-adjustable	NC : 1404, 1415	◆
ARM2210	☐	Swing away LH, multi-adjustable	NC : 1405, 1339	○
PW-4005	☐	Option 2209/2210 with mounting rod for REM500 extended by 200 mm		Special manufacturing On demand only
ARM2213	☐	Centre Mount, swing-away to RH, Nucleus	NC : 1404, 1405, 1415	685,31
ARM2214	☐	Centre Mount, swing-away to LH, Nucleus	NC : 1404, 1405, 1339	685,31
ARV2239	☐	Custom Installation, thank you specify your request:		On demand only
Dual LINX remote (User + third person)				
ARM2220	☐	Double commande LINX (REM050 - utilise le profil de conduite 1 du REM211/216 - Vitesse limitée à 6km/h)	NC : 1221, 1222, 2227, 2228	677,02
ARM2219	☐	Double commande Compact LINX - 3 profils de conduite dédiés	NC : 1221, 1222, 2227, 2228	1 091,94
ARM2245	☐	Double commande intuitive LINX - profil de conduite dédié	NC : 1207, 1208, 2227, 2228	1 563,98



LINX



2270



2209
2210

ARM1207	☐	Fixing on the right - only with REM050 and Compact		◆	
ARM1208	☐	Fixing on the left - only with REM050 and Compact		○	
ARM1221	☐	Right fixations, removable - only with intuitive LiNX control		◆	
ARM1222	☐	Left fixations, removable - only with intuitive LiNX control		○	
If multiple joysticks are to be mounted on the center mount mount (2213/2214), select option 2215					
Compact Proportional Joysticks - Only with REM400 and REM500					
ARM2231	☐	LiNX Compact proportional joystick (deflection force: 160 g)			1 192,42
ARM2232	☐	LiNX Compact Proportional Low Force joystick (deflection force: 112 g)			1 312,80
ARM2207	☐	Fixing on the right	NC : 1404	◆	
ARM2208	☐	Fixing on the left	NC : 1405	○	
ARM2213	☐	Central fixing, retractable on the right	NC : 1404, 1405, 1415		717,54
ARM2214	☐	Central fixing, retractable on the left	NC : 1404, 1405, 1339		717,54
ARV2215	☐	Custom Installation, thank you specify your request:			On demand only
Chin control - Only with REM400 and REM500					
ARM2229	☐	Proportional Chin Joystick (ASL138) + egg switch			3 011,37
ARM1289	☐	Swing Away Bracket RH, side manual (ASL628)(ONLY IN COMBINATION WITH HEADREST 2125		◆	
ARM1288	☐	Swing Away Bracket LH, side manual (ASL628)(ONLY IN COMBINATION WITH HEADREST 2125)		○	
ARM1287	☐	Swing Away Bracket RH, powered	NC : 2227, 1404, 1415, 1312		1 445,50
ARM1286	☐	Swing Away Bracket LH, powered	NC : 2228, 1405, 1339, 1363		1 445,50
Head control with ultrasonic proximity sensors - ATOM Technology					
ARM2230	☐	ATOM, ASL104 with standard wings M3	NC : 2233, 2323, 2324, 2325, 2327, 2257, 2240		5 648,34
ARM2247	☐	PROTON, ASL104 with PROTON wings	NC : 2233, 2323, 2324, 2325, 2327, 2257, 2240		5 648,34
Four-Switch Proximity Array (with ATOM technology)					
ARM2257	☐	Four-Switch Proximity Array (ASL106)	NC : 2128, 2233, 2240		6 129,86
ARM2275	☐	Centre Mount, swing-away to RH, Nucleus (incl. Eclipse Tray ASL619, 360x180 mm)		○	
ARM2276	☐	Centre Mount, swing-away to LH, Nucleus (incl. Eclipse Tray ASL619, 360x180 mm)		○	
ARV2215	☐	Individual mounting option per request (Special) - REQUIRES ADDITIONAL			On demand only
Micro extremity control					
ARM2233	☐	MEC Proportional Joystick (Micro Extremity Control ASL130)	NC : 2128, 2240		3 366,82
ARM2235	☐	Tray Mount RH (100x150 mm)		○	
ARM2236	☐	Tray Mount LH (100x150 mm)		○	
ARM2213	☐	Centre Mount, swing-away to RH, Nucleus	NC : 1404, 1405	○	
ARM2214	☐	Centre Mount, swing-away to LH, Nucleus	NC : 1404, 1405	○	
ARM2241	☐	Centre Mount, swing-away to RH, Nucleus (incl. Tray 100x150 mm)	NC : 1404, 1405		717,54
ARM2242	☐	Centre Mount, swing-away to LH, Nucleus (incl. Tray 100x150 mm)			717,54
ARV2215	☐	Individual Mounting option per request (Special)			On demand only



2231
2232



1288 1286
1289 1287



2247



2230



2257



2233

Heavy Duty Remote Joystick				
ARM2240	☐	Proportional Heavy Duty Remote Joystick with mode switch (ASL133)	NC : 2128	2 709,95
ARM2235	☐	Tray Mount RH (ASL603, 100x150 mm)		○
ARM2236	☐	Tray Mount LH (ASL603, 100x150 mm)		○
ARM2213	☐	Centre Mount, swing-away to RH, Nucleus		○
ARM2214	☐	Centre Mount, swing-away to LH, Nucleus		○
ARM2241	☐	Centre Mount, swing-away to RH, Nucleus (incl. Tray ASL603, 100x150 mm)		717,54
ARM2242	☐	Centre Mount, swing-away to LH, Nucleus (incl. Tray ASL603, 100x150 mm)		717,54
ARV2215	☐	Individual mounting option per request (Special) - REQUIRES ADDITIONAL		On demand only
Additional options LINX				
ARM2251	☐	10-Way Switch DLX-SW10-A for direct Powered Seating Access (includes loom to connect + additional jack for mode switch)	NC : 2209, 2213	530,81
ARM2217	☐	Bracket RH, mounted for user	NC : 2209, 2213, 1415	○
ARM2218	☐	Bracket LH, mounted for user	NC : 2210, 2214	○
ARM2227	☐	Bracket RH, mounted for attendant	NC : 1287, 2128	○
ARM2228	☐	Bracket LH, mounted for attendant	NC : 1286, 2128	○
ARM2225	☐	Without mounting		○
ARM2252	☐	Loom providing jack sockets for "Drive" and "Mode" (includes connection for 10-Way Switch)		87,20
REMOTE LINX				
Accessories LINX				
ARM2253	☐	USB Charger Port	NC : Ceinture Bodypoint	236,02
ARM2207	☐	Fixing on the right	NC : 1404	○
ARM2208	☐	Fixing on the left	NC : 1405	○
Others accessories and contactors				
ARM2300	☐	To be included with the armchair		○
ARV2301	☐	To connect and program (Special)		On demand only
Round and flat switch (diameter 63 mm - delivered unassembled - take option 2252 obligatorily if no REM400 or REM500)				
ARM1685	☐	Red contactor		130,81
ARM1686	☐	Yellow contactor		130,81
ARM1687	☐	Green contactor		130,81
ARM1690	☐	Blue contactor		130,81
Egg switch (option 2252 required if no REM400)				
ARM2254	☐	Egg switch, black		103,32
Mini contactors round and flat (diameter 30 mm - delivered unassembled - to take option 2252 obligatorily if not REM400 or REM500)				
ARM1711	☐	Mini contactor Red		130,81
ARM1712	☐	Mini contactor Yellow		130,81
ARM1713	☐	Mini contactor Green		130,81
ARM1714	☐	Mini contactor Orange		130,81
ARM1715	☐	Mini contactor Blue		130,81
ARM1716	☐	Mini contactor Black		130,81
Remote Stop Switch				
ARM2258	☐	Remote Stop Switch (ASL504)		831,28
Bodypoint Joysticks				
ARM2721	☐	3 inch U-Shaped, Joystick Handle, Bodypoint PC101A		79,00
ARM2722	☐	4 inch U-Shaped, Joystick Handle, Bodypoint PC102A		79,00
ARM2723	☐	Domed Rubber, Joystick Handle, Bodypoint PC107A		79,00
ARM2724	☐	Mushroom Grooved, Joystick Handle, Bodypoint PC110A		79,00



2240



2251



2253





2258



2721
2722



2723



2724

DRIVE UNIT OPTIONS				
Shroud Colors				
ARM2601	☐	SpaceStation Silver		○
ARM2602	☐	Island Blue		○
ARM2603	☐	Grape JellyBean		○
ARM2604	☐	Monster Green		○
ARM2605	☐	Tangy Orange		○
ARM2606	☐	WhiteOut		○
ARM2607	☐	Rockstar Red		○
ARM2608	☐	Lights Out Black - Matte		○
ARM2609	☐	Pop Blue		○
ARM0228	☐	Black		○
				
Side Shroud Colors				
ARM2611	☐	SpaceStation Silver		57,82
ARM2612	☐	Island Blue		57,82
ARM2613	☐	Grape JellyBean		57,82
ARM2614	☐	Monster Green		57,82
ARM2615	☐	Tangy Orange		57,82
ARM2616	☐	WhiteOut		57,82
ARM2617	☐	Rockstar Red		57,82
ARM2618	☐	Lights Out Black - Matte		57,82
ARM2619	☐	Pop Blue		57,82
ARM2620	☐	Black		57,82
ARM2621	☐	Without Rim insert		◆
				
PERFORMANCES				
Forks				
ARM2631	☐	Single sided fork		399,05
ARM2632	☐	Double sided fork		◆
Rear wheels type Storm®4				
ARM0704	☐	14"x3" Black Tires, Pneumatic		◆
ARM0732	☐	14"x3" Black Tires, Puncture protected (sealed), 3.00-8		61,61
ARM0733	☐	14"x3" Black Tires with Gel Foam Inserts		○
Motor type / Speed options				
ARM1282	☐	OPS Drive 6 km/h (4-pole)		◆
ARM1283	☐	OPS Drive 10 km/h (4-pole)		○
Battery				
ARM1257	☐	50 Ah Gel		◆
Charger				
ARM1313	☐	OptiCharge Charger 10A		◆
GYROSCOPE				
G-Trac				
ARM1215	☐	G-Trac modul (Directional control of the trajectory while driving)		1 035,07
				
POSITIONNING OPTIONS				
For Bodypoint accessories, please refer to the Bodypoint specific pricelist.				
				
OPTIONS				
Lights				
ARM1367	☐	Standard security light system equipment Storm®3 type - Blinkers, position lights, warning (check a LiNX REM216, REM400 or REM500 manipulator)		627,49
ARM1437	☐	LED Security light system equipment Storm®3 type - Blinkers, position lights, warning (check a LiNX REM216, REM400 or REM500 manipulator)		650,24
ARM1254	☐	Without light system		◆

ARM1450	☐	Specific frame preparation for Dahl reception station assembly. Dahl reception assembly allow the wheelchair to tie up in one of the following approved vehicle according to European Directive requirements CEE-2007-46 : VW Crafter, VW Transporter/ Caravelle T5, Mercedes Vito/Viano 639, MB Sprinter 906, Ford Transit, Opel Vivaro et Renault Traffic, Citroen Jumpy, Peugeot Expert, Fiat Scudo, VW Caddy, Citroen Berlingo, Peugeot Partner. Headrest is mandatory during the person's transport in a power wheelchair, please select one option in seats accessories.		642,65
Kerb rider				
ARM1494	☐	4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19:2001) (Adequate headrest is compulsory)		◆
Fixation belt				
ARM1329	☐	Fixation Belt with Auto Lock	NC : Belt bodypoint	◆
ARM2113	☐	Fixation belt with auto lock with adjustable attachment points on the seat	NC : Belt bodypoint	50,24
ARM1332	☐	H-Belt		271,09
Boypoint positioning bels (fasteners included)				
ARM2701	☐	Evoflex Pelvic Stabilizer, Rehab Latch Size L (padded length 620 mm)		156,40
ARM2702	☐	Evoflex Pelvic Stabilizer, Rehab Latch Size M (padded length 460 mm)		156,40
ARM2703	☐	2-Point Hip Belt, Ctr-Pull, Push Butt, Cinch-Mount Size L (padded length 620 mm)		133,65
ARM2704	☐	2-Point Hip Belt, Ctr-Pull, Push Butt, Cinch-Mount Size M (padded length 460 mm)		133,65
ARM2705	☐	2-Point Hip Belt, Dual-Pull, Side-Release Butt. Cinch-Mount Size L (padded length 620 mm)		116,59
ARM2706	☐	2-Point Hip Belt, Dual-Pull, Side-Release Butt. Cinch-Mount Size M (padded length 460 mm)		116,59
Rearview mirror				
ARM1415	☐	Right		70,14
ARM1339	☐	Left		70,14
Back Hook (max. weight 6kg)				
ARM2128	☐	Bag hooks (on Modulite Seat)		150,71
Caneholder				
ARM1312	☐	Right		68,25
ARM1363	☐	Left		68,25
Swing away tray (nc : assise Max)				
ARM1404	☐	Right		503,32
ARM1405	☐	Left		503,32
Ramps				
1440530	☐	Mono fiberglass ramp 2000x820 mm - weight 16.3 kg (weight max. 300kg)		1 787,68
1654130	☐	Mono folding ramp in aluminum: foldable in two in length, simple to position, carrying handle. 13.9 kg capacity maximum: 300 kg		317,54

DAHL
ENGINEERING



1329



2701, 2702



2703, 2704



2705, 2706



2128



1404
1405



1440530



1654130