

Invacare® Action® 3_{NG} Comfort

Please contact Invacare EU Export Customer Services on :-
Tel : +33 247 626980 ; Email : serviceclient_export@invacare.com
Or visit our website : www.invacare.eu.com



Invacare® Action® 3_{NG} Comfort
Aluminum manual folding wheelchair



Description:

- Weight: from 25.8 kg.
- Maximum user weight: 125 kg
- 2-year warranty period excluding wear parts

New :

Short narrow without rotating

Date :

Purchase Order :

Customer Code :





Distributor Stamp::



Invacare Unique Customization Service
Please specify the quote or special production number:

☐ Please make your selection with a cross in the box ◆ Standard feature ○ Free of charge option

CODE		DESCRIPTION	NC : Non Compatible NC : 9999 = not compatible with the reference 9999	Euros	
CEG0041	☐	Invacare® Action® 3 _{NG} Comfort		1168,97	
ALBER					
CEG0070	☐	Mounting brackets for electric propulsion assistance alber e-motion M25 (included 2 alber anti-tippers and original manual wheel adaptation kit)	NC : 0110, 0140, 0150, 0310, 0315, 0732, 0832, 1062, 1064, 1066, 1073, 1074, 1075, 1082, 1170, 1280, 1320, 1330, 1370, 1375, 1430, 1440	692,89	
CEG0080	☐	Brackets for electrical assistance when pushing and braking for the alber viamobil V25 attendant	NC : 0110, 0140, 0150, 0300, 0310, 0315, 1170, 1370, 1375, 1430, 1440	507,11	
CEG0090	☐	Brackets for electrical assistance when pushing and braking for the alber viamobil eco attendant	NC : 0140, 0150, 0290, 0300, 0310, 0315, 1370, 1375, 1430, 1440	414,25	
PROPULSION TYPE					
CEG0100	☐	SELF PROPULSION	NC : 1062, 1075	◆	
CEG0110	☐	TRANSIT PROPULSION WITH RH TIPPING AID	NC : 0290, 0300, 0310, 0315, 1054, 1056, 1064, 1066, 1068, 1075, 1115, 1140, 1150, 1180, 1275, 1320, 1330, 1390	○	
CEG0140	☐	DUAL HANDRIM RIGHT HAND PROPULSION (NEW DHR SYSTEM), QR AXLE	NC : 0315, 1062, 1064, 1071, 1072, 1073, 1074, 1140, 1150, 1170, 1280, 1330	257,09	
CEG0150	☐	DUAL HANDRIM LEFT HAND PROPULSION (NEW DHR SYSTEM), QR AXLE	NC : 0315, 1140, 1150, 1170, 1280, 1320	257,09	
SEAT					
SEAT WIDTH					
CEG0190	☐	405 mm		○	
CEG0200	☐	430 mm		◆	
CEG0210	☐	455 mm		○	
CEG0230	☐	505 mm		○	
SEAT DEPTH					
CEG0240	☐	400 mm		○	
CEG0250	☐	450 mm	NC : 1275	◆	
SEAT HEIGHT					
CEG0280	☐	460 mm		◆	
CEG0290	☐	435 mm	NC : 1005, 1010, 1062	○	
CEG0300	☐	410 mm	NC : 0935, 1005, 1010, 1056, 1062, 1370, 1440	○	
CEG0310	☐	385 mm	NC : 0935, 1005, 1010, 1035, 1050, 1056, 1062, 1068, 1280, 1370, 1440	○	
CEG0315	☐	360 MM SEAT HEIGHT, 0° SEAT ANGLE (AVAILABLE WITH LOW FORK, 5" FRONT WHEEL & 20" REAR WHEELS)	NC : 0935, 1035, 1062, 1066, 1068, 1280, 1375, 1440	145,02	
SEAT UPHOLSTERY TYPE					
CEG0340	☐	NYLON WITH LOOP BANDS SEAT UPHOLSTERY	NC : 0372	◆	
CEG0372	☐	CUSHION COMFORT MISTRAL 2 LAYER (INCLUDING SEAT UPHOLSTERY 3 LOOP BANDS)	NC : 0871	-43,70	

BACKREST					
BACKREST TYPE - Anti-tippers required with reclining backrests				 0490	
CEG0442	☐	RECLINING (GAS SPRING) 0/30° LAGUNA SHELL	◆		
BACKREST UPHOLSTERY TYPE					
CEG0490	☐	COMFORT BACKREST LAGUNA BLACK PU TR26	○		
CEG0491	☐	COMFORT BACKREST PASSAD 2 BLACK PU TR26	◆		
HANGERS/FOOTPLATES					
HANGERS RH TYPE				 0520 / 0570	
CEG0520	☐	ELEVATING LEGREST (0° TO 75°) RH SWING IN/SWING OUT HANGER (INCLUDING CALFPAD)	◆		
HANGERS LH TYPE					
CEG0570	☐	ELEVATING LEGREST (0° TO 75°) LH SWING IN/SWING OUT HANGER (INCLUDING CALFPAD)	◆		
FOOTPLATES RH TYPE				 0610 / 0630	
CEG0610	☐	FLIP UP DEPTH & ANGLE AJUSTABLE RH FOOTPLATE - (INCLUDING HEEL STRAP)	◆		
FOOTPLATES LH TYPE					
CEG0630	☐	FLIP UP DEPTH & ANGLE AJUSTABLE LH FOOTPLATE - (INCLUDING HEEL STRAP)	◆		
ARMRESTS					
ARMRESTS RH FORM IN BLACK COLOR				 0691 / 0791  0697 / 0797	
CEG0672	☐	LIFTABLE AND REMOVABLE, HEIGHT-ADJUSTABLE FROM 170 TO 295 MM - SHORT (330 MM) NON-ROTATING NARROW 	NC : 0797		○
CEG0691	☐	REMOVABLE RH (N°4) - COMFORT BLACK PU TR26	NC : 0797		-113,1659
CEG0697	☐	REMOVABLE RH (N°4) - LONG CONCAVE ARMPAD			◆
CEG0732	☐	REMOVABLE RH (N°4) AUTOLOCK SAFETY DEVICE INCLUDED - ARMPAD HEMI BLACK PU TR26	NC : 1481		○
ARMRESTS LH FORM IN BLACK COLOR				 0732 / 0832	
CEG0772	☐	LIFTABLE AND REMOVABLE, HEIGHT-ADJUSTABLE FROM 170 TO 295 MM - SHORT (330 MM) NON-ROTATING NARROW 	NC : 1481		○
CEG0791	☐	REMOVABLE LH (N°4) - COMFORT BLACK PU TR26			-113,1659
CEG0797	☐	REMOVABLE LH (N°4) - LONG CONCAVE ARMPAD			◆
CEG0832	☐	REMOVABLE LH (N°4) AUTOLOCK SAFETY DEVICE INCLUDED - ARMPAD HEMI BLACK PU TR26	NC : 1481		○
SEAT CUSHION TYPE					
CEG0871	☐	MATRX CONTOUR NG VISCO CUSHION		◆	
SEAT CUSHION DEPTH				 0871	
CEG0878	☐	FOR 400 MM SEAT DEPTH			○
CEG0879	☐	FOR 450 MM SEAT DEPTH			○
OTHER SEATING OPTIONS				 0905  0906  0907	
CEG0881	☐	TRUNK SUPPORT COMFORT BLACK PU TR26 (PAIR)			237,91
CEG0905	☐	NECKREST BLACK PU TR26 (INCLUDING BACKBRACE EXCEPT FOR LAGUNA)			◆
CEG0906	☐	HEADREST BLACK PU TR26 (INCLUDING BACKBRACE EXCEPT FOR LAGUNA)			199,05
CEG0907	☐	HEADREST WITH CHEEK SUPPORT BLACK PU TR26 (INCLUDING BACKBRACE EXCEPT FOR LAGUNA)			217,06
COLOURS					
CEG0961	☐	SLATE GREY (RAL7024 FINE TEXTURE)		○	
CEG0964	☐	PEARL WHITE		○	
CEG0966	☐	MATT BLACK		○	
CEG0967	☐	BLUE POP		○	
CEG0969	☐	RED MATT		○	
CEG0980	☐	ANTHRACITE BLACK		○	
CEG0991	☐	SPECIAL COLOUR		On Request	
CASTER HOUSING TYPE					
CEG0995	☐	STANDARD		◆	
FRONT WHEELS					
CEG1005	☐	200 X 32 MM (8" X 1.1/4") - BLACK PNEUMATIC TYRE		○	
CEG1010	☐	200 X 30 MM (8" X 1.1/4") - BLACK SOLID TYRE		○	
CEG1035	☐	150 X 30 MM (6" X 1.1/4") - BLACK SOLID TYRE MEDIUM HARD		○	
CEG1050	☐	150 X 30 MM (6" X 1.1/4") - BLACK SOLID TYRE		◆	
CEG1054	☐	125 X 30 MM (5" X 1") - BLACK SOLID TYRE	NC : 1062	○	
CEG1056	☐	140 X 40 MM (5" 1/2 X 1" 3/4) - BLACK SOLID TYRE MEDIUM HARD	NC : 1062	○	


REAR WHEELS				
REAR WHEEL SIZE				
CEG1062	☐	12" - 305 mm	NC : 1071, 1072, 1075, 1084, 1088, 1140, 1150, 1180, 1320, 1330, 1390	☐
CEG1064	☐	20" - 515 mm	NC : 1071, 1073, 1074, 1075, 1088, 1170, 1280	☐
CEG1066	☐	22" - 560 mm	NC : 1074	☐
CEG1068	☐	24" - 600 mm		☒
REAR WHEEL TYPE				
CEG1071	☐	STANDARD (BLACK HUB, COLORLESS RIM & ZINC PLATTED SPOKES)	NC: 1170, 1280	☒
CEG1072	☐	REINFORCED (COLORLESS HUB, CLEAR ANODIZED RIM & STAINLESS STEEL SPOKES)	NC : 1280	☐
CEG1073	☐	DRUM BRAKE (20/22/24" : COLORLESS HUB, CLEAR ANODIZED RIM & STAINLESS STEEL SPOKES / 12" : BLACK PLASTIC HUB & RIM)	NC : 1270, 1275, 1320, 1330	☐
CEG1074	☐	COMPOSITE (BLACK PLASTIC HUB & RIM)	NC : 1088, 1280	☐
CEG1075	☐	ONE ARM DRIVE (BLACK HUB & ZINC PLATTED SPOKED WITH ONE ARM DRIVE HANDRIM SYSTEM)	NC : 1084, 1140, 1150, 1170, 1280	☐
TYRE TYPE				
CEG1082	☐	TYRES SOLID BLACK 35 MM (1"3/8)		☒
CEG1084	☐	PNEUMATIC PROFILED BLACK 35 MM (1"3/8)		☐
CEG1088	☐	PNEUMATIC LOW PROFILE BLACK 25 MM (1")		☐
HANDRIM TYPE				
CEG1140	☐	ALUMINIUM PRE-ANODIZED HANDRIM		☒
CEG1150	☐	HANDRIM COATED IN BLACK ANTI-SLIP PLASTIC		127,01
REAR WHEELS AXLE TYPE				
CEG1170	☐	FIXED AXLE		☐
CEG1180	☐	QUICK RELEASE AXLE		☒
REAR WHEELS POSITION				
CEG1200	☐	PASSIVE REAR WHEELS POSITION - 25MM BACKWARDS/BACKREST CANE AXLE (12,5MM with Active Rear Wheel Support and Seat Depth 500MM)		☒
PUMP				
CEG1230	☐	PUMP AND SUPPORT		10,43
CHASSIS OPTIONS TYPE				
CEG1241	☐	FRONT WHEELS EXTENSION (+ 50 MM OUTWARD)		☐
BRAKES TYPE				
CEG1270	☐	PUSH TO LOCK BRAKES		☒
CEG1275	☐	PULL TO LOCK BRAKES		☐
CEG1280	☐	ATTENDANT HUB BRAKES (INCLUDING PUSH TO LOCK BRAKES)		178,20
CEG1320	☐	OAD WIRE CONTROLLED BRAKE RH	NC : 1390	94,79
CEG1330	☐	OAD WIRE CONTROLLED BRAKE LH	NC : 1390	94,79
SAFETY OPTIONS TYPE				
CEG1360	☐	POSTURE BELT -	NC : 1361, 1362, 1363, 1364	31,28
CEG1361	☐	HIP BELT, 2-PT, CTR-PULL, PB - M X 460MM PADS, FLAT-MOUNT	NC : 1362, 1363, 1364	199,05
CEG1362	☐	HIP BELT, 2-PT, CTR-PULL, PB - L X 620MM PADS, FLAT-MOUNT	NC : 1363, 1364	206,64
CEG1363	☐	HIP BELT, 4-PT, CTR-PULL, PB - M X 460MM PADS, FLAT-MOUNT	NC : 1364	234,12
CEG1364	☐	HIP BELT, 4-PT, CTR-PULL, PB - L X 620MM PADS, FLAT-MOUNT		241,71
CEG1370	☐	REAR ANTI-TIPPERS PAIR -	NC : 1375, 1440	79,62
CEG1375	☐	REAR ANTI-TIPPERS PAIR WITH TIPPING AID - (REA TYPE)	NC : 1440	125,12
CEG1390	☐	BRAKE EXTENSION PAIR		10,43



Standard



Composite




1"

1088



1.3/8"

1084



1.3/8"

1082



1241




1270




1361 / 1362




1363 / 1364



1370



1375

ATTENDANT OPTIONS TYPE					
CEG1430	☐	CANE HOLDER		49,29	 1440
CEG1440	☐	TIPPING AID RH		28,44	
CEG1481	☐	SWING AWAY COMFORT ACRYLIC TRAY		72,83	
CEG1482	☐	LOCKING DEVICE FO COMFORT TRAY		54,03	
RAMPS					
1440530	☐	Fiberglass Folding Mono Ramp Folded dimensions: 2000 x 230 mm 16.3 kg - maximum capacity: 300 kg"		1 787,68	 1440530
1654128	☐	Basic ramp 2 telescopic parts in aluminum and non-slip coating - Folded dimensions: 1210 x 194 mm. 8.8 kg per pair - maximum capacity: 270 kg		298,58	 1654128
1654129	☐	Quick2go Compact 3-part aluminum telescopic ramp with non-slip coating Folded dimensions: 870 x 237 mm 13.6 kg per pair - maximum capacity: 260 kg		559,24	 1654129
1654130	☐	Aluminium folding mono ramp Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg		317,54	 1654130