

Invacare® Action³ NG Dual HR™

Please contact Invacare EU Export Customer Services on :-
Tel : +33 247 626980 ; Email : serviceclient_export@invacare.com
 Or visit our website : www.invacare.eu.com



Invacare® Action³ NG Dual HR™

Aluminum folding manual wheelchair



Description:

- Propulsion and steering by quick-release double handrail: right/left reversible system with interior handrail adjustment (0 or +20 mm). 3° seat slope as standard
- Weight: from 15 kg
- Maximum user weight: 125 kg.
- 2-year warranty period excluding wear parts

Think of the model: Action3NG Hemi with configurable and ergonomic armrest !

**New:
Short narrow gutters without rotation**

Date :

Purchase Order :

Customer Code :

Distributor Stamp::



Invacare Unique Customization Service
 Please specify the quote or special production number:

☐ Please make your selection with a cross in the box ☒ Standard feature ☐ Free of charge option

CODE		DESCRIPTION	NC : Non Compatible NC : 9999 = not compatible with the reference 9999	Euros	
CEH0031	☐	Invacare® Action ³ NG Dual HR - Fixed Backrest		529,85	
CEH0036	☐	Invacare® Action ³ NG Dual HR - Folding Backrest		572,18	
CEH0041	☐	Invacare® Action ³ NG Dual HR - Reclining Backrest		572,18	

DOUBLE HANDRAIL KIT

CEH0140	☐	Dual HR quick release kit right - new version	NC : 1330	257,09	
CEH0150	☐	Dual HR quick release kit left - new version	NC : 1320	257,09	

SEAT

SEAT WIDTH

CEH0180	☐	380 mm	NC : 0545+0595, 0852, 0855	☐
CEH0190	☐	405 mm	NC : 0545+0595	☐
CEH0200	☐	430 mm	NC : 0853	☒
CEH0210	☐	455 mm	NC : 0853	☐
CEH0220	☐	480 mm	NC : 0853, 0854	☐
CEH0230	☐	505 mm	NC : 0853, 0854, 0855, 0856	☐

SEAT DEPTH


CEH0240	☐	400 mm	NC : 0879	☒
CEH0250	☐	450 mm	NC : 0853, 0878	☐
CEH0252	☐	400 TO 450 MM ADJUSTABLE SEAT DEPTH	NC : 0330, 0350	26,54

SEAT HEIGHT

CEH0270	☐	485 mm	NC : 1054	☒
CEH0280	☐	460 mm		☐
CEH0290	☐	435 mm	NC : 0660, 0670, 0760, 0770 Only with 6" and 5.5" front wheels	☐
CEH0300	☐	410 mm	NC : 0935, 1005, 1010, 1030, 1056, 1365, 1370, 1440	☐
CEH0310	☐	385 mm	NC : 0660, 0670, 0760, 0770, 0935, 1005, 1010, 1030, 1035, 1050, 1056, 1068, 1370, 1440	☐

SEAT UPHOLSTERY TYPE

CEH0330	☐	NYLON WITHOUT LOOP BANDS SEAT UPHOLSTERY		☒
CEH0340	☐	NYLON WITH LOOP BANDS SEAT UPHOLSTERY		☐
CEH0350	☐	PADDED NYLON SEAT UPHOLSTERY		26,54


BACKREST					 0396  0435  0455  0474 / 0475  0480 / 0481
BACKREST TYPE					
CEH0395	☐	FIXED 7° BACKREST - HEIGHT ADJUST 380 TO 460 MM (DELIVERED 380 MM)	NC : 0474, 0475, 0478, 0479, 0481, 0905, 0906, 0907, 0940, 1451	295,73	
CEH0396	☐	FIXED 7° BACKREST - HEIGHT ADJUST 380 TO 460 MM (DELIVERED 380 MM)	NC : 0474, 0475, 0478, 0479, 0481, 0905, 0906, 0907, 0940, 1451	295,73	
CEH0410	☐	FIXED 7° BACKREST - 2 HEIGHTS 400/430 MM (DELIV. 430 MM)	NC : 0945	◆	
CEH0420	☐	FIXED 7° BACKREST - 510 MM HEIGHT	NC : 0945	33,18	
CEH0435	☐	RECLINING (RATCHET) 0/30° BACKREST INCL. BACKRACE & PASSIVE REAR WHEEL POS. ONLY - 3 HEIGHTS 390/410/430 MM (DELIV.430 MM)	NC : 0940, 0945, 1190	◆	
CEH0445	☐	RECLINING (GAS SPRING) 0/30° BACKREST INCL. BACKRACE & PASSIVE REAR WHEEL POS. ONLY - 3 HEIGHTS 390/410/430 MM (DELIV.430 MM)	NC : 0940, 0945, 1190	○	
CEH0450	☐	RECLINING (GAS SPRING) 0/30° BACKREST INCL. BACKRACE & PASSIVE REAR WHEEL POS. ONLY - 3 HEIGHTS470/490/510 MM (DELIV.510 MM)	NC : 0940, 0945, 1190	33,18	
CEH0455	☐	FOLDING 7° BACKREST - 430 MM HEIGHT	NC : 0945	◆	
BACKREST UPHOLSTERY TYPE					
CEH0474	☐	LUMBAR SUPPORT (+1 STRAP) BI MATERIAL PADDED COVER INCL. BACK POCKET		33,08	
CEH0475	☐	LUMBAR SUPPORT (+1 STRAP) PADDED SHAPED COVER		◆	
CEH0478	☐	CONTOUR ADJUSTABLE (3+1 STRAPS) BI MATERIAL PADDED COVER INCL. BACK POCKET	NC : 0940, 0945	66,16	
CEH0479	☐	CONTOUR ADJUSTABLE (3+1 STRAPS) PADDED SHAPED COVER	NC : 0940, 0945	33,08	
CEH0480	☐	CONTOUR ADJUSTABLE (7+1 STRAPS) PADDED SHAPED COVER	NC : 0940, 0945	138,39	
CEH0481	☐	CONTOUR ADJUSTABLE (7+1 STRAPS) BI MATERIAL PADDED COVER INCL. BACK POCKET	NC : 0940, 0945	189,57	
HANGERS/FOOTPLATES					
HANGERS RH TYPE					
CEH0510	☐	80° STRAIGHT RH SWING IN/SWING OUT HANGER		◆	
CEH0520	☐	ELEVATING LEGREST (0° TO 75°) RH SWING IN/SWING OUT HANGER (INCLUDING CALFPAD)	NC : 0611, 0930, 0935, 0936	73,82	
CEH0545	☐	AMPUTEE LEGREST RH	NC : 0600, 0610, 0611, 0930, 0936	140,28	
HANGERS LH TYPE					
CEH0560	☐	80° STRAIGHT LH SWING IN/SWING OUT HANGER		◆	
CEH0570	☐	ELEVATING LEGREST (0° TO 75°) LH SWING IN/SWING OUT HANGER (INCLUDING CALFPAD)	NC : 0611, 0930, 0935, 0936	73,82	
CEH0595	☐	AMPUTEE LEGREST LH	NC : 0611, 0620, 0630, 0930, 0936	140,28	
FOOTPLATES RH TYPE					
CEH0600	☐	FLIP UP RH FOOTPLATE - (INCLUDING HEEL STRAP)		◆	
CEH0610	☐	FLIP UP DEPTH & ANGLE AJUSTABLE RH FOOTPLATE - (INCLUDING HEEL STRAP)		26,43	
CEH0611	☐	FLIP UP ONE PIECE FOOTPLATE - DEPTH & ANGLE ADJUSTABLE	NC : 0620, 0630, 0935, 0936	234,12	
FOOTPLATES LH TYPE					
CEH0620	☐	FLIP UP LH FOOTPLATE - (INCLUDING HEEL STRAP)		◆	
CEH0630	☐	FLIP UP DEPTH & ANGLE AJUSTABLE LH FOOTPLATE - (INCLUDING HEEL STRAP)		26,43	

ARMRESTS					
ARMRESTS RH FORM IN BLACK COLOR					
CEH0640	☐	REMOVABLE RH (N°1) AUTOLOCK SAFETY DEVICE INCLUDED - DESK	NC : 0760, 0770, 0772, 0780, 0790, 0795, 0796, 0798, 1480	◆	 0640 / 0740
CEH0650	☐	REMOVABLE RH (N°1) AUTOLOCK SAFETY DEVICE INCLUDED - FULL LENGTH	NC : 0760, 0770, 0772, 0780, 0790, 0795, 0796, 0798	24,64	
CEH0656	☐	REMOVABLE AND CONTINUOUSLY HEIGHT-ADJUSTABLE FROM 200 MM TO 280 MM - SHORT NARROW GUTTER (330 MM) WITHOUT ROTATION 	NC : 0760, 0770, 0772, 0780, 0790, 0795, 0796, 1480	113,17	 0656 / 0756
CEH0660	☐	REMOVABLE RH (N°1) "RIO" Special Only For Denmark AUTOLOCK SAFETY DEVICE INCLUDED -	NC : 0740, 0750, 0756, 0772, 0780, 0790, 0795, 0796, 1480	○	
CEH0670	☐	SWING AWAY DETACHABLE RH (N°2) - FULL LENGTH	NC : 0740, 0750, 0756, 0772, 0780, 0790, 0795, 0796, 0798	24,64	 0660 / 0760
CEH0672	☐	LIFTABLE AND REMOVABLE, HEIGHT-ADJUSTABLE FROM 170 TO 295 MM - SHORT (330 MM) NON-ROTATING NARROW 	NC : 0740, 0750, 0760, 0770, 0795, 0796, 0798, 0838, 1480	113,17	
CEH0680	☐	SWING AWAY DETACHABLE RH (N°3) - DESK	NC : 0740, 0750, 0760, 0770, 0795, 0796, 0798, 1480	117,54	 0672 / 0772
CEH0690	☐	SWING AWAY DETACHABLE RH (N°3) - FULL LENGTH	NC : 0740, 0750, 0756, 0760, 0770, 0795, 0796, 0832	140,28	
CEH0695	☐	REMOVABLE RH (N°4) AUTOLOCK SAFETY DEVICE INCLUDED - DESK	NC : 0740, 0750, 0756, 0760, 0770, 0772, 0780, 0790, 1480	117,54	 0680 / 0780
CEH0696	☐	REMOVABLE RH (N°4) AUTOLOCK SAFETY DEVICE INCLUDED - FULL LENGTH	NC : 0740, 0750, 0756, 0760, 0770, 0772, 0780, 0790	140,28	
CEH0698	☐	REMOVABLE AND HEIGHT ADJUSTABLE - SHORT NARROW GUTTER (330 MM) WITHOUT ROTATION 	NC : 0740, 0750, 0756, 0760, 0770, 0772, 0780, 0790, 1480	113,17	
CEH0732	☐	REMOVABLE RH (N°4) AUTOLOCK SAFETY DEVICE INCLUDED - ARMPAD HEMI BLACK PU TR26	NC : 1480	113,17	
ARMRESTS LH FORM IN BLACK COLOR					
CEH0740	☐	REMOVABLE LH (N°1) AUTOLOCK SAFETY DEVICE INCLUDED - DESK	NC : 1480	◆	 0695 / 0795
CEH0750	☐	REMOVABLE LH (N°1) AUTOLOCK SAFETY DEVICE INCLUDED - FULL LENGTH		21,80	
CEH0756	☐	REMOVABLE AND CONTINUOUSLY HEIGHT-ADJUSTABLE FROM 200 MM TO 280 MM - SHORT NARROW GUTTER (330 MM) WITHOUT ROTATION 		113,17	 0732 / 0832
CEH0760	☐	SWING AWAY DETACHABLE LH (N°2) - DESK	NC : 1480	○	
CEH0770	☐	SWING AWAY DETACHABLE LH (N°2) - FULL LENGTH		21,80	
CEH0772	☐	LIFTABLE AND REMOVABLE, HEIGHT-ADJUSTABLE FROM 170 TO 295 MM - SHORT (330 MM) NON-ROTATING NARROW 	NC : 1480	113,17	
CEH0780	☐	SWING AWAY DETACHABLE LH (N°3) - DESK	NC : 1480	102,37	
CEH0790	☐	SWING AWAY DETACHABLE LH (N°3) - FULL LENGTH		122,27	Only possible on the side opposite the double handrail
CEH0795	☐	REMOVABLE LH (N°4) AUTOLOCK SAFETY DEVICE INCLUDED - DESK	NC : 1480	102,37	
CEH0796	☐	REMOVABLE LH (N°4) AUTOLOCK SAFETY DEVICE INCLUDED - FULL LENGTH		122,27	
CEH0798	☐	REMOVABLE AND HEIGHT ADJUSTABLE - SHORT NARROW GUTTER (330 MM) WITHOUT ROTATION 	NC : 1185	113,17	
CEH0832	☐	REMOVABLE LH (N°4) AUTOLOCK SAFETY DEVICE INCLUDED - ARMPAD HEMI BLACK PU TR26	NC : 1480	113,17	

SEAT CUSHION TYPE				
Cushion				
CEH0849	☐	BASIC 50 MM FOAM CUSHION - NYLON & ANTI-SLIP COVER	NC : 0853, 0854, 0855, 0856, 0871, 0873	33,08
CEH0853	☐	CLASSIC VISCO CUSHION 375X 400 MM -	NC : 0871, 0873, 0878, 0879	76,78
CEH0854	☐	CLASSIC VISCO CUSHION 405 X 400 MM -	NC : 0871, 0873, 0878, 0879	65,40
CEH0855	☐	CLASSIC VISCO CUSHION 430 X 430 MM -	NC : 0871, 0873, 0878, 0879	65,40
CEH0856	☐	CLASSIC VISCO CUSHION 455 X 400 MM -	NC : 0871, 0873, 0878, 0879	76,78
CEH0871	☐	MATRX CONTOUR NG VISCO CUSHION	NC : 0873	76,78
CEH0873	☐	MATRX FLO-TECH IMAGE CUSHION		213,27
SEAT CUSHION DEPTH				
CEH0878	☐	FOR 400 MM SEAT DEPTH		☐
CEH0879	☐	FOR 450 MM SEAT DEPTH		☐
OTHER SEATING OPTIONS				
CEH0852	☐	SEAT RIGIDIZER		61,61
CEH0882	☐	LATERAL POSITIONING PADS (PAIR)		237,91
CEH0905	☐	NECKREST BLACK PU TR26 (INCLUDING BACKBRACE EXCEPT FOR LAGUNA)	NC : 0906, 0907, 0940, 0945	60,10
CEH0906	☐	HEADREST BLACK PU TR26 (INCLUDING BACKBRACE EXCEPT FOR LAGUNA)	NC : 0907, 0940, 0945	199,05
CEH0907	☐	HEADREST WITH CHEEK SUPPORT BLACK PU TR26 (INCLUDING BACKBRACE EXCEPT FOR LAGUNA) -	NC : 0940, 0945	217,06
CEH0930	☐	ADJUSTABLE CALF STRAP		10,43
CEH0935	☐	LONGER FOOTREST TUBE (UL= 450-530 MM)	NC : 0936	17,06
CEH0936	☐	SHORTER FOOTREST SUPPORT (PAIR) (UL= 230-430 MM)		83,41
CEH0940	☐	BACKBRACE	NC : 0945	47,39
CEH0945	☐	FOLDABLE BACKBRACE	NC : 1451	105,21
COLOURS				
CEH0961	☐	SLATE GREY (RAL7024 FINE TEXTURE)		☐
CEH0964	☐	PEARL WHITE		☐
CEH0966	☐	MATT BLACK		☐
CEH0967	☐	BLUE POP		☐
CEH0969	☐	RED MATT		☐
CEH0980	☐	ANTHRACITE BLACK		☐
CEH0991	☐	SPECIAL COLOUR		On Request
CASTER HOUSING TYPE				
CEH0995	☐	STANDARD		☒
FRONT WHEELS				
CEH1005	☐	200 X 32 MM (8" X 1.1/4") - BLACK PNEUMATIC TYRE		☐
CEH1010	☐	200 X 30 MM (8" X 1.1/4") - BLACK SOLID TYRE		☐
CEH1030	☐	200 X 45 MM (8" X 2") - BLACK SOLID TYRE		☐
CEH1035	☐	150 X 30 MM (6" X 1.1/4") - BLACK SOLID TYRE MEDIUM HARD		☐
CEH1050	☐	150 X 30 MM (6" X 1.1/4") - BLACK SOLID TYRE		☒
CEH1054	☐	125 X 30 MM (5" X 1") - BLACK SOLID TYRE		☐
CEH1056	☐	140 X 40 MM (5" 1/2 X 1" 3/4) - BLACK SOLID TYRE MEDIUM HARD		☐
REAR WHEELS				
REAR WHEEL SIZE				
CEH1066	☐	22" - 560 mm		☐
CEH1068	☐	24" - 600 mm		☒
REAR WHEEL TYPE				
CEH1075	☐	ONE ARM DRIVE (BLACK HUB & ZINC PLATTED SPOKED WITH ONE ARM DRIVE HANDRIM SYSTEM)		☒
TYRE TYPE				
CEH1082	☐	TYRES SOLID BLACK 35 MM (1"3/8)		☒
CEH1088	☐	PNEUMATIC LOW PROFILE BLACK 25 MM (1")		☐
REAR WHEELS AXLE TYPE				
CEH1180	☐	QUICK RELEASE AXLE		☒



0849



0853 / 0854
0855 / 0856



0871



0873



0882



0905



0906



0907



0945



0961



0964



0966



0967



0969



0980



1010



1050



1075



1082



1088

REAR WHEELS POSITION				
CEH1190	☐	STANDARD REAR WHEELS POSITION - 25MM FRONTWARDS/BACKREST CANE AXLE (12,5MM with Active Rear Wheel Support and Seat Depth 500MM)		◆
CEH1200	☐	PASSIVE REAR WHEELS POSITION - 25MM BACKWARDS/BACKREST CANE AXLE (12,5MM with Active Rear Wheel Support and Seat Depth 500MM)		○
PUMP				
CEH1230	☐	PUMP AND SUPPORT		10,43
CHASSIS OPTIONS TYPE				
CEH1241	☐	FRONT WHEELS EXTENSION (+ 50 MM OUTWARD)		○
BRAKES TYPE				
CEH1270	☐	PUSH TO LOCK BRAKES		◆
CEH1275	☐	PULL TO LOCK BRAKES		○
CEH1320	☐	OAD WIRE CONTROLLED BRAKE RH	NC : 1390	94,79
CEH1330	☐	OAD WIRE CONTROLLED BRAKE LH	NC : 1390	94,79
SAFETY OPTIONS TYPE				
CEH1345	☐	TRANSPORTATION BRACKETS		24,64
CEH1360	☐	POSTURE BELT - PLASTIC BUCKLE	NC : 1361, 1362, 1363, 1364	31,28
CEH1361	☐	HIP BELT, 2-PT, CTR-PULL, PB - M X 460MM PADS, FLAT-MOUNT	NC : 1362, 1363, 1364	199,05
CEH1362	☐	HIP BELT, 2-PT, CTR-PULL, PB - L X 620MM PADS, FLAT-MOUNT	NC : 1363, 1364	206,64
CEH1363	☐	HIP BELT, 4-PT, CTR-PULL, PB - M X 460MM PADS, FLAT-MOUNT	NC : 1364	234,12
CEH1364	☐	HIP BELT, 4-PT, CTR-PULL, PB - L X 620MM PADS, FLAT-MOUNT		241,71
CEH1370	☐	REAR ANTI-TIPPERS PAIR -	NC : 1375, 1440	79,62
CEH1375	☐	REAR ANTI-TIPPERS PAIR WITH TIPPING AID - (REA TYPE)	NC : 1440	125,12
CEH1380	☐	REFLECTORS KIT		38,86
CEH1390	☐	BRAKE EXTENSION PAIR		10,43
OPTIONS				
CEH1430	☐	CANE HOLDER		49,29
CEH1440	☐	TIPPING AID RH		28,44
CEH1451	☐	DRIP STAND SUPPORT WITH DRIPSTAND (WITH BACKBRACE 0940 ONLY)		101,42
OTHERS OPTIONS				
CEH1480	☐	ACRYLIC TRAY		72,83
RAMPS				
1440530	☐	Fiberglass Folding Mono Ramp Folded dimensions: 2000 x 230 mm 16.3 kg - maximum capacity: 300 kg		1 787,68
1654128	☐	Basic ramp 2 telescopic parts in aluminum and non-slip coating. Folded dimensions: 1210 x 194 mm 8.8 kg per pair - maximum capacity: 270 kg		402,84
1654129	☐	Quick2go Compact 3-part aluminum telescopic ramp with non-slip coating Folded dimensions: 870 x 237 mm 13.6 kg per pair - maximum capacity: 260 kg		805,69
1654130	☐	Aluminium folding mono ramp Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg		426,54