

Invacare® Action³ NG Light

Please contact Invacare EU Export Customer Services on :-
Tel : +33 247 626980 ; Email : serviceclient_export@invacare.com
 Or visit our website : www.invacare.eu.com



Invacare® Action³ NG Light

Folding aluminium manual wheelchair

matrix
SEATING SERIES

BP Bodypoint



Description:

- Weight: from 13 kg.
- Maximum user weight: 125 kg.
- 2-year warranty period excluding parts of wear
- 1.2 kg lighter than an **Action³NG**:
 - Lightened fork supports
 - Active rear wheels as standard
 - Folding and angle-adjustable backrest at no extra charge



New: short narrow gutters without rotation
New pneumatic Maxxis Alpha Protect 1"
New Matrix Libra cushion

Date :

Purchase Order :

Customer Code :

Distributor Stamp:



Invacare Unique Customization Service
 Please specify the quote or special production number:

☐ Please make your selection with a cross in the box

◆ Standard feature

○ Free of charge option

CODE		DESCRIPTION	NC : Non Compatible NC : 9999 = not compatible with the reference 9999	Euros		
CES0031	☐	Invacare® Action ³ _{NG} RC - Fixed Backrest		529,85		
CES0036	☐	Invacare® Action ³ _{NG} RC - Folding Backrest		572,18		
CES0041	☐	Invacare® Action ³ _{NG} RC - Reclining Backrest		572,18		
ALBER						
CES0070	☐	BRACKET FOR TWION / E-MOTION M25 INCLUDING ALBER ANTI-TIPPER	NC : 0310, 0315, 0732, 0832, 1064, 1066, 1073, 1074, 1082, 1170, 1185, 1201, 1280, 1320, 1330, 1345, 1365, 1370, 1375, 1430, 1440	579,15		
CES0080	☐	BRACKET FOR VIAMOBIL V25	NC : 0300, 0310, 0315, 0455, 0460, 0451 à 0469, 0908, 1170, 1201, 1365, 1370, 1375, 1430, 1440	453,08		
CES0090	☐	BRACKET FOR VIAMOBIL ECO V14	NC : 0290, 0300, 0310, 0315, 0451 à 0469, 0905, 0906, 0907, 0908, 0945, 1185, 1201, 1365, 1370, 1375, 1430, 1440, 1451	414,25		
PROPULSION TYPE						
CES0100	☐	SELF PROPULSION		◆		
SEAT						
SEAT WIDTH						
CES0180	☐	380 mm	NC : 0485, 0486, 0487, 0488, 0545+0595, 0852, 0855	○	WITHOUT SUPPLEMENT !	
CES0190	☐	405 mm	NC : 0482, 0486, 0487, 0488, 0545+0595	○		
CES0200	☐	430 mm	NC : 0482, 0483, 0487, 0488, 0853	◆		
CES0210	☐	455 mm	NC : 0482, 0483, 0484, 0488, 0853	○		
CES0220	☐	480 mm	NC : 0482, 0483, 0484, 0485, 0852, 0853, 0854	○		
CES0230	☐	505 mm	NC : 0482, 0483, 0484, 0485,0486, 0852, 0853, 0854, 0855, 0856	○		
On Demand	☐	555 mm - with back tensioner and padded seat cover included - On request only Manufacturing time + 7 days	NC : 0431, 0432, 0330, 0340, 0849 + 0240, 0853 à 0873, 0852, 0945, 1480. Si hauteur de dossier 510 mm, toile de dossier nylon noir de série à la place de la toile de dossier bi-matière	○		
SEAT DEPTH						
CES0240	☐	400 mm	NC : 0879	◆		
CES0250	☐	450 mm	NC : 0853, 0878	○		
CES0252	☐	400 TO 450 MM ADJUSTABLE SEAT DEPTH	NC : 0330, 0350	30,33		







SEAT HEIGHT				
CES0260	☐	510 mm	NC : 0738, 0739, 0838, 0839, 1035, 1054, 1056 1066	○
CES0270	☐	485 mm	NC : 1054	◆
CES0280	☐	460 mm		○
CES0290	☐	435 mm	NC : 0660/0670/0760/0770 + 24" wheels, 1005, 1010, 1030, 1056	○
CES0300	☐	410 mm	NC : 24" wheels, 0935, 1005, 1010, 1030, 1056, 1365, 1370, 1440	○
CES0310	☐	385 mm (only with CES1054 5" front wheels and 22" rear wheels)	NC : 0660, 0670, 0738, 0739, 0760, 0770, 0838, 0739, 0935, 1035, 1056, 1068, 1280, 1365, 1370, 1440	○
CES0315	☐	360 mm (only with CES1054 5" front wheels and 20" rear wheels)	NC : 0600, 0620, 0660, 0670, 0738, 0739, 0760, 0770, 0838, 0839, 0935, 1280, 1035, 1056, 1066, 1068, 1365, 1375, 1440	145,02
SEAT UPHOLSTERY TYPE				
CES0330	☐	NYLON WITHOUT LOOP BANDS SEAT UPHOLSTERY		◆
CES0340	☐	NYLON WITH LOOP BANDS SEAT UPHOLSTERY		○
CES0350	☐	PADDED NYLON SEAT UPHOLSTERY		30,33
BACKREST				
BACKREST TYPE				
CES0396	☐	FIXED 7° BACKREST - HEIGHT ADJUST 380 TO 460 MM (DELIVERED 380 MM)	NC : 0451 à 0469, 0474, 0477, 0478, 0481, 0905, 0906, 0907, 0908, 0940, 1451	295,73
CES0410	☐	FIXED 7° BACKREST - 2 HEIGHTS 400/430 MM (DELIV. 430 MM)	NC : 0471, 0477, 0945	◆
CES0420	☐	FIXED 7° BACKREST - 510 MM HEIGHT	NC : 0471, 0477, 0945	33,18
CES0431	☐	ANGLE ADJUSTABLE AND FOLD DOWN (-15° to + 15°) FIXED 7°, HEIGHT 350MM / 14" WITH FIXED SHORT PUSHHANDLES	NC : 0471, 0474, 0478, 0481, 0882, 0905, 0906, 0907, 0940, 1280, 1345, 1451	○
CES0432	☐	ANGLE ADJUSTABLE AND FOLD DOWN (-15° to + 15°) FIXED 7°, HEIGHT 425MM / 17" WITH FIXED LONG PUSHHANDLES	NC : 0471, 0474, 0478, 0481, 0882	○
CES0435	☐	RECLINING (RATCHET) 0/30° BACKREST INCL. BACKRACE & PASSIVE REAR WHEEL POS. ONLY	NC : 0471, 0477, 0738, 0739, 0940, 0945, 1185, 1190	◆
CES0445	☐	RECLINING (GAS SPRING) 0/30° BACKREST INCL. BACKRACE & PASSIVE REAR WHEEL POS. ONLY	NC : 0471, 0477, 0738, 0739, 0940, 0945, 1185, 1190	○
CES0450	☐	RECLINING (GAS SPRING) 0/30° BACKREST INCL. BACKRACE & PASSIVE REAR WHEEL POS. ONLY	NC : 0471, 0477, 0738, 0739, 0940, 0945, 1185, 1190	33,18
CES0455	☐	FOLDING 7° BACKREST	NC : 0451 à 0454, 0458 à 0467, 0471, 0477, 0945	◆
CES0460	☐	FOLDING 7° BACKREST	NC : 0451 à 0454, 0458 à 0467, 0471, 0477, 0481, 0945	33,18
MATRX BACK (LOSS OF APPROX 20 MM SEAT DEPTH WITH RECLINING GAS SPRING BACKREST)				
CES0451	☐	MATRX ELITE E2 BACK WITH HARDWARE - 160 MM BACK HEIGHT - CURVED 80 MM - MINI FASTENERS	NC : 0471, 0474, 0477, 0478, 0481, 0882, 0940, 0945	500,47
CES0452	☐	MATRX ELITE E2 BACK WITH HARDWARE - 210 MM BACK HEIGHT - CURVED 80 MM - MINI FASTENERS	NC : 0471, 0474, 0477, 0478, 0481, 0882, 0940, 0945	500,47
CES0453	☐	MATRX ELITE E2 BACK WITH HARDWARE - 260 MM BACK HEIGHT - CURVED 80 MM - MINI FASTENERS	NC : 0471, 0474, 0477, 0478, 0481, 0882, 0940, 0945	500,47
CES0454	☐	MATRX ELITE E2 BACK WITH HARDWARE - 310 MM BACK HEIGHT - CURVED 80 MM - MINI FASTENERS	NC : 0471, 0474, 0477, 0478, 0481, 0882, 0940, 0945	500,47
CES0456	☐	MATRX ELITE E2 BACK WITH HARDWARE - 360 MM BACK HEIGHT - CURVED 80 MM - MINI FASTENERS	NC : 0471, 0474, 0477, 0478, 0481, 0882, 0940, 0945	500,47
CES0461	☐	MATRX ELITE E2 BACK WITH HARDWARE - 410 MM BACK HEIGHT - CURVED 80 MM - MINI FASTENERS	NC : 0471, 0474, 0477, 0478, 0481, 0882, 0940, 0945	500,47
CES0462	☐	MATRX ELITE E2 BACK WITH HARDWARE - 460 MM BACK HEIGHT - CURVED 80 MM - STANDARD FASTENERS	NC : 0471, 0474, 0477, 0478, 0481, 0882, 0940, 0945	500,47
CES0457	☐	MATRX ELITE E2 BACK WITH HARDWARE - 510 MM BACK HEIGHT - CURVED 80 MM - STANDARD FASTENERS	NC : 0471, 0474, 0477, 0478, 0481, 0882, 0940, 0945	500,47
CES0458	☐	MATRX ELITE DEEP E2 BACK WITH HARDWARE - 160 MM BACK HEIGHT - CURVED 160 MM - MINI FASTENERS	NC : 0471, 0474, 0477, 0478, 0481, 0882, 0940, 0945	500,47
CES0459	☐	MATRX ELITE DEEP E2 BACK WITH HARDWARE - 210 MM BACK HEIGHT - CURVED 160 MM - MINI FASTENERS	NC : 0471, 0474, 0477, 0478, 0481, 0882, 0940, 0945	500,47
CES0466	☐	MATRX ELITE DEEP E2 BACK WITH HARDWARE - 260 MM BACK HEIGHT - CURVED 160 MM - MINI FASTENERS	NC : 0471, 0474, 0477, 0478, 0481, 0882, 0940, 0945	500,47
CES0467	☐	MATRX ELITE DEEP E2 BACK WITH HARDWARE - 310 MM BACK HEIGHT - CURVED 160 MM - MINI FASTENERS	NC : 0471, 0474, 0477, 0478, 0481, 0882, 0940, 0945	500,47



0396


0435



0455 / 0460


**Matrx Elite E2 /
Elite Deep E2**

CES0468	☐	MATRX ELITE DEEP E2 BACK WITH HARDWARE - 360 MM BACK HEIGHT - CURVED 160 MM - MINI FASTENERS	NC : 0471, 0474, 0477, 0478, 0481, 0882, 0940, 0945	500,47	Fixation standard 
CES0463	☐	MATRX ELITE DEEP E2 BACK WITH HARDWARE - 410 MM BACK HEIGHT - CURVED 160 MM - MINI FASTENERS	NC : 0471, 0474, 0477, 0478, 0481, 0882, 0940, 0945	500,47	
CES0464	☐	MATRX ELITE DEEP E2 BACK WITH HARDWARE - 460 MM BACK HEIGHT - CURVED 160 MM - STANDARD FASTENERS	NC : 0471, 0474, 0477, 0478, 0481, 0882, 0940, 0945	500,47	
CES0469	☐	MATRX ELITE DEEP E2 BACK WITH HARDWARE - 510 MM BACK HEIGHT - CURVED 160 MM - STANDARD FASTENERS	NC : 0471, 0474, 0477, 0478, 0481, 0882, 0940, 0945	500,47	
MATRX BACKRESTS WIDTH CHOICE - SEE TABLE AT END					
CES0482	☐	360 MM - INDICATIVE BUST WIDTH : 265 MM		☐	0471  0474  0481 
CES0483	☐	380 MM - INDICATIVE BUST WIDTH : 290 MM		☐	
CES0484	☐	410 MM - INDICATIVE BUST WIDTH : 315 MM		☐	
CES0485	☐	430 MM - INDICATIVE BUST WIDTH : 340 MM		☐	
CES0486	☐	460 MM - INDICATIVE BUST WIDTH : 370 MM		☐	
CES0487	☐	480 MM - INDICATIVE BUST WIDTH : 390 MM		☐	
CES0488	☐	510 MM - INDICATIVE BUST WIDTH : 420 MM		☐	
BACKREST UPHOLSTERY TYPE					
CES0471	☐	STANDARD NYLON SLING TYPE (JEMIMA)	NC : 0882, 0905, 0906, 0907	☐	0471  0474  0481 
CES0474	☐	LUMBAR SUPPORT (+1 STRAP) BI MATERIAL PADDED COVER INCL. BACK POCKET		☒	
CES0477	☐	CONTOUR ADJUSTABLE (3+1 STRAPS) BI MATERIAL PADDED COVER INCL. BACK POCKET		☐	
CES0478	☐	CONTOUR ADJUSTABLE (3+1 STRAPS) BI MATERIAL PADDED COVER INCL. BACK POCKET	NC : 0940, 0945	☐	
CES0481	☐	CONTOUR ADJUSTABLE (7+1 STRAPS) BI MATERIAL PADDED COVER INCL. BACK POCKET	NC : 0940, 0945	189,57	
HANGERS/FOOTPLATES					
HANGERS RH TYPE					
CES0510	☐	80° STRAIGHT RH SWING IN/SWING OUT HANGER		☒	0510 / 0560  0520 / 0570  0545 / 0595  0610 / 0630  0611 
CES0520	☐	ELEVATING LEGREST (0° TO 75°) RH SWING IN/SWING OUT HANGER (INCLUDING CALFPAD)	NC : 0611, 0930, 0935, 0936	73,82	
CES0545	☐	AMPUTEE LEGREST RH	NC : 0600, 0610, 0611, 0930, 0936	140,28	
HANGERS LH TYPE					
CES0560	☐	80° STRAIGHT LH SWING IN/SWING OUT HANGER		☒	0510 / 0560  0520 / 0570  0545 / 0595  0610 / 0630  0611 
CES0570	☐	ELEVATING LEGREST (0° TO 75°) LH SWING IN/SWING OUT HANGER (INCLUDING CALFPAD)	NC : 0611, 0930, 0935, 0936	73,82	
CES0595	☐	AMPUTEE LEGREST LH	NC : 0611, 0620, 0630, 0930, 0936	140,28	
FOOTPLATES RH TYPE					
CES0600	☐	FLIP UP RH FOOTPLATE - (INCLUDING HEEL STRAP)		☒	0510 / 0560  0520 / 0570  0545 / 0595  0610 / 0630  0611 
CES0610	☐	FLIP UP DEPTH & ANGLE AJUSTABLE RH FOOTPLATE - (INCLUDING HEEL STRAP)		26,43	
CES0611	☐	FLIP UP ONE PIECE FOOTPLATE - DEPTH & ANGLE ADJUSTABLE	NC : 0620, 0630, 0935, 0936	234,12	
FOOTPLATES LH TYPE					
CES0620	☐	FLIP UP LH FOOTPLATE - (INCLUDING HEEL STRAP)		☒	0510 / 0560  0520 / 0570  0545 / 0595  0610 / 0630  0611 
CES0630	☐	FLIP UP DEPTH & ANGLE AJUSTABLE LH FOOTPLATE - (INCLUDING HEEL STRAP)		26,43	

ARMRESTS					
ARMRESTS RH FORM IN BLACK COLOR					
CES0640	☐	REMOVABLE RH (N°1) AUTOLOCK SAFETY DEVICE INCLUDED - DESK	NC : 0760, 0770, 0772, 0780, 0790, 0795, 0796, 0798, 0838, 0839, 1480, 1483	◆	 0640 / 0740
CES0650	☐	REMOVABLE RH (N°1) AUTOLOCK SAFETY DEVICE INCLUDED - FULL LENGTH	NC : 0760, 0770, 0772, 0780, 0790, 0795, 0796, 0798, 0838, 0839	24,64	
CES0656	☐	REMOVABLE AND CONTINUOUSLY HEIGHT-ADJUSTABLE FROM 200 MM TO 280 MM - SHORT NARROW GUTTER (330 MM) WITHOUT ROTATION 	NC : 0760, 0770, 0772, 0780, 0790, 0795, 0796, 0798, 0838, 1480	113,17	 0656 / 0756
CES0660	☐	REMOVABLE RH (N°1) "RIO" Special Only For Denmark AUTOLOCK SAFETY DEVICE INCLUDED -	NC : 0740, 0750, 0756, 0772, 0780, 0790, 0795, 0796, 0798, 0838, 0839, 1480, 1483	○	
CES0670	☐	SWING AWAY DETACHABLE RH (N°2) - FULL LENGTH	NC : 0740, 0750, 0756, 0780, 0790, 0795, 0796, 0798, 0838, 0839	24,64	 0660 / 0760
CES0672	☐	LIFTABLE AND REMOVABLE, HEIGHT-ADJUSTABLE FROM 170 TO 295 MM - SHORT (330 MM) NON-ROTATING NARROW TROUGH WITH CLOTHES GUARD AND ERGONOMIC SUPPORT HANDLE 	NC : 0740, 0750, 0760, 0770, 0795, 0796, 0798, 0838, 1480	113,17	
CES0680	☐	SWING AWAY DETACHABLE RH (N°3) - DESK	NC : 0740, 0750, 0756, 0760, 0770, 0795, 0796, 0838, 0839, 1480, 1483	117,54	 0680 / 0780
CES0690	☐	SWING AWAY DETACHABLE RH (N°3) - FULL LENGTH	NC : 0740, 0750, 0756, 0760, 0770, 0795, 0796, 0838, 0839, 1483	140,28	
CES0695	☐	REMOVABLE RH (N°4) AUTOLOCK SAFETY DEVICE INCLUDED - DESK	NC : 0740, 0750, 0756, 0760, 0770, 0772, 0780, 0790, 0838, 0839, 1185, 1480, 1483	117,54	 0695 / 0795
CES0696	☐	REMOVABLE RH (N°4) AUTOLOCK SAFETY DEVICE INCLUDED - FULL LENGTH	NC : 0740, 0750, 0756, 0760, 0770, 0772, 0780, 0790, 0838, 0839, 1185, 1483	140,28	
CES0698	☐	REMOVABLE AND HEIGHT ADJUSTABLE - SHORT NARROW GUTTER (330 MM) WITHOUT ROTATION 	NC : 0740, 0750, 0756, 0760, 0770, 0772, 0780, 0790, 0838, 1185, 1480	113,17	 0698 / 0798
CES0732	☐	REMOVABLE RH (N°4) AUTOLOCK SAFETY DEVICE INCLUDED - ARMPAD HEMI BLACK PU TR26	NC : 0838, 0839, 1185, 1480, 1483	113,17	
CES0738	☐	REMOVABLE MUDGUARD RH (N°6) (CUSHION IS RECOMMENDED FOR SEAT HEIGHT 410 & 435 MM) -	NC : 0740, 0750, 0760, 0770, 0780, 0790, 0795, 0796, 0832, 0839, 1064, 1066, 1200, 1201, 1480, 1483	60,66	 0732 / 0832
CES0739	☐	TUBULAR ARMREST RH, SWING AWAY PADDED TUBE WITH REMOVABLE MUDGUARD RH (N°6) (CUSHION IS RECOMMENDED FOR SEAT HEIGHT 410 & 435 MM) -	NC : 0740, 0750, 0760, 0770, 0780, 0790, 0795, 0796, 0832, 0838, 1064, 1066, 1200, 1201, 1345, 1430, 1365, 1480, 1483	129,86	
ARMRESTS LH FORM IN BLACK COLOR					
CES0740	☐	REMOVABLE LH (N°1) AUTOLOCK SAFETY DEVICE INCLUDED - DESK	NC : 1480, 1484	◆	 0738 / 0838
CES0750	☐	REMOVABLE LH (N°1) AUTOLOCK SAFETY DEVICE INCLUDED - FULL LENGTH		24,64	
CES0756	☐	REMOVABLE AND CONTINUOUSLY HEIGHT-ADJUSTABLE FROM 200 MM TO 280 MM - SHORT NARROW GUTTER (330 MM) WITHOUT ROTATION 		113,17	 0739 / 0839
CES0760	☐	SWING AWAY DETACHABLE LH (N°2) - DESK	NC : 1480, 1484	○	
CES0770	☐	SWING AWAY DETACHABLE LH (N°2) - FULL LENGTH		24,64	
CES0772	☐	LIFTABLE AND REMOVABLE, HEIGHT-ADJUSTABLE FROM 170 TO 295 MM - SHORT (330 MM) NON-ROTATING NARROW TROUGH WITH CLOTHES GUARD AND ERGONOMIC SUPPORT HANDLE 	NC : 1480	113,17	
CES0780	☐	SWING AWAY DETACHABLE LH (N°3) - DESK	NC : 1480, 1484	117,54	
CES0790	☐	SWING AWAY DETACHABLE LH (N°3) - FULL LENGTH	NC : 1484	140,28	
CES0795	☐	REMOVABLE LH (N°4) AUTOLOCK SAFETY DEVICE INCLUDED - DESK	NC : 1185	113,17	
CES0796	☐	REMOVABLE LH (N°4) AUTOLOCK SAFETY DEVICE INCLUDED - FULL LENGTH	NC : 1185, 1480, 1484	117,54	
CES0798	☐	REMOVABLE AND HEIGHT ADJUSTABLE - SHORT NARROW GUTTER (330 MM) WITHOUT ROTATION 	NC : 1185, 1484	140,28	
CES0832	☐	REMOVABLE LH (N°4) AUTOLOCK SAFETY DEVICE INCLUDED - ARMPAD HEMI BLACK PU TR26	NC : 1185, 1480, 1484	113,17	
CES0838	☐	REMOVABLE MUDGUARD LH (N°6) (CUSHION IS RECOMMENDED FOR SEAT HEIGHT 410 & 435 MM) -	NC : 1064, 1066, 1484	60,66	
CES0839	☐	TUBULAR ARMREST LH, SWING AWAY PADDED TUBE WITH REMOVABLE MUDGUARD LH (N°6) (CUSHION IS RECOMMENDED FOR SEAT HEIGHT 410 & 435 MM)	NC : 1064, 1066, 1200, 1201, 1345, 1365, 1430, 1480, 1484	129,86	

SEAT CUSHION TYPE				
Cushion				
CES0849	☐	BASIC 50 MM FOAM CUSHION - NYLON & ANTI-SLIP COVER	NC : 0853, 0854, 0855, 0856, 0871, 0873	33,08
CES0853	☐	CLASSIC VISCO CUSHION 375X 400 MM -	NC : 0871, 0873, 0878, 0879	76,78
CES0854	☐	CLASSIC VISCO CUSHION 405 X 400 MM -	NC : 0871, 0873, 0878, 0879	65,40
CES0855	☐	CLASSIC VISCO CUSHION 430 X 430 MM -	NC : 0871, 0873, 0878, 0879	65,40
CES0856	☐	CLASSIC VISCO CUSHION 455 X 400 MM -	NC : 0871, 0873, 0878, 0879	76,78
CES0871	☐	MATRX CONTOUR NG VISCO CUSHION	NC : 0873	76,78
CES0873	☐	MATRX FLO-TECH IMAGE CUSHION		213,27
CES0876	☐	MATRX LIBRA CUSHION 		293,84
SEAT CUSHION DEPTH				
CES0878	☐	FOR 400 MM SEAT DEPTH		☐
CES0879	☐	FOR 450 MM SEAT DEPTH		☐
OTHER SEATING OPTIONS				
CES0852	☐	SEAT RIGIDIZER		61,61
CES0882	☐	LATERAL POSITIONING PADS (PAIR)		237,91
CES0905	☐	NECKREST BLACK PU TR26 (INCLUDING BACKBRACE EXCEPT FOR LAGUNA)	NC : 0906, 0907, 0908, 0940, 0945	60,10
CES0906	☐	HEADREST BLACK PU TR26 (INCLUDING BACKBRACE EXCEPT FOR LAGUNA)	NC : 0907, 0908, 0940, 0945	199,05
CES0907	☐	HEADREST WITH CHEEK SUPPORT BLACK PU TR26 (INCLUDING BACKBRACE EXCEPT FOR LAGUNA) -	NC : 0908, 0940, 0945	217,06
CES0908	☐	MATRX SOFT PAD HEADREST (SOFT PAD 250MM) WITH FIXED HARDWARE		441,71
CES0930	☐	ADJUSTABLE CALF STRAP		10,43
CES0935	☐	LONGER FOOTREST TUBE (UL= 450-530 MM)	NC : 0936	17,06
CES0936	☐	SHORTER FOOTREST SUPPORT (PAIR) (UL= 230-430 MM)		83,41
CES0940	☐	BACKBRACE	NC : 0945	47,39
CES0945	☐	FOLDABLE BACKBRACE	NC : 1451	105,21
COLOURS				
CES0961	☐	SLATE GREY (RAL7024 FINE TEXTURE)		☐
CES0964	☐	PEARL WHITE		☐
CES0965	☐	ELECTRIC GREEN		54,03
CES0966	☐	MATT BLACK		☐
CES0967	☐	BLUE POP		☐
CES0968	☐	HYPNOTIC PURPLE		54,03
CES0969	☐	RED MATT		☐
CES0972	☐	WATER BLUE		54,03
CES0980	☐	ANTHRACITE BLACK		☐
CES0991	☐	SPECIAL COLOUR		On Request
CASTER HOUSING TYPE				
CES0996	☐	LIGHT WEIGHT		☒
FRONT WHEELS				
CES1005	☐	200 X 32 MM (8" X 1.1/4") - BLACK PNEUMATIC TYRE		☐
CES1010	☐	200 X 30 MM (8" X 1.1/4") - BLACK SOLID TYRE		☐
CES1030	☐	200 X 45 MM (8" X 2") - BLACK SOLID TYRE		☐
CES1035	☐	150 X 30 MM (6" X 1.1/4") - BLACK SOLID TYRE MEDIUM HARD		☐
CES1050	☐	150 X 30 MM (6" X 1.1/4") - BLACK SOLID TYRE		☒
CES1054	☐	125 X 30 MM (5" X 1") - BLACK SOLID TYRE		☐
CES1056	☐	140 X 40 MM (5" 1/2 X 1" 3/4) - BLACK SOLID TYRE MEDIUM HARD		☐


0849

0853 / 0854
0855 / 0856

0871

0873

0876

0882

0905

0906

0907

0908

0945



0961 / 0964 / 0965 / 0966

0967 / 0968 / 0969 / 0980

0972


1010

1050

REAR WHEELS					 Standard  Composite  Active  1" 1.3/8" 1.3/8" 1088 1084 1082 1092
REAR WHEEL SIZE					
CES1064	☐	20" - 515 mm	NC : 1071, 1073, 1074, 1076, 1088, 1092 1170, 1260, 1280	☐	
CES1066	☐	22" - 560 mm	NC : 1074, 1092, 1260	☐	
CES1068	☐	24" - 600 mm	NC : 1261	☒	
REAR WHEEL TYPE					
CES1071	☐	STANDARD (BLACK HUB, COLORLESS RIM & ZINC PLATTED SPOKES)	NC : 1092, 1140, 1280	☐	
CES1072	☐	REINFORCED (COLORLESS HUB, CLEAR ANODIZED RIM & STAINLESS STEEL SPOKES)	NC : 1092, 1280	☐	
CES1073	☐	DRUM BRAKE (20/22/24" : COLORLESS HUB, CLEAR ANODIZED RIM & STAINLESS STEEL SPOKES / 12" : BLACK PLASTIC HUB & RIM)	NC : 1092, 1270, 1275, 1320, 1330	☐	
CES1074	☐	COMPOSITE (BLACK PLASTIC HUB & RIM)	NC : 1088, 1092, 1260, 1261, 1280	☐	
CES1076	☐	LIGHTWEIGHT (BLACK HUB & RIM, 24 BLACK RADIAL SPOKES)	NC : 1170, 1201, 1230, 1260, 1261, 1280	☒	
TYRE TYPE					
CES1082	☐	TYRES SOLID BLACK 35 MM (1"3/8)		☒	
CES1084	☐	PNEUMATIC PROFILED BLACK 35 MM (1"3/8)		☐	
CES1088	☐	PNEUMATIC LOW PROFILE BLACK 25 MM (1")		☐	
CES1092	☐	PNEUMATIC MAXXIS ALPHA PROTECT 25 MM (1") 		83,41	
HANDRIM TYPE					
CES1140	☐	ALUMINIUM PRE-ANODIZED HANDRIM		☒	
CES1150	☐	HANDRIM COATED IN BLACK ANTI-SLIP PLASTIC		127,01	
REAR WHEELS AXLE TYPE					
CES1170	☐	FIXED AXLE	NC : 1185, 1280, 1365	☐	
CES1180	☐	QUICK RELEASE AXLE		☒	
REAR WHEELS POSITION					
CES1185	☐	ACTIVE REAR WHEELS POSITION - 37,5MM FRONTWARDS/BACKREST CANE AXLE (with Active Rear Wheel Support)	NC : 1320, 1330, 1345, 1365	148,82	
CES1190	☐	STANDARD REAR WHEELS POSITION - 25MM FRONTWARDS/BACKREST CANE AXLE (12,5MM with Active Rear Wheel Support and Seat Depth 500MM)		☒	
CES1200	☐	PASSIVE REAR WHEELS POSITION - 25MM BACKWARDS/BACKREST CANE AXLE (12,5MM with Active Rear Wheel Support and Seat Depth 500MM)		☐	
CES1201	☐	DUAL AMPUTEE REAR WHEELS POSITIONS - TRANSIT=75MM BACKWARDS/BACKREST CANE AXLE, ADJUSTABLE TO 50MM BY THE DEALER & SELF PROP=60MM BACKWARDS/BACKREST CANE AXLE, ADJUSTABLE TO 85MM BY THE DEALER	NC : 1275, 1280, 1320, 1330, 1365	148,82	
PUMP					
CES1230	☐	PUMP AND SUPPORT		10,43	
CHASSIS OPTIONS TYPE					
CES1241	☐	FRONT WHEELS EXTENSION (+ 50 MM OUTWARD)		☐	
CES1260	☐	SPOKE GUARDS PAIR 600 MM (24") BLACK	NC : 1261	165,88	
CES1261	☐	SPOKE GUARDS PAIR CLEAR		165,88	
BRAKES TYPE					
CES1270	☐	PUSH TO LOCK BRAKES		☒	
CES1275	☐	PULL TO LOCK BRAKES		☐	
CES1280	☐	ATTENDANT HUB BRAKES (INCLUDING PUSH TO LOCK BRAKES)		178,20	
CES1320	☐	OAD WIRE CONTROLLED BRAKE RH	NC : 1390	94,79	
CES1330	☐	OAD WIRE CONTROLLED BRAKE LH	NC : 1390	94,79	
SAFETY OPTIONS TYPE					
CES1345	☐	TRANSPORTATION BRACKETS		24,64	
CES1360	☐	POSTURE BELT - PLASTIC BUCKLE	NC : 1361, 1362, 1363, 1364	31,28	
CES1361	☐	HIP BELT, 2-PT, CTR-PULL, PB - M X 460MM PADS, FLAT-MOUNT	NC : 1362, 1363, 1364	199,05	
CES1362	☐	HIP BELT, 2-PT, CTR-PULL, PB - L X 620MM PADS, FLAT-MOUNT	NC : 1363, 1364	206,64	
CES1363	☐	HIP BELT, 4-PT, CTR-PULL, PB - M X 460MM PADS, FLAT-MOUNT	NC : 1364	234,12	
CES1364	☐	HIP BELT, 4-PT, CTR-PULL, PB - L X 620MM PADS, FLAT-MOUNT		241,71	
CES1365	☐	TRANSFER KIT (100 MM (4") WHEELS) - ANTI-BARRIER		68,25	
CES1370	☐	REAR ANTI-TIPPERS PAIR -	NC : 1375, 1440	79,62	
CES1375	☐	REAR ANTI-TIPPERS PAIR WITH TIPPING AID - (REA TYPE)	NC : 1440	125,12	
CES1380	☐	REFLECTORS KIT		38,86	
CES1390	☐	BRAKE EXTENSION PAIR		10,43	

OPTIONS																																																																						
CES1430	☐	CANE HOLDER		49,29	 1440																																																																	
CES1440	☐	TIPPING AID RH		28,44																																																																		
CES1451	☐	DRIP STAND SUPPORT WITH DRIPSTAND (WITH BACKBRACE 0940 ONLY)		101,42																																																																		
OTHERS OPTIONS																																																																						
CES1480	☐	ACRYLIC TRAY	NC : 1483, 1484, 1485	72,83	 1483 / 1484  1480 1485																																																																	
CES1483	☐	HALF TABLE TRAY, CLEAR, FLIP UP, RH	NC : 1484	72,83																																																																		
CES1484	☐	HALF TABLE TRAY, CLEAR, FLIP UP, LH		72,83																																																																		
CES1485	☐	COMFORT PADDING FOR HALF TABLE TRAY		90,05																																																																		
ACCESSORIES (delivered separtly)																																																																						
AP1493219	☐	GUTTER WITH INDEPENDENT SIDE ROTATION, ADJUSTABLE IN HEIGHT AND DEPTH, RIGHT	Only compatible with armrest 0680, 0690, 0695, 0696, 0732	113,17																																																																		
AP1493220	☐	GUTTER WITH INDEPENDENT SIDE ROTATION, ADJUSTABLE IN HEIGHT AND DEPTH, LEFT	Only compatible with armrest 0780, 0790, 0795, 0796, 0832	113,17																																																																		
Possible widths of the Matrix backrests depending on the seat width <table><tr><th colspan="2"></th><th colspan="6">Seat Width (mm)</th></tr><tr><th rowspan="8">Backrest Width</th><th>(mm)</th><th>380</th><th>405</th><th>430</th><th>455</th><th>480</th><th>505</th></tr><tr><td>360</td><td>○</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>380</td><td>○</td><td>○</td><td></td><td></td><td></td><td></td></tr><tr><td>410</td><td>○</td><td>○</td><td>○</td><td></td><td></td><td></td></tr><tr><td>430</td><td></td><td>○</td><td>○</td><td>○</td><td></td><td></td></tr><tr><td>460</td><td></td><td></td><td>○</td><td>○</td><td>○</td><td></td></tr><tr><td>480</td><td></td><td></td><td></td><td>○</td><td>○</td><td>○</td></tr><tr><td>510</td><td></td><td></td><td></td><td></td><td>○</td><td>○</td></tr></table>								Seat Width (mm)						Backrest Width	(mm)	380	405	430	455	480	505	360	○						380	○	○					410	○	○	○				430		○	○	○			460			○	○	○		480				○	○	○	510					○	○
		Seat Width (mm)																																																																				
Backrest Width	(mm)	380	405	430	455	480	505																																																															
	360	○																																																																				
	380	○	○																																																																			
	410	○	○	○																																																																		
	430		○	○	○																																																																	
	460			○	○	○																																																																
	480				○	○	○																																																															
	510					○	○																																																															
RAMPS																																																																						
1440530	☐	Fiberglass Folding Mono Ramp Folded dimensions: 2000 x 230 mm 16.3 kg - maximum capacity: 300 kg		1 787,68	 1440530																																																																	
1654128	☐	Basic ramp 2 telescopic parts in aluminum and non-slip coating. Folded dimensions: 1210 x 194 mm 8.8 kg per pair - maximum capacity: 270 kg		402,84	 1654128																																																																	
1654129	☐	Quick2go Compact 3-part aluminum telescopic ramp with non-slip coating Folded dimensions: 870 x 237 mm 13.6 kg per pair - maximum capacity: 260 kg		805,69	 1654129																																																																	
1654130	☐	Aluminium folding mono ramp Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg		426,54	 1654130																																																																	