

Invacare® Action³ NG Light Xtra

Please contact Invacare EU Export Customer Services on :-
Tel : +33 247 626980 ; Email : servicedclient_export@invacare.com
 Or visit our website : www.invacare.eu.com



Invacare® Action³ NG Light Xtra

Folding aluminium manual wheelchair



Description: The over-equipped version of the Action3NG Light including as standard:

- Backrest adjustable in tension 4 straps with bi-material canvas
- Pair of short narrow gutters without rotation
- Matrix Contour ViscoNG seat cushion
- Pair of anti-tip wheels
- Transport kit AND without supplement:
- Tension-adjustable backrest with 7 straps with bi-material canvas
- Rigid anti-hammock base
- 9 chassis colors to choose from / Support belt
- Chair weight: from 13 kg / Maximum user weight: 125 kg
- 2-year warranty period excluding wear parts

New :

- Short narrow armrest without rotation
- Pneumatic Maxxis Alpha Protect 1"

Date :

Purchase Order :

Customer Code :

Distributor Stamp:



Invacare Unique Customization Service
 Please specify the quote or special production number:

☐ Please make your selection with a cross in the box ☒ Standard feature ☐ Free of charge option

CODE		DESCRIPTION	NC : Non Compatible NC : 9999 = not compatible with the reference 9999	Euros	
CEW0031	☐	Invacare® Action ³ NG Light Extra - Fixed Backrest		832,96	
CEW0036	☐	Invacare® Action ³ NG Light Extra - Folding Backrest		875,29	
CEW0041	☐	Invacare® Action ³ NG Light Extra - Reclining Backrest		875,29	
ALBER					
CEW0070	☐	BRACKET FOR TWION / E-MOTION M25 INCLUDING ALBER ANTI-TIPPER	NC : 0310, 0315, 0732, 0832, 1064, 1066, 1073, 1074, 1082, 1170, 1185, 1201, 1280, 1320, 1330, 1345, 1365, 1370, 1375, 1430, 1440	579,15	
CEW0080	☐	BRACKET FOR VIAMOBIL V25	NC : 0300, 0310, 0315, 0455, 0460, 0451 à 0469, 0461, 0462, 0463, 0464, 0908, 1170, 1201, 1365, 1370, 1375, 1430, 1440	453,08	
CEW0090	☐	BRACKET FOR VIAMOBIL ECO V14	NC : 0290, 0300, 0310, 0315, 0461, 0451 à 0469, 0905, 0906, 0907, 0908, 0945, 1185, 1201, 1365, 1370, 1375, 1430, 1440, 1451	414,25	
PROPULSION TYPE					
CEW0100	☐	SELF PROPULSION			◆
SEAT					
SEAT WIDTH					
CEW0180	☐	380 mm	NC : 0485, 0486, 0487, 0488, 0545+0595, 0852, 0855, 1481		○
CEW0190	☐	405 mm	NC : 0482, 0486, 0487, 0488, 0545+0595		○
CEW0200	☐	430 mm	NC : 0482, 0483, 0487, 0488, 0853		◆
CEW0210	☐	455 mm	NC : 0482, 0483, 0484, 0488, 0853		○
CEW0220	☐	480 mm	NC : 0482, 0483, 0484, 0485, 0852, 0853, 0854, 1481		○
CEW0230	☐	505 mm	NC : 0482, 0483, 0484, 0485, 0486, 0852, 0853, 0854, 0855, 0856		○
On Demand	☐	555 mm - with back tensioner and padded seat cover included - On request only Manufacturing time + 7 days	NC : 0431, 0432, 0330, 0340, 0849 + 0240, 0853 to 0873, 0852, 0945, 1480. If backrest height 510 mm, standard black nylon backrest cover instead of bi-material backrest cover		○
SEAT DEPTH					
CEW0240	☐	400 mm	NC : 0879		◆
CEW0250	☐	450 mm	NC : 0853, 0878		○
CEW0252	☐	400 TO 450 MM ADJUSTABLE SEAT DEPTH	NC : 0330, 0350	30,33	

**WITHOUT
SUPPLEMENT !**







SEAT HEIGHT				
CEW0260	☐	510 mm	NC : 0738, 0739, 0838, 0839, 1035, 1054, 1056 1066	○
CEW0270	☐	485 mm	NC : 1054	◆
CEW0280	☐	460 mm		○
CEW0290	☐	435 mm	NC : 0660/0670/0760/0770 + 24" wheels, 1005, 1010, 1030, 1056	○
CEW0300	☐	410 mm	NC : 24" wheels, 0935, 1005, 1010, 1030, 1056, 1365, 1370, 1440	○
CEW0310	☐	385 mm (only with CES1054 5" front wheels and 22" rear wheels)	NC : 0660, 0670, 0671, 0738, 0739, 0760, 0770, 0838, 0739, 0935, 1035, 1056, 1068, 1280, 1365, 1370, 1440	○
CEW0315	☐	360 mm (only with CES1054 5" front wheels and 20" rear wheels)	NC : 0600, 0620, 0660, 0670, 0671, 0738, 0739, 0760, 0770, 0838, 0839, 0935, 1280, 1035, 1056, 1066, 1068, 1365, 1375, 1440	145,02
SEAT UPHOLSTERY TYPE				
CEW0330	☐	NYLON WITHOUT LOOP BANDS SEAT UPHOLSTERY		◆
CEW0340	☐	NYLON WITH LOOP BANDS SEAT UPHOLSTERY		○
CEW0350	☐	PADDED NYLON SEAT UPHOLSTERY		30,33
BACKREST				
BACKREST TYPE				
CEW0396	☐	FIXED 7° BACKREST - HEIGHT ADJUST 380 TO 460 MM (DELIVERED 380 MM)	NC : 0451 à 0469, 0474, 0477, 0478, 0481, 0905, 0906, 0907, 0908, 0940, 1451	295,73
CEW0410	☐	FIXED 7° BACKREST - 2 HEIGHTS 400/430 MM (DELIV. 430 MM)	NC : 0471, 0477, 0945	◆
CEW0420	☐	FIXED 7° BACKREST - 510 MM HEIGHT	NC : 0471, 0477, 0945	295,73
CEW0431	☐	ANGLE ADJUSTABLE AND FOLD DOWN (-15° to + 15°) FIXED 7°, HEIGHT 350MM / 14" WITH FIXED SHORT PUSHHANDLES	NC : 0471, 0474, 0478, 0481, 0882, 0905, 0906, 0907, 0940, 1280, 1345, 1451	○
CEW0432	☐	ANGLE ADJUSTABLE AND FOLD DOWN (-15° to + 15°) FIXED 7°, HEIGHT 425MM / 17" WITH FIXED LONG PUSHHANDLES	NC : 0471, 0474, 0478, 0481, 0882	○
CEW0435	☐	RECLINING (RATCHET) 0/30° BACKREST INCL. BACKRACE & PASSIVE REAR WHEEL POS. ONLY	NC : 0471, 0477, 0738, 0739, 0940, 0945, 1185, 1190	◆
CEW0445	☐	RECLINING (GAS SPRING) 0/30° BACKREST INCL. BACKRACE & PASSIVE REAR WHEEL POS. ONLY	NC : 0471, 0477, 0738, 0739, 0940, 0945, 1185, 1190	○
CEW0450	☐	RECLINING (GAS SPRING) 0/30° BACKREST INCL. BACKRACE & PASSIVE REAR WHEEL POS. ONLY	NC : 0471, 0477, 0738, 0739, 0940, 0945, 1185, 1190	33,18
CEW0455	☐	FOLDING 7° BACKREST	NC : 0451 to 0454, 0458 to 0467, 0471, 0477, 0945	◆
CEW0460	☐	FOLDING 7° BACKREST	NC : 0451 to 0454, 0458 to 0467, 0471, 0477, 0945	33,18
MATRX BACK (LOSS OF APPROX 20 MM SEAT DEPTH WITH RECLINING GAS SPRING BACKREST)				
CEW0451	☐	MATRX ELITE E2 BACK WITH HARDWARE - 160 MM BACK HEIGHT - CURVED 80 MM - MINI FASTENERS	NC : 0471, 0474, 0477, 0478, 0481, 0882, 0940, 0945, 1481	500,47
CEW0452	☐	MATRX ELITE E2 BACK WITH HARDWARE - 210 MM BACK HEIGHT - CURVED 80 MM - MINI FASTENERS	NC : 0471, 0474, 0477, 0478, 0481, 0882, 0940, 0945, 1481	500,47
CEW0453	☐	MATRX ELITE E2 BACK WITH HARDWARE - 260 MM BACK HEIGHT - CURVED 80 MM - MINI FASTENERS	NC : 0471, 0474, 0477, 0478, 0481, 0882, 0940, 0945, 1481	500,47
CEW0454	☐	MATRX ELITE E2 BACK WITH HARDWARE - 310 MM BACK HEIGHT - CURVED 80 MM - MINI FASTENERS	NC : 0471, 0474, 0477, 0478, 0481, 0882, 0940, 0945, 1481	500,47
CEW0456	☐	MATRX ELITE E2 BACK WITH HARDWARE - 360 MM BACK HEIGHT - CURVED 80 MM - MINI FASTENERS	NC : 0471, 0474, 0477, 0478, 0481, 0882, 0940, 0945, 1481	500,47
CEW0461	☐	MATRX ELITE E2 BACK WITH HARDWARE - 410 MM BACK HEIGHT - CURVED 80 MM - MINI FASTENERS	NC : 0471, 0474, 0477, 0478, 0481, 0882, 0940, 0945, 1481	500,47
CEW0462	☐	MATRX ELITE E2 BACK WITH HARDWARE - 460 MM BACK HEIGHT - CURVED 80 MM - STANDARD FASTENERS	NC : 0471, 0474, 0477, 0478, 0481, 0882, 0940, 0945, 1481	500,47
CEW0457	☐	MATRX ELITE E2 BACK WITH HARDWARE - 510 MM BACK HEIGHT - CURVED 80 MM - STANDARD FASTENERS	NC : 0471, 0474, 0477, 0478, 0481, 0882, 0940, 0945, 1481	500,47
CEW0458	☐	MATRX ELITE DEEP E2 BACK WITH HARDWARE - 160 MM BACK HEIGHT - CURVED 160 MM - MINI FASTENERS	NC : 0471, 0474, 0477, 0478, 0481, 0882, 0940, 0945, 1481	500,47
CEW0459	☐	MATRX ELITE DEEP E2 BACK WITH HARDWARE - 210 MM BACK HEIGHT - CURVED 160 MM - MINI FASTENERS	NC : 0471, 0474, 0477, 0478, 0481, 0882, 0940, 0945, 1481	500,47
CEW0466	☐	MATRX ELITE DEEP E2 BACK WITH HARDWARE - 260 MM BACK HEIGHT - CURVED 160 MM - MINI FASTENERS	NC : 0471, 0474, 0477, 0478, 0481, 0882, 0940, 0945, 1481	500,47
CEW0467	☐	MATRX ELITE DEEP E2 BACK WITH HARDWARE - 310 MM BACK HEIGHT - CURVED 160 MM - MINI FASTENERS	NC : 0471, 0474, 0477, 0478, 0481, 0882, 0940, 0945, 1481	500,47




0396



0435


0455 / 0460


Matrx Elite E2 / Elite Deep E2

CEW0468	☐	MATRX ELITE DEEP E2 BACK WITH HARDWARE - 360 MM BACK HEIGHT - CURVED 160 MM - MINI FASTENERS	NC : 0471, 0474, 0477, 0478, 0481, 0882, 0940, 0945, 1481	500,47	Fixation standard 
CEW0463	☐	MATRX ELITE DEEP E2 BACK WITH HARDWARE - 410 MM BACK HEIGHT - CURVED 160 MM - MINI FASTENERS	NC : 0471, 0474, 0477, 0478, 0481, 0882, 0940, 0945, 1481	500,47	
CEW0464	☐	MATRX ELITE DEEP E2 BACK WITH HARDWARE - 460 MM BACK HEIGHT - CURVED 160 MM - STANDARD FASTENERS	NC : 0471, 0474, 0477, 0478, 0481, 0882, 0940, 0945, 1481	500,47	
CEW0469	☐	MATRX ELITE DEEP E2 BACK WITH HARDWARE - 510 MM BACK HEIGHT - CURVED 160 MM - STANDARD FASTENERS	NC : 0471, 0474, 0477, 0478, 0481, 0882, 0940, 0945, 1481	500,47	
MATRX BACKRESTS WIDTH CHOICE - SEE TABLE AT END					
CEW0482	☐	360 MM - INDICATIVE BUST WIDTH : 265 MM	NC : 1481	☐	 0471  0474  0481
CEW0483	☐	380 MM - INDICATIVE BUST WIDTH : 290 MM	NC : 1481	☐	
CEW0484	☐	410 MM - INDICATIVE BUST WIDTH : 315 MM	NC : 1481	☐	
CEW0485	☐	430 MM - INDICATIVE BUST WIDTH : 340 MM	NC : 1481	☐	
CEW0486	☐	460 MM - INDICATIVE BUST WIDTH : 370 MM	NC : 1481	☐	
CEW0487	☐	480 MM - INDICATIVE BUST WIDTH : 390 MM	NC : 1481	☐	
CEW0488	☐	510 MM - INDICATIVE BUST WIDTH : 420 MM	NC : 1481	☐	
BACKREST UPHOLSTERY TYPE					
CEW0471	☐	STANDARD NYLON SLING TYPE (JEMIMA)	NC : 0882, 0905, 0906, 0907	☐	 0471  0474  0481
CEW0474	☐	LUMBAR SUPPORT (+1 STRAP) BI MATERIAL PADDED COVER INCL. BACK POCKET		☐	
CEW0477	☐	CONTOUR ADJUSTABLE (3+1 STRAPS) BI MATERIAL PADDED COVER INCL. BACK POCKET		☐	
CEW0478	☐	CONTOUR ADJUSTABLE (3+1 STRAPS) BI MATERIAL PADDED COVER INCL. BACK POCKET	NC : 0940, 0945	☒	
CEW0481	☐	CONTOUR ADJUSTABLE (7+1 STRAPS) BI MATERIAL PADDED COVER INCL. BACK POCKET	NC : 0940, 0945	☐	
HANGERS/FOOTPLATES					
HANGERS RH TYPE					
CEW0510	☐	80° STRAIGHT RH SWING IN/SWING OUT HANGER		☒	 0510 / 0560  0520 / 0570  0545 / 0595  0610 / 0630  0610 / 0630  0611
CEW0520	☐	ELEVATING LEGREST (0° TO 75°) RH SWING IN/SWING OUT HANGER (INCLUDING CALFPAD)	NC : 0611, 0930, 0935, 0936	73,82	
CEW0545	☐	AMPUTEE LEGREST RH	NC : 0600, 0610, 0611, 0930, 0936	140,28	
HANGERS LH TYPE					
CEW0560	☐	80° STRAIGHT LH SWING IN/SWING OUT HANGER		☒	 0510 / 0560  0520 / 0570  0545 / 0595  0610 / 0630  0610 / 0630  0611
CEW0570	☐	ELEVATING LEGREST (0° TO 75°) LH SWING IN/SWING OUT HANGER (INCLUDING CALFPAD)	NC : 0611, 0930, 0935, 0936	73,82	
CEW0595	☐	AMPUTEE LEGREST LH	NC : 0611, 0620, 0630, 0930, 0936	140,28	
FOOTPLATES RH TYPE					
CEW0600	☐	FLIP UP RH FOOTPLATE - (INCLUDING HEEL STRAP)	NC : 0931	☒	 0610 / 0630  0611
CEW0610	☐	FLIP UP DEPTH & ANGLE AJUSTABLE RH FOOTPLATE - (INCLUDING HEEL STRAP)		26,43	
CEW0611	☐	FLIP UP ONE PIECE FOOTPLATE - DEPTH & ANGLE ADJUSTABLE	NC : 0620, 0630, 0935, 0936	234,12	
FOOTPLATES LH TYPE					
CEW0620	☐	FLIP UP LH FOOTPLATE - (INCLUDING HEEL STRAP)		☒	 0610 / 0630  0611
CEW0630	☐	FLIP UP DEPTH & ANGLE AJUSTABLE LH FOOTPLATE - (INCLUDING HEEL STRAP)		26,43	

ARMRESTS					
ARMRESTS RH FORM IN BLACK COLOR					
CEW0640	☐	REMOVABLE RH (N°1) AUTOLOCK SAFETY DEVICE INCLUDED - DESK	NC : 0760, 0770, 0772, 0775, 0780, 0790, 0795, 0796, 0797, 0798, 0838, 0839, 1480, 1481, 1483	○	 0640 / 0740
CEW0650	☐	REMOVABLE RH (N°1) AUTOLOCK SAFETY DEVICE INCLUDED - FULL LENGTH	NC : 0760, 0770, 0772, 0775, 0780, 0790, 0795, 0796, 0797, 0798, 0838, 0839, 1481	24,64	
CEW0656	☐	Removable and continuously height adjustable from 200 mm to 280 mm - short narrow armrest (330 mm) without rotation 	NC : 0760, 0770, 0772, 0775, 0780, 0790, 0795, 0796, 0797, 0798, 0838, 0839, 1480, 1481, 1483	◆	 0656 / 0756
CEW0660	☐	REMOVABLE RH (N°1) "RIO" Special Only For Denmark AUTOLOCK SAFETY DEVICE INCLUDED -	NC : 0740, 0750, 0772, 0775, 0780, 0790, 0795, 0796, 0797, 0798, 0838, 0839, 1480, 1481, 1483	○	
CEW0670	☐	SWING AWAY DETACHABLE RH (N°2) - FULL LENGTH	NC : 0740, 0750, 0772, 0775, 0780, 0790, 0795, 0797, 0796, 0798, 0838, 0839, 1481	24,64	 0660 / 0760
CEW0672	☐	FOLDABLE AND REMOVABLE, HEIGHT ADJUSTABLE FROM 170 TO 295 MM - SHORT (330 MM) NON-ROTATING NARROW CHANNEL WITH CLOTHES GUARD AND ERGONOMIC SUPPORT HANDLE 	NC : 0740, 0750, 0756, 0772, 0780, 0790, 0795, 0796, 0798, 0838, 0839, 1480, 1483	○	
CEW0675	☐	REMOVABLE, HEIGHT-ADJUSTABLE FROM 170 TO 295 MM - LONG NARROW CHANNEL (430 MM) WITHOUT ROTATION, DEPTH-ADJUSTABLE WITHOUT THE USE OF TOOLS, CLOTHES GUARD AND ERGONOMIC SUPPORT HANDLE 	NC : 0740, 0750, 0760, 0770, 0795, 0796, 0797, 0798, 0838, 0839, 1480, 1481, 1843	○	 0672 / 0772
CEW0680	☐	SWING AWAY DETACHABLE RH (N°3) - DESK	NC : 0740, 0750, 0760, 0770, 0795, 0796, 0797, 0798, 0838, 0839, 1480, 1481, 1483	117,54	
CEW0690	☐	SWING AWAY DETACHABLE RH (N°3) - FULL LENGTH	NC : 0740, 0750, 0760, 0770, 0795, 0796, 0797, 0798, 0838, 0839, 1481, 1483	140,28	 0675 / 0775
CEW0695	☐	REMOVABLE RH (N°4) AUTOLOCK SAFETY DEVICE INCLUDED - DESK	NC : 0740, 0750, 0760, 0770, 0772, 0775, 0780, 0790, 0838, 0839, 1185, 1480, 1483	117,54	
CEW0696	☐	REMOVABLE RH (N°4) AUTOLOCK SAFETY DEVICE INCLUDED - FULL LENGTH	NC : 0740, 0750, 0760, 0770, 0772, 0775, 0780, 0790, 0838, 0839, 1185, 1483	140,28	 0680 / 0780
CEW0697	☐	REMOVABLE AND ADJUSTABLE IN HEIGHT AND DEPTH -LONG NARROW GUTTER (430 MM) WITHOUT ROTATION ADJUSTABLE IN DEPTH WITHOUT TOOLS 	NC : 0740, 0750, 0756, 0760, 0770, 0772, 0775, 0780, 0790, 0838, 0839, 1185, 1480, 1483	○	
CEW0698	☐	REMOVABLE AND HEIGHT ADJUSTABLE - SHORT NARROW GUTTER (330 MM) WITHOUT ROTATION 	NC : 0740, 0750, 0760, 0770, 0772, 0775, 0780, 0790, 0838, 0839, 1480, 1481, 1483	○	 0695 / 0795
CEW0732	☐	REMOVABLE RH (N°4) AUTOLOCK SAFETY DEVICE INCLUDED - ARMPAD HEMI BLACK PU TR26	NC : 0838, 0839, 1185, 1480, 1481, 1483	○	
CEW0738	☐	REMOVABLE MUDGUARD RH (N°6) (CUSHION IS RECOMMENDED FOR SEAT HEIGHT 410 & 435 MM) -	NC : 0740, 0750, 0760, 0770, 0775, 0780, 0790, 0795, 0796, 0797, 0798, 0832, 0839, 1064, 1066, 1200, 1201, 1480, 1481, 1483	○	 0732 / 0832
CEW0739	☐	TUBULAR ARMREST RH, SWING AWAY PADDED TUBE WITH REMOVABLE MUDGUARD RH (N°6) (CUSHION IS RECOMMENDED FOR SEAT HEIGHT 410 & 435 MM) -	NC : 0740, 0750, 0760, 0770, 0772, 0775, 0780, 0790, 0795, 0797, 0796, 0798, 0832, 0838, 1064, 1066, 1200, 1201, 1345, 1430, 1365, 1480, 1481, 1483	129,86	
ARMRESTS LH FORM IN BLACK COLOR					
CEW0740	☐	REMOVABLE LH (N°1) AUTOLOCK SAFETY DEVICE INCLUDED - DESK	NC : 1480, 1481, 1484	○	 0739 / 0839
CEW0750	☐	REMOVABLE LH (N°1) AUTOLOCK SAFETY DEVICE INCLUDED - FULL LENGTH	NC : 1481	24,64	
CEW0756	☐	REMOVABLE AND CONTINUOUSLY HEIGHT ADJUSTABLE FROM 200 MM TO 280 MM - SHORT NARROW ARMREST (330 MM) WITHOUT ROTATION 	NC : 1480, 1481, 1484	◆	 0698 / 0798
CEW0760	☐	SWING AWAY DETACHABLE LH (N°2) - DESK	NC : 1480, 1481, 1484	○	
CEW0770	☐	SWING AWAY DETACHABLE LH (N°2) - FULL LENGTH	NC : 1481	24,64	
CEW0772	☐	FOLDABLE AND REMOVABLE, HEIGHT ADJUSTABLE FROM 170 TO 295 MM - SHORT (330 MM) NON-ROTATING NARROW CHANNEL WITH CLOTHES GUARD AND ERGONOMIC SUPPORT HANDLE 	NC : 1480, 1481, 1484	○	
CEW0775	☐	REMOVABLE, HEIGHT-ADJUSTABLE FROM 170 TO 295 MM - LONG NARROW CHANNEL (430 MM) WITHOUT ROTATION, DEPTH-ADJUSTABLE WITHOUT THE USE OF TOOLS, CLOTHES GUARD AND ERGONOMIC SUPPORT HANDLE 	NC : 1480, 1484	○	

CEW0780	☐	SWING AWAY DETACHABLE LH (N°3) - DESK	NC : 1480, 1481, 1484	117,54	 0849  0853 / 0854 0855 / 0856  0871  0873  0882  0905  0906  0907  0908  0945
CEW0790	☐	SWING AWAY DETACHABLE LH (N°3) - FULL LENGTH	NC : 1481, 1484	140,28	
CEW0795	☐	REMOVABLE LH (N°4) AUTOLOCK SAFETY DEVICE INCLUDED - DESK	NC : 1185, 1480, 1484	117,54	
CEW0796	☐	REMOVABLE LH (N°4) AUTOLOCK SAFETY DEVICE INCLUDED - FULL LENGTH	NC : 1185, 1484	140,28	
CEW0797	☐	REMOVABLE AND ADJUSTABLE IN HEIGHT AND DEPTH -LONG NARROW GUTTER (430 MM) WITHOUT ROTATION ADJUSTABLE IN DEPTH WITHOUT TOOLS	NC : 1185, 1480, 1484	○	
CEW0798	☐	REMOVABLE AND HEIGHT ADJUSTABLE - SHORT NARROW GUTTER (330 MM) WITHOUT ROTATION	NC : 1185, 1480, 1481, 1484	○	
CEW0832	☐	REMOVABLE LH (N°4) AUTOLOCK SAFETY DEVICE INCLUDED - ARMPAD HEMI BLACK PU TR26	NC : 1185, 1480, 1481, 1484	○	
CEW0838	☐	REMOVABLE MUDGUARD LH (N°6) (CUSHION IS RECOMMENDED FOR SEAT HEIGHT 410 & 435 MM) -	NC : 1064, 1066, 1200, 1201, 1481, 1484	60,66	
CEW0839	☐	TUBULAR ARMREST LH, SWING AWAY PADDED TUBE WITH REMOVABLE MUDGUARD LH (N°6) (CUSHION IS RECOMMENDED FOR SEAT HEIGHT 410 & 435 MM)	NC : 1064, 1066, 1200, 1201, 1345, 1365, 1430, 1480, 1481, 1484	129,86	
SEAT CUSHION TYPE					
Cushion					
CEW0849	☐	BASIC 50 MM FOAM CUSHION - NYLON & ANTI-SLIP COVER	NC : 0853, 0854, 0855, 0856, 0871, 0873	-43,70	
CEW0853	☐	CLASSIC VISCO CUSHION 375X 400 MM -	NC : 0871, 0873, 0878, 0879	○	
CEW0854	☐	CLASSIC VISCO CUSHION 405 X 400 MM -	NC : 0871, 0873, 0878, 0879	-11,37	
CEW0855	☐	CLASSIC VISCO CUSHION 430 X 430 MM -	NC : 0871, 0873, 0878, 0879	-11,37	
CEW0856	☐	CLASSIC VISCO CUSHION 455 X 400 MM -	NC : 0871, 0873, 0878, 0879	○	
CEW0871	☐	MATRX CONTOUR NG VISCO CUSHION	NC : 0873	◆	
CEW0873	☐	MATRX FLO-TECH IMAGE CUSHION		213,27	
SEAT CUSHION DEPTH					
CEW0878	☐	FOR 400 MM SEAT DEPTH		○	
CEW0879	☐	FOR 450 MM SEAT DEPTH		○	
OTHER SEATING OPTIONS					
CEW0852	☐	SEAT RIGIDIZER		○	
CEW0882	☐	LATERAL POSITIONING PADS (PAIR)		237,91	
CEW0905	☐	NECKREST BLACK PU TR26 (INCLUDING BACKBRACE EXCEPT FOR LAGUNA)	NC : 0906, 0907, 0908, 0940, 0945	60,10	
CEW0906	☐	HEADREST BLACK PU TR26 (INCLUDING BACKBRACE EXCEPT FOR LAGUNA)	NC : 0907, 0908, 0940, 0945	199,05	
CEW0907	☐	HEADREST WITH CHEEK SUPPORT BLACK PU TR26 (INCLUDING BACKBRACE EXCEPT FOR LAGUNA) -	NC : 0908, 0940, 0945	217,06	
CEW0908	☐	MATRX SOFT PAD HEADREST (SOFT PAD 250MM) WITH FIXED HARDWARE		441,71	
CEW0930	☐	ADJUSTABLE CALF STRAP		10,43	
CEW0935	☐	LONGER FOOTREST TUBE (UL= 450-530 MM)	NC : 0936	17,06	
CEW0936	☐	SHORTER FOOTREST SUPPORT (PAIR) (UL= 230-430 MM)		79,62	
CEW0940	☐	BACKBRACE	NC : 0945	47,39	
CEW0945	☐	FOLDABLE BACKBRACE	NC : 1451	105,21	
COLOURS					
CEW0961	☐	SLATE GREY (RAL7024 FINE TEXTURE)		○	
CEW0964	☐	PEARL WHITE		○	
CEW0965	☐	ELECTRIC GREEN		○	
CEW0966	☐	MATT BLACK		○	
CEW0967	☐	BLUE POP		○	
CEW0968	☐	HYPNOTIC PURPLE		○	
CEW0969	☐	RED MATT		○	
CEW0972	☐	WATER BLUE		○	
CEW0980	☐	ANTHRACITE BLACK		○	
CEW0991	☐	SPECIAL COLOUR		On Request	
CASTER HOUSING TYPE					
CEW0996	☐	LIGHT WEIGHT		◆	


FRONT WHEELS				
CEW1005	☐	200 X 32 MM (8" X 1.1/4") - BLACK PNEUMATIC TYRE		☐
CEW1010	☐	200 X 30 MM (8" X 1.1/4") - BLACK SOLID TYRE		☐
CEW1030	☐	200 X 45 MM (8" X 2") - BLACK SOLID TYRE		☐
CEW1035	☐	150 X 30 MM (6" X 1.1/4") - BLACK SOLID TYRE MEDIUM HARD		☐
CEW1050	☐	150 X 30 MM (6" X 1.1/4") - BLACK SOLID TYRE		☒
CEW1054	☐	125 X 30 MM (5" X 1") - BLACK SOLID TYRE		☐
CEW1056	☐	140 X 40 MM (5" 1/2 X 1" 3/4) - BLACK SOLID TYRE MEDIUM HARD		☐
REAR WHEELS				
REAR WHEEL SIZE				
CEW1064	☐	20" - 515 mm	NC : 1071, 1073, 1074, 1076, 1088, 1092 1170, 1260, 1280	☐
CEW1066	☐	22" - 560 mm	NC : 1074, 1092, 1260	☐
CEW1068	☐	24" - 600 mm	NC : 1261	☒
REAR WHEEL TYPE				
CEW1071	☐	STANDARD (BLACK HUB, COLORLESS RIM & ZINC PLATTED SPOKES)	NC : 1092, 1140, 1280	☐
CEW1072	☐	REINFORCED (COLORLESS HUB, CLEAR ANODIZED RIM & STAINLESS STEEL SPOKES)	NC : 1092, 1280	☐
CEW1073	☐	DRUM BRAKE (20/22/24" : COLORLESS HUB, CLEAR ANODIZED RIM & STAINLESS STEEL SPOKES / 12" : BLACK PLASTIC HUB & RIM)	NC : 1092, 1270, 1275, 1320, 1330	☐
CEW1074	☐	COMPOSITE (BLACK PLASTIC HUB & RIM)	NC : 1088, 1092, 1260, 1261, 1280	☐
CEW1076	☐	LIGHTWEIGHT (BLACK HUB & RIM, 24 BLACK RADIAL SPOKES)	NC : 1170, 1201, 1230, 1260, 1261, 1280	☒
TYRE TYPE				
CEW1082	☐	TYRES SOLID BLACK 35 MM (1"3/8)		☒
CEW1084	☐	PNEUMATIC PROFILED BLACK 35 MM (1"3/8)		☐
CEW1088	☐	PNEUMATIC LOW PROFILE BLACK 25 MM (1")		☐
CEW1092	☐	PNEUMATIC MAXXIS ALPHA PROTECT 25 MM (1") 		83,41
HANDRIM TYPE				
CEW1140	☐	ALUMINIUM PRE-ANODIZED HANDRIM		☒
CEW1150	☐	HANDRIM COATED IN BLACK ANTI-SLIP PLASTIC		127,01
REAR WHEELS AXLE TYPE				
CEW1170	☐	FIXED AXLE	NC : 1185, 1280, 1365	☐
CEW1180	☐	QUICK RELEASE AXLE		☒
REAR WHEELS POSITION				
CEW1185	☐	ACTIVE REAR WHEELS POSITION - 37,5MM FRONTWARDS/BACKREST CANE AXLE (with Active Rear Wheel Support)	NC : 1320, 1330, 1345, 1365	148,82
CEW1190	☐	STANDARD REAR WHEELS POSITION - 25MM FRONTWARDS/BACKREST CANE AXLE (12,5MM with Active Rear Wheel Support and Seat Depth 500MM)		☒
CEW1200	☐	PASSIVE REAR WHEELS POSITION - 25MM BACKWARDS/BACKREST CANE AXLE (12,5MM with Active Rear Wheel Support and Seat Depth 500MM)		☐
CEW1201	☐	DUAL AMPUTEE REAR WHEELS POSITIONS - TRANSIT=75MM BACKWARDS/BACKREST CANE AXLE, ADJUSTABLE TO 50MM BY THE DEALER & SELF PROP=60MM BACKWARDS/BACKREST CANE AXLE, ADJUSTABLE TO 85MM BY THE DEALER	NC : 1275, 1280, 1320, 1330, 1365	148,82
PUMP				
CEW1230	☐	PUMP AND SUPPORT		10,43
CHASSIS OPTIONS TYPE				
CEW1241	☐	FRONT WHEELS EXTENSION (+ 50 MM OUTWARD)		☐
CEW1260	☐	SPOKE GUARDS PAIR 600 MM (24") BLACK	NC : 1261	165,88
CEW1261	☐	SPOKE GUARDS PAIR CLEAR		165,88
BRAKES TYPE				
CEW1270	☐	PUSH TO LOCK BRAKES		☒
CEW1275	☐	PULL TO LOCK BRAKES		☐
CEW1280	☐	ATTENDANT HUB BRAKES (INCLUDING PUSH TO LOCK BRAKES)		178,20
CEW1320	☐	OAD WIRE CONTROLLED BRAKE RH	NC : 1390	94,79
CEW1330	☐	OAD WIRE CONTROLLED BRAKE LH	NC : 1390	94,79


1010 1050


Standard


Composite



Active


1" 1088 1.3/8" 1084 1.3/8" 1082

 1092


1241


1270

SAFETY OPTIONS TYPE																																																																															
CEW1345	☐	TRANSPORTATION BRACKETS		◆																																																																											
CEW1360	☐	POSTURE BELT - PLASTIC BUCKLE	NC : 1361, 1362, 1363, 1364	○																																																																											
CEW1361	☐	HIP BELT, 2-PT, CTR-PULL, PB - M X 460MM PADS, FLAT-MOUNT	NC : 1362, 1363, 1364	199,05	1345 1365																																																																										
CEW1362	☐	HIP BELT, 2-PT, CTR-PULL, PB - L X 620MM PADS, FLAT-MOUNT	NC : 1363, 1364	206,64																																																																											
CEW1363	☐	HIP BELT, 4-PT, CTR-PULL, PB - M X 460MM PADS, FLAT-MOUNT	NC : 1364	234,12																																																																											
CEW1364	☐	HIP BELT, 4-PT, CTR-PULL, PB - L X 620MM PADS, FLAT-MOUNT		241,71																																																																											
CEW1365	☐	TRANSFER KIT (100 MM (4") WHEELS) - ANTI-BARRIER		77,73																																																																											
CEW1370	☐	REAR ANTI-TIPPERS PAIR	NC : 1375, 1440	◆	1361 / 1362																																																																										
CEW1375	☐	REAR ANTI-TIPPERS PAIR WITH TIPPING AID - (REA TYPE)	NC : 1440	125,12																																																																											
CEW1380	☐	REFLECTORS KIT		38,86																																																																											
CEW1390	☐	BRAKE EXTENSION PAIR		10,43	1363 / 1364																																																																										
OPTIONS																																																																															
CEW1430	☐	CANE HOLDER		49,29																																																																											
CEW1440	☐	TIPPING AID RH		56,87																																																																											
CEW1451	☐	DRIP STAND SUPPORT WITH DRIPSTAND (WITH BACKBRACE 0940 ONLY)		101,42																																																																											
CEW1451	☐	DRIP STAND SUPPORT WITH DRIPSTAND (WITH BACKBRACE 0940 ONLY)		101,42	1440																																																																										
OTHERS OPTIONS																																																																															
CEW1480	☐	ACRYLIC TRAY	NC : 1481, 1482, 1483, 1484, 1485	72,83																																																																											
CEW1481	☐	REMOVABLE SHELF WITH ADJUSTABLE DEPTH	NC : 1483, 1484, 1485	72,83																																																																											
CEW1482	☐	SHELF LOCKING PINS (PAIR)		49,29	1483 / 1484																																																																										
CEW1483	☐	HALF TABLE TRAY, CLEAR, FLIP UP, RH	NC : 1482, 1484	72,83																																																																											
CEW1484	☐	HALF TABLE TRAY, CLEAR, FLIP UP, LH	NC : 1482	72,83																																																																											
CEW1485	☐	COMFORT PADDING FOR HALF TABLE TRAY		90,05	1480 1485																																																																										
ACCESSORIES (delivered separtly)																																																																															
AP1493219	☐	GUTTER WITH INDEPENDENT SIDE ROTATION, ADJUSTABLE IN HEIGHT AND DEPTH, RIGHT	Only compatible with armrest 0672, 0680, 0690, 0695, 0696, 0732	113,17																																																																											
AP1493220	☐	GUTTER WITH INDEPENDENT SIDE ROTATION, ADJUSTABLE IN HEIGHT AND DEPTH, LEFT	Only compatible with armrest 0772, 0780, 0790, 0795, 0796, 0832	113,17																																																																											
Possible widths of the Matrix backrests depending on the seat width <table><tr><th colspan="2"></th><th colspan="6">Seat Width (mm)</th></tr><tr><th colspan="2"></th><th>(mm)</th><th>380</th><th>405</th><th>430</th><th>455</th><th>480</th><th>505</th></tr><tr><th rowspan="7">Backrest Width</th><th>360</th><td>○</td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><th>380</th><td>○</td><td>○</td><td></td><td></td><td></td><td></td><td></td></tr><tr><th>410</th><td>○</td><td>○</td><td>○</td><td></td><td></td><td></td><td></td></tr><tr><th>430</th><td></td><td>○</td><td>○</td><td>○</td><td></td><td></td><td></td></tr><tr><th>460</th><td></td><td></td><td>○</td><td>○</td><td>○</td><td></td><td></td></tr><tr><th>480</th><td></td><td></td><td></td><td>○</td><td>○</td><td>○</td><td></td></tr><tr><th>510</th><td></td><td></td><td></td><td></td><td>○</td><td>○</td><td>○</td></tr></table>								Seat Width (mm)								(mm)	380	405	430	455	480	505	Backrest Width	360	○							380	○	○						410	○	○	○					430		○	○	○				460			○	○	○			480				○	○	○		510					○	○	○
		Seat Width (mm)																																																																													
		(mm)	380	405	430	455	480	505																																																																							
Backrest Width	360	○																																																																													
	380	○	○																																																																												
	410	○	○	○																																																																											
	430		○	○	○																																																																										
	460			○	○	○																																																																									
	480				○	○	○																																																																								
	510					○	○	○																																																																							
RAMPS																																																																															
1440530	☐	Fiberglass Folding Mono Ramp Folded dimensions: 2000 x 230 mm 16.3 kg - maximum capacity: 300 kg		1 787,68	 1440530																																																																										
1654128	☐	Basic ramp 2 telescopic parts in aluminum and non-slip coating. Folded dimensions: 1210 x 194 mm 8.8 kg per pair - maximum capacity: 270 kg		402,84	 1654128																																																																										
1654129	☐	Quick2go Compact 3-part aluminum telescopic ramp with non-slip coating Folded dimensions: 870 x 237 mm 13.6 kg per pair - maximum capacity: 260 kg		805,69	 1654129																																																																										
1654130	☐	Aluminium folding mono ramp Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg		426,54	 1654130																																																																										