

Please contact Invacare EU Export Customer Services on :-
Tel : +33 247 626980 ; Email : serviceclient_export@invacare.com
 Or visit our website : www.invacare.eu.com



matrix
SEATING SERIES



Invacare® Action^{®3} NG RC Matrix (Rocking Chair)

Manual folding aluminum wheelchair with mechanical seat inclination at 25°



Description:

- Action3NG Rocking Chair Matrix 6-wheel manual wheelchair with central wheel drive for better access to handrails
- Mechanical seat tilt at 25° offering a resting and lockable position
- Articulated rear wheel supports fitted with 5" wheels to facilitate 2-wheeling
- New cable pull brake system
- Rigid anti-hamock base supplied as standard with all seat cushions (subject to compatibility with the seat dimensions chosen)
- Weight: from 18.4 kg.
- Maximum user weight: 125 kg.
- 2-year warranty period excluding wear parts

New:

short narrow gutters without rotation

Date :

Purchase Order :

Customer Code :

Distributor Stamp:



Invacare Unique Customization Service
 Please specify the quote or special production number:



☐ Please make your selection with a cross in the box

◆ Standard feature


○ Free of charge option

CODE		DESCRIPTION	NC : Non Compatible NC : 9999 = not compatible with the reference 9999	Euros	
CEU0031	☐	Invacare® Action ^{®3} NG RC MATRIX - Fixed Backrest		1324,61	
CEU0036	☐	Invacare® Action ^{®3} NG RC MATRIX - Folding Backrest		1366,94	
CEU0041	☐	Invacare® Action ^{®3} NG RC MATRIX - Reclining Backrest		1366,94	
TYPES DE PROPULSION					
CEU0100	☐	Standard		◆	
SEAT					
SEAT WIDTH					
CEU0180	☐	380 mm	NC : 0485,0486, 0487, 0488, 0545+0595, 0852, 0855, 1345	○	
CEU0190	☐	405 mm	NC : 0482, 0486, 0487, 0488, 0545+0595, 1345	○	
CEU0200	☐	430 mm	NC : 0482, 0483, 0487, 0488, 0853	◆	
CEU0210	☐	455 mm	NC : 0482, 0483, 0484, 0488, 0853	○	
CEU0220	☐	480 mm	NC : 0482, 0483, 0484, 0485, 0853, 0854	○	
CEU0230	☐	505 mm	NC : 0482, 0483, 0484, 0485, 0486, 0853, 0854, 0855, 0856	○	
SEAT DEPTH					
CEU0240	☐	400 mm	NC : 0879	◆	
CEU0250	☐	450 mm	NC : 0853, 0878	○	
CEU0252	☐	Adjustable from 450 to 400 mm Delivered at 430 mm (or 450 mm if choice of a seat cushion)	NC : 0330, 0350	○	
SEAT HEIGHT					
CEU0270	☐	485 mm - Only with 24" drive wheels		○	
CEU0280	☐	485 mm - Only with 22" drive wheels		◆	
SEAT UPHOLSTERY TYPE					
CEU0330	☐	NYLON WITHOUT LOOP BANDS SEAT UPHOLSTERY		◆	
CEU0340	☐	NYLON WITH LOOP BANDS SEAT UPHOLSTERY		○	
CEU0350	☐	PADDED NYLON SEAT UPHOLSTERY		○	

BACKREST					
BACKREST TYPE					
CEU0380	☐	FIXED 0° BACKREST 2 HEIGHTS 400/430 MM (DELIV. 430 MM) - FIXED PUSH HANDLES		○	 0380 / 0390
CEU0390	☐	FIXED 0° BACKREST 510 MM HEIGHT - FIXED PUSH HANDLES		○	
CEU0410	☐	FIXED 7° BACKREST - 2 HEIGHTS 400/430 MM (DELIV. 430 MM)		◆	
CEU0420	☐	FIXED 7° BACKREST - 510 MM HEIGHT		○	 0431 / 0432
CEU0431	☐	ANGLE ADJUSTABLE AND FOLD DOWN (-15° to + 15°) FIXED 7°, HEIGHT 350MM / 14" WITH FIXED SHORT PUSHHANDLES	NC : 0905, 0906, 0907, 1451	456,87	
CEU0432	☐	ANGLE ADJUSTABLE AND FOLD DOWN (-15° to + 15°) FIXED 7°, HEIGHT 425MM / 17" WITH FIXED LONG PUSHHANDLES		456,87	 0445 / 0450
CEU0445	☐	RECLINING (GAS SPRING) 0/30° BACKREST INCL. BACKRACE & PASSIVE REAR WHEEL POS. ONLY		◆	
CEU0450	☐	RECLINING (GAS SPRING) 0/30° BACKREST INCL. BACKRACE & PASSIVE REAR WHEEL POS. ONLY		○	 0455 / 0460
CEU0455	☐	FOLDING 7° BACKREST	NC : 0451 à 0454, 0458 à 0467	◆	
CEU0460	☐	FOLDING 7° BACKREST	NC : 0451 à 0454, 0458 à 0467	○	
Matrx backs - See table "Possible widths of Matrx backs depending on the width of the seat" at the end. Find the trunk supports and all the accessories on the Matrx order form!					
CEU0451	☐	MATRX ELITE E2 BACK WITH HARDWARE - 160 MM BACK HEIGHT - CURVED 80 MM - MINI FASTENERS		○	 Matrx Elite E2 / Elite Deep E2
CEU0452	☐	MATRX ELITE E2 BACK WITH HARDWARE - 210 MM BACK HEIGHT - CURVED 80 MM - MINI FASTENERS		○	
CEU0453	☐	MATRX ELITE E2 BACK WITH HARDWARE - 260 MM BACK HEIGHT - CURVED 80 MM - MINI FASTENERS		○	
CEU0454	☐	MATRX ELITE E2 BACK WITH HARDWARE - 310 MM BACK HEIGHT - CURVED 80 MM - MINI FASTENERS		○	
CEU0456	☐	MATRX ELITE E2 BACK WITH HARDWARE - 360 MM BACK HEIGHT - CURVED 80 MM - MINI FASTENERS		○	
CEU0461	☐	MATRX ELITE E2 BACK WITH HARDWARE - 410 MM BACK HEIGHT - CURVED 80 MM - MINI FASTENERS		○	
CEU0462	☐	MATRX ELITE E2 BACK WITH HARDWARE - 460 MM BACK HEIGHT - CURVED 80 MM - STANDARD FASTENERS		○	
CEU0457	☐	MATRX ELITE E2 BACK WITH HARDWARE - 510 MM BACK HEIGHT - CURVED 80 MM - STANDARD FASTENERS		○	
CEU0458	☐	MATRX ELITE DEEP E2 BACK WITH HARDWARE - 160 MM BACK HEIGHT - CURVED 160 MM - MINI FASTENERS		○	
CEU0459	☐	MATRX ELITE DEEP E2 BACK WITH HARDWARE - 210 MM BACK HEIGHT - CURVED 160 MM - MINI FASTENERS		○	
CEU0466	☐	MATRX ELITE DEEP E2 BACK WITH HARDWARE - 260 MM BACK HEIGHT - CURVED 160 MM - MINI FASTENERS		○	 Standard fixation
CEU0467	☐	MATRX ELITE DEEP E2 BACK WITH HARDWARE - 310 MM BACK HEIGHT - CURVED 160 MM - MINI FASTENERS		○	
CEU0468	☐	MATRX ELITE DEEP E2 BACK WITH HARDWARE - 360 MM BACK HEIGHT - CURVED 160 MM - MINI FASTENERS		○	
CEU0463	☐	MATRX ELITE DEEP E2 BACK WITH HARDWARE - 410 MM BACK HEIGHT - CURVED 160 MM - MINI FASTENERS		○	
CEU0464	☐	MATRX ELITE DEEP E2 BACK WITH HARDWARE - 460 MM BACK HEIGHT - CURVED 160 MM - STANDARD FASTENERS		○	
CEU0469	☐	MATRX ELITE DEEP E2 BACK WITH HARDWARE - 510 MM BACK HEIGHT - CURVED 160 MM - STANDARD FASTENERS		○	
MATRX BACKRESTS WIDTH CHOICE					
CEU0482	☐	360 MM - INDICATIVE BUST WIDTH : 265 MM		○	
CEU0483	☐	380 MM - INDICATIVE BUST WIDTH : 290 MM		○	
CEU0484	☐	410 MM - INDICATIVE BUST WIDTH : 315 MM		○	
CEU0485	☐	430 MM - INDICATIVE BUST WIDTH : 340 MM		○	
CEU0486	☐	460 MM - INDICATIVE BUST WIDTH : 370 MM		○	
CEU0487	☐	480 MM - INDICATIVE BUST WIDTH : 390 MM		○	
CEU0488	☐	510 MM - INDICATIVE BUST WIDTH : 420 MM		○	

HANGERS/FOOTPLATES					
HANGERS RH TYPE					
CEU0510	☐	80° STRAIGHT RH SWING IN/SWING OUT HANGER		◆	 0510 / 0560  0520 / 0570
CEU0520	☐	ELEVATING LEGREST (0° TO 75°) RH SWING IN/SWING OUT HANGER (INCLUDING CALFPAD)	NC : 0611, 0930, 0935, 0936	73,82	
CEU0545	☐	AMPUTEE LEGREST RH	NC : 0600, 0610, 0611, 0930, 0936	140,28	
HANGERS LH TYPE					
CEU0560	☐	80° STRAIGHT LH SWING IN/SWING OUT HANGER		◆	 0545 / 0595  0610 / 0630 si potence 80°  0610 / 0630
CEU0570	☐	ELEVATING LEGREST (0° TO 75°) LH SWING IN/SWING OUT HANGER (INCLUDING CALFPAD)	NC: 0611, 0930, 0935, 0936	73,82	
CEU0595	☐	AMPUTEE LEGREST LH	NC : 0611, 0620, 0630, 0930, 0936	140,28	
FOOTPLATES RH TYPE					
CEU0600	☐	FLIP UP RH FOOTPLATE - (INCLUDING HEEL STRAP)		◆	 0610 / 0630 si potence 80°  0610 / 0630
CEU0610	☐	FLIP UP DEPTH & ANGLE AJUSTABLE RH FOOTPLATE - (INCLUDING HEEL STRAP)		○	
CEU0611	☐	FLIP UP ONE PIECE FOOTPLATE - DEPTH & ANGLE ADJUSTABLE	NC : 0620, 0630, 0935, 0936	234,12	
FOOTPLATES LH TYPE					
CEU0620	☐	FLIP UP LH FOOTPLATE - (INCLUDING HEEL STRAP)		◆	 0611
CEU0630	☐	FLIP UP DEPTH & ANGLE AJUSTABLE LH FOOTPLATE - (INCLUDING HEEL STRAP)		○	
ARMRESTS					
ARMRESTS RH FORM IN BLACK COLOR					
CEU0660	☐	SWING AWAY DETACHABLE RH (N°2) - DESK	NC : 0772, 0780, 0790, 1480, 1483	◆	 0660 / 0760
CEU0670	☐	SWING AWAY DETACHABLE RH (N°2) - FULL LENGTH	NC : 0772, 0780, 0790	○	
CEU0672	☐	LIFTABLE AND REMOVABLE, HEIGHT-ADJUSTABLE FROM 170 TO 295 MM - SHORT (330 MM) NON-ROTATING NARROW TROUGH WITH CLOTHES GUARD AND ERGONOMIC SUPPORT HANDLE 	NC : 0760, 0770, 1480, 1483	113,17	
CEU0680	☐	SWING AWAY DETACHABLE RH (N°3) - DESK	NC : 0760, 0770, 1480, 1483	○	 0672 / 0772
CEU0690	☐	SWING AWAY DETACHABLE RH (N°3) - FULL LENGTH	NC : 0760, 0770, 1483	○	
ARMRESTS LH FORM IN BLACK COLOR					
CEU0760	☐	SWING AWAY DETACHABLE LH (N°2) - DESK	NC : 1480, 1484	◆	 0672 / 0772  0680 / 0780
CEU0770	☐	SWING AWAY DETACHABLE LH (N°2) - FULL LENGTH		○	
CEU0772	☐	LIFTABLE AND REMOVABLE, HEIGHT-ADJUSTABLE FROM 170 TO 295 MM - SHORT (330 MM) NON-ROTATING NARROW TROUGH WITH CLOTHES GUARD AND ERGONOMIC SUPPORT HANDLE 	NC : 1480, 1484	113,17	
CEU0780	☐	SWING AWAY DETACHABLE LH (N°3) - DESK	NC : 1480, 1484	○	 0680 / 0780
CEU0790	☐	SWING AWAY DETACHABLE LH (N°3) - FULL LENGTH	NC : 1484	○	
SEAT CUSHION TYPE					
Cushion					
CEU0853	☐	CLASSIC VISCO CUSHION 375X 400 MM	NC : 0878, 0879	○	 0853 / 0854 0855 / 0856
CEU0854	☐	CLASSIC VISCO CUSHION 405 X 400 MM	NC : 0878, 0879	○	
CEU0855	☐	CLASSIC VISCO CUSHION 430 X 430 MM	NC : 0878, 0879	○	
CEU0856	☐	CLASSIC VISCO CUSHION 455 X 400 MM	NC : 0878, 0879	○	 0869
CEU0869	☐	MATRX FLO-TECH LITE CUSHION		◆	
CEU0871	☐	MATRX CONTOUR NG VISCO CUSHION		○	
CEU0873	☐	MATRX FLO-TECH IMAGE CUSHION		○	 0871  0873  0874
CEU0874	☐	MATRX FLO-TECH SOLUTION XTRA CUSHION		104,74	
CEU0876	☐	MATRX LIBRA CUSHION		118,96	
SEAT CUSHION DEPTH					
CEU0878	☐	FOR 400 MM SEAT DEPTH		○	 0876
CEU0879	☐	FOR 450 MM SEAT DEPTH		○	

OTHER SEATING OPTIONS					
CEU0852	☐	SEAT RIGIDIZER		◆	 0852  0905  0907  0906  0908
CEU0905	☐	NECKREST BLACK PU TR26 (INCLUDING BACKBRACE EXCEPT FOR LAGUNA)	NC : 0906, 0907, 0908	60,10	
CEU0906	☐	HEADREST BLACK PU TR26 (INCLUDING BACKBRACE EXCEPT FOR LAGUNA)	NC : 0907, 0908	199,05	
CEU0907	☐	HEADREST WITH CHEEK SUPPORT BLACK PU TR26 (INCLUDING BACKBRACE EXCEPT FOR LAGUNA) -	NC : 0908	217,06	
CEU0908	☐	MATRIX SOFT PAD HEADREST (SOFT PAD 250MM) WITH FIXED HARDWARE		383,89	
CEU0930	☐	ADJUSTABLE CALF STRAP		10,43	
CEU0935	☐	LONGER FOOTREST TUBE (UL= 450-530 MM)	NC : 0936	17,06	
CEU0936	☐	SHORTER FOOTREST SUPPORT (PAIR) (UL= 230-430 MM)		79,62	
COLOURS					
CEU0961	☐	SLATE GREY (RAL7024 FINE TEXTURE)		○	 0961 / 0966  0967 / 0969  0967 / 0969  0967 / 0969
CEU0966	☐	MATT BLACK		○	
CEU0967	☐	BLUE POP		○	
CEU0969	☐	RED MATT		○	
CEU0991	☐	SPECIAL COLOUR		On Request	
CASTER HOUSING TYPE					
CEU0995	☐	STANDARD		◆	
REAR WHEELS					
CEU1035	☐	150 X 30 MM (6" X 1.1/4") - BLACK SOLID TYRE MEDIUM HARD		○	 1050
CEU1050	☐	150 X 30 MM (6" X 1.1/4") - BLACK SOLID TYRE		◆	
CEU1056	☐	140 X 40 MM (5" 1/2 X 1" 3/4) - BLACK SOLID TYRE MEDIUM HARD		○	
REAR WHEELS					
REAR WHEEL SIZE					
CEU1066	☐	22" - 560 mm	NC : 1260	◆	 Standard  1088  1084  1082  1088  1084  1082
CEU1068	☐	24" - 600 mm	NC : 1261	○	
REAR WHEEL TYPE					
CEU1071	☐	STANDARD (BLACK HUB, COLORLESS RIM & ZINC PLATTED SPOKES)		◆	
CEU1072	☐	REINFORCED (COLORLESS HUB, CLEAR ANODIZED RIM & STAINLESS STEEL SPOKES)		○	
TYRE TYPE					
CEU1082	☐	TYRES SOLID BLACK 35 MM (1"3/8)		◆	
CEU1084	☐	PNEUMATIC PROFILED BLACK 35 MM (1"3/8)		○	
CEU1088	☐	PNEUMATIC LOW PROFILE BLACK 25 MM (1")		○	
HANDRIM TYPE					
CEU1140	☐	ALUMINIUM PRE-ANODIZED HANDRIM		◆	
CEU1150	☐	HANDRIM COATED IN BLACK ANTI-SLIP PLASTIC		127,01	
REAR WHEELS AXLE TYPE					
CEU1180	☐	QUICK RELEASE AXLE		◆	
REAR WHEELS POSITION					
CEU1195	☐	ROCKING CHAIR REAR WHEELS POSITION - 'PIVOT POSITION +62,5MM & DRIVE WHEELS + 90MM FRONTWARDS(/BACKREST CANE AXLE)		◆	
Pump					
CEU1230	☐	PUMP AND SUPPORT		10,43	
CHASSIS OPTIONS TYPE					
CEU1241	☐	FRONT WHEELS EXTENSION (+ 50 MM OUTWARD)		○	 1241
CEU1260	☐	SPOKE GUARDS PAIR 600 MM (24") BLACK	NC : 1261	165,88	
CEU1261	☐	SPOKE GUARDS PAIR CLEAR		165,88	
BRAKES TYPE					
CEU1272	☐	ROCKING CHAIR PULL TO LOCK BRAKES		◆	
SAFETY OPTIONS TYPE					
CEU1345	☐	TRANSPORTATION BRACKETS		○	 1345
CEU1360	☐	POSTURE BELT - PLASTIC BUCKLE		31,28	
CEU1380	☐	REFLECTORS KIT		38,86	
OPTIONS					
CEU1451	☐	DRIP STAND SUPPORT WITH DRIPSTAND (WITH BACKBRACE 0940 ONLY)		101,42	

OTHERS OPTIONS																																																																						
CEU1480	☐	ACRYLIC TRAY	NC : 1483, 1484, 1485	72,83	 1480  1483 / 1484  1485																																																																	
CEU1483	☐	HALF TABLE TRAY, CLEAR, FLIP UP, RH	NC : 1484	72,83																																																																		
CEU1484	☐	HALF TABLE TRAY, CLEAR, FLIP UP, LH		72,83																																																																		
CEU1485	☐	COMFORT PADDING FOR HALF TABLE TRAY		90,05																																																																		
ACCESSORIES (delivered separately)																																																																						
AP1493219	☐	GUTTER WITH INDEPENDENT SIDE ROTATION, ADJUSTABLE IN HEIGHT AND DEPTH, RIGHT	Only compatible with armrest 0680, 0690	113,17																																																																		
AP1493220	☐	GUTTER WITH INDEPENDENT SIDE ROTATION, ADJUSTABLE IN HEIGHT AND DEPTH, LEFT	Only compatible with armrest 0780, 0790	113,17																																																																		
Possible widths of the Matrx backrests depending on the seat width <table><tr><th colspan="2"></th><th colspan="6">Seat Width (mm)</th></tr><tr><th rowspan="7">Backrest Width</th><th>(mm)</th><th>380</th><th>405</th><th>430</th><th>455</th><th>480</th><th>505</th></tr><tr><td>360</td><td>○</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>380</td><td>○</td><td>○</td><td></td><td></td><td></td><td></td></tr><tr><td>410</td><td>○</td><td>○</td><td>○</td><td></td><td></td><td></td></tr><tr><td>430</td><td></td><td>○</td><td>○</td><td>○</td><td></td><td></td></tr><tr><td>460</td><td></td><td></td><td>○</td><td>○</td><td>○</td><td></td></tr><tr><td>480</td><td></td><td></td><td></td><td>○</td><td>○</td><td>○</td></tr><tr><td>510</td><td></td><td></td><td></td><td></td><td>○</td><td>○</td></tr></table>								Seat Width (mm)						Backrest Width	(mm)	380	405	430	455	480	505	360	○						380	○	○					410	○	○	○				430		○	○	○			460			○	○	○		480				○	○	○	510					○	○
		Seat Width (mm)																																																																				
Backrest Width	(mm)	380	405	430	455	480	505																																																															
	360	○																																																																				
	380	○	○																																																																			
	410	○	○	○																																																																		
	430		○	○	○																																																																	
	460			○	○	○																																																																
	480				○	○	○																																																															
510					○	○																																																																
RAMPS																																																																						
1440530	☐	Fiberglass Folding Mono Ramp Folded dimensions: 2000 x 230 mm 16.3 kg - maximum capacity: 300 kg		1 787,68	 1440530  1654128  1654129  1654130																																																																	
1654128	☐	Basic ramp 2 telescopic parts in aluminum and non-slip coating. Folded dimensions: 1210 x 194 mm 8.8 kg per pair - maximum capacity: 270 kg		402,84																																																																		
1654129	☐	Quick2go Compact 3-part aluminum telescopic ramp with non-slip coating Folded dimensions: 870 x 237 mm 13.6 kg per pair - maximum capacity: 260 kg		805,69																																																																		
1654130	☐	Aluminium folding mono ramp Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg		426,54																																																																		