

Please contact Invacare EU Export Customer Services on :-
Tel : +33 247 626980 ; Email : serviceclient_export@invacare.com
 Or visit our website : www.invacare.eu.com



Invacare® Action®⁴ NG

Active aluminum manual wheelchair folding by brace



Description:

- Micro-ventilated bi-material canvas with storage pocket
- Weight: from 14.4 kg
- Maximum user weight: 125 kg
- 2-year warranty period excluding wear parts

New :

Short narrow gutter without rotation



Date :

Purchase Order :

Customer Code :

Distributor Stamp:



Invacare Unique Customization Service
 Please specify the quote or special production number:

☐ Please make your selection with a cross in the box ☒ Standard feature ☐ Free of charge option

CODE		DESCRIPTION	NC : Non Compatible NC : 9999 = not compatible with the reference 9999	Euros
CKB0031	☐	Invacare® Action® ⁴ NG - Fixed Backrest		529,85
CKB0036	☐	Invacare® Action® ⁴ NG - Folding Backrest		572,18
CKB0041	☐	Invacare® Action® ⁴ NG - Backrest reclining from 0° to 30° or folding and adjustable in angle		572,18

Choose your Action 4 NG Pack for reclining backrest

If you check a Pack, do not check the options individually, possibility to check only one Pack at a time

CKB0050	☐	Pack 1: Reclining (Ratchet) 0/30° Backrest (0320) + Contour Adjustable (7+1 Straps) Bi Material Padded Cover (0375)	NC : 0164, 0360, 0367, 0556, 0616, 0780, 0782, 1055, 1060	☐
CKB0055	☐	Pack 2: Reclining (Ratchet) 0/30° Backrest (0320) + Armrest Swing Away Detachable Rh & Lh (N°3) (0539 & 0599)	NC : 0360, 0367, 0780, 0782, 1055, 1060, 1270, 1271, 1272, 1273	☐
CKB0060	☐	Pack 3: Reclining (Ratchet) 0/30° Backrest (0320) + Contour Adjustable (7+1 Straps) Bi Material Padded Cover (0375) + Armrest Swing Away Detachable Rh & Lh (N°3) (0539 & 0599)	NC : 0164, 0360, 0367, 0780, 0782, 1055, 1060, 1270, 1271, 1272, 1273	110,90

FLEXIBLE POSITIONING FILE PACK

On demand	☐	Asymmetrically adjustable backrest with 8 straps + 2 repositionable trunk supports + a Matrx Libra seat cushion + a rigid base + a Bodypoint 2-point pelvic belt		794,76	
-----------	--------------------------	--	--	--------	--

ALBER

CKB0070	☐	Bracket For Twion / E-Motion M25 Including Alber Anti-Tipper	NC : 0110, 0265, 0555, 0615, 0942, 0944, 0946, 0963, 0964, 0972, 1040, 1055, 1130, 1175, 1195, 1196, 1200, 1240, 1246, 1252	579,15
CKB0080	☐	Bracket For Viamobil V25	NC : 0110, 0250, 0260, 0265, 0341, 0342, 1055, 1195, 1196, 1200, 1240, 1246, 1252	453,08
CKB0090	☐	Bracket For Viamobil Eco V14 (120Kg)	NC : 0240, 0250, 0260, 0265, 0716, 0717, 0718, 0782, 1055, 1075, 1195, 1196, 1200, 1240, 1241, 1246, 1252	414,25

PROPULSION TYPE

CKB0100	☐	Standard	NC : 0942	☒
CKB0110	☐	Transit	NC : 0240, 0250, 0260, 0265, 0556, 0905, 0925, 0944, 0946, 0948, 1020, 1030, 1050, 1055, 1060, 1075, 1110, 1111, 1125, 1150, 1160, 1220	☐

SEAT				
SEAT WIDTH				
CKB0120	☐	380 mm	NC : 0201, 0420+0470, 0656, 0664	○
CKB0130	☐	405 mm	NC : 0201, 0420+0470	○
CKB0140	☐	430 mm		◆
CKB0150	☐	455 mm	NC : 0657	○
CKB0160	☐	480 mm	NC : 0657, 0663	○
CKB0162	☐	505 mm	NC : 0657, 0663, 0664, 0665	○
CKB0164	☐	555 mm - with back brace and reinforced seat upholstery	NC : 0317, 0318, 0364, 0367, 0368, 0375, 0657, 0663, 0664, 0665, 0656, 0661, 0681, 0771, 0780, 0782, 1270	○
SEAT DEPTH				
CKB0180	☐	400 mm	NC : 0702, 0703	◆
CKB0190	☐	450 mm	NC : 0296, 0701, 0657, 0703	○
CKB0195	☐	500 mm	NC : 0260, 0265, 0295, 0657, 0661, 0663, 0664, 0665, 0681, 0701, 0702	○
CKB0200	☐	400 TO 450 MM ADJUSTABLE SEAT DEPTH SET TO 430MM	NC : 0295, 0703	○
CKB0201	☐	450 TO 500 MM ADJUSTABLE SEAT DEPTH	NC : 0260, 0265, 0295, 0656, 0657, 0661, 0681, 0701	○
	☐	550 mm - with reinforced seat cover	NC : 0654, 0657, 0663, 0664, 0665, 0661, 0681, 0656, 1175	On Request
SEAT HEIGHT				
CKB0210	☐	510 mm	NC : 0556, 0890, 0895, 0905, 0925, 0944, 0946 - Only with 8" front wheels	○
CKB0220	☐	485 mm	NC : 0925, 0944	◆
CKB0230	☐	460 mm	NC : 0944	○
CKB0240	☐	435 mm	NC : 0537/0538/0597/0598 + 24" wheels, 0845, 0850, 0870, 0942, 0944	○
CKB0250	☐	410 mm	NC : 0537/0538/0597/0598 + 24" wheels, 0770, 0845, 0850, 0870, 0905, 0942, 0944, 0963, 0991, 1130, 1195, 1196 1246	○
CKB0260	☐	385 mm	NC : 0556, 0770, 0845, 0850, 0870, 0890, 0895, 0905, 0942, 0944, 0948, 0963, 1130, 1195, 1196, 1246 - Only with 5" front wheels	○
CKB0265	☐	360 mm	NC : 0480, 0500, 0556, 0616, 0770, 0845, 0850, 0870, 0890, 0895, 0905, 0942, 0946, 0948, 0963, 1130, 1196, 1200, 1246 - Only with 5" front wheels	145,02
SEAT UPHOLSTERY TYPE				
CKB0290	☐	NYLON WITH LOOP BANDS SEAT UPHOLSTERY		○
CKB0295	☐	PADDED NYLON SEAT UPHOLSTERY		◆
BACKREST				
Back type - anti-tippers required with reclining backs				
CKB0300	☐	FIXED 7° BACKREST - HEIGHT ADJUSTABLE 380 TO 460 MM & FIXED PUSH HANDLES	NC : 0364, 0365, 0367, 0368, 0375, 0537, 0538, 0539, 0540, 0597, 0598, 0599, 0600, 0716, 0717, 0718, 0780, 1241	○
CKB0310	☐	FIXED 7° BACKREST - HEIGHT ADJUSTABLE 380 TO 460 MM & HEIGHT ADJUSTABLE PUSH HANDLES (independantly from upholstery height)	NC : 0364, 0365, 0367, 0368, 0375, 0537, 0538, 0539, 0540, 0597, 0598, 0599, 0600, 0716, 0717, 0718, 0780, 1241	294,79
CKB0311	☐	FIXED 7° BACKREST - 2 HEIGHTS (400 & 430 MM) - FIXED PUSH HANDLES	NC : 0360, 0367, 0782	◆
CKB0312	☐	FIXED 7° BACKREST - HEIGHT 510 MM - FIXED PUSH HANDLES	NC : 0360, 0367, 0782	33,18
CKB0317	☐	ANGLE ADJUSTABLE AND FOLD DOWN (-15° to + 15°) FIXED 7°, HEIGHT 350MM / 14" WITH FIXED SHORT PUSHHANDLES	NC : 0360, 0364, 0365 0368, 0370, 0375, 0716, 0717, 0718, 0721, 0780, 0963, 1130, 1241	456,87
CKB0318	☐	ANGLE ADJUSTABLE AND FOLD DOWN (-15° to + 15°) FIXED 7°, HEIGHT 425MM / 17" WITH FIXED LONG PUSHHANDLES	NC : 0360, 0364, 0365, 0368, 0370, 0375, 0716, 0717, 0718, 0721	456,87
CKB0320	☐	RECLINING (RATCHET) 0/30° BACKREST INCL. BACKBRACE & PASSIVE REAR WHEEL POS. ONLY - 3 HEIGHTS 390/410/430- FIXED PUSH HANDLES	NC : 0360, 0367, 0556, 0616, 0780, 0782, 1055, 1060	◆



0310

CKB0333	☐	RECLINING (GAS SPRING) 0/30° BACKREST INCL. BACKBRACE & PASSIVE REAR WHEEL POS. ONLY - 3 HEIGHTS 390/410/430 - FIXED PUSH HANDLES	NC : 0360, 0367, 0556, 0616, 0780, 0782, 1055, 1060	○
CKB0334	☐	RECLINING (GAS SPRING) 0/30° BACKREST INCL. BACKBRACE & PASSIVE REAR WHEEL POS. ONLY - 3 HEIGHTS 470/40°/510 - FIXED PUSH HANDLES	NC : 0360, 0367, 0556, 0616, 0780, 0782, 1055, 1060	33,18
CKB0345	☐	RECLINING/FOLDING (GAS SPRING) 0/30° BACKREST INCL. BACKBRACE & PASSIVE REAR WHEEL POS. ONLY - 3 HEIGHTS 390/410/430 - FIXED PUSH HANDLES	NC : 0360, 0367, 0556, 0616, 0780, 0782, 1055, 1060	○
CKB0341	☐	FOLDING 7° BACKREST - 430 MM HEIGHT - FIXED PUSH HANDLES	NC : 0360, 0367, 0782	◆
CKB0342	☐	FOLDING 7° BACKREST - 510 MM HEIGHT - FIXED PUSH HANDLES	NC : 0360, 0367, 0370, 0375, 0782	33,18

Matrx backrests - See the table "Possible Matrx backrest widths depending on the seat width" at the bottom of the measurement sheet. Find the trunk wedges and all the accessories on the Matrx measurement sheet! ☐

CKB0321	☐	Matrx Elite E2 height 160 mm - Curve 80 mm - Mini fasteners		500,47
CKB0322	☐	Matrx Elite E2 height 210 mm - Curve 80 mm - Mini fasteners		500,47
CKB0323	☐	Matrx Elite E2 height 260 mm - Curve 80 mm - Mini fasteners		500,47
CKB0324	☐	Matrx Elite E2 height 310 mm - Curve 80 mm - Mini fasteners		500,47
CKB0325	☐	Matrx Elite E2 height 360 mm - Curve 80 mm - Mini fasteners		500,47
CKB0351	☐	Matrx Elite E2 height 410 mm - Curve 80 mm - Mini fasteners		500,47
CKB0352	☐	Matrx Elite E2 height 460 mm - Curve 80 mm - Standard fasteners		500,47
CKB0326	☐	Matrx Elite E2 height 510 mm - Curve 80 mm - Standard fasteners		500,47
CKB0327	☐	Matrx Elite Deep E2 height 160 mm - Curve 160 mm - Mini fasteners		500,47
CKB0328	☐	Matrx Elite Deep E2 height 210 mm - Curve 160 mm - Mini fasteners		500,47
CKB0329	☐	Matrx Elite Deep E2 height 260 mm - Curve 160 mm - Mini fasteners		500,47
CKB0336	☐	Matrx Elite Deep E2 height 310 mm - Curve 160 mm - Mini fasteners		500,47
CKB0337	☐	Matrx Elite Deep E2 height 360 mm - Curve 160 mm - Mini fasteners		500,47
CKB0353	☐	Matrx Elite Deep E2 height 410 mm - Curve 160 mm - Mini fasteners		500,47
CKB0354	☐	Matrx Elite Deep E2 height 460 mm - Curve 160 mm - Mini fasteners		500,47
CKB0338	☐	Matrx Elite Deep E2 height 510 mm - Curve 160 mm - Mini fasteners		500,47

Caution - loss of approx. 20 mm of seat depth with tiltable backrests - supplied with Mini or Standard fixings except for PMH backrests supplied with Split fixing. ☐

Matrx backrest width- see table at the end of the measurement sheet ☐

CKB0355	☐	360 mm - indicative bust width 265 mm		○
CKB0356	☐	380 mm - indicative bust width 290 mm		○
CKB0357	☐	410 mm - indicative bust width 315 mm		○
CKB0358	☐	430 mm - indicative bust width 340 mm		○
CKB0359	☐	460 mm - indicative bust width 370 mm		○
CKB0361	☐	480 mm - indicative bust width 390 mm		○
CKB0362	☐	510 mm - indicative bust width 420 mm		○

BACKREST UPHOLSTERY TYPE



CKB0360	☐	STANDARD PADDED NYLON SLING TYPE (JEMIMA)	NC : 0721	○
CKB0364	☐	LUMBAR SUPPORT (+1 STRAP) BI MATERIAL PADDED COVER INCL. BACK POCKET		◆





**Matrx Elite E2 /
Elite Deep E2**





0360

CKB0365	☐	LUMBAR SUPPORT (+1 STRAP) PADDED SHAPED COVER		○	 0364  0375
CKB0367	☐	CONTOUR ADJUSTABLE (3+1 STRAPS) BI MATERIAL PADDED COVER INCL. BACK POCKET		○	
CKB0368	☐	Bi-material padded with rear pocket, adjustable in tension (4 straps), black nylon and black fabric - includes a backrest tensioner	NC : 0780, 0782	33,08	
CKB0370	☐	Padded adjustable in tension (7 straps), black nylon - Includes a back tensioner	NC : 0780, 0782	110,90	
CKB0375	☐	Bi-material padded with back pocket, adjustable in tension (7 straps), black nylon and black fabric - includes a backrest tensioner	NC : 0780, 0782	138,39	
HANGERS/FOOTPLATES					
HANGERS RH TYPE					
CKB0390	☐	80° STRAIGHT RH SWING IN/SWING OUT HANGER		◆	 0390 / 0440  0400 /
CKB0400	☐	ELEVATING LEGREST (0° TO 75°) RH SWING IN/SWING OUT HANGER (INCLUDING CALFPAD)	NC : 0491, 0760, 0770, 0771	73,82	
CKB0420	☐	AMPUTEE LEGREST RH	NC : 0480, 0490, 0491, 0760, 0771, 0773	140,28	
HANGERS LH TYPE					
CKB0440	☐	80° STRAIGHT LH SWING IN/SWING OUT HANGER		◆	 0420 / 0470  0491
CKB0450	☐	ELEVATING LEGREST (0° TO 75°) LH SWING IN/SWING OUT HANGER (INCLUDING CALFPAD)	NC : 0491, 0760, 0770, 0771	73,82	
CKB0470	☐	AMPUTEE LEGREST LH	NC : 0491, 0500, 0510, 0760, 0771	140,28	
FOOTPLATES RH TYPE					
CKB0480	☐	FLIP UP RH FOOTPLATE INCLUDING ADJUSTABLE HEEL STRAP		◆	 0490 / 0510  0490 / 0510
CKB0490	☐	FLIP UP DEPTH & ANGLE AJUSTABLE RH FOOTPLATE INCLUDING ADJUSTABLE HEEL STRAP		26,43	
CKB0491	☐	FLIP UP ONE PIECE FOOTPLATE DEPTH & ANGLE ADJUSTABLE	NC : 0500, 0510, 0770, 0771	234,12	
FOOTPLATES LH TYPE					
CKB0500	☐	FLIP UP LH FOOTPLATE INCLUDING ADJUSTABLE HEEL STRAP		◆	0490 / 0510
CKB0510	☐	FLIP UP DEPTH & ANGLE AJUSTABLE LH FOOTPLATE INCLUDING ADJUSTABLE HEEL STRAP		26,43	
ARMRESTS					
ARMRESTS RH FORM IN BLACK COLOR					
CKB0520	☐	REMOVABLE RH "RIO" (N°1) AUTOLOCK SAFETY DEVICE INCLUDED - DESK	NC : 0593, 0595, 0596, 0597, 0598, 0599, 0600, 0603, 0616, 1270, 1271	○	 0520 / 0580
CKB0530	☐	REMOVABLE RH "RIO"(N°1) AUTOLOCK SAFETY DEVICE INCLUDED FULL -LENGTH	NC : 0593, 0595, 0596, 0597, 0598, 0599, 0600, 0603, 0616	○	
CKB0531	☐	RIO, REMOVABLE AND CONTINUOUSLY HEIGHT-ADJUSTABLE FROM 200 MM TO 280 MM - SHORT NARROW GUTTER (330 MM) WITHOUT ROTATION 	NC : 0593, 0595, 0596, 0597, 0598, 0599, 0600, 1270, 1271	113,17	
CKB0533	☐	REMOVABLE RH (N°4) AUTOLOCK SAFETY DEVICE INCLUDED -DESK	NC : 0580, 0590, 0591, 0597, 0598, 0599, 0600, 0603, 0616, 1270, 1271	117,54	 0533 / 0593
CKB0535	☐	REMOVABLE AND HEIGHT ADJUSTABLE - SHORT NARROW GUTTER (330 MM) WITHOUT ROTATION 	NC : 0580, 0590, 0591, 0597, 0598, 0599, 0600, 0603, 1270, 1271	113,17	
CKB0536	☐	REMOVABLE RH (N°4) AUTOLOCK SAFETY DEVICE INCLUDED FULL -LENGTH	NC : 0580, 0590, 0591, 0597, 0598, 0599, 0600, 0603, 0616, 1271	117,54	
CKB0537	☐	SWING AWAY DETACHABLE RH (N°2) -DESK	NC : 0580, 0590, 0591, 0593, 0595, 0596, 0599, 0600, 0616, 0603, 1055, 1270, 1271	◆	

CKB0538	☐	SWING AWAY DETACHABLE RH (N°2) -FULL LENGTH	NC : 0580, 0590, 0593, 0596, 0599, 0600, 0616, 1055		 0537 / 0597  0539 / 0599	
CKB0539	☐	SWING AWAY DETACHABLE RH (N°3)- DESK	NC : 0580, 0590, 0591, 0593, 0595, 0596, 0597, 0598, 0616, 1055, 1270, 1271	117,54		
CKB0540	☐	SWING AWAY DETACHABLE RH (N°3)- FULL LENGTH	NC : 0580, 0590, 0591, 0593, 0595, 0596, 0597, 0598, 0616, 1055, 1271	117,54		
CKB0543	☐	LIFTABLE AND REMOVABLE, HEIGHT-ADJUSTABLE FROM 170 TO 295 MM - SHORT (330 MM) NON-ROTATING NARROW TROUGH WITH CLOTHES GUARD AND ERGONOMIC SUPPORT HANDLE 	NC : 0580, 0590, 0591, 0593, 0595, 0596, 0597, 0598, 0616, 1055, 1270, 1271	113,17		
CKB0555	☐	REMOVABLE RH (N°4) AUTOLOCK SAFETY DEVICE INCLUDED -HEMI BLACK PU TR26	NC : 0616, 1270, 1271	113,17		
CKB0556	☐	REMOVABLE MUDGUARD RH (N°6) (CUSHION IS RECOMMENDED FOR SEAT HEIGHT 410 & 435 MM)	NC : 0580, 0590, 0591, 0593, 0595, 0596, 0597, 0598, 0599, 0600, 0603, 0615, 0944, 0946, 0991, 1055, 1075, 1270, 1271	60,66		
ARMRESTS LH FORM IN BLACK COLOR						 0555 / 0615
CKB0580	☐	REMOVABLE LH "RIO" (N°1) AUTOLOCK SAFETY DEVICE INCLUDED DESK	NC : 1270, 1272			
CKB0590	☐	REMOVABLE LH "RIO"(N°1) AUTOLOCK SAFETY DEVICE INCLUDED FULL LENGTH				
CKB0591	☐	RIO, REMOVABLE AND CONTINUOUSLY HEIGHT-ADJUSTABLE FROM 200 MM TO 280 MM - SHORT NARROW GUTTER (330 MM) WITHOUT ROTATION 	NC : 1270, 1272	113,17		
CKB0593	☐	REMOVABLE LH (N°4) AUTOLOCK SAFETY DEVICE INCLUDED DESK	NC : 1270, 1272	117,54		
CKB0595	☐	REMOVABLE AND HEIGHT ADJUSTABLE - SHORT NARROW GUTTER (330 MM) WITHOUT ROTATION 	NC : 1270, 1272	113,17		
CKB0596	☐	REMOVABLE LH (N°4) AUTOLOCK SAFETY DEVICE INCLUDED FULL LENGTH	NC : 1272	117,54		
CKB0597	☐	SWING AWAY DETACHABLE LH (N°2) DESK	NC : 1055, 1270, 1272			
CKB0598	☐	SWING AWAY DETACHABLE LH (N°2) FULL LENGTH	NC : 1055			
CKB0599	☐	SWING AWAY DETACHABLE LH (N°3) DESK	NC : 1055, 1270, 272	117,54		
CKB0600	☐	SWING AWAY DETACHABLE LH (N°3) FULL LENGTH	NC : 1055, 1272	117,54		
CKB0603	☐	LIFTABLE AND REMOVABLE, HEIGHT-ADJUSTABLE FROM 170 TO 295 MM - SHORT (330 MM) NON-ROTATING NARROW TROUGH WITH CLOTHES GUARD AND ERGONOMIC SUPPORT HANDLE 	NC : 1055, 1272	113,17		
CKB0615	☐	REMOVABLE LH (N°4) AUTOLOCK SAFETY DEVICE INCLUDED HEMI BLACK PU TR26	NC : 1270, 1272	113,17		
CKB0616	☐	REMOVABLE MUDGUARD LH (N°6) (CUSHION IS RECOMMENDED FOR SEAT HEIGHT 410 & 435 MM)	NC : 0944, 0946, 1270, 1272	53,08		
SEATING OPTIONS TYPE						
SEAT CUSHION TYPE						 0654  0657 / 0663 0664 / 0665  0661
CKB0654	☐	BASIC 50 MM FOAM CUSHION NYLON & ANTI-SLIP COVER	NC : 0657, 0661, 0663, 0664, 0665, 0681	66,16		
CKB0657	☐	CLASSIC VISCO CUSHION 375X 400 MM	NC : 0661, 0681, 0701, 0702, 0703	76,78		
CKB0663	☐	CLASSIC VISCO CUSHION 405 X 400 MM	NC : 0661, 0681, 0701, 0702, 0703	65,40		
CKB0664	☐	CLASSIC VISCO CUSHION 430 X 430 MM	NC : 0661, 0681, 0701, 0702, 0703	65,40		
CKB0665	☐	CLASSIC VISCO CUSHION 455 X 400 MM	NC : 0661, 0681, 0701, 0702, 0703	76,78		
CKB0659	☐	FLO-TECH LITE CUSHION THICKNESS 55 MM	NC : 0703	118,48		
CKB0661	☐	MATRIX FLO-TECH IMAGE CUSHION DELIVERED WITH 1 PLATILION COVER + 1 BLACK SMOOTH COVER	NC : 0681, 0703	213,27		

CKB0681	☐	MATRIX CONTOUR VISCO NG CUSHION DELIVERED WITH 1 PLATILON COVER + 1 BLACK SMOOTH COVER	NC : 0703	76,78	 0681
CKB0691	☐	FLO-TECH SOLUTION XTRA CUSHION, THICKNESS 60 MM	NC : 0703	293,84	
CKB0693	☐	MATRIX LIBRA CUSHION, THICKNESS 70 MM		293,84	
SEAT CUSHION DEPTH					
CKB0701	☐	Depth 400 mm		☐	 0656  0716  0717  0718  0721  0782
CKB0702	☐	Depth 450 mm		☐	
CKB0703	☐	Depth 500 mm		☐	
OTHER SEATING OPTIONS					
CKB0656	☐	SEAT RIGIDIZER		☒	
CKB0716	☐	NECKREST BLACK PU TR26 (INCLUDING BACKBRACE EXCEPT FOR LAGUNA)	NC : 0717, 0718, 0780, 0782	60,10	
CKB0717	☐	HEADREST BLACK PU TR26 (INCLUDING BACKBRACE EXCEPT FOR LAGUNA)	NC : 0718, 0780, 0782	199,05	
CKB0718	☐	HEADREST WITH CHEEK SUPPORT BLACK PU TR26 (INCLUDING BACKBRACE EXCEPT FOR LAGUNA)	NC : 0780, 0782	217,06	
CKB0721	☐	LATERAL POSITIONING PADS (PAIR)		237,91	
CKB0760	☐	ADJUSTABLE CALF STRAP		10,43	
CKB0770	☐	LONGER FOOTREST TUBE (UL= 450-530 MM)	NC : 0771	17,06	
CKB0771	☐	SHORTER FOOTREST SUPPORT (PAIR) (UL= 230-430 MM)		83,41	
CKB0780	☐	BACKBRACE	NC : 0782	47,39	
CKB0782	☐	FOLDABLE BACKBRACE		105,21	
COLOURS					
CKB0801	☐	SLATE GREY (RAL7024 FINE TEXTURE)		☐	 0801 / 0804 0806 / 0807 0808 / 0809 0811 / 0820 0815
CKB0804	☐	PEARL WHITE		☐	
CKB0806	☐	ELECTRIC GREEN		54,03	
CKB0807	☐	MATT BLACK		☐	
CKB0808	☐	BLUE POP		☐	
CKB0809	☐	HYPNOTIC PURPLE		54,03	
CKB0811	☐	RED MATT		☐	
CKB0815	☐	WATER BLUE		54,03	
CKB0820	☐	ANTHRACITE BLACK		☐	
CKB0821	☐	SPECIAL COLOUR		On Request	
FRONT WHEELS					
CKB0845	☐	200 X 32 MM (8" X 1.1/4") BLACK PNEUMATIC TYRE		☐	 0850 0890
CKB0850	☐	200 X 30 MM (8" X 1.1/4") BLACK SOLID TYRE		☐	
CKB0870	☐	200 X 45 MM (8" X 2") BLACK SOLID TYRE		☐	
CKB0890	☐	150 X 30 MM (6" X 1.1/4") BLACK SOLID TYRE		☒	
CKB0895	☐	150 X 30 MM (6" X 1.1/4") BLACK SOLID TYRE MEDIUM HARD		☐	
CKB0905	☐	140 X 40 MM (5.1/2" X 1.3/4") BLACK SOLID TYRE MEDIUM HARD	NC : 0942	☐	
CKB0925	☐	125 X 30 MM (5" X 1") BLACK SOLID TYRE	NC : 0942	☐	
REAR WHEELS					
REAR WHEEL SIZE					
CKB0942	☐	12" - 305 mm	NC : 0961, 0962, 0974, 0978, 0982, 1020, 1030, 1050, 1055, 1060, 1075, 1110, 1111, 1150, 1160, 1161, 1162, 1210, 1220	☐	 Standard
CKB0944	☐	20" - 515 mm	NC : 0961, 0963, 0964, 0978, 1040, 1110, 1130	☐	
CKB0946	☐	22" - 560 mm	NC : 0964, 1110	☐	
CKB0948	☐	24" - 600 mm	NC : 1111	☒	
REAR WHEELS TYPE					
CKB0961	☐	STANDARD (BLACK HUB, COLORLESS RIM & ZINC PLATTED SPOKES)	NC : 1040, 1130	☒	

CKB0962	☐	REINFORCED (COLORLESS HUB, CLEAR ANODIZED RIM & STAINLESS STEEL SPOKES)	NC : 1130	☐	 Composite	
CKB0963	☐	DRUM BRAKE (20/22/24" : COLORLESS HUB, CLEAR ANODIZED RIM & STAINLESS STEEL SPOKES / 12" : BLACK PLASTIC HUB & RIM)	NC : 1120, 1125, 1150, 1160	☐		
CKB0964	☐	COMPOSITE (BLACK PLASTIC HUB & RIM)	NC : 0978, 1110, 1111, 1130	☐		
TYRE TYPE						
CKB0972	☐	TYRES SOLID BLACK 35 MM (1"3/8)		☐	 1" 1.3/8" 1.3/8" 0978 0974 0972	
CKB0974	☐	PNEUMATIC PROFILED BLACK 35 MM (1"3/8)		☐		
CKB0978	☐	PNEUMATIC LOW PROFILE BLACK 25 MM (1")		☒		
HANDRIM TYPE						
CKB1020	☐	ALUMINIUM PRE-ANODIZED HANDRIM		☒	 1055 1060 1070 1075	
CKB1030	☐	HANDRIM COATED IN BLACK ANTI-SLIP PLASTIC		127,01		
REAR WHEELS AXLE TYPE						
CKB1040	☐	FIXED AXLE		☐		
CKB1050	☐	QUICK RELEASE AXLE		☒		
REAR WHEELS POSITION						
CKB1055	☐	ACTIVE REAR WHEELS POSITION 52,5 MM FRONTWARD/BACKREST CANE AXLE	NC : 1130, 1252	119,43		
CKB1060	☐	STANDARD REAR WHEELS POSITION 35 MM FRONTWARD/BACKREST CANE AXLE	NC : 1252	☒		
CKB1070	☐	PASSIVE REAR WHEELS POSITION 35 MM BACKWARD/BACKREST CANE AXLE		☐		
CKB1075	☐	DUAL AMPUTEE POSITION 52,5 MM BACKWARD/BACKREST CANE AXLE,ADJUSTABLE TO 75 MM BY THE DEALER	NC : 1125, 1130	119,43		
PUMP						
CKB1090	☐	PUMP AND SUPPORT		10,43		
CHASSIS OPTIONS TYPE						
CKB1101	☐	FRONT WHEELS EXTENSION (+ 50 MM OUTWARD)		☐	 1101	
CKB1110	☐	SPOKE GUARDS PAIR 600 MM (24") BLACK		165,88		
CKB1111	☐	SPOKE GUARDS PAIR CLEAR		165,88		
BRAKES TYPE						
CKB1120	☐	PUSH TO LOCK BRAKES		☒	 1120	
CKB1125	☐	PULL TO LOCK BRAKES		☐		
CKB1130	☐	ATTENDANT HUB BRAKES (INCLUDING PUSH TO LOCK BRAKES)		178,20		
CKB1150	☐	OAD WIRE CONTROLLED BRAKE RH	NC : 1220	94,79		
CKB1160	☐	OAD WIRE CONTROLLED BRAKE LH	NC : 1220	94,79		
SAFETY OPTIONS TYPE						
CKB1175	☐	TRANSPORTATION BRACKETS	NC : 1252	24,64	 1175 1189 / 1192 1193 / 1194 1195 / 1196 1200	
CKB1190	☐	POSTURE BELT - PLASTIC BUCKLE	NC : 1189, 1192, 1193, 1194	31,28		
CKB1189	☐	HIP BELT, 2-PT, CTR-PULL, PB M X 460MM PADS, FLAT-MOUNT	NC : 1192, 1193, 1194	145,97		
CKB1192	☐	HIP BELT, 2-PT, CTR-PULL, PB L X 620MM PADS, FLAT-MOUNT	NC :1193, 1194	152,61		
CKB1193	☐	HIP BELT, 4-PT, CTR-PULL, PB M X 460M PADS, FLAT-MOUNT	NC : 1194	180,09		
CKB1194	☐	HIP BELT, 4-PT, CTR-PULL, PB L X 620MM PADS, FLAT-MOUNT		181,04		
CKB1195	☐	REAR ANTI-TIPPER (RH)	NC : 1196, 1200	☐		
CKB1196	☐	REAR ANTI-TIPPER (PAIR)	NC : 1200, 1246	79,62		
CKB1200	☐	REAR ANTI-TIPPERS PAIR WITH TIPPING AID	NC : 1246	125,12		
CKB1210	☐	REFLECTORS KIT		38,86		
CKB1220	☐	BRAKE EXTENSION PAIR		10,43		
ATTENDANT OPTIONS TYPE						
CKB1240	☐	CANE HOLDER		49,29		
CKB1241	☐	DRIP STAND SUPPORT WITH DRIP STAND (WITH BACKBRACE 0780 ONLY)		101,42		
CKB1246	☐	TIPPING AID (LH)		45,50		

CKB1252	☐	OXYGEN BOTTLE HOLDER (RH ONLY) ANTI-TIPPERS RECOMMENDED		146,92	 1270  1271 / 1272  1273
CKB1270	☐	ACRYLIC TRAY	NC : 1271, 1272, 1273	72,83	
CKB1271	☐	HALF TABLE TRAY, CLEAR, FLIP UP, RH	NC : 1272	72,83	
CKB1272	☐	HALF TABLE TRAY, CLEAR, FLIP UP, LH		72,83	
CKB1273	☐	COMFORT PADDING FOR HALF TABLE TRAY (WITH CKA1271 OR CKA1272 ONLY)		90,05	
ACCESSORIES (delivered separately)					
AP1493219	☐	GUTTER WITH INDEPENDENT SIDE ROTATION, ADJUSTABLE IN HEIGHT AND DEPTH, RIGHT	Only compatible with armrest 0533, 0536, 0539, 0540, 0555	113,17	
AP1493220	☐	GUTTER WITH INDEPENDENT SIDE ROTATION, ADJUSTABLE IN HEIGHT AND DEPTH, LEFT	Only compatible with armrest 0593, 0596, 0599, 0600, 0615	113,17	
RAMPS					
1440530	☐	Fiberglass Folding Mono Ramp Folded dimensions: 2000 x 230 mm 16.3 kg - maximum capacity: 300 kg		1 787,68	 1440530
1654128	☐	Basic ramp 2 telescopic parts in aluminum and non-slip coating - Folded dimensions: 1210 x 194 mm 8.8 kg per pair - maximum capacity: 270 kg		402,84	 1654128
1654129	☐	Quick2go Compact 3-part aluminum telescopic ramp with non-slip coating Folded dimensions: 870 x 237 mm 13.6 kg per pair - maximum capacity: 260 kg		805,69	 1654129
1654130	☐	Aluminium folding mono ramp Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg		426,54	 1654130