

Invacare® Action®⁵ Rigid

Please contact Invacare EU Export Customer Services on :-
Tel : +33 247 626980 ; Email : serviceclient_export@invacare.com
Or visit our website : www.invacare.eu.com



Invacare® Action®⁵ Rigid

Aluminum manual wheelchair, rigid frame



Date :

Purchase Order :

Customer Code :

Distributor Stamp:



Description:

- Rigid frame
- Fixed, angle-adjustable or folding and angle-adjustable backrest
- Seat width up to 530 mm
- Max user weight: 100 kg (Only for seat widths from 305 to 330 mm) or 130 kg
- Complete weight: from 10.8 kg
- Transport weight: from 6.8 kg
- 2-year warranty period excluding wear parts

New:

Pneumatic Maxxis Alpha Protect 1"



Invacare Unique Customization Service

Please specify the quote or special production number:

☐ Please make your selection with a cross in the box

◆ Standard feature

○ Free of charge option

CODE		DESCRIPTION	NC : Non Compatible NC : 9999 = not compatible with the reference 9999	Euros	
SJE0110	☐	Invacare® Action® ⁵ Rigid- Fixed Backrest		1616,11	 0110 0115 0120
SJE0115	☐	Invacare® Action® ⁵ Rigid - Angle Adjustable Backrest		1725,12	
SJE0120	☐	Invacare® Action® ⁵ Rigid - Angle Adjustable and Folding Backrest		1935,55	

ALBER (Only Compatible with 24" wheels and 0° camber)

SJE0180	☐	BRACKET FOR TWION AND E-MOTION M25 WITH ALBER ANTI-TIPPERS	NC : 4050, 4150, 7302, 7304, 8160, 8500, 8550, 9000, 9100, 9200	579,15	
---------	--------------------------	--	---	--------	--

FRAME TYPE

SJE0200	☐	SWING AWAY FRAME	NC : 3230, 3440, 3450	◆	
SJE0210	☐	FIXED FRONT END 80 DEGREE ANGLE FRAME	NC : 3400, 3410, 3420, 3430	○	

PROPULSION TYPE

SJE0300	☐	Self Propulsion		◆	
---------	--------------------------	-----------------	--	---	--

SEAT

SEAT WIDTH (SW)					
SJE1000	☐	305 mm - Max user 100 Kg	NC : 1150, 1160, 1190, 2430 à 2452, 2465, 2470, 2475, 2478 3040, 3140, 3400, 5006, 5007, 5008, 5009, 5010, 5020, 5040, 5042, 5044, 5090, 5600	○	
SJE1010	☐	330 mm - max user 100 kg	NC : 1150, 1160, 1190, 2482, 2484, 2488, 2490, 2492, 3040, 3140, 3400, 5006, 5007, 5008, 5009, 5010, 5020, 5040, 5042, 5044, 5090, 5600	○	
SJE1020	☐	355 mm	2484, 2486, 2490, 2492, 3040, 3140, 5006, 5007, 5008, 5009, 5010, 5020, 5040, 5042, 5044, 5090, 5600	○	
SJE1030	☐	380 mm	NC : 2486, 2488, 2490, 2492, 5008	○	
SJE1040	☐	405 mm	NC : 2481, 2488, 2490, 2492	○	
SJE1050	☐	430 mm	NC : 2481, 2482, 2490, 2492	○	
SJE1060	☐	455 mm	NC : 2481, 2482, 2484, 2492	○	
SJE1070	☐	480 mm	NC : 2481, 2482, 2484, 2486, 5006, 5007, 5090	○	
SJE1075	☐	505 mm	NC : 2481, 2842, 2484, 2486, 2488, 5006, 5007, 5008, 5009, 5090	○	
SJE1078	☐	530 mm	NC : 1100, 1110, 1170, 2481, 2482, 2486, 2488, 2490, 5006, 5007, 5008, 5009, 5010, 5020, 5040, 5042, 5044, 5090	○	

Seat depth (length of seat cover = seat depth - 25 mm)				
SJE1100	☐	350 mm	NC : 3040, 3140, 4050, 4150, 5006, 5007, 5008, 5009, 5010, 5020, 5040, 5042, 5044, 5090	☐
SJE1110	☐	375 mm	NC : 4050, 4150, 5006, 5007, 5008, 5009, 5010, 5020, 5040, 5042, 5044, 5090	☐
SJE1120	☐	400 mm	NC : 5008, 5052, 5054	☒
SJE1130	☐	425 mm	NC : 5052, 5054	☐
SJE1140	☐	450 mm	NC : 5054	☐
SJE1150	☐	475 mm	NC : 5006, 5007, 5054, 5090	☐
SJE1160	☐	500 mm	NC : 5006, 5007, 5008, 5009, 5020, 5040, 5090	☐
SJE1170	☐	Adjustable 400 to 350 mm - Delivered at 375 mm	NC : 4050, 4150, 5006, 5007, 5008, 5009, 5010, 5020, 5040, 5042, 5044, 5090	☐
SJE1180	☐	Adjustable 450 to 400 mm - Delivered at 425 mm	NC : 5054	☐
SJE1190	☐	Adjustable 500 to 450 mm - Delivered at 475 mm	NC : 5006, 5007	☐
SEAT HEIGHT IN FRONT (FSTF) OF THE CHAIR, MEASURED FROM FLOOR TO TOP OF SEAT RAIL				
SJE1220	☐	410 mm		☐
SJE1230	☐	435 mm		☐
SJE1240	☐	460 mm		☐
SJE1250	☐	485 mm		☒
SJE1260	☐	510 mm	NC : 7000, 7040	☐
Rear seat height (must be ≤ front seat height; max - 50mm vs front seat height)				
SJE1310	☐	385 mm		☐
SJE1320	☐	410 mm		☐
SJE1330	☐	435 mm		☐
SJE1340	☐	460 mm		☒
SJE1350	☐	485 mm	NC : 7200, 7220	☐
SEAT UPHOLSTERY TYPE				
SJE1520	☐	TENSION ADJUSTABLE SEAT UPHOLSTERY & DEPTH ADJUSTABLE -50MM		☒
BACKREST				
BACKREST FIXED HEIGHT (UPHOLSTERY MOVES)				
SJE2130	☐	FIXED 7°, HEIGHT 300 MM / 12" - HEIGHT 300 MM / 12"	NC : 2300, 2310, 2400, 2410, 2420, 2505, 8160, 8200	☐
SJE2140	☐	FIXED 7°, HEIGHT 325 MM / 14" - HEIGHT 325-350 MM / 13"-14" SET AT 350MM / 14" (2 positions, 25mm / 1" steps through uph)	NC : 2300, 2310, 2400, 2410, 2420, 2505, 8160, 8200	☐
SJE2143	☐	FIXED 7°, HEIGHT 350 MM / 14" - HEIGHT 325-350 MM / 13"-14" SET AT 350MM / 14" (2 positions, 25mm / 1" steps through uph)	NC : 2300, 2310, 2400, 2410, 2420, 2505, 8160, 8200	☐
SJE2150	☐	FIXED 7°, HEIGHT 375 MM / 16" - HEIGHT 375-400 MM / 15"-16" SET AT 400MM / 16" (2 positions, 25mm / 1" steps through uph)	NC : 2300, 2310, 2400, 2410, 2420	☐
SJE2153	☐	FIXED 7°, HEIGHT 400 MM / 16" - HEIGHT 375-400 MM / 15"-16" SET AT 400MM / 16" (2 positions, 25mm / 1" steps through uph)	NC : 2300, 2310, 2400, 2410, 2420	☒
SJE2160	☐	FIXED 7°, HEIGHT 425 MM / 18" - HEIGHT 425-450 MM / 17"-18" SET AT 450MM / 18" (2 positions, 25mm / 1" steps through uph)	NC : 2300, 2310, 2400, 2410, 2420	☐
SJE2163	☐	FIXED 7°, HEIGHT 450 MM / 18" - HEIGHT 425-450 MM / 17"-18" SET AT 450MM / 18" (2 positions, 25mm / 1" steps through uph)	NC : 2300, 2310, 2400, 2410, 2420	☐
SJE2170	☐	FIXED 7°, HEIGHT 475 MM / 20" - HEIGHT 475-500 MM / 19"-20" SET AT 500MM / 20" (2 positions, 25mm / 1" steps through uph)	NC : 2300, 2310, 2400, 2410, 2420	☐
SJE2173	☐	FIXED 7°, HEIGHT 500 MM / 20" - HEIGHT 475-500 MM / 19"-20" SET AT 500MM / 20" (2 positions, 25mm / 1" steps through uph)	NC : 2300, 2310, 2400, 2410, 2420	☐
OR				
BACKREST HEIGHT ADJUSTABLE (BACKREST TUBE MOVES)				
SJE2300	☐	HEIGHT ADJUSTABLE FROM 360-400MM / 14,5"-16"	NC : 2505	103,32
SJE2310	☐	HEIGHT ADJUSTABLE FROM 410-490MM / 16"-19,5"		103,32
PUSHHANDLES TYPE (TO SELECT WHEN CHOSEN HEIGHT ADJUSTABLE BACKREST)				
SJE2400	☐	WITHOUT PUSHHANDLES (7° degree bend)	NC : 8160, 9100, 9200	☒
SJE2410	☐	REARSET (REA TYPE) (HEIGHT ADJUSTABLE + 150 MM / 6") (7° degree bend)	NC : 2505	212,32
SJE2420	☐	INTEGRATED (HEIGHT ADJUSTABLE + 135 MM / 5") (0° degree bend)	NC : Matrx Backrests	134,60



1520



2130 / 2140 / 2143



2150 / 2153



2160 / 2163 / 2410



2300 / 2310



2410

Matrx backs - See table "Possible widths of Matrx backs depending on the width of the seat" at the bottom.					 2420  Matrx Elite E2 / Elite Deep E2  2510
SJE2430	☐	MATRX ELITE E2 BACK WITH HARDWARE 160 MM BACK HEIGHT	NC : 2505, 2510, 5500, 5600	500,47	
SJE2432	☐	MATRX ELITE E2 BACK WITH HARDWARE 210 MM BACK HEIGHT	NC : 2505, 2510, 5500, 5600	500,47	
SJE2434	☐	MATRX ELITE E2 BACK WITH HARDWARE 260 MM BACK HEIGHT	NC : 2505, 2510, 5500, 5600	500,47	
SJE2436	☐	MATRX ELITE E2 BACK WITH HARDWARE 310 MM BACK HEIGHT	NC : 2505, 2510, 5500, 5600	500,47	
SJE2438	☐	MATRX ELITE E2 BACK WITH HARDWARE 360 MM BACK HEIGHT	NC : 2505, 2510, 5500, 5600	500,47	
SJE2460	☐	MATRX ELITE E2 BACK WITH HARDWARE 410 MM BACK HEIGHT	NC : 2505, 2510, 5500, 5600	500,47	
SJE2465	☐	MATRX ELITE E2 BACK WITH HARDWARE 460 MM BACK HEIGHT	NC : 2505, 2510, 5500, 5600	500,47	
SJEC2440	☐	MATRX ELITE E2 BACK WITH HARDWARE 510 MM BACK HEIGHT	NC : 2505, 2510, 5500, 5600	500,47	
SJE2442	☐	MATRX ELITE DEEP E2 BACK WITH HARDWARE 160 MM BACK HEIGHT	NC : 2505, 2510, 5500, 5600	500,47	
SJE2444	☐	MATRX ELITE DEEP E2 BACK WITH HARDWARE 210 MM BACK HEIGHT	NC : 2505, 2510, 5500, 5600	500,47	
SJE2446	☐	MATRX ELITE DEEP E2 BACK WITH HARDWARE 260 MM BACK HEIGHT	NC : 2505, 2510, 5500, 5600	500,47	
SJE2448	☐	MATRX ELITE DEEP E2 BACK WITH HARDWARE 310 MM BACK HEIGHT	NC : 2505, 2510, 5500, 5600	500,47	
SJE2452	☐	MATRX ELITE DEEP E2 BACK WITH HARDWARE 360 MM BACK HEIGHT	NC : 2505, 2510, 5500, 5600	500,47	
SJE2470	☐	MATRX ELITE DEEP E2 BACK WITH HARDWARE 410 MM BACK HEIGHT	NC : 2505, 2510, 5500, 5600	500,47	
SJE2475	☐	MATRX ELITE DEEP E2 BACK WITH HARDWARE 460 MM BACK HEIGHT	NC : 2505, 2510, 5500, 5600	500,47	
SJE2478	☐	MATRX ELITE DEEP E2 BACK WITH HARDWARE 510 MM BACK HEIGHT	NC : 2505, 2510, 5500, 5600	500,47	
Matrx backrest width - see chart at end					
SJE2481	☐	360 MM - INDICATIVE BUST WIDTH : 265 MM		○	
SJE2482	☐	380 MM - INDICATIVE BUST WIDTH : 290 MM		○	
SJE2484	☐	410 MM - INDICATIVE BUST WIDTH : 315 MM		○	
SJE2486	☐	430 MM - INDICATIVE BUST WIDTH : 340 MM		○	
SJE2488	☐	460 MM - INDICATIVE BUST WIDTH : 370 MM		○	
SJE2490	☐	480 MM - INDICATIVE BUST WIDTH : 390 MM		○	
SJE2492	☐	510 MM - INDICATIVE BUST WIDTH : 420 MM		○	
BACKREST UPHOLSTERY					
SJE2505	☐	FIXED BACKREST, NYLON & MESH PADDED COVER	NC : 5500, 5600	○	
SJE2510	☐	CONTOUR (TENSION) ADJUSTABLE STRAPS, NYLON & MESH COVER		◆	
HANGERS/FOOTPLATES					
HANGERS RH TYPE					
SJE3010	☐	70° STRAIGHT RH	NC : 3440, 3450	○	
SJE3020	☐	80° STRAIGHT RH	NC : 3440, 3450	◆	
SJE3030	☐	90° STRAIGHT RH	NC : 3200, 3440, 3450	○	
SJE3040	☐	ELEVATING LEGREST (0° TO 75°) RH, CALF PAD INCLUDED	NC : 3230, 3400, 3440, 3450, 5400	73,82	
SJE3050	☐	AMPUTEE LEGREST RH	NC : 3200, 3210, 3230, 5400, 8100, 8120, 9400	140,28	
HANGERS LH TYPE					
SJE3110	☐	70° STRAIGHT LH	NC : 3440, 3450	○	
SJE3120	☐	80° STRAIGHT LH	NC : 3440, 3450	◆	
SJE3130	☐	90° STRAIGHT LH	NC : 3300, 3440, 3450	○	
SJE3140	☐	ELEVATING LEGREST (0° TO 75°) LH, CALF PAD INCLUDED	NC : 3230, 3400, 3440, 3450, 5400	73,82	
SJE3150	☐	AMPUTEE LEGREST LH	NC : 3230, 3300, 3310, 5200, 5400, 8100, 8120, 9400	140,28	
FOOTPLATES RH TYPE					
SJE3200	☐	FLIP UP RH FOOTPLATE	NC : 3410	◆	
SJE3210	☐	FLIP UP DEPTH & ANGLE ADJUSTABLE RH FOOTPLATE		26,43	
SJE3230	☐	ONE PIECE FOOTPLATE DEPTH & ANGLE ADJUSTABLE	NC : 3400, 3410, 3420, 3430	234,12	

FOOTPLATES LH TYPE				 3210 / 3310	
SJE3300	☐	FLIP-UP LH FOOTPLATE	NC : 3410		◆
SJE3310	☐	FLIP-UP DEPTH & ANGLE ADJUSTABLE LH FOOTPLATE			26,43
FOOTREST TUBE (Given UL for adjustable footplate only. Add +15mm with fixed footplate)					
SJE3400	☐	SWING AWAY FRAME, HIGH MOUNTED TUBE, FOR UL 160 to 375 MM	NC : 9400		134,60
SJE3410	☐	SWING AWAY FRAME, SHORT TUBE, FOR UL 285 TO 375 MM			○
SJE3420	☐	SWING AWAY FRAME, STANDARD TUBE, FOR UL 295 to 420 MM		◆	
SJE3430	☐	SWING AWAY FRAME, LONG TUBE, FOR UL 400 TO 525 MM		○	
SJE3440	☐	FIXED FRAME, STANDARD TUBE, FOR UL 320 TO 460 MM		◆	
SJE3450	☐	FIXED FRAME, LONG TUBE, FOR UL 360 TO 500 MM		○	
ARMRESTS					
MUDGUARDS / SIDE GUARDS (PAIR)					
SJE3750	☐	SIDE GUARDS	NC : 4010, 4020, 4030, 4040, 4110, 4120, 4130, 4140	○	
SJE3800	☐	REMOVABLE MUDGUARD	NC : 4010, 4020, 4030, 4040, 4110, 4120, 4130, 4140, 8160	○	
ARMRESTS RH FORM					
SJE4010	☐	REMOVABLE RH, HEIGHT ADJUSTABLE (N°.1) T-ARM - DESK ARMPAD (280 MM), ADJUSTABLE BY 150 MM		◆	
SJE4020	☐	REMOVABLE RH, HEIGHT ADJUSTABLE (N°.1) T-ARM - FULL LENGTH ARMPAD (380 MM), ADJUST BY 50 MM		○	
SJE4030	☐	SWING AWAY DETACHABLE HEIGHT ADJ RH (N°3) - DESK ARMPAD (280 MM)		118,48	
SJE4040	☐	SWING AWAY DETACHABLE HEIGHT ADJ RH (N°3) - FULL LENGTH ARMPAD (380 MM)		118,48	
SJE4050	☐	TUBULAR ARMREST RH, SWING AWAY PADDED TUBE - HEIGHT ADJUSTABLE 40 MM BY STEP OF 10 MM, PADDING 230 MM		90,05	
ARMRESTS LH FORM					
SJE4110	☐	REMOVABLE LH, HEIGHT ADJUSTABLE (N°.1) T-ARM - DESK ARMPAD (280 MM), ADJUSTABLE BY 150 MM		◆	
SJE4120	☐	REMOVABLE LH, HEIGHT ADJUSTABLE (N°.1) T-ARM - FULL LENGTH ARMPAD (380 MM), ADJUST BY 50 MM		○	
SJE4130	☐	SWING AWAY DETACHABLE HEIGHT ADJ LH (N°3) - DESK ARMPAD (280 MM)		118,48	
SJE4140	☐	SWING AWAY DETACHABLE HEIGHT ADJ LH (N°3) - FULL LENGTH ARMPAD (380 MM)		118,48	
SJE4150	☐	TUBULAR ARMREST LH, SWING AWAY PADDED TUBE - HEIGHT ADJUSTABLE 40 MM BY STEP OF 10 MM, PADDING 230 MM		90,05	
SEATING OPTIONS TYPE					
SJE5000	☐	BASIC 50 MM / 2" FOAM CUSHION NYLON & ANTI-SLIP COVER	NC : 5050, 5052, 5054	33,08	
SJE5006	☐	CLASSIC VISCO CUSHION 375 x 400	NC : 5050, 5052, 5054	76,78	
SJE5007	☐	CLASSIC VISCO CUSHION 405 x 400	NC : 5050, 5052, 5054	65,40	
SJE5008	☐	CLASSIC VISCO CUSHION 430 x 430	NC : 5050, 5052, 5054	65,40	
SJE5009	☐	CLASSIC VISCO CUSHION 455 x 400	NC : 5050, 5052, 5054	76,78	
SJE5010	☐	MATRX CONTOUR VISCO NG CUSHION		76,78	
SJE5020	☐	MATRX FLO-TECH IMAGE CUSHION	NC : 5054	213,27	
SJE5040	☐	MATRX FLO-TECH SOLUTION XTRA	NC : 5054	334,75	
SJE5044	☐	MATRX LIBRA CUSHION		293.84	

 3210 / 3310
 3230
 3750
 3800
 4010 / 4110
 4050 / 4150
 4030 / 4130
 4060 / 4160
 5000
 5006 / 5007
 5010
 5020 5040
 5044

MATRIX CUSHION DEPTH					
SJE5050	☐	FOR 400MM SEAT DEPTH		☐	
SJE5052	☐	FOR 450MM SEAT DEPTH		☐	
SJE5054	☐	FOR 500MM SEAT DEPTH	NC : 5090	☐	
OTHER SEATING OPTIONS TYPE					
SJE5090	☐	SEAT RIGIDIZER		61,61	 5400  5500  5600  5650
SJE5400	☐	FOOTPLATE PADDING		10,43	
SJE5500	☐	FOLDING BACKBRACE	NC : 5650	105,21	
SJE5600	☐	FIXED BACKBRACE	NC : 5650	105,21	
SJE5650	☐	MATRIX SOFT PAD HEADREST (SOFT PAD 250MM) WITH FIXED HARDWARE	(ONLY FOR MATRIX BACK)	441,71	
COLOURS					
Frame					
SJE6000	☐	PEARL WHITE		☐	
SJE6010	☐	ANTHRACITE BLACK		☐	
SJE6020	☐	POP BLUE		☐	
SJE6030	☐	DARK RED		☐	
SJE6040	☐	ELECTRIC GREEN		☐	
SJE6050	☐	HYPNOTIC PURPLE		☐	
SJE6060	☐	PEARL GREY		☐	
SJE6070	☐	MATT BLACK		☐	
SJE6080	☐	INTENSE YELLOW		☐	
SJE6090	☐	VIBRATING ORANGE		☐	
SJE6099	☐	SPECIAL COLOUR - ON DEMAND ONLY AND SPECIAL (SJASPEC) MANDATORY	RAL : _____	On Demand	
ACCENT COLOURS (rear wheel plate, fork, disks on castorhousing, QR axle cap)					
SJE6100	☐	WITHOUT ACCENT - SILVER FORK & REARWHEEL SUPPORT		☐	
FRONT WHEELS					
SJE7000	☐	4" X 1.1/4" (100 X 30 MM) SOFTROLL		☐	 7040  7055  7000  7070
SJE7040	☐	4" X 1.3/8" (100 X 35 MM) ALU SOFTROLL		134,60	
SJE7055	☐	5" X 1" (125 X 25 MM) SOLID		☐	
SJE7070	☐	5" X 1.3/8" (125 X 35 MM) ALU SOFTROLL		134,60	
REAR WHEELS					
REAR WHEEL RIM TYPE (12mm QR)					
SJE7200	☐	22" (560 MM) REINFORCED, CROSS SPOKED WHEEL	NC : 7320, 7410	☐	 7200  7240
SJE7230	☐	24" (610 MM) REINFORCED, CROSS SPOKED WHEEL	NC : 7320	☐	
SJE7240	☐	24" (610 MM) LIGHTWEIGHT, RADIAL SPOKED, BLACK RIM & HUB - 6 POINTS HANDRIM	NC : 7410, 8000, 8160	☐	
TYRE TYPE					
SJE7302	☐	SOLID BLACK 1.3/8" (35 MM)		☐	 1" 1.3/8" 1.3/8" 7315 7304 7302  7320
SJE7304	☐	PNEUMATIC TYRE BLACK 1.3/8" (35 MM) BLOCK PATTERN		☐	
SJE7315	☐	PNEUMATIC LOW PROFILE BLACK 1" (25 MM)		☐	
SJE7320	☐	PNEUMATIC MAXXIS ALPHA PROTECT 1" (25 MM) 		83,41	
HANDRIM TYPE					
SJE7400	☐	ALUMINIUM HANDRIM		☐	7315 7304 7302  7320
SJE7410	☐	STAINLESS STEEL		119,43	
SJE7420	☐	HANDRIM COATED IN BLACK ANTI-SLIP		127,01	
REAR WHEELS AXLE TYPE					
SJE7500	☐	QUICK RELEASE AXLE		☐	
REAR WHEELS POSITION					
SJE7620	☐	MEDIUM ACTIVE WHEEL POSITION - From front of backrest to axle position + 2" (50 mm)		☐	
SJE7630	☐	STANDARD REAR WHEELS POSITION - From front of backrest to axle position + 1" (25 mm)		☐	
CAMBER ANGLE					
SJE7700	☐	0°		☐	
SJE7710	☐	1°		☐	
SJE7720	☐	2°		☐	
SJE7730	☐	3°		☐	
SJE7740	☐	4°		☐	

CHASSIS OPTIONS TYPE																																																																																																																																																																																							
SJE8000	☐	SPOKE PROTECTORS PAIR		165,88	 8000																																																																																																																																																																																		
SJE8030	☐	PUMP - HIGH PRESSURE		134,60																																																																																																																																																																																			
BRAKES TYPE																																																																																																																																																																																							
SJE8100	☐	PUSH TO LOCK BRAKES		◆	 8100  8120  8160																																																																																																																																																																																		
SJE8110	☐	PULL TO LOCK BRAKES		○																																																																																																																																																																																			
SJE8120	☐	PUSH TO LOCK BRAKES WITH EXTENTION		10,43																																																																																																																																																																																			
SJE8130	☐	PULL TO LOCK BRAKES WITH EXTENTION		10,43																																																																																																																																																																																			
SJE8160	☐	ATTENDANT HUB BRAKES INCLUDES STANDARD USER PUSH TO LOCK BRAKE OR PULL AS APPLICABLE		178,20																																																																																																																																																																																			
POSITIONING OPTIONS																																																																																																																																																																																							
Think about Bodypoint positioning accessories: belts, harnesses, ankle supports.																																																																																																																																																																																							
SAFETY OPTIONS TYPE																																																																																																																																																																																							
SJE8200	☐	TRANSPORTATION KIT		24,64	 8300  8500																																																																																																																																																																																		
SJE8300	☐	BUCKLE BELT - PLASTIC BUCKLE		31,28																																																																																																																																																																																			
SJE8500	☐	REAR ANTI-TIPPER ACTIVE RH	NC : 9200	134,60																																																																																																																																																																																			
SJE8550	☐	REAR ANTI-TIPPER ACTIVE LH	NC : 9100	134,60																																																																																																																																																																																			
SJE8600	☐	REFLECTORS KIT (WHEELS)		38,86																																																																																																																																																																																			
OTHERS OPTIONS																																																																																																																																																																																							
SJE9000	☐	CANE HOLDER		49,29	 9100  9400																																																																																																																																																																																		
SJE9100	☐	TIPPING AID (LH)		42,65																																																																																																																																																																																			
SJE9200	☐	TIPPING AID (RH)		42,65																																																																																																																																																																																			
SJE9300	☐	USER TOOLKIT		8,53																																																																																																																																																																																			
SJE9400	☐	CASE HOLDER		126,07																																																																																																																																																																																			
Possible widths of the Matrix backrests depending on the seat width<table><tr><th colspan="2"></th><th colspan="7">Seat width in mm</th></tr><tr><th colspan="2"></th><th>(mm)</th><th>380</th><th>405</th><th>430</th><th>455</th><th>480</th><th>505</th><th>530</th></tr><tr><td rowspan="7">Matrix Backrest Width</td><td>360</td><td></td><td>○</td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>380</td><td></td><td>○</td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>410</td><td></td><td>○</td><td>○</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>430</td><td></td><td></td><td>○</td><td>○</td><td></td><td></td><td></td><td></td></tr><tr><td>460</td><td></td><td></td><td></td><td>○</td><td>○</td><td></td><td></td><td></td></tr><tr><td>480</td><td></td><td></td><td></td><td></td><td>○</td><td>○</td><td>○</td><td></td></tr><tr><td>510</td><td></td><td></td><td></td><td></td><td></td><td>+</td><td>○</td><td>○</td></tr></table> Front and rear wheel diameters depending on the front and rear seat heights <table><tr><th colspan="2"></th><th colspan="5">Front wheel in function of FRONT seat height (FSTF)</th></tr><tr><th colspan="2"></th><th>(MM)</th><th>410</th><th>435</th><th>460</th><th>485</th><th>510</th></tr><tr><td rowspan="5">Caster size</td><td>4"</td><td>(100mm)</td><td>○</td><td>○</td><td>○</td><td>○</td><td></td></tr><tr><td>5"</td><td>(125mm)</td><td>○</td><td>○</td><td>○</td><td>○</td><td>○</td></tr><tr><td>6"</td><td>(150mm)</td><td></td><td>○</td><td>○</td><td>○</td><td>○</td></tr><tr><td>7"</td><td>(180mm)</td><td></td><td></td><td>○</td><td>○</td><td>○</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>⊕</td></tr></table><table><tr><th colspan="2"></th><th colspan="5">Rear wheel in function of REAR seat height (RSTF)</th></tr><tr><th colspan="2"></th><th>(MM)</th><th>385</th><th>410</th><th>435</th><th>460</th><th>485</th></tr><tr><td rowspan="4">Wheel size</td><td>22"</td><td>(560mm)</td><td>○</td><td>○</td><td>○</td><td>○</td><td></td></tr><tr><td>24"</td><td>(610mm)</td><td>○</td><td>○</td><td>○</td><td>○</td><td>○</td></tr><tr><td>25"</td><td>(635mm)</td><td>○</td><td>○</td><td>○</td><td>○</td><td>○</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>⊕</td></tr></table>								Seat width in mm									(mm)	380	405	430	455	480	505	530	Matrix Backrest Width	360		○							380		○							410		○	○						430			○	○					460				○	○				480					○	○	○		510						+	○	○			Front wheel in function of FRONT seat height (FSTF)							(MM)	410	435	460	485	510	Caster size	4"	(100mm)	○	○	○	○		5"	(125mm)	○	○	○	○	○	6"	(150mm)		○	○	○	○	7"	(180mm)			○	○	○							⊕			Rear wheel in function of REAR seat height (RSTF)							(MM)	385	410	435	460	485	Wheel size	22"	(560mm)	○	○	○	○		24"	(610mm)	○	○	○	○	○	25"	(635mm)	○	○	○	○	○							⊕
		Seat width in mm																																																																																																																																																																																					
		(mm)	380	405	430	455	480	505	530																																																																																																																																																																														
Matrix Backrest Width	360		○																																																																																																																																																																																				
	380		○																																																																																																																																																																																				
	410		○	○																																																																																																																																																																																			
	430			○	○																																																																																																																																																																																		
	460				○	○																																																																																																																																																																																	
	480					○	○	○																																																																																																																																																																															
	510						+	○	○																																																																																																																																																																														
		Front wheel in function of FRONT seat height (FSTF)																																																																																																																																																																																					
		(MM)	410	435	460	485	510																																																																																																																																																																																
Caster size	4"	(100mm)	○	○	○	○																																																																																																																																																																																	
	5"	(125mm)	○	○	○	○	○																																																																																																																																																																																
	6"	(150mm)		○	○	○	○																																																																																																																																																																																
	7"	(180mm)			○	○	○																																																																																																																																																																																
							⊕																																																																																																																																																																																
		Rear wheel in function of REAR seat height (RSTF)																																																																																																																																																																																					
		(MM)	385	410	435	460	485																																																																																																																																																																																
Wheel size	22"	(560mm)	○	○	○	○																																																																																																																																																																																	
	24"	(610mm)	○	○	○	○	○																																																																																																																																																																																
	25"	(635mm)	○	○	○	○	○																																																																																																																																																																																
							⊕																																																																																																																																																																																
RAMPS																																																																																																																																																																																							
1440530	☐	Fiberglass Folding Mono Ramp Folded dimensions: 2000 x 230 mm 16.3 kg - maximum capacity: 300 kg"		1 787,68	 1440530  1654128  1654129  1654130																																																																																																																																																																																		
1654128	☐	Basic ramp 2 telescopic parts in aluminum and non-slip coating - Folded dimensions: 1210 x 194 mm 8.8 kg per pair - maximum capacity: 270 kg		402,84																																																																																																																																																																																			
1654129	☐	Quick2go Compact 3-part aluminum telescopic ramp with non-slip coating Folded dimensions: 870 x 237 mm 13.6 kg per pair - maximum capacity: 260 kg		805,69																																																																																																																																																																																			
1654130	☐	Aluminium folding mono ramp Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg		426,54																																																																																																																																																																																			