

Please contact Invacare EU Export Customer Services on :-
Tel : +33 2 47 62 69 80 ; Email : serviceclient_export@invacare.com
Or visit our website : www.invacare.eu.com



Küschall Champion

Active manual scissor folding chair

Description :

- Aluminum frame with hydroformed tubes
- Personalization kit with premium decals
- Angle-adjustable backrest and folding seat with passive seat lock as standard
- Useful seat width up to 500 mm.
- Maximum user weight: 120 kg
- Full weight: from 9.2 kg.
- Transport weight: from 6.7 kg.
- Warranty: 2 years excluding wearing parts

Discover the new possibilities of the special fabrication **UNIQUE**. Push back the limits of the personalization with a wide range of possibilities. Create **UNIQUE** wheelchairs. You will find the special fabrications within the turquoise blue frames

Discover our new tool to help calculate overall dimensions and find the visual configurator to make your configuration!

Date :

Purchase Order :

Customer Code :

Distributor Stamp :

We reserve the right to deliver a + or – tolerance of +/- 10 mm on all measurements We reserve the right to make technical changes without notice

☐ Please make your selection with a cross in the box ☒ Standard feature ☐ Free of charge option

CODE		DESIGNATION	NC : Non Compatible NC : 9999 = not compatible with the reference 9999	Euros	
DHA0031	☐	küschall® Champion®		3 848,34	
SPECIAL CONSTRUCTION					
DHA0000	☐	Myküschall special construction		On Request	
UHA0001	☐	UNIQUE - Personnalization		On Request	
POSITIONING PACKAGE					
DHA0220	☐	Posture And Pressure Relief Package Libra/MX2 Include : Matrx Libra Cushion (DHA2720) Matrx MX2 Backrest (DHA2300 To DHA2315) Bodypoint Evoflex Belt (Dha7810 To DHA7830)	NC : SW 360 mm only possible with SD 400/420 mm NC 1350, 1405, 1415, 1425, 7230	1222,23	Save 15% by selecting this PACK, i.e. €277,55
DHA0230	☐	Posture And Pressure Relief Package Libra/Elite E2 Include : Matrx Libra Cushion (DHA2720) Matrx Elite/Elite Deep E2 Backrest (DHA2320-Dha2350) Bodypoint Evoflex Belt (DHA7810 To DHA7830)	NC : SW 360 mm only possible with SD 400/420 mm NC 1350, 1405, 1415, 1425, 7230	1105,59	Save 10% by selecting this PACK, i.e. €106,70
SEATING CHOICE					
FRAME					
DHA1150	☐	Frame Angle 75° Aluminium	NC : 1350		◆
DHA1160	☐	Frame Angle 90° Aluminium	NC : 1350		○
DHA1170	☐	Frame Angle 75° Aluminium - Tapered Front Frame	NC : 1250, 1320, 1325, 7010		○
DHA1180	☐	Frame Angle 90° Aluminium - Tapered Front Frame	NC : 1250, 1320, 1325, 7010		○
FRAME OPTION					
DHA1250	☐	Champion SK Option : Folding Front Frame - Only With Non Tapered Frame	NC : 1350, 1924 to 1934, 4190, 8700	618,01	
UNIQUE - CHAMPION RIGID FRAME					
UHA1260	☐	CHAMPION RIGID : COMPLETE FRAME WITH FRONT & REAR WHEEL SUPPORT WELDED		487,20	

January 2024
Kuschall Champion

The public prices of the options valid only if ordered with the wheelchair.
For options ordered separately, consult your distributor.
© 2024 Invacare International Sarl

All rights reserved
1/10


SEAT WIDTH (SW)									
DHA1320	☐	360 mm			NC : 2364, 2366, 2368, 2370, 2372, 2710, 2742, 2744, 2746, 2748, 7000			☐	 For any chair renewal, we advise you to completely redo the measurement. A change in chair generation involves changes in dimensions as well as changes in the positioning of the user. 
DHA1325	☐	380 mm			NC : 2366, 2368, 2370, 2372, 2742, 2744, 7000			☐	
DHA1330	☐	400 mm			NC : 2360, 2366, 2368, 2370, 2372, 2744			☐	
DHA1335	☐	420 mm			NC : 2360, 2362, 2368, 2370, 2372			☐	
DHA1340	☐	440 mm			NC : 2360, 2362, 2364, 2370, 2372 2740, 2742			☐	
DHA1345	☐	460 mm			NC : 2360, 2362, 2364, 2370, 2372 2740, 2742, 2744			☐	
DHA1350	☐	480 mm (only with tapered frame)			NC : 2300, 2305, 2310, 2315, 2345, 2360, 2362, 2364, 2366, 2740, 2742, 2744			☐	
SEAT DEPTH (SD)									
DHA1405	☐	340 mm			NC : 2710, 2720, 2740, 2742, 2744, 2746, 2748, 2860, 7810, 7820, 7830			☐	
DHA1415	☐	360 mm			NC : 2710, 2720, 2742, 2744, 2746, 2748, 2860, 7810, 7820, 7830			☐	
DHA1425	☐	380 mm			NC : 2720, 2744			☐	
DHA1435	☐	400 mm			NC : 2744			☒	
DHA1445	☐	420 mm						☐	
DHA1460	☐	440 mm			NC : 2740, 2742			☐	
DHA1470	☐	460 mm			NC : 2740, 2742, 2744			☐	
DHA1480	☐	480 mm			NC : 2710, 2740, 2742, 2744, 2746, 2748			☐	
BACK HEIGHT (BH) - FOR MATRX BACKRESTS: ONLY DEFINES THE PUSHHANDLES HEIGHT									
DHA1615	☐	300 mm			NC : 2200, 2322, 2325, 2330, 2331, 2345, 2350, 2355, 2357, 2400			☐	
DHA1620	☐	315 mm			NC : 2200, 2325, 2330, 2331, 2350, 2355, 2357, 2400			☐	
DHA1625	☐	330 mm			NC : 2325, 2330, 2331, 2350, 2355, 2357			☐	
DHA1630	☐	345 mm			NC : 2330, 2331, 2355, 2357			☐	
DHA1635	☐	360 mm						☐	
DHA1640	☐	375 mm						☒	
DHA1645	☐	390 mm						☐	
DHA1650	☐	405 mm						☐	
DHA1655	☐	420 mm	DHA1660	☐	435 mm			☐	
DHA1665	☐	450 mm	DHA1670	☐	465 mm			☐	
FRONT SEAT-TO-FLOOR-HEIGHT (FSTF) - see table 1 and 2									
DHA1740	☐	450 mm			NC : 1946 to 1960			☐	
DHA1745	☐	460 mm			NC : 1948 to 1960			☐	
DHA1750	☐	470 mm			NC : 1950 to 1960			☐	
DHA1755	☐	480 mm			NC : 1952 to 1960			☐	
DHA1760	☐	490 mm			NC : 1954 to 1960			☐	
DHA1765	☐	500 mm			NC : 1956 to 1960			☒	
DHA1770	☐	510 mm			NC : 1958, 1960			☐	
DHA1775	☐	520 mm			NC : 1960			☐	
DHA1780	☐	530 mm			NC : roues de 3"			☐	
DHA1785	☐	540 mm			NC : roues de 3" et 4"			☐	
REAR SEAT-TO-FLOOR HEIGHT (RSTF)									
- SELECT 75° FRAME IF 0 <FSTF - RSTF < 70MM; SELECT 90° FRAME IF 30 <FSTF - RSTF < 100MM									
DHA1815	☐	390 mm	DHA1820	☐	400 mm	NC : 6420, 6430		☐	
DHA1825	☐	410 mm	DHA1830	☐	420 mm	NC : 6430		☐	
DHA1835	☐	430 mm						☒	
DHA1840	☐	440 mm						☐	
DHA1845	☐	450 mm	DHA1850	☐	460 mm			☐	
DHA1855	☐	470 mm	DHA1860	☐	480 mm	NC : 6410		☐	

RSTF / Rear Wheel Size

24" : 390 - 460 mm

25" : 410 - 480 mm




26" : 430 - 480 mm



LOWER LEG LENGTH (LLL)								User's LLL must be measured taking away the cushion thickness  LLL = LLL patient - Seat cushion
- SELECT 75° FRAME IF LLL ≤ FSTF- 30 MM ; SELECT 90° FRAME IF LLL ≤ FSTF- 40 MM								
DHA1924	☐	320 mm	DHA1926	☐	330 mm	NC : 1250	☐	
DHA1928	☐	340 mm	DHA1930	☐	350 mm	NC : 1250	☐	
DHA1932	☐	360 mm	DHA1934	☐	370 mm	NC : 1250	☐	
DHA1936	☐	380 mm				WITH SK OPTION (DHA1250) ONLY IN COMBINATION WITH SD ≥ 400MM	☐	
DHA1938	☐	390 mm				WITH SK OPTION (DHA1250) ONLY IN COMBINATION WITH SD ≥ 380MM	☐	
DHA1940	☐	400 mm	DHA1942	☐	410 mm		☐	
DHA1944	☐	420 mm					☐	
DHA1946	☐	430 mm					<input type="diamond"/>	
DHA1948	☐	440 mm	DHA1950	☐	450 mm		☐	
DHA1952	☐	460 mm	DHA1954	☐	470 mm		☐	
DHA1956	☐	480 mm	DHA1958	☐	490 mm		☐	
DHA1960	☐	500 mm					☐	
BACKREST								
DHA2140	☐	Angle Adjustable, Forward Folding Backrest With Soft Locking - Backrest Remains In Position During Transfer					<input type="diamond"/>	
BACK UPHOLSTERY								
DHA2200	☐	Standard Light Upholstered				NC : BH < 330 mm, 2300 to 2357, 2430	<input type="diamond"/>	
DHA2220	☐	Tension Adjustable Premium Black Back Upholstery With Loop Bands				NC : 2300 to 2357	77,73	
DHA2230	☐	Aero Back Tension Adjustable				NC : 2300 to 2357	258,77	
DHA2240	☐	Without Backrest Upholstery - Mandatory If Ordering Positioning Backrests Like Matrix				NC : 2430	☐	
UNIQUE - BACK UPHOLSTERY STITCHING COLOUR - Only for Aero Back upholstery								
UHA2241	☐	NEON YELLOW					101,42	
UHA2242	☐	NEON PINK					101,42	
UHA2243	☐	BLUE					101,42	
UHA2244	☐	WHITE					101,42	
UHA2245	☐	RED					101,42	
UHA0002	☐	"Your personal color": <i>Please contact our customers service</i>					On Request	
UNIQUE - BACK UPHOLSTERY - EMBROIDERY - Only for Aero Back upholstery								
UHA2246	☐	SMILEY					218,01	
UHA2248	☐	TRAVELER					218,01	
UHA2249	☐	SAKURA BEAUTY					218,01	
UHA2250	☐	FANNY CACTUS					218,01	
UHA2251	☐	KUSCHALL LOGO: <i>Please contact our customers service</i>					On Request	
UHA0003	☐	"Your personal design": <i>Please contact our customers service - Provide the wished design in .ai / .pdf or .png format</i>					On Request	
UNIQUE - BACK UPHOLSTERY - FLOCKING - Only for Aero Back upholstery								
UHA2253	☐	SMILEY					118,48	
UHA2255	☐	TRAVELER					118,48	
UHA2256	☐	SAKURA BEAUTY					118,48	
UHA2257	☐	FANNY CACTUS					118,48	
UHA2259	☐	PAINT STAIN					118,48	
UHA0004	☐	"Your personal design": <i>Please contact our customers service - Provide the wished design in .ai / .pdf or .png format</i>					On Request	
MATRIX BACKRESTS								
DHA2300	☐	Matrix MX2, Height 150 mm With Quick Release Hardware - User max. weight 114 kg				NC : 2370, 2372, 3480	927,01	
DHA2305	☐	Matrix MX2, Height 230 mm With Quick Release Hardware - User max. weight 114 kg				NC : 2370, 2372, 3480	927,01	
DHA2310	☐	Matrix MX2, Height 305 mm With Quick Release Hardware - User max. weight 114 kg				NC : 2370, 2372, 3480	927,01	
DHA2315	☐	Matrix MX2, Height 405 mm With Quick Release Hardware - User max. weight 114 kg				NC : 2370, 2372, 3480	927,01	
DHA2316	☐	Elite Deep E2 , Height 160 mm With Mini-Set Mounting Hardware				NC : 3480	717,54	
DHA2317	☐	Elite Deep E2 , Height 210 mm With Mini-Set Mounting Hardware				NC : 3480	717,54	
DHA2318	☐	Elite Deep E2 , Height 260 mm With Mini-Set Mounting Hardware				NC : 3480	717,54	
DHA2320	☐	Elite Deep E2 , Height 310 mm With Mini-Set Mounting Hardware				NC : 3480	717,54	



2300, 2305, 2310, 2315


MX2: only 140g more than a tension-adjustable backrest!

DHA2322	☐	Elite Deep E2, Height 360 mm With Mini-Set Mounting Hardware			NC : 3480	717,54	 2316 to 2331  2332 to 2357
DHA2325	☐	Elite Deep E2, Height 410 mm With Mini-Set Mounting Hardware			NC : 3480	717,54	
DHA2330	☐	Elite Deep E2, Height 460 mm With Easy-Set Mounting Hardware			NC : 3480	717,54	
DHA2331	☐	Elite Deep E2, Height 510 mm With Easy-Set Mounting Hardware			NC : 3480	717,54	
DHA2332	☐	Elite E2, Height 160 mm With Mini-Set Mounting Hardware			NC : 3480	717,54	
DHA2334	☐	Elite E2, Height 210 mm With Mini-Set Mounting Hardware			NC : 3480	717,54	
DHA2335	☐	Elite E2, Height 260 mm With Mini-Set Mounting Hardware			NC : 3480	717,54	
DHA2340	☐	Elite E2, Height 310 mm With Mini-Set Mounting Hardware			NC : 3480	717,54	
DHA2345	☐	Elite E2, Height 360 mm With Mini-Set Mounting Hardware			NC : 3480	717,54	
DHA2350	☐	Elite E2, Height 410 mm With Mini-Set Mounting Hardware			NC : 3480	717,54	
DHA2355	☐	Elite E2, Height 460 mm With Easy-Set Mounting Hardware			NC : 3480	717,54	
DHA2357	☐	Elite E2, Height 510 mm With Easy-Set Mounting Hardware			NC : 3480	717,54	
MATRX BACKRESTS WIDTH CHOICE							
DHA2360	☐	360 mm - Indicative Bust Width 265 mm				☐	 2430  2450  Backrest Angle BA
DHA2362	☐	380 mm - Indicative Bust Width 290 mm				☐	
DHA2364	☐	410 mm - Indicative Bust Width 315 mm				☐	
DHA2366	☐	430 mm - Indicative Bust Width 340 mm				☐	
DHA2368	☐	460 mm - Indicative Bust Width 370 mm				☐	
DHA2370	☐	480 mm - Indicative Bust Width 390 mm				☐	
DHA2372	☐	510 mm - Indicative Bust Width 420 mm				☐	
PUSH HANDLES							
DHA2400	☐	Without Push Handles			NC : BH < 330 mm	☐	 2450
DHA2410	☐	Push Handles Fixed, Mini				☐	
DHA2420	☐	Push Handles Fixed, Long				☒	
DHA2430	☐	Height Adjustable, Rear Set			NC : 3480	212,32	
DHA2440	☐	Height Adjustable, Integrated				254,03	
DHA2450	☐	Foldable Push Handles				213,27	
BACKREST ANGLE (BA)							
DHA2510	☐	76°	DHA2570	☐	89,5°	☐	 Backrest Angle BA
DHA2530	☐	80,5°	DHA2590	☐	94°	☐	
DHA2550	☐	85°				☒	
SEAT UPHOLSTERY							
DHA2600	☐	STANDARD - CENTRAL LOOP BAND				☒	 2600
UNIQUE - SEAT UPHOLSTERY STITCHING COLOUR							
UHA2602	☐	NEON YELLOW				118,48	
UHA2603	☐	NEON PINK				118,48	
UHA2604	☐	BLUE				118,48	
UHA2605	☐	WHITE				118,48	
UHA2606	☐	RED				118,48	
UHA0005	☐	"Your personnal color": <i>Please contact our customers service</i>				<i>On Request</i>	
CUSHION & CUSHION OPTIONS							
Cushions							
DHA2700	☐	STANDARD SEAT CUSHION, 60 MM DOUBLE FOAM WITH VISCO TOP			NC : 2810, 2820, 2830, 2840, 2850	101,42	 2700  2710
DHA2710	☐	FLO-TECH LITE			NC : 2810, 2820, 2830, 2840, 2850	118,48	
DHA2720	☐	MATRX LIBRA CUSHION, BLACK SMOOTH COVER - NOT POSSIBLE WITH SD < 400 MM ; SW 360 MM ONLY POSSIBLE WITH SD 400/420 MM			NC: Depth < to 400 mm, width 360 mm possible only with depth 400 and 420 mm	293,84	

DHA2740	☐	CLASSIC VISCO CUSHION 375 X 400 MM - ONLY FOR USERS WEIGHTING UP TO 50 KG	NC : 2810, 2820, 2830, 2840, 2850	76,78	 2720  2740 / 2742 2744 / 2746  2748  2800
DHA2742	☐	CLASSIC VISCO CUSHION 405 X 400 MM - ONLY FOR USERS WEIGHTING UP TO 100 KG	NC : 2810, 2820, 2830, 2840, 2850	65,40	
DHA2744	☐	CLASSIC VISCO CUSHION 430 X 430 MM - ONLY FOR USERS WEIGHTING UP TO 100 KG	NC : 2810, 2820, 2830, 2840, 2850	65,40	
DHA2746	☐	CLASSIC VISCO CUSHION 455 X 400 MM - ONLY FOR USERS WEIGHTING UP TO 100 KG	NC : 2810, 2820, 2830, 2840, 2850	76,78	
DHA2748	☐	CONTOUR VISCO NG CUSHION	NC : 2810, 2820, 2830, 2840, 2850	76,78	
DHA2750	☐	VICAIR ACTIVE O2 CUSHION		683,73	
SEAT OPTION					 2810  2820  2830  2840  2850  2860
DHA2800	☐	Seat Bag, Click In And Removable, Includes The Fixation Clips (7010)		81,52	
MATRX LIBRA CUSHION ACCESSORIES					
DHA2810	☐	Fluid Supplement Sac (Pair)		91,00	
DHA2820	☐	Tapered Wedge Pair		41,71	
DHA2830	☐	Abductor		47,39	
DHA2840	☐	Lateral Side Wedge		41,71	
DHA2850	☐	Anterior Front Wedge		54,98	
SEAT RIGIDIZER					 2860
DHA2860	☐	Seat Rigidizer	(Mandatory: choose a seat cushion)	56,87	
FOOTREST					
Footplate / SW : Straight frame: High mounted footplate not possible for SW 360 mm Tapered frame: High mounted footplate not possible for SW 360 mm - 400 mm					 3240
DHA3240	☐	Flip-Up Footplate, Angle Adjustable, Set To The Front		◆	
CALF STRAP					
DHA3320	☐	MOUNTED ON SUPPORTER		○	
DHA3330	☐	MOUNTED ON FRAME		◆	
SIDE GUARDS					
SIDE GUARDS / CLOTHES GUARDS					
DHA3405	☐	Economy Clothes Guards, Flip Back	NC: 6430	○	 3440
DHA3420	☐	Carbon Clothes Guards, Flip Back		◆	
DHA3430	☐	Carbon Mudguards, Fixed	NC : 3490	223,70	
DHA3440	☐	Carbon Mudguards, Removable	NC : 3490	336,49	
UNIQUE - CUSTOM TRANSPARENT COLORS - Only for economy clothes guards					
UHA3422	☐	TRANSPARENT		520,38	 3480 3490
UHA3423	☐	TRANSPARENT BLUE		745,02	
UHA3424	☐	NEON YELLOW		745,02	
UHA3425	☐	NEON ORANGE		745,02	
UHA3426	☐	NEON RED		745,02	
UHA0006	☐	"Your personnal color": <i>Please contact our customers service</i>		On Request	
UHA0007	☐	"Your personnal design": <i>Please contact our customers service - Provide the wished design in .ai / .pdf or .eps format</i>		On Request	
ARMREST					
DHA3480	☐	Tubular Armrest, Non-Locking, Height Adjustable, Removable, Swing-Away, Comfort Padded		264,45	
DHA3490	☐	Siderest, Height Adjustable, Short Armpad (T-Arm), Non-Locking		253,08	
COLOUR OFFERING & CUSTOMIZATION					
COLOUR OFFERING & CUSTOMIZATION					EXTRA LEAD TIME +15 DAYS
DHA4000	☐	Space Black (Ral 9005)		○	
DHA4010	☐	Anthracite Grey (Ral 7016)		○	
DHA4020	☐	Pure White (Ral 9016)	NC : 4220	○	
DHA4030	☐	Carmine Red (Ral 3002)		○	
DHA4040	☐	Azure Blue (Ral 5017)		○	

DHA4060	☐	Flashy Yellow (Ral 1016)		216,11	EXTRA LEAD TIME +15 DAYS  TAG  BOLD  5000  5200 / 5250 / 5450 / 5500  5350  5050 / 5300
DHA4100	☐	Black Glossy (Ral 9005)		216,11	
DHA4130	☐	Silver Grey (Ral 9006)		216,11	
DHA4140	☐	Royal Blue - Specific Color Mix, No Ral Definition		216,11	
DHA4150	☐	Ruby Red (Ral 3003)		216,11	
DHA4170	☐	Dynamite Orange - Specific Color Mix, No Ral Definition		216,11	
DHA4180	☐	Forest Green (Ral 6029)		216,11	
UHA4101	☐	DIAMOND SILVER		696,68	
UHA4102	☐	PASTEL GREEN		750,71	
UHA4103	☐	SKY BLUE		750,71	
UHA4104	☐	PLUM PURPLE		750,71	
UHA4105	☐	SALMON		750,71	
UHA0008	☐	SPECIAL FRAME COLOUR, ON DEMAND ONLY -Manufacturing time + 10 days: for a color already offered on the other ranges of Invacare manual wheelchairs. WHERE - Manufacturing time + 15 days: for any other request (subject to feasibility) - specify RAL number		750,71	
CERAMIC GLAZE FINISH					
UHA4066	☐	CERAMIC GLAZE FINISH (ONLY FOR UHA**** COLOURS)		643,60	
STYLING					
DHA4190	☐	Bold	NC : 4300, 4310	64,45	
DHA4195	☐	Tag	NC : 4200 to 4250	◆	
BOLD COLOUR					
DHA4200	☐	BLACK		○	
DHA4210	☐	DARK GREY		○	
DHA4220	☐	LIGHT GREY		○	
DHA4230	☐	RED		○	
DHA4240	☐	BLUE		○	
DHA4250	☐	GOLD		○	
UHA4252	☐	NEON YELLOW		161,14	
UHA4253	☐	NEON GREEN		161,14	
UHA4254	☐	NEON ORANGE		161,14	
UHA4255	☐	NEON PINK		161,14	
UHA4256	☐	NEON RED		161,14	
UHA0009	☐	"Your personnal color": Please contact customers service		<i>On Request</i>	
TAG COLOUR					
DHA4300	☐	BLACK		○	
DHA4310	☐	RED		○	
FRONT WHEEL					
DHA5000	☐	3" SUPERSPORT		○	
DHA5050	☐	4" EVERYDAY WHEEL WITH BLACK TYRE		○	
DHA5100	☐	4" COMFORT WHEEL WITH BLACK TYRE		○	
DHA5150	☐	4" STAREC BLACK HUB, BLACK TYRE		75,83	
DHA5150	☐	4" FROGLEGS FRONT WHEEL WITH BLACK HUB, BLACK TYRE	Select the Froglegs front wheels with black hub (DHA5150) to access UNIQUE anodizations	121,33	
DHA5250	☐	4" FROGLEGS FRONT WHEEL WITH SILVER HUB, BLACK TYRE		121,33	
DHA5300	☐	5" EVERYDAY WITH BLACK TYRE		○	
DHA5350	☐	5" COMFORT WHEEL WITH BLACK TYRE		◆	
DHA5400	☐	5" STAREC BLACK HUB, BLACK TYRE		103,32	
DHA5450	☐	5" FROGLEGS FRONT WHEEL WITH BLACK HUB, BLACK TYRE	Select the Froglegs front wheels with black hub (DHA5450) to access UNIQUE anodizations	147,87	
DHA5500	☐	5" FROGLEGS FRONT WHEEL WITH SILVER HUB, BLACK TYRE		147,87	
UNIQUE - FROGLEGS HUB COLOURS					
UHA5502	☐	PINK		98,58	
UHA5504	☐	ORANGE		98,58	
UHA5506	☐	BLUE		98,58	
UHA5507	☐	VIOLET		98,58	
UHA5508	☐	RED		98,58	
UHA5509	☐	GOLD		98,58	
UNIQUE - CERAMIC BEARING					
UHA5510	☐	CERAMIC BEARING		98,58	


REAR WHEEL POSITION				
DHA6100	☐	1ST FROM FRONT		○
DHA6110	☐	2ND FROM FRONT		○
DHA6120	☐	3RD FROM FRONT		○
DHA6130	☐	4TH FROM FRONT		○
DHA6140	☐	5TH FROM FRONT		○
DHA6150	☐	6TH FROM FRONT		○
DHA6160	☐	7TH FROM FRONT		○
DHA6170	☐	8TH FROM FRONT		○
DHA6180	☐	9TH FROM FRONT		○
QUAD QUICK RELEASE AXLE				
DHA6300	☐	TETRA-CLIP	NC : 6550, 6950	143,13
REAR WHEEL SIZE				
DHA6410	☐	24"		◆
DHA6420	☐	25"	NC : 6500, 6510, 6600, 6630, 6660, 6700, 6710, 6720, 6760, 6770, 6900, 6910, 6950	○
DHA6430	☐	26"	NC : 6500, 6520, 6550, 6600, 6630, 6660, 6720, 6740, 6750, 6760, 6770, 6950	517,54
REAR WHEEL TYPE				
DHA6500	☐	24" ACTIVE WHEELS (BLACK RIM, HUB AND RADIAL SPOKING INCL. ALU HANDRIMS)	24" NC : All Handrims, 6900, 6910	◆
DHA6510	☐	KUSCHALL STAREC HUB (BLACK RIM AND HUB, BLACK CROSS SPOKING)	24", 26"	○
DHA6520	☐	HIGH PERFORMANCE (BLACK RIM, BLACK STAREC HUB, BLACK CROSS SPOKING)	24", 25" NC : 6660	532,70
DHA6550	☐	SPINERGY LXX (BLACK RIM, HUB AND RADIAL SPOKING)	24", 25" NC : 6660, 6910	771,56
UHA6551	☐	SPINERGY LITE EXTREME LX - 680g per wheel	24", 25"	1060,66
UHA6552	☐	SPINERGY LITE EXTREME X-LACED XLX - 660g per wheel	24", 25"	1140,28
UHA6553	☐	SPINERGY X-LACED SPORT LITE EXTREME XSLX - 757g per wheel	24", 25"	1206,64
UHA6554	☐	SPINERGY CARBON FIBER CLX - 570g per wheel	24", 25"	1358,29
UNIQUE - RIM ANODIZED COLOURS				
UHA6557	☐	BLUE		162,09
UHA6558	☐	GOLD		162,09
UHA6559	☐	GREEN		162,09
UHA6560	☐	ORANGE		162,09
UHA6561	☐	RED		162,09
UHA6562	☐	VIOLET		162,09
UNIQUE - HUB ANODIZED COLOURS				
UHA6563	☐	BLUE		162,09
UHA6564	☐	GOLD		162,09
UHA6565	☐	SILVER GREY (RAL 9006)		162,09
UHA6566	☐	GREEN		162,09
UHA6567	☐	ORANGE		162,09
UHA6568	☐	RED		162,09
UHA6569	☐	VIOLET		162,09
UNIQUE - SPOKE COLOURS				
UHA6570	☐	BLUE		162,09
UHA6571	☐	GREEN		162,09
UHA6572	☐	ORANGE		162,09
UHA6573	☐	PINK		162,09
UHA6574	☐	RED		162,09
UHA6575	☐	VIOLET		162,09
UHA6576	☐	WHITE		162,09
UHA6577	☐	YELLOW		162,09
UNIQUE - CERAMIC BEARING				
UHA6579	☐	CERAMIC BEARING		332,70



REAR WHEEL TYRE					
DHA6600	☐	MAXXIS LITE GUARD BLACK TYRE (puncture protection)	24"		◆
DHA6625	☐	MAXXIS ALPHA PROTECT BLACK TYRE (puncture protection)	24"		72,04
DHA6630	☐	MBL SPEEDLITE (puncture protection)	24"		72,04
DHA6660	☐	SOLID TYRE BLACK	24"	NC : 7230	72,04
HANDRIM					
DHA6700	☐	ANTI-SLIP DIST. 3 CM ADJUSTABLE 4CM	24", 26"		142,18
DHA6710	☐	STEEL, DIST. 3 CM ADJUSTABLE 4CM	24", 26"		113,74
DHA6720	☐	TITANIUM, DIST. 3 CM ADJUSTABLE 4CM	24"		277,73
DHA6740	☐	CARBOLIFE GEKKO, WITH ANTI-SLIP DIST. 3 CM ADJUSTABLE 4CM	24", 25"		373,46
DHA6750	☐	CARBOLIFE GEKKO S, WITH ANTI-SLIP DIST. 3 CM ADJUSTABLE 4CM	24", 25"		373,46
DHA6760	☐	CARBOLIFE CURVE L WITH ERGONOMIC PROFILE DIST. 3 CM ADJUSTABLE 4CM	24"		282,46
DHA6770	☐	CARBOLIFE QUADRO, WITH ERGONOMIC PROFILE DIST. 3 CM ADJUSTABLE 4CM	24"		373,46
DHA6780	☐	LIGHT ALU, GREY, DIST. 3 CM ADJUSTABLE 4CM	24", 25", 26"		◆
DHA6790	☐	LIGHT ALU, BLACK, DIST. 3 CM ADJUSTABLE 4CM	24", 25", 26"		○
REAR WHEEL CAMBER					
DHA6820	☐	0°			◆
DHA6830	☐	1°			○
DHA6840	☐	3°		NC : 7230	○
SPOKE GUARDS					
DHA6900	☐	Transparent	24", 26"		200,95
DHA6910	☐	Black	24", 26"		200,95
ALBER ADDS ON KIT					
DHA6950	☐	E-MOTION & TWION ADAPTATION PLATE 2 ALBER ANTITIPPERS INCLUDED	Only with 24" wheels NC : 7500, 7510, 7520, 8200		579,15
<i>Tip : for perfect compatibility of the brakes with the manual wheels, we advise you to equip them with the same coating as the motorized wheels.</i>					
FIXATION CLIPS					
DHA7000	☐	FIXATION STRAP			○
DHA7010	☐	FIXATION CLIP - HOLDS FRAME TOGETHER IN FOLDED POSITION			◆
UNFOLDING HELP					
DHA7100	☐	UNFOLDING HELP - TO OPEN FOLDING MECHANISM FROM FRONT			◆
UNIQUE - CUSTOMIZATION					
UHA6960	☐	UNIQUE - CUSTOM COLOURS FORKS AND BEARING COVER			197,16
UHA6961	☐	UNIQUE - CUSTOM COLOURS FORKS, BEARING COVER, REAR WHEEL SUPPORTS, LATERAL SUPPORTS, BRAKE CLAMPS			551,66



6700



6710




6720



6740



6790



6760



7010



6700 6710



6720




6740




6790 6760



7010

UNIQUE - COLOURS PREMIUM ANODIZATION					
UHA6963	☐	RED		○	
UHA6964	☐	VIOLET		○	
UHA6965	☐	COPPER		○	
UHA6966	☐	GREEN		○	
UHA6967	☐	ORANGE		○	
UHA6968	☐	GOLD		○	
UHA6969	☐	CHAMPAGNE		○	
UHA6970	☐	PINK		○	
UHA6971	☐	BLUE		○	
UHA6972	☐	POLY MIRROR FINISH		○	
BRAKES					
DHA7200	☐	PULL BRAKES		○	
DHA7210	☐	STANDARD BRAKES, LEVER BENT		◆	
DHA7220	☐	STANDARD BRAKES, LEVER STRAIGHT		○	
DHA7230	☐	PERFORMANCE BRAKES	NC : 7300, 7810, 7820, 7830	76,78	
DHA7250	☐	ACTIVE BRAKES		145,02	
BRAKE EXTENSION LEVER					
DHA7300	☐	FOR STRAIGHT LEVER BRAKES		76,78	
SAFETY OPTIONS					
Assembly of a maximum of 2 elements per side from the following list: anti-tippers, tipping tubes, cane holder or transit wheels				    	
ANTI-TIPPER					
DHA7500	☐	ANTI-TIPPER RIGHT	NC : 8300		131,75
DHA7510	☐	ANTI-TIPPER LEFT	NC : 8300		131,75
DHA7520	☐	ANTI-TIPPER BOTH SIDES			263,51
BELTS					
DHA7800	☐	STANDARD BELT - PLASTIC BUCKLE			42,65
DHA7810	☐	BODYPOINT POSTURE BELT EVOFLEX 2 POINTS, SMALL, FLAT-MOUNT WITH PUSH BUTTON			217,06
DHA7820	☐	BODYPOINT POSTURE BELT EVOFLEX 2 POINTS, MEDIUM, FLAT-MOUNT WITH REHAB LATCH			217,06
DHA7830	☐	BODYPOINT POSTURE BELT EVOFLEX, 2 POINTS, LARGE, FLAT-MOUNT WITH REHAB LATCH			217,06
PASSIVE LIGHTS				7810 / 7820 / 7830	
DHA7900	☐	PASSIVE LIGHTS ASSEMBLED (MOUNTED ON SPOKES)		22,75	
ATTENDANT OPTIONS					
FRAME PROTECTION					
DHA8010	☐	FRONT FRAME PROTECTORS; 2 PC. - REMOVABLE, WITH LOOP BANDS	25,59		
TIPPER AID					
DHA8100	☐	TIPPER-AID, RIGHT	66,35		
CANE HOLDER Max. 2 adaptions per side (adaptations = anti tipper, cane holder, transit wheels)					
DHA8200	☐	CANE HOLDER, MOUNTED RIGHT	66,35		
CANE HOLDER, MOUNTED RIGHT					
DHA8300	☐	TRANSIT WHEELS 3" ONLY IN COMBINATION WITH ANTITIPPER BOTH SIDES (DHA7520)	301,45		
OTHERS OPTIONS					
DHA8500	☐	AIR PUMP - NEW	33,18		
DHA8550	☐	Trousse to outils	22,75		
DHA8680	☐	24" MOUNTAIN BIKE WHEELS WITH BAG - MOUNTAIN BIKE WHEELS AND TIRES WITH ALU GREY HANDRIMS ; QUICK RELEASE AXLES INCLUDED	646,45		
DHA8700	☐	TRAVEL BAG FOR CHAMPION	432,23		
DHA8650	☐	WHEELS BAG	(22", 24", 25", 26") 65,40		
DHA8750	☐	TRAVEL BAG FOR CHAMPION WITH SK OPTION (FOLDABLE FRONT FRAME)	499,53		
DHA8800	☐	BODYPOINT CALF STRAP	104,27		
DHA8850	☐	BODYPOINT MOBILITY BAG	104,27		



FRAME TYPE AND ANGLE, FSTF, FRAME LENGTH, SEAT DEPTH AND FRONT WHEEL SIZE

[illegible]

There is no conflict if the lower leg length (LLL) is smaller than "FSTF minus 100 mm"

MATRIX BACKRESTS WIDTH AVAILABLE RANGE

	Matrix MX2 backrest width choice (mm)						
SEAT WIDTH	360	380	410	430	460	480	510
360							
380							
400							
420							
440							
460							
480							

1440530		Fiberglass Folding Mono Ramp Folded dimensions: 2000 x 230 mm 16.3 kg - maximum capacity: 300 kg		1 787,68	 1440530
1654128		Basic ramp 2 telescopic parts in aluminum and non-slip coating Folded dimensions: 1210 x 194 mm 8.8 kg per pair - maximum capacity: 270 kg		402,84	 1654128
1654129		Quick2go Compact 3-part aluminum telescopic ramp with non-slip coating Folded dimensions: 870 x 237 mm 13.6 kg per pair - maximum capacity: 260 kg		805,69	 1654129
1654130		Aluminum Folding Mono Ramp Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg		426,54	 1654130