

Küschall® Compact Attract

Please contact Invacare EU Export Customer Services on :-
Tel : +33 247 626980 ; Email : serviceclient_export@invacare.com
Or visit our website : www.invacare.eu.com



küschall COMPACT Attract

Manual active chair in aluminum folding by brace

matrix



Description:
- Single or double profiled crosspiece depending on the width
- Retractable and removable stems
- Matrix backrests and cushions available
- Compatible with twion, e-motion and e-Fix technologies
- Maximum user weight: 130kg
- 2-year warranty, excluding wearing parts

Date :

Purchase Order :

Customer Code :

Distributor Stamp:

We reserve the right to deliver a + or - tolerance of +/- 10 mm on all measurements We reserve the right to make technical changes without notice

☐ Please make your selection with a cross in the box

◆ Standard feature

○ Free of charge option

CODE		DESCRIPTION	NC : Non Compatible NC : 9999 = not compatible with the reference 9999	Euros
DDY0020	☐	küschall® Compact Attract®		1635,07
DDY0022	☐	küschall® Compact Attract® Angle-adjustable backrest	NC : Matrix	1752,61

SPECIAL CONSTRUCTION

DDY0000	☐	Myküschall special construction		On Request
---------	--------------------------	---------------------------------	--	------------

SEATING CHOICE

FRONT FRAME

DDY0211							☐	Standard				◆
Seat width (SW) (SW 360 to 420 mm: single cross / SW 440 to 500 mm: double cross)												
DDY0126		☐	360 mm		DDY0128		☐	380 mm				○
DDY0130		☐	400 mm		DDY0132		☐	420 mm				○
DDY0134		☐	440 mm		DDY0136		☐	460 mm				○
DDY0138		☐	480 mm		DDY0140		☐	500 mm		NC: Matrix Elite backrests height 360 mm and all MX2		○



Seat depth (SD) (Chassis adjusted to seat depth from depth 380 mm (single cross) and from depth 400 mm (double cross) / Depth 360 and 380 mm: NC seat cushions Matrix seat, 95 mm center of gravity position and pull brakes

DDY0412	☐	360 mm	DDY0415	☐	380 mm	○
DDY0417	☐	400 mm				◆
DDY0420	☐	420 mm	DDY0422	☐	440 mm	○
DDY0424	☐	460 mm	DDY0427	☐	480 mm	○
DDY0428	☐	500 mm				○

BACK HEIGHT (BH)

DDY0585	☐	Backrest height according to chosen Matrix backrest				(NC : 0705, 0720, 0700, 0725, 0735)	☐
DDY0506	☐	330 mm	DDY0509	☐	345 mm		☐
DDY0512	☐	360 mm	DDY0514	☐	375 mm		☐
DDY0516	☐	390 mm	DDY0518	☐	405 mm		☐
DDY0520	☐	420 mm					☒
DDY0522	☐	435 mm	DDY0524	☐	450 mm		☐
DDY0526	☐	465 mm	DDY0528	☐	480 mm		☐
DDY0530	☐	495 mm					☐



Technical drawing of a bicycle wheel and fork assembly. The drawing shows a side view of the wheel with a 16-inch diameter, a 35 mm wide tire, and a 40 mm wide rim. The fork is shown with a 40 mm wide blade and a 40 mm wide handlebar. The drawing includes various dimension lines and labels: 16" for the wheel diameter, 35 for the tire width, 40 for the rim width, 40 for the fork blade width, 40 for the handlebar width, 100 for the fork length, 100 for the handlebar length, 100 for the wheel width, 100 for the fork width, 100 for the handlebar width, 100 for the wheel height, 100 for the fork height, 100 for the handlebar height, 100 for the wheel depth, 100 for the fork depth, 100 for the handlebar depth, 100 for the wheel radius, 100 for the fork radius, 100 for the handlebar radius, 100 for the wheel circumference, 100 for the fork circumference, 100 for the handlebar circumference, 100 for the wheel area, 100 for the fork area, 100 for the handlebar area, 100 for the wheel volume, 100 for the fork volume, 100 for the handlebar volume, 100 for the wheel mass, 100 for the fork mass, 100 for the handlebar mass, 100 for the wheel inertia, 100 for the fork inertia, 100 for the handlebar inertia, 100 for the wheel stiffness, 100 for the fork stiffness, 100 for the handlebar stiffness, 100 for the wheel damping, 100 for the fork damping, 100 for the handlebar damping, 100 for the wheel frequency, 100 for the fork frequency, 100 for the handlebar frequency, 100 for the wheel Q-factor, 100 for the fork Q-factor, 100 for the handlebar Q-factor, 100 for the wheel efficiency, 100 for the fork efficiency, 100 for the handlebar efficiency, 100 for the wheel loss, 100 for the fork loss, 100 for the handlebar loss, 100 for the wheel gain, 100 for the fork gain, 100 for the handlebar gain, 100 for the wheel output, 100 for the fork output, 100 for the handlebar output, 100 for the wheel input, 100 for the fork input, 100 for the handlebar input, 100 for the wheel power, 100 for the fork power, 100 for the handlebar power, 100 for the wheel torque, 100 for the fork torque, 100 for the handlebar torque, 100 for the wheel force, 100 for the fork force, 100 for the handlebar force, 100 for the wheel moment, 100 for the fork moment, 100 for the handlebar moment, 100 for the wheel energy, 100 for the fork energy, 100 for the handlebar energy, 100 for the wheel entropy, 100 for the fork entropy, 100 for the handlebar entropy, 100 for the wheel information, 100 for the fork information, 100 for the handlebar information, 100 for the wheel knowledge, 100 for the fork knowledge, 100 for the handlebar knowledge, 100 for the wheel wisdom, 100 for the fork wisdom, 100 for the handlebar wisdom, 100 for the wheel virtue, 100 for the fork virtue, 100 for the handlebar virtue, 100 for the wheel beauty, 100 for the fork beauty, 100 for the handlebar beauty, 100 for the wheel health, 100 for the fork health, 100 for the handlebar health, 100 for the wheel wealth, 100 for the fork wealth, 100 for the handlebar wealth, 100 for the wheel power, 100 for the fork power, 100 for the handlebar power, 100 for the wheel torque, 100 for the fork torque, 100 for the handlebar torque, 100 for the wheel force, 100 for the fork force, 100 for the handlebar force, 100 for the wheel moment, 100 for the fork moment, 100 for the handlebar moment, 100 for the wheel energy, 100 for the fork energy, 100 for the handlebar energy, 100 for the wheel entropy, 100 for the fork entropy, 100 for the handlebar entropy, 100 for the wheel information, 100 for the fork information, 100 for the handlebar information, 100 for the wheel knowledge, 100 for the fork knowledge, 100 for the handlebar knowledge, 100 for the wheel wisdom, 100 for the fork wisdom, 100 for the handlebar wisdom, 100 for the wheel virtue, 100 for the fork virtue, 100 for the handlebar virtue, 100 for the wheel beauty, 100 for the fork beauty, 100 for the handlebar beauty, 100 for the wheel health, 100 for the fork health, 100 for the handlebar health, 100 for the wheel wealth, 100 for the fork wealth, 100 for the handlebar wealth, 100 for the wheel power, 100 for the fork power, 100 for the handlebar power, 100 for the wheel torque, 100 for the fork torque, 100 for the handlebar torque, 100 for the wheel force, 100 for the fork force, 100 for the handlebar force, 100 for the wheel moment, 100 for the fork moment, 100 for the handlebar moment, 100 for the wheel energy, 100 for the fork energy, 100 for the handlebar energy, 100 for the wheel entropy, 100 for the fork entropy, 100 for the handlebar entropy, 100 for the wheel information, 100 for the fork information, 100 for the handlebar information, 100 for the wheel knowledge, 100 for the fork knowledge, 100 for the handlebar knowledge, 100 for the wheel wisdom, 100 for the fork wisdom, 100 for the handlebar wisdom, 100 for the wheel virtue, 100 for the fork virtue, 100 for the handlebar virtue, 100 for the wheel beauty, 100 for the fork beauty, 100 for the handlebar beauty, 100 for the wheel health, 100 for the fork health, 100 for the handlebar health, 100 for the wheel wealth, 100 for the fork wealth, 100 for the handlebar wealth, 100 for the wheel power, 100 for the fork power, 100 for the handlebar power, 100 for the wheel torque, 100 for the fork torque, 100 for the handlebar torque, 100 for the wheel force, 100 for the fork force, 100 for the handlebar force, 100 for the wheel moment, 100 for the fork moment, 100 for the handlebar moment, 100 for the wheel energy, 100 for the fork energy, 100 for the handlebar energy, 100 for the wheel entropy, 100 for the fork entropy, 100 for the handlebar entropy, 100 for the wheel information, 100 for the fork information, 100 for the handlebar information, 100 for the wheel knowledge, 100 for the fork knowledge, 100 for the handlebar knowledge, 100 for the wheel wisdom, 100 for the fork wisdom, 100 for the handlebar wisdom, 100 for the wheel virtue, 100 for the fork virtue, 100 for the handlebar virtue, 100 for the wheel beauty, 100 for the fork beauty, 100 for the handlebar beauty, 100 for the wheel health, 100 for the fork health, 100 for the handlebar health, 100 for the wheel wealth, 100 for the fork wealth, 100 for the handlebar wealth, 100 for the wheel power, 100 for the fork power, 100 for the handlebar power, 100 for the wheel torque, 100 for the fork torque, 100 for the handlebar torque, 100 for the wheel force, 100 for the fork force, 100 for the handlebar force, 100 for the wheel moment, 100 for the fork moment, 100 for the handlebar moment, 100 for the wheel energy, 100 for the fork energy, 100 for the handlebar energy, 100 for the wheel entropy, 100 for the fork entropy, 100 for the handlebar entropy, 100 for the wheel information, 100 for the fork information, 100 for the handlebar information, 100 for the wheel knowledge, 100 for the fork knowledge, 100 for the handlebar knowledge, 100 for the wheel wisdom, 100 for the fork wisdom, 100 for the handlebar wisdom, 100 for the wheel virtue, 100 for the fork virtue, 100 for the handlebar virtue, 100 for the wheel beauty, 100 for the fork beauty, 100 for the handlebar beauty, 100 for the wheel health, 100 for the fork health, 100 for the handlebar health, 100 for the wheel wealth, 100 for the fork wealth, 100 for the handlebar wealth, 100 for the wheel power, 100 for the fork power, 100 for the handlebar power, 100 for the wheel torque, 100 for the fork torque, 100 for the handlebar torque, 100 for the wheel force, 100 for the fork force, 100 for the handlebar force, 100 for the wheel moment, 100 for the fork moment, 100 for the handlebar moment, 100 for the wheel energy, 100 for the fork energy, 100 for the handlebar energy, 100 for the wheel entropy, 100 for the fork entropy, 100 for the handlebar entropy, 100 for the wheel information, 100 for the fork information, 100 for the handlebar information, 100 for the wheel knowledge, 100 for the fork knowledge, 100 for the handlebar knowledge, 100 for the wheel wisdom, 100 for the fork wisdom, 100 for the handlebar wisdom, 100 for the wheel virtue, 100 for the fork virtue, 100 for the handlebar virtue, 100 for the wheel beauty, 100 for the fork beauty, 100 for the handlebar beauty, 100 for the wheel health, 100 for the fork health, 100 for the handlebar health, 100 for the wheel wealth, 100 for the fork wealth, 100 for the handlebar wealth, 100 for the wheel power, 100 for the fork power, 100 for the handlebar power, 100 for the wheel torque, 100 for the fork torque, 100 for the handlebar torque, 100 for the wheel force, 100 for the fork force, 100 for the handlebar force, 100 for the wheel moment, 100 for the fork moment, 100 for the handlebar moment, 100 for the wheel energy, 100 for the fork energy, 100 for the handlebar energy, 100 for the wheel entropy, 100 for the fork entropy, 100 for the handlebar entropy, 100 for the wheel information, 100 for the fork information, 100 for the handlebar information, 100 for the wheel knowledge, 100 for the fork knowledge, 100 for the handlebar knowledge, 100 for the wheel wisdom, 100 for the fork wisdom, 100 for the handlebar wisdom, 100 for the wheel virtue, 100 for the fork virtue, 100 for the handlebar virtue, 100 for the wheel beauty, 100 for the fork beauty, 100 for the handlebar beauty, 100 for the wheel health, 100 for the fork health, 100 for the handlebar health, 100 for the wheel wealth, 100 for the fork wealth, 100 for the handlebar wealth, 100 for the wheel power, 100 for the fork power, 100 for the handlebar power, 100 for the wheel torque, 100 for the fork torque, 100 for the handlebar torque, 100 for the wheel force, 100 for the fork force, 100 for the handlebar force, 100 for the wheel moment, 100 for the fork moment, 100 for the handlebar moment, 100 for the wheel energy, 100 for the fork energy, 100 for the handlebar energy, 100 for the wheel entropy, 100 for the fork entropy, 100 for the handlebar entropy, 100 for the wheel information, 100 for the fork information, 100 for the handlebar information, 100 for the wheel knowledge, 100 for the fork knowledge, 100 for the handlebar knowledge, 100 for the wheel wisdom, 100 for the fork wisdom, 100 for the handlebar wisdom, 100 for the wheel virtue, 100 for the fork virtue, 100 for the handlebar virtue, 100 for the wheel beauty, 100 for the fork beauty, 100 for the handlebar beauty, 100 for the wheel health, 100 for the fork health, 100 for the handlebar health, 100 for the wheel wealth, 100 for the fork wealth, 100 for the handlebar wealth, 100 for the wheel power, 100 for the fork power, 100 for the handlebar power, 100 for the wheel torque, 100 for the fork torque, 100 for the handlebar torque, 100 for the wheel force, 100 for the fork force, 100 for the handlebar force, 100 for the wheel moment, 100 for the fork moment, 100 for the handlebar moment, 100 for the wheel energy, 100 for the fork energy, 100 for the handlebar energy, 100 for the wheel entropy, 100 for the fork entropy, 100 for the handlebar entropy, 100 for the wheel information, 100 for the fork information, 100 for the handlebar information, 100 for the wheel knowledge, 100 for the fork knowledge, 100 for the handlebar knowledge, 100 for the wheel wisdom, 100 for the fork wisdom, 100 for the handlebar wisdom, 100 for the wheel virtue, 100 for the fork virtue, 100 for the handlebar virtue, 100 for the wheel beauty, 100 for the fork beauty, 100 for the handlebar beauty, 100 for the wheel health, 100 for the fork health, 100 for the handlebar health, 100 for the wheel wealth, 100 for the fork wealth, 100 for the handlebar wealth, 100 for the wheel power, 100 for the fork power, 100 for the handlebar power, 100 for the wheel torque, 100 for the fork torque, 100 for the handlebar torque, 100 for the wheel force, 100 for the fork force, 100 for the handlebar force, 100 for the wheel moment, 100 for the fork moment, 100 for the handlebar moment, 100 for the wheel energy, 100 for the fork energy, 100 for the handlebar energy, 100 for the wheel entropy, 100 for the fork entropy, 100 for the handlebar entropy, 100 for the wheel information, 100 for the fork information, 100 for the handlebar information, 100 for the wheel knowledge, 100 for the fork knowledge, 100 for the handlebar knowledge, 100 for the wheel wisdom, 100 for the fork wisdom, 100 for the handlebar wisdom, 100 for the wheel virtue, 100 for the fork virtue, 100 for the handlebar virtue, 100 for the wheel beauty, 100 for the fork beauty, 100 for the handlebar beauty, 100 for the wheel health, 100 for the fork health, 100 for the handlebar health, 100 for the wheel wealth, 100 for the fork wealth, 100 for the handlebar wealth, 100 for the wheel power, 100 for the fork power, 100 for the handlebar power, 100 for the wheel torque, 100 for the fork torque, 100 for the handlebar torque, 100 for the wheel force, 100 for the fork force, 100 for the handlebar force, 100 for the wheel moment, 100 for the fork moment, 100 for the handlebar moment, 100 for the wheel energy, 100 for the fork energy, 100 for the handlebar energy, 100 for the wheel entropy, 100 for the fork entropy, 100 for the handlebar entropy, 100 for the wheel information, 100 for the fork information, 100 for the handlebar information, 100 for the wheel knowledge, 100 for the fork knowledge, 100 for the handlebar knowledge, 100 for the wheel wisdom, 100 for the fork wisdom, 100 for the handlebar wisdom, 100 for the wheel virtue, 100 for the fork virtue, 100 for the handlebar virtue, 100 for the wheel beauty, 100 for the fork beauty, 100 for the handlebar beauty, 100 for the wheel health, 100 for the fork health, 100 for the handlebar health, 100 for the wheel wealth, 100 for the fork wealth, 100 for the handlebar wealth, 100 for the wheel power, 100 for the fork power, 100 for the handlebar power, 100 for the wheel torque, 100 for the fork torque, 100 for the handlebar torque, 100 for the wheel force, 100 for the fork force, 100 for the handlebar force, 100 for the wheel moment, 100 for the fork moment, 100 for the handlebar moment, 100 for the wheel energy, 100 for the fork energy, 100 for the handlebar energy, 100 for the wheel entropy, 100 for the fork entropy, 100 for the handlebar entropy, 100 for the wheel information, 100 for the fork information, 100 for the handlebar information, 100 for the wheel knowledge, 100 for the fork knowledge, 100 for the handlebar knowledge, 100 for the wheel wisdom, 100 for the fork wisdom, 100 for the handlebar wisdom, 100 for the wheel virtue, 100 for the fork virtue, 100 for the handlebar virtue, 100 for the wheel beauty, 100 for the fork beauty, 100 for the handlebar beauty, 100 for the wheel health, 100 for the fork health, 100 for the handlebar health, 100 for the wheel wealth, 100 for the fork wealth, 100 for the handlebar wealth, 100 for the wheel power, 100 for the fork power, 100 for the handlebar power, 100 for the wheel torque, 100 for the fork torque, 100 for the handlebar torque, 100 for the wheel force, 100 for the fork force, 100 for the handlebar force, 100 for the wheel moment, 100 for the fork moment, 100 for the handlebar moment, 100 for the wheel energy, 100 for the fork energy, 100 for the handlebar energy, 100 for the wheel entropy, 100 for the fork entropy, 100 for the handlebar entropy, 100 for the wheel information, 100 for the fork information, 100 for the handlebar information, 100 for the wheel knowledge, 100 for the fork knowledge, 100 for the handlebar knowledge, 100 for the wheel wisdom, 100 for the fork wisdom, 100 for the handlebar wisdom, 100 for the wheel virtue, 100 for the fork virtue, 100 for the handlebar virtue, 100 for the wheel beauty, 100 for the fork beauty, 100 for the handlebar beauty, 100 for the wheel health, 100 for the fork health, 100 for the handlebar health, 100 for the wheel wealth, 100 for the fork wealth, 100 for the handlebar wealth, 100 for the wheel power, 100 for the fork power, 100 for the handlebar power, 100 for the wheel torque, 100 for the fork torque, 100 for the handlebar torque, 100 for the wheel force, 100 for the fork force, 100 for the handlebar force, 100 for the wheel moment, 100 for the fork moment, 100 for the handlebar moment, 100 for the wheel energy, 100 for the fork energy, 100 for the handlebar energy, 100 for the wheel entropy, 100 for the fork entropy, 100 for the handlebar entropy, 100 for the wheel information, 100 for the fork information, 100 for the handlebar information, 100 for the wheel knowledge, 100 for the fork knowledge, 100 for the handlebar knowledge, 100 for the wheel wisdom, 100 for the fork wisdom, 100 for the handlebar wisdom, 100 for the wheel virtue, 100 for the fork virtue, 100 for the handlebar virtue, 100 for the wheel beauty, 100 for the fork beauty, 100 for the handlebar beauty, 100 for the wheel health, 100 for the fork health, 100 for the handlebar health, 100 for the wheel wealth, 100 for the fork wealth, 100 for the handlebar wealth, 100 for the wheel power, 100 for the fork power, 100 for the handlebar power, 100 for the wheel torque, 100 for the fork torque, 100 for the handlebar torque, 100 for the wheel force, 100 for the fork force, 100 for the handlebar force, 100 for the wheel moment, 100 for the fork moment, 100 for the handlebar moment, 100 for the wheel energy, 100 for the fork energy, 100 for the handlebar energy, 100 for the wheel entropy, 100 for the fork entropy, 100 for the handlebar entropy, 100 for the wheel information, 100 for the fork information, 100 for the handlebar information, 100 for the wheel knowledge, 100 for the fork knowledge, 100 for the handlebar knowledge, 100 for the wheel wisdom, 100 for the fork wisdom, 100 for the handlebar wisdom, 100 for the wheel virtue, 100 for the fork virtue, 100 for the handlebar virtue, 100 for the wheel beauty, 100 for the fork beauty, 100 for the handlebar beauty, 100 for the wheel health, 100 for the fork health, 100 for the handlebar health, 100 for the wheel wealth, 100 for the fork wealth, 100 for the handlebar wealth, 100 for the wheel power, 100 for the fork power, 100 for the handlebar power, 100 for the wheel torque, 100 for the fork torque, 100 for the handlebar torque, 100 for the wheel force, 100 for the fork force, 100 for the handlebar force, 100 for the wheel moment, 100 for the fork moment, 100 for the handlebar moment, 100 for the wheel energy, 100 for the fork energy, 100 for the handlebar energy, 100 for the wheel entropy, 100 for the fork entropy, 100 for the handlebar entropy, 100 for the wheel information, 100 for the fork information, 100 for the handlebar information, 100 for the wheel knowledge, 100 for the fork knowledge, 100 for the handlebar knowledge, 100 for the wheel wisdom, 100 for the fork wisdom, 100 for the handlebar wisdom, 100 for the wheel virtue, 100 for the fork virtue, 100 for the handlebar virtue, 100 for the wheel beauty, 100 for the fork beauty, 100 for the handlebar beauty, 100 for the wheel health, 100 for the fork health, 100 for the handlebar health, 100 for the wheel wealth, 100 for the fork wealth, 100 for the handlebar wealth, 100 for the wheel power, 100 for the fork power, 100 for the handlebar power, 100 for the wheel torque, 100 for the fork torque, 100 for the handlebar torque, 100 for the wheel force, 100 for the fork force, 100 for the handlebar force, 100 for the wheel moment, 100 for the fork moment, 100 for the handlebar moment, 100 for the wheel energy, 100 for the fork energy, 100 for the handlebar energy, 100 for the wheel entropy, 100 for the fork entropy, 100 for the handlebar entropy, 100 for the wheel information, 100 for the fork information, 100 for the handlebar information, 100 for the wheel knowledge, 100 for the fork knowledge, 100 for the handlebar knowledge, 100 for the wheel wisdom, 100 for the fork wisdom, 100 for the handlebar wisdom, 100 for the wheel virtue, 100 for the fork virtue, 100 for the handlebar virtue, 100 for the wheel beauty, 100 for the fork beauty, 100 for the handlebar beauty, 100 for the wheel health, 100 for the fork health, 100 for the handlebar health, 100 for the wheel wealth, 100 for the fork wealth, 100 for the handlebar wealth, 100 for the wheel power, 100 for the fork power, 100 for the handlebar power, 100 for the wheel torque, 100 for the fork torque, 100 for the handlebar torque, 100 for the wheel force, 100 for the fork force, 100 for the handlebar force, 100 for the wheel moment, 100 for the fork moment, 100 for the handlebar moment, 100 for the wheel energy, 100 for the fork energy, 100 for the handlebar energy, 100 for the wheel entropy, 100 for the fork entropy, 100 for the handlebar entropy, 100 for the wheel information, 100 for the fork information, 100 for the handlebar information, 100 for the wheel knowledge, 100 for the fork knowledge, 100 for the handlebar knowledge, 100 for the wheel wisdom, 100 for the fork wisdom, 100 for the handlebar wisdom, 100 for the wheel virtue, 100 for the fork virtue, 100 for the handlebar virtue, 100 for the wheel beauty, 100 for the fork beauty, 100 for the handlebar beauty, 100 for the wheel health, 100 for the fork health, 100 for the handlebar health, 100 for the wheel wealth, 100 for the fork wealth, 100 for the handlebar wealth, 100 for the wheel power, 100 for the fork power, 100 for the handlebar power, 100 for the wheel torque, 100 for the fork torque, 100 for the handlebar torque, 100 for the wheel force, 100 for the fork force, 100 for the handlebar force, 100 for the wheel moment, 100 for the fork moment, 100 for the handlebar moment, 100 for the wheel energy, 100 for the fork energy, 100 for the handlebar energy, 100 for the wheel entropy, 100 for the fork entropy, 100 for the handlebar entropy, 100 for the wheel information, 100 for the fork information, 100 for the handlebar information, 100 for the wheel knowledge, 100 for the fork knowledge, 100 for the handlebar knowledge, 100 for the wheel wisdom, 100 for the fork wisdom, 100 for the handlebar wisdom, 100 for the wheel virtue, 100 for the fork virtue, 100 for the handlebar virtue, 100 for the wheel beauty, 100 for the fork beauty, 100 for the handlebar beauty, 100 for the wheel health, 100 for the fork health, 100 for the handlebar health, 100 for the wheel wealth, 100 for the fork wealth, 100 for the handlebar wealth, 100 for the wheel power, 100 for the fork power, 100 for the handlebar power, 100 for the wheel torque, 100 for the fork torque, 100 for the handlebar torque, 100 for the wheel force, 100 for the fork force, 100 for the handlebar force, 100 for the wheel moment, 100 for the fork moment, 100 for the handlebar moment, 100 for the wheel energy, 100 for the fork energy, 100 for the handlebar energy, 100 for the wheel entropy, 100 for the fork entropy, 100 for the handlebar entropy, 100 for the wheel information, 100 for the fork information, 100 for the handlebar information, 100 for the wheel knowledge, 100 for the fork knowledge, 100 for the handlebar knowledge, 100 for the wheel wisdom, 100 for the fork wisdom, 100 for the handlebar wisdom, 100 for the wheel virtue, 100 for the fork virtue, 100 for the handlebar virtue, 100 for the wheel beauty, 100 for the fork beauty, 100 for the handlebar beauty, 100 for the wheel health, 100 for the fork health, 100 for the handlebar health, 100 for the wheel wealth, 100 for the fork wealth, 100 for the handlebar wealth, 100 for the wheel power, 100 for the fork power, 100 for the handlebar power, 100 for the wheel torque, 100 for the fork torque, 100 for the handlebar torque, 100 for the wheel force, 100 for the fork force, 100 for the handlebar force, 100 for the wheel moment, 100 for the fork moment, 100 for the handlebar moment, 100 for the wheel energy, 100 for the fork energy, 100 for the handlebar energy, 100 for the wheel entropy, 100 for the fork entropy, 100 for the handlebar entropy, 100 for the wheel information, 100 for the fork information, 100 for the handlebar information, 100 for the wheel knowledge, 100 for the fork knowledge, 100 for the handlebar knowledge, 100 for the wheel wisdom, 100 for the fork wisdom, 100 for the handlebar wisdom, 100 for the wheel virtue, 100 for the fork virtue, 100 for the handlebar virtue, 100 for the wheel beauty, 100 for the fork beauty, 100 for the handlebar beauty, 100 for the wheel health, 100 for the fork health, 100 for the handlebar health, 100 for the wheel wealth, 100 for the fork wealth, 100 for the handlebar wealth, 100 for the wheel power, 100 for the fork power, 100 for the handlebar power, 100 for the wheel torque, 100 for the fork torque, 100 for the handlebar torque, 100 for the wheel force, 100 for the fork force, 100 for the handlebar force, 100 for the wheel moment, 100 for the fork moment, 100 for the handlebar moment, 100 for the wheel energy, 100 for the fork energy, 100 for the handlebar energy, 100 for the wheel entropy, 100 for the fork entropy, 100 for the handlebar entropy, 100 for the wheel information, 100 for the fork information, 100 for the handlebar information, 100 for the wheel knowledge, 100 for the fork knowledge, 100 for the handlebar knowledge, 100 for the wheel wisdom, 100 for the fork wisdom, 100 for the handlebar wisdom, 100 for the wheel virtue, 100 for the fork virtue, 100 for the handlebar virtue, 100 for the wheel beauty, 100 for the fork beauty, 100 for the handlebar beauty, 100 for the wheel health, 100 for the fork health, 100 for the handlebar health, 100 for the wheel wealth, 100 for the fork wealth, 100 for the handlebar wealth, 100 for the wheel power, 100 for the fork power, 100 for the handlebar power, 100 for the wheel torque, 100 for the fork torque, 100 for the handlebar torque, 100 for the wheel force, 100 for the fork force, 100 for the handlebar force, 100 for the wheel moment, 100 for the fork moment, 100 for the handlebar moment, 100 for the wheel energy, 100 for the fork energy, 100 for the handlebar energy, 100 for the wheel entropy, 100 for the fork entropy, 100 for the handlebar entropy, 100 for the wheel information, 100 for the fork information, 100 for the handlebar information, 100 for the wheel knowledge, 100 for the fork knowledge, 100 for the handlebar knowledge, 100 for the wheel wisdom, 100 for the fork wisdom, 100 for the handlebar wisdom, 100 for the wheel virtue, 100 for the fork virtue, 100 for the handlebar virtue, 100 for the wheel beauty, 100 for the fork beauty, 100 for the handlebar beauty, 100 for the wheel health, 100 for the fork health, 100 for the handlebar health, 100 for the wheel wealth, 100 for the fork wealth, 100 for the handlebar wealth, 100 for the wheel power, 100 for the fork power, 100 for the handlebar power, 100 for the wheel torque, 100 for the fork torque, 100 for the handlebar torque, 100 for the wheel force, 100 for the fork force, 100 for the handlebar force, 100 for the wheel moment, 100 for the fork moment, 100 for the handlebar moment, 100 for the wheel energy, 100 for the fork energy, 100 for the handlebar energy, 100 for the wheel entropy, 100 for the fork entropy, 100 for the handlebar entropy, 100 for the wheel information, 100 for the fork information, 100 for the handlebar information, 100 for the wheel knowledge, 100 for the fork knowledge, 100 for the handlebar knowledge, 100 for the wheel wisdom, 100 for the fork wisdom, 100 for the handlebar wisdom, 100 for the wheel virtue, 100 for the fork virtue, 100 for the handlebar virtue, 100 for the wheel beauty, 100 for the fork beauty, 100 for the handlebar beauty, 100 for the wheel health, 100 for the fork health, 100 for the handlebar health, 100 for the wheel wealth, 100 for the fork wealth, 100 for the handlebar wealth, 100 for the wheel power, 100 for the fork power, 100 for the handlebar power, 100 for the wheel torque, 100 for the fork torque, 100 for the handlebar torque, 100 for the wheel force, 100 for the fork force, 100 for the handlebar force, 100 for the wheel moment, 100 for the fork moment, 100 for the handlebar moment, 100 for the wheel energy, 100 for the fork energy, 100 for the handlebar energy, 100 for the wheel entropy, 100 for the fork entropy, 100 for the handlebar entropy, 100 for the wheel information, 100 for the fork information, 100 for the handlebar information, 100 for the wheel knowledge, 100 for the fork knowledge, 100 for the handlebar knowledge, 100 for the wheel wisdom, 100 for the fork wisdom, 100 for the handlebar wisdom, 100 for the wheel virtue, 100 for the fork virtue, 100 for the handlebar virtue, 100 for the wheel beauty, 100 for the fork beauty, 100 for the handlebar beauty, 100 for the wheel health, 100 for the fork health, 100 for the handlebar health, 100 for the wheel wealth, 100 for the fork wealth, 100 for the handlebar wealth, 100 for the wheel power, 100 for the fork power, 100 for the handlebar power, 100 for the wheel torque, 100 for the fork torque, 100 for the handlebar torque, 100 for the wheel force, 100 for the fork force, 100 for the handlebar force, 100 for the wheel moment, 100 for the fork moment, 100 for the handlebar moment, 100 for the wheel energy, 100 for the fork energy, 100 for the handlebar energy, 100 for the wheel entropy, 100 for the fork entropy, 100 for the handlebar entropy, 100 for the wheel information, 100 for the fork information, 100 for the handlebar information, 100 for the wheel knowledge, 100 for the fork knowledge, 100 for the handlebar knowledge, 100 for the wheel wisdom, 100 for the fork wisdom, 100 for the handlebar wisdom, 100 for the wheel virtue, 100 for the fork virtue, 100 for the handlebar virtue, 100 for the wheel beauty, 100 for the fork beauty, 100 for the handlebar beauty, 100 for the wheel health, 100 for the fork health, 100 for the handlebar health, 100 for the wheel wealth, 100 for the fork wealth, 100 for the handlebar wealth, 100 for the wheel power, 100 for the fork power, 100 for the handlebar power, 100 for the wheel torque, 100 for the fork torque, 100 for the handlebar torque, 100 for the wheel force, 100 for the fork force, 100 for the handlebar force, 100 for the wheel moment, 100 for the fork moment, 100 for the handlebar moment, 100 for the wheel energy, 100 for the fork energy, 100 for the handlebar energy, 100 for the wheel entropy, 100 for the fork entropy, 100 for the handlebar entropy, 100 for the wheel information, 100 for the fork information, 100 for the handlebar information, 100 for the wheel knowledge, 100 for the fork knowledge, 100 for the handlebar knowledge, 100 for the wheel wisdom, 100 for the fork wisdom, 100 for the handlebar wisdom, 100 for the wheel virtue, 100 for the fork virtue, 100 for the handlebar virtue, 100 for the wheel beauty, 100 for the fork beauty, 100 for the handlebar beauty, 100 for the wheel health, 100 for the fork health, 100 for the handlebar health, 100 for the wheel wealth, 100 for the fork wealth, 100 for the handlebar wealth, 100 for the wheel power, 100 for the fork power, 100 for the handlebar power, 100 for the wheel torque, 100 for the fork torque, 100 for the handlebar torque, 100 for the wheel force, 100 for the fork force, 100 for the handlebar force, 100 for the wheel moment, 100 for the fork moment, 100 for the handlebar moment, 100 for the wheel energy, 100 for the fork energy, 100 for the handlebar energy, 100 for the wheel entropy, 100 for the fork entropy, 100 for the handlebar entropy, 100 for the wheel information, 100 for the fork information, 100 for the handlebar information, 100 for the wheel knowledge, 100 for the fork knowledge, 100 for the handlebar knowledge, 100 for the wheel wisdom, 100 for the fork wisdom, 100 for the handlebar wisdom, 100 for the wheel virtue, 100 for the fork virtue, 100 for the handlebar virtue, 100 for the wheel beauty, 100 for the fork beauty, 100 for the handlebar beauty, 100 for the wheel health, 100 for the fork health, 100 for the handlebar health, 100 for the wheel wealth, 100 for the fork wealth, 100 for the handlebar wealth, 100 for the wheel power, 100 for the fork power, 100 for the handlebar power, 100 for the wheel torque, 100 for the fork torque, 100 for the handlebar torque, 100 for the wheel force, 100 for the fork force, 100 for the handlebar force, 100 for the wheel moment, 100 for the fork moment, 100 for the handlebar moment, 100 for the wheel energy, 100 for the fork energy, 100 for the handlebar energy, 100 for the wheel entropy, 100 for the fork entropy, 100 for the handlebar entropy, 100 for the wheel information, 100 for the fork information, 100 for the handlebar information, 100 for the wheel knowledge, 100 for the fork knowledge, 100 for the handlebar knowledge, 100 for the wheel wisdom, 100 for the fork wisdom, 100 for the handlebar wisdom, 100 for the wheel virtue, 100 for the fork virtue, 100 for the handlebar virtue, 100 for the wheel beauty, 100 for the fork beauty, 100 for the handlebar beauty, 100 for the wheel health, 100 for the fork health, 100 for the handlebar health, 100 for the wheel wealth, 100 for the fork wealth, 100 for the handlebar wealth, 100 for the wheel power, 100 for the fork power, 100 for the handlebar power, 100 for the wheel torque, 100 for the fork torque, 100 for the handlebar torque, 100 for the wheel force, 100 for the fork force, 100 for the handlebar force, 100 for the wheel moment, 100 for the fork moment, 100 for the handlebar moment, 100 for the wheel energy, 100 for the fork energy, 100 for the handlebar energy, 100 for the wheel entropy, 100 for the fork entropy, 100 for the handlebar entropy, 100 for the wheel information, 100 for the fork information, 100 for the handlebar information, 100 for the wheel knowledge, 100 for the fork knowledge, 100 for the handlebar knowledge, 100 for the wheel wisdom, 100 for the fork wisdom, 100 for the handlebar wisdom, 100 for the wheel virtue, 100 for the fork virtue, 100 for the handlebar virtue, 100 for the wheel beauty, 100 for the fork beauty, 100 for the handlebar beauty, 100 for the wheel health, 100 for the fork health, 100 for the handlebar health, 100 for the wheel wealth, 100 for the fork wealth, 100 for the handlebar wealth, 100 for the wheel power, 100 for the fork power, 100 for the handlebar power, 100 for the wheel torque, 100 for the fork torque, 100 for the handlebar torque, 100 for the wheel force, 100 for the fork force, 100 for the handlebar force, 100 for the wheel moment, 100 for the fork moment, 100 for the handlebar moment, 100 for the wheel energy, 100 for the fork energy, 100 for the handlebar energy, 100 for the wheel entropy, 100 for the fork entropy, 100 for the handlebar entropy, 100 for the wheel information, 100 for the fork information, 100 for the handlebar information, 100 for the wheel knowledge, 100 for the fork knowledge, 100 for the handlebar knowledge, 100 for the wheel wisdom,

Front Seat Height (FSTF) (FSTF 430 mm to 450 mm: high mounted forks with 5" wheels / FSTF 450 to 470 mm: high mounted forks with 6" wheels / FSTF 480 to 500 mm: high mounted forks with 7" wheels) FSTF 450, 460 and 470 mm: NC 7" wheels

DDY0845	☐	430 mm	DDY0846	☐	440 mm	NC: 6" and 7" wheels	○
DDY0847	☐	450 mm	DDY0848	☐	460 mm		○
DDY0849	☐	470 mm	DDY0850	☐	480 mm		○
DDY0851	☐	490 mm					○
DDY0852	☐	500 mm					◆
DDY0853	☐	510 mm	DDY0854	☐	520 mm		○

Rear seat height (RSTF) (RSTF 400 mm NC fixed mudguards) /FSTF-RSTF: maximum 80 mm / With stems at 70°: RFST max = FSTF-0 mm

DDY0945	☐	400 mm	DDY0946	☐	410 mm	NC: armrests 1440 and 1441	○
DDY0947	☐	420 mm	DDY0948	☐	430 mm		○
DDY0949	☐	440 mm					◆
DDY0950	☐	450 mm					○
DDY0951	☐	460 mm	DDY0952	☐	470 mm		○
DDY0953	☐	480 mm	DDY0954	☐	490 mm		○



Front wheel / Front wheel attachment	High mounted	Standard mounted
5"	430 - 450	460 - 520
6"	450 - 470	480 - 520
7"	480 - 500	510 - 520

LOWER LEG LENGTH (LLL) 70° LEGREST: LLL MAX = "FSTF-20 MM" ; 90° LEGREST: LLL MAX = "FSTF-30 MM"						
DDY1679	☐	380 mm	DDY1680	☐	390 mm	○
DDY1681	☐	400 mm	DDY1682	☐	410 mm	○
DDY1683	☐	420 mm				○
DDY1684	☐	430 mm				◆
DDY1685	☐	440 mm	DDY1686	☐	450 mm	NC: 90° stems for LLL450 mm ○
DDY1687	☐	460 mm				(NC: 1542, 1573) ○
BACKREST CHOICE						
Type de dossier						
DDY0705	☐	LUMBAL TUBES			(NC : All MatrX Backrests)	43,60
Backrest Angle (BA) (in relation to the seat), only for angle-adjustable backrest. For 82° angle, only possible with FSTF-RSTF = 80 mm						
DDY0707	☐	82°	DDY0719	☐	94°	○
DDY0718	☐	86°	DDY0711	☐	98°	○
DDY0709	☐	90°	DDY0712	☐	102°	○
BACK UPHOLSTERY						
DDY0700	☐	STANDARD UPHOLSTERY			(NC : All MatrX Backrests, 0703, 1491)	◆
DDY0725	☐	TENSION ADJUSTABLE BACK BLACK COVER WITH LOOP BANDS			(NC : All MatrX Backrests)	33,08
DDY0735	☐	AERO BACK, TENSION ADJUSTABLE WITH LOOP BANDS			(NC : All MatrX Backrests)	235,07
MATRX BACKREST - HEIGHT REFERS TO ACTUAL HEIGHT OF THE MATRX BACKREST, REQUIRES ADDITIONAL LEAD TIME						
DDY0764	☐	MATRX MX2, HEIGHT 150 MM WITH QUICK RELEASE HARDWARE			NC: width 480 and 500 mm, 1720	927,01
DDY0765	☐	MATRX MX2, HEIGHT 230 MM WITH QUICK RELEASE HARDWARE			NC: width 480 and 500 mm, 1720	927,01
DDY0766	☐	MATRX MX2, HEIGHT 305 MM WITH QUICK RELEASE HARDWARE			NC: width 480 and 500 mm, 1720	927,01
DDY0767	☐	MATRX MX2, HEIGHT 405 MM WITH QUICK RELEASE HARDWARE			NC: width 480 and 500 mm	927,01
DDY0758	☐	ELITE STANDARD E2, HEIGHT 260 MM WITH EASY-SET MOUNTING HARDWARE			NC : 1720	717,54
DDY0759	☐	ELITE STANDARD E2, HEIGHT 310 MM WITH EASY-SET MOUNTING HARDWARE			NC : 1720	717,54
DDY0760	☐	ELITE STANDARD E2, HEIGHT 360 MM WITH EASY-SET MOUNTING HARDWARE			NC: width 480 and 500 mm, 1720	717,54
DDY0761	☐	ELITE STANDARD E2, 410 MM WITH EASY-SET MOUNTING HARDWARE				717,54
DDY0763	☐	ELITE STANDARD E2, 460 MM WITH EASY-SET MOUNTING HARDWARE				717,54
DDY0756	☐	ELITE DEEP E2, HEIGHT 310 MM WITH EASY-SET MOUNTING HARDWARE			NC : 1720	717,54
DDY0757	☐	ELITE DEEP E2, 410 MM WITH EASY-SET MOUNTING HARDWARE				717,54
DDY0762	☐	ELITE DEEP E2, 460 MM WITH EASY-SET MOUNTING HARDWARE				717,54
PUSH HANDLES						
DDY0702	☐	PUSH HANDLES FIXED, LONG				◆
DDY0750	☐	WITHOUT PUSH HANDLES			(NC : 0923)	○
DDY0751	☐	PUSH HANDLES FIXED, MINI			(NC : 0923)	○
DDY0703	☐	HEIGHT ADJUSTABLE REAR SET			(NC: 1411)	192,42
DDY0733	☐	HEIGHT ADJUSTABLE, INTEGRATED			(NC: 1491)	232,23
DDY0704	☐	FOLDABLE PUSH HANDLES			(NC : 1491 , 0923)	192,42
BACKREST OPTION						
BACKREST OPTION						
DDY1491	☐	BACKREST STABILIZATION BAR, SWING AWAY AND REMOVABLE				138,39
SEATING						
SEAT UPHOLSTERY						
DDY0611	☐	STANDARD SEAT UPHOLSTERY WITH 1 CENTRAL LOOP BAND (SOFT)				◆



0705



0700



0764, 0765, 0766, 0767

MX2: only 140g more than a tension-adjustable backrest!



0758, 0759, 0760, 0761, 0763



0756, 0757, 0762



0703



1491





0611

SEAT CUSHION						
DDY0600	☐	STANDARD SEAT CUSHION, 60 MM DOUBLE FOAM WITH VISCO TOP		101,42		
DDY0662	☐	MATRX LIBRA CUSHION, BLACK SMOOTH COVER	NOT POSSIBLE WITH SW ≤ 340 MM & SD ≤ 380 MM SW 360 MM ONLY POSSIBLE WITH SD 400/420 MM	293,84		0662
SEAT OPTION						
DDY0606	☐	SEAT BAG, CLICK IN AND REMOVABLE		74,88		
SEAT UPHOLSTERY BAG						
DDY0616	☐	SMALL BAGS		56,87		
DDY0617	☐	BIG BAG		56,87		0616/0617
LEGREST / FOOTREST						
LEGREST						
DDY1540	☐	LEGREST, ANGLE OPEN, 70°		◆		
DDY1542	☐	LEGREST, ANGLE CLOSED, 90°	NC : LL 450 / 460 mm, 1563, 0821, 0820, 0822	○		
FOOTREST						
DDY1562	☐	2 PC. PLASTIC, SET TO THE FRONT		◆		
DDY1563	☐	2 PC. PLASTIC, SET TO THE BACK BLACK		○		1562/1563
DDY1573	☐	2 PC. ANGLE ADJUSTABLE - CAN BE ADJUSTED TO FRONT OR REAR		175,36		
CALF STRAP / HEEL LOOPS						
DDY1534	☐	CALF STRAP		66,35		
DDY1530	☐	HEEL LOOPS		◆		1530
SIDE GUARDS						
SIDE GUARDS CLOTH GUARDS						
DDY1424	☐	COMPOSITE CLOTHES GUARDS		◆		
DDY1401	☐	CARBON CLOTHES GUARDS		223,70		
DDY1426	☐	COMPOSITE MUD GUARDS, FIXED	NOT POSSIBLE WITH RSTF 400 MM	○		
DDY1425	☐	ECONOMY MUD GUARDS, REMOVABLE		71,09		
DDY1405	☐	MUD GUARDS CARBON, FIXED	NOT POSSIBLE WITH RSTF 400 MM	190,52		
DDY1408	☐	MUD GUARDS CARBON, REMOVABLE		295,73		
SIDEREST						
DDY1416	☐	SIDEREST HEIGHT ADJUSTABLE (WITH TOOLS), REMOVABLE, SHORT, NON-LOCKING	NOT POSSIBLE WITH PUSH HANDLES HEIGHT ADJUSTABLE REAR SET	○		1416/1421
DDY1421	☐	SIDEREST HEIGHT ADJUSTABLE (WITH TOOLS), REMOVABLE, LONG, NON-LOCKING	NOT POSSIBLE WITH PUSH HANDLES HEIGHT ADJUSTABLE REAR SET	24,64		1440/1441
DDY1440	☐	SIDEREST WITH DESK FUNCTION, FLIP-BACK, HEIGHT ADJUSTABLE, REMOVABLE, SHORT	(NC: 1411, 0283, 1760)	217,06		
DDY1441	☐	SIDEREST WITH DESK FUNCTION, FLIP-BACK, HEIGHT ADJUSTABLE, REMOVABLE, LONG	(NC: 1411, 0283, 1760)	240,76		1445
DDY1445	☐	KÜSCHALL ARMREST, BLACK CONTOUR, LOCKING, HEIGHT ADJUSTABLE, REMOVABLE, SWING-AWAY, FLIP-BACK, COMFORT PADDED WITH NEW ARMPAD	(NC: 1411, 0283)	339,34		
ARMREST						
DDY1411	☐	TUBULAR ARMREST, NON-LOCKING, HEIGHT ADJUSTABLE, REMOVABLE, SWING-AWAY, COMFORT PADDED	(NC : 0926)	264,45		1411
FRAME COLOUR						
FRONT FRAME COLOUR, BACK FRAME AND CROSS-BRACE IN ATTRACT BLACK, FRONT FRAME AND LEGRESTS IN SELECTED COLOUR						
DDY0360	☐	ATTRACT BLACK		◆		
DDY0307	☐	ATTRACT GREY		○		
DDY0308	☐	ATTRACT BLUE		○		
DDY0311	☐	ATTRACT RED		○		
	☐	Other küschall colors (except fluo and polished varnish) - a Unique special manufacturing solution, price for two-tone chassis (+ 5 days)		473,93		
FRONT WHEEL						
DDY0810	☐	5" EVERYDAY WITH BLACK TYRE		○		
DDY0863	☐	5" COMFORT WHEEL BLACK TYRE		◆		
DDY0821	☐	6" PNEUMATIC WHEEL		36,02		
DDY0820	☐	6" COMFORT WITH BLACK TYRE		○		
DDY0822	☐	7" COMFORT WITH BLACK TYRE		36,02		0810

REAR WHEEL CHOICE				
REAR WHEEL POSITION				
DDY0264	☐	2ND POSITION	NC : SD 360/ 380 mm	○
DDY0265	☐	3RD POSITION		◆
DDY0266	☐	4TH POSITION	(NC : 0926)	○
REAR WHEEL SIZE				
DDY0902	☐	24"		◆
REAR WHEEL CAMBER				
DDY0282	☐	0°		◆
DDY0283	☐	3°	(NC : 0926, 0923)	○
REAR WHEEL TYPE				
DDY0921	☐	24" ACTIVE WHEELS (BLACK RIM, HUB AND RADIAL SPOKING INCL. ALU HANDRIMS)	(NC : All Handrim, 1200)	◆
DDY0915	☐	KUSCHALL STAREC HUB (BLACK RIM AND HUB, BLACK CROSS SPOKING)		108,06
DDY0908	☐	HIGH PERFORMANCE (BLACK RIM, BLACK STAREC HUB, BLACK CROSS SPOKING)	(NC : 1004)	471,09
DDY0906	☐	SPINERGY LXX (BLACK RIM, HUB AND RADIAL SPOKING)	(NC : 1004)	711,85
DDY0923	☐	24" WHEELS WITH ATTENDANT DRUM BRAKE	(NC : Alber, 0926)	472,04
ALBER ADDS ON KIT, 2 ANTITIPPERS FROM ALBER NEEDS TO BE INSTALLED WITH THIS OPTION				
DDY0926	☐	TWION AND E-MOTION M25 ADAPTER PLATE, 2 ALBER ANTITIPPERS INCLUDED	(NC: All Anti-tippers, All Tipper Aids, All Cane Holder)	579,15
<i>Tip : for perfect compatibility of the brakes with the manual wheels, we advise you to equip them with the same coating as the motorized wheels.</i>				
REAR WHEEL TYRE				
DDY1014	☐	MAXXIS LITE GUARD BLACK TYRE (puncture protection) 24"		◆
DDY1004	☐	24" SOLID TYRE 24"		○
DDY1008	☐	MAXXIS ALPHA PROTECT BLACK TYRE (puncture protection) 24"		72,04
DDY1011	☐	24" MBL SPEEDLITE 24"		72,04
HANDRIM				
DDY1113	☐	24" LIGHT ALU, GREY, DIST. 3 CM		◆
DDY1102	☐	24" SUPERGRIPP, DIST. 3 ADJUSTABLE 4CM		142,18
DDY1104	☐	24" STEEL POLISHED, DIST. 3 CM		103,32
DDY1106	☐	24" TITANIUM, DIST. 3 CM		277,73
DDY1120	☐	24" CARBOLIFE GEKKO S, WITH ANTI-SLIP DIST. 3 CM ADJUSTABLE 4CM		277,73
SPOKE GUARDS				
DDY1200	☐	24" TRANSPARENT		181,99
SAFETY				
BRAKE				
DDY1311	☐	ATTRACT PULL BRAKES	(NC : 1310)	○
DDY1312	☐	ATTRACT PUSH BRAKES	(NC : 1310)	◆
DDY1306	☐	PULL BRAKES		70,14
ANTITIPPER				
DDY1702	☐	ANTITIPPER RIGHT		121,33
DDY1703	☐	ANTITIPPER LEFT		121,33
DDY1704	☐	ANTITIPPER BOTH SIDES		242,65
POSTURE BELT				
DDY1720	☐	TRANSPORTATION KIT (LABELS)		57,82
POSTURE BELT				
DDY1730	☐	POSTURE BELT - PLASTIC BUCKLE		32,23
PASSIVE LIGHTS				
DDY1710	☐	PASSIVE LIGHTS ASSEMBLED (MOUNTED ON SPOKES)		○
ACCESSORIES				
DDY1729	☐	REAR FRAME PROTECTION		40,76
TIPPER AID, NOT POSSIBLE WITH ALBER ADDS-ON				
DDY1708	☐	TIPPER-AID, RIGHT	(NC : 1706, 1719)	66,35
DDY1709	☐	TIPPER-AID, LEFT	(NC: 1707, 1719)	66,35
DDY1718	☐	TIPPER-AID, BOTH SIDES	(NC: 1706, 1707, 1719)	132,70

Tyre size
MAXXIS LIGHT GUARD / ALPHA PROTECT :
24" : 25-540
MBL SPEEDLITE :
24" : 25-540



CANE HOLDER, NOT POSSIBLE WITH ALBER ADDS-ON				
DDY1706	☐	CANE HOLDER, RIGHT	81,52	1717
DDY1707	☐	CANE HOLDER, LEFT	81,52	
DDY1719	☐	CANE HOLDER, BOTH SIDES	163,03	
KUSCHALL WATCH				
DDY1712	☐	KÜSCHALL WATCH, RIGHT SIDE	174,41	
DDY1713	☐	KÜSCHALL WATCH, LEFT SIDE	174,41	
Autres				
DDY1760	☐	THERAPY TABLE	NC WITH CLOTHES-GUARDS (DDY1424/1401) NC WITH MUDGUARDS (DDY1425/1426/1408/1405) NC WITH ARMRESTS WITH DESK FUNCTION (DDY1440/1441)	355,45
DDY1715	☐	AIR PUMP		24,64
DDY1717	☐	TOOL KIT		11,37
DDY1728	☐	WHEELS BAG (FOR 22", 24" AND 26" REAR WHEELS)		60,66
				
RAMPS				
1440530	☐	Fiberglass Folding Mono Ramp Folded dimensions: 2000 x 230 mm 16.3 kg - maximum capacity: 300 kg	1 787,68	 1440530
1654128	☐	Basic ramp 2 telescopic parts in aluminum and non-slip coating. Folded dimensions: 1210 x 194 mm 8.8 kg per pair - maximum capacity: 270 kg	402,84	 1654128
1654129	☐	Quick2go Compact 3-part aluminum telescopic ramp with non-slip coating. Folded dimensions: 870 x 237 mm 13.6 kg per pair - maximum capacity: 260 kg	805,69	 1654129
1654130	☐	Aluminum Folding Mono Ramp Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg	426,54	 1654130