

Küschall® Compact

Please contact Invacare EU Export Customer Services on :-
Tel : +33 247 626980 ; Email : serviceclient_export@invacare.com
Or visit our website : www.invacare.eu.com



Küschall Compact



Active aluminum manual wheelchair folding by brace



Description :

- Aluminum chassis with hydroformed tubes
- Customization kit with premium decals
- Available in RETRACTABLE BRACKETS and FIXED BRACKETS
- Rear frame protection as standard
- Max user weight: 130 kg
- Complete weight: from 10.5 kg (retractable) and 9.6 kg (fixed)
- Transport weight: from 7.8 kg (retractable) and 6.7 kg (fixed)
- Warranty: 2 years excluding wearing parts

Discover the new possibilities of the special fabrication **UNIQUE**. Push back the limits of the personalization with a wide range of possibilities. Create **UNIQUE** wheelchairs.
You will find the special fabrications within the turquoise blue frames

Discover our new tool to help calculate overall dimensions and find the visual configurator to make your configuration!

Date :

Purchase Order :

Customer Code :

Distributor Stamp:

We reserve the right to deliver a + or – tolerance of +/- 10 mm on all measurements We reserve the right to make technical changes without notice

☐ Please make your selection with a cross in the box ◆ Standard feature ○ Free of charge option



CODE		DESCRIPTION	NC : Non Compatible NC : 9999 = not compatible with the reference 9999	Euros	 0120
DCA0100	☐	küschall® Compact® - Fixed backrest		2 695,73	
DCA0110	☐	küschall® Compact® - Angle adjustable backrest	NC : 2120	2 851,18	
DCA0120	☐	küschall® Compact® - Foldable and angle adjustable backrest	NC : 1615, 1620, 1625, 2120, 2180, 2430	2 904,27	

SPECIAL CONSTRUCTION					
DCA0000	☐	Myküschall special construction		On Request	
UCA0001	☐	UNIQUE - Personnalization		On Request	


POSITIONING PACKAGE					
DCA0220	☐	Posture and pressure relief package Libra Include : Matrx Libra cushion (DCA2720) Matrx MX2 backrest (DCA2300 to DCA2315) Bodypoint Evoflex belt (DCA7810 to DCA7830) Please select size of back and belt below in this order form!	SW 360 mm only possible with SD 400/420 mm (NC : 1300, 1305, 1310, 1315, 1350, 1355, 1400, 1405, 1415, 1425, 7230)	1222,23	Save 15% by selecting this PACK, i.e. €277,53
DCA0230	☐	Posture and pressure relief package Libra/Elite E2 include : Matrx Libra cushion (DCA2720) Matrx Elite/Elite Deep E2 backrest (DCA2320-DCA2350) Bodypoint Evoflex belt (DCA7810 to DCA7830) Please select size of back and belt below in this order form!	SW 360 mm only possible with SD 400/420 mm (NC : 1300, 1305, 1310, 1315, 1400, 1405, 1415, 1425, 7230)	1105,59	Save 10% by selecting this PACK, i.e. €106,70

SEATING CHOICE					
Front Frame					 Retractable
DCA1100	☐	Swing away standard	NC : 1900, 1902, 3040, 3140	◆	
DCA1110	☐	Fixed frame active, 70°	NC : 1700 to 1730, 1805	○	
DCA1120	☐	Fixed frame dynamic, 80° Minimum seat angle (fstf to rstf) is 40 mm with 5" front wheels	NC : 1700 to 1730, 1805, 1962, 5550, 5600, 5650	117,54	
DCA1130	☐	Fixed frame tapered front frame 70° Additionnal delivery time + 10 days	NC : 1300, 1305, 1700 to 1730, 1805	132,70	

DCA1140	☐	Fixed frame tapered front frame 80° Minimum seat angle (fstf to rstf) is 30 mm - Additionnal delivery time + 10 days				NC : 1300, 1305, 1700 to 1730, 1805, 1962, 5550, 5600, 5650	132,70	 Fixed
Seat width (SW) (Width 280 to 420 mm: single cross / width from 440 to 500 mm: double cross)								
DCA1300	☐	280 mm	DCA1305	☐	300 mm	NC : 2210, Matrx backrest, Matrx and Classic Visco cushions, 2490, 2860 for L.280 mm, 3020, 3030, 3120, 3130, 3260, 6000, 6010, 8450	○	
DCA1310	☐	320 mm	DCA1315	☐	340 mm	NC : Dossiers Matrx, coussins Matrx and Classic Visco, 2490, 3020, 3030, 3120, 3130, 3260, 6000, 6010, 8450	○	
DCA1320	☐	360 mm				NC : 2364, 2366, 2368, 2370, 2372, 2490, 2710, 2742, 2744, 2746, 2748, 3020, 3030, 3120, 3130	○	
DCA1325	☐	380 mm				NC : 2366, 2368, 2370, 2372, 2490 2742, 2744, 3020, 3030, 3120, 3130	○	
DCA1330	☐	400 mm				NC : 2360, 2366, 2368, 2370, 2372, 2744	○	
DCA1335	☐	420 mm				NC : 2360, 2362, 2368, 2370, 2372, 2746	○	
DCA1340	☐	440 mm				NC : 2360, 2362, 2364, 2370, 2372, 2740, 2742	○	
DCA1345	☐	460 mm				NC : 2360, 2362, 2364, 2372, 2740, 2742, 2744	○	
DCA1350	☐	480 mm				NC : 2300, 2305, 2310, 2315, 2345, 2360, 2362, 2364, 2366, 2740, 2742, 2744	○	
DCA1355	☐	500 mm				NC : 2210, 2300, 2305, 2310, 2315, 2345, 2360, 2362, 2364, 2366, 2368, 2740, 2742, 2744, 2746	○	
Seat depth (SD) (Chassis adjusted to seat depth from depth 380 mm (single cross) and from depth 400 mm (double cross)								
DCA1400	☐	320 mm	DCA1405	☐	340 mm	NC : 2155, 2160, Matrx cushions and Classic Visco, 2860, 2910, 5650	○	
DCA1415	☐	360 mm				NC : 2710, 2720, 2742, 2744, 2746, 2748, 2860, 5650	○	
DCA1425	☐	380 mm				NC : 2720, 2744, 5650	○	
DCA1435	☐	400 mm				NC : 2744	◆	
DCA1445	☐	420 mm					○	
DCA1460	☐	440 mm				NC : 2740, 2742	○	
DCA1470	☐	460 mm				NC : 2740, 2742, 2744	○	
DCA1480	☐	480 mm				NC : 2740, 2742, 2744, 2746, 2748	○	
DCA1490	☐	500 mm				NC : 2710, 2740, 2742, 2744, 2746, 2748	○	
Backrest Height (BH) (Height 300 to 330 mm NC angle adjustable and folding backrest)								
DCA1615	☐	300 mm	DCA1620	☐	315 mm	NC : 2240, 2595, 7600	○	
DCA1625	☐	330 mm	DCA1630	☐	345 mm	NC : 2240, 2595, 7600	○	
DCA1635	☐	360 mm				NC : 2240, 2595, 7600	○	
DCA1640	☐	375 mm				NC : 2240, 2595, 7600	◆	
DCA1645	☐	390 mm				NC : 2240, 2595, 7600	○	
DCA1650	☐	405 mm	DCA1655	☐	420 mm	NC : 2240	○	
DCA1660	☐	435 mm	DCA1665	☐	450 mm	NC : 2240	○	
DCA1670	☐	465 mm	DCA1675	☐	480 mm	NC : 2240	○	
DCA1680	☐	495 mm	DCA1685	☐	510 mm	NC : 2240	○	

Front Seat to Floor Height (FSTF) - see table 3 at the end of the measurement sheet										IMPORTANT: Depending on the seat height selected and the diameter of the front wheels: assembly with a hemi or standard chassis and with/without high mounting - refer to table 3 at the end of the measurement sheet  Hemi Frame  High Mount
DCA1700		370 mm			NC : 1810 to 1870, 1932 to 1962, 3030, 3130, 6410, 6420, 7600					
DCA1705		380 mm			NC : 1815 to 1870, 1934 to 1962, 3030, 3130, 6410, 6420, 7600					
DCA1710		390 mm			NC : 1820 to 1870, 1936 to 1962, 3030, 3130, 6410, 6420, 7600					
DCA1715		400 mm			NC : 1825 to 1870, 1938 to 1962, 3030, 3130, 6410, 6420, 7600					
DCA1720		410 mm			NC : 1830 to 1870, 1940 to 1962, 3030, 3130					
DCA1725		420 mm			NC : 1835 to 1870, 1942 to 1962					
DCA1730		430 mm			NC : 1840 to 1870, 1944 to 1962					
DCA1735		440 mm			NC : 1845 to 1870, 1946 to 1962					
DCA1740		450 mm			NC : 1850 to 1870, 1948 to 1962					
DCA1745		460 mm			NC : 1855 to 1870, 1950 to 1962					
DCA1750		470 mm			NC : 1860 to 1870, 1952 to 1962					
DCA1755		480 mm			NC : 1805, 1865, 1870, 1954 to 1962					
DCA1760		490 mm			NC : 1805, 1810, 1956 to 1962					
DCA1765		500 mm			NC : 1805, 1810, 1815, 1958 to 1962					
DCA1770		510 mm			NC : 1805 to 1820, 1960, 1962					
DCA1775		520 mm			NC : 1805 to 1825, 1962					
DCA1780		530 mm			NC : 1805 to 1830					
Rear Seat to Floor Height (RSTF) With fixed brackets at 70°, FSTF - 100 mm < RSTF < FSTF - 0 mm With fixed stems at 80°, FSTF - 100 mm < RSTF < FSTF - 30 mm With 70° and 80° retractable brackets, FSTF - 100 mm < RSTF < FSTF - 0 mm										
DCA1805		370 mm			Only with 22" wheels and swing away frame					
DCA1810		380 mm			NC : 6410, 6420, 6430					
DCA1815		390 mm	DCA1820		400 mm	NC : 6420, 6430				
DCA1825		410 mm			NC : 6420, 6430					
DCA1830		420 mm	DCA1835		430 mm					
DCA1840		440 mm	DCA1845		450 mm					
DCA1850		460 mm								
DCA1855		470 mm								
DCA1860		480 mm	DCA1865		490 mm	NC : 6400				
DCA1870		500 mm			NC : 6400, 6410					
Lower Leg Length (LLL) (Depending on the configuration, the pallets can be mounted high) - see table 1. With retractable and fixed brackets at 70°, LLL max = FSTF - 20 mm With retractable and fixed brackets at 80°, LLL max = FSTF - 30 mm With legrest in 75° position, LLL max = FSTF - 40 mm and LLL min = 380 mm With legrest in 60° position, LLL max = FSTF and LLL min = 380 mm "										
DCA1900		200 mm			NC : 3030, 3130					
DCA1902		210 mm			NC : 3030, 3130					
DCA1904		220 mm	DCA1906		230 mm	NC : 3030, 3130				
DCA1908		240 mm	DCA1910		250 mm	NC : 3030, 3130				
DCA1912		260 mm	DCA1914		270 mm	NC : 3030, 3130				
DCA1916		280 mm	DCA1918		290 mm	NC : 3030, 3130				
DCA1920		300 mm	DCA1922		310 mm	NC : 3030, 3130				
DCA1924		320 mm	DCA1926		330 mm	NC : 3030, 3130				
DCA1928		340 mm	DCA1930		350 mm	NC : 3030, 3130				
DCA1932		360 mm	DCA1934		370 mm	NC : 3030, 3130				
DCA1936		380 mm	DCA1938		390 mm					
DCA1940		400 mm	DCA1942		410 mm					
DCA1944		420 mm								
DCA1946		430 mm								
DCA1948		440 mm	DCA1950		450 mm					
DCA1952		460 mm	DCA1954		470 mm					
DCA1956		480 mm	DCA1958		490 mm					
DCA1960		500 mm								
DCA1962		510 mm			NC : 3000, 3100, 3010, 3110					

Rear wheel diameter / RSTF 22":
370 - 470mm 24":
390 - 490mm 25":
420 - 500mm 26":
420 - 500mm


LLL = LLL patient + Seat cushion

BACKREST TYPE				
Backrest Tube				
DCA2120	☐	Fixed backrest with lumbal bend 7° degree)	NC : Matrx Backrests	52,13
Backrest angle adjustable by screws in relation to the seat (BA) (only if 0110 or 0120 selected / with folding backrest only 2 adjustment ranges: 82° to 90° or 94° to 98°) (Angle measured in relation to the seat))				
DCA2155	☐	82°	DCA2160 ☐ 86°	○
DCA2165	☐	90°		◆
DCA2170	☐	94°	DCA2175 ☐ 98°	○
DCA2180	☐	102°	NC : Dossier rabattable	○
Backrest Upholstery				
DCA2200	☐	Standard upholstery	NC : 2300 to 2357, 2400, 2430, 2595	◆
DCA2210	☐	Light back (hand-sewn, airy, anti-perspirant)	NC : 2300 to 2357, 2430, 2595	178,20
DCA2220	☐	Tension adjustable premium black back upholstery with loop bands	NC : 2300 to 2357	33,08
DCA2230	☐	Aero back, tension adjustable with loop bands	NC : 2300 to 2357	258,77
DCA2240	☐	Without back upholstery, mandatory if Matrx backrest ordered	NC : 2430, 2595	○
UNIQUE - BACK UPHOLSTERY STITCHING COLOUR - Only for Aero Back upholstery				
UCA2241	☐	NEON YELLOW		101,42
UCA2242	☐	NEON PINK		101,42
UCA2243	☐	BLUE		101,42
UCA2244	☐	WHITE		101,42
UCA2245	☐	RED		101,42
UCA0002	☐	"Your personnal color": <i>Please contact our customers service</i>		On Request
UNIQUE - BACK UPHOLSTERY - EMBROIDERY - Only for Aero Back upholstery				
UCA2246	☐	SMILEY		218,01
UCA2248	☐	TRAVELER		218,01
UCA2249	☐	SAKURA BEAUTY		218,01
UCA2250	☐	FANNY CACTUS		218,01
UCA2251	☐	KUSCHALL LOGO: <i>Please contact our customers service</i>		On Request
UCA0003	☐	"Your personnal design": <i>Please contact our customers service - Provide the wished design in .ai / .pdf or .png format</i>		On Request
UNIQUE - BACK UPHOLSTERY - FLOCKING - Only for Aero Back upholstery				
UCA2253	☐	SMILEY		118,48
UCA2255	☐	TRAVELER		118,48
UCA2256	☐	SAKURA BEAUTY		118,48
UCA2257	☐	FANNY CACTUS		118,48
UCA2259	☐	PAINT STAIN		118,48
UCA0004	☐	"Your personnal design": <i>Please contact our customers service - Provide the wished design in .ai / .pdf or .png format</i>		On Request
Matrx Backrests - The height shown is that of the backrest. Find the trunk supports and all the accessories on the Matrx measurement sheet!				
DCA2300	☐	Matrx MX2 , height 150 mm with quick release hardware - User max. weight 114 kg	NC : SW > 460 mm and SW < 360 mm, 2370, 2372, 2490	927,01
DCA2305	☐	Matrx MX2 , height 230 mm with quick release hardware - User max. weight 114 kg	NC : SW > 460 mm and SW < 360 mm, 2370, 2372, 2490	927,01
DCA2310	☐	Matrx MX2 , height 305 mm with quick release hardware - User max. weight 114 kg	NC : SW > 460 mm and SW < 360 mm, 2370, 2372, 2490	927,01
DCA2315	☐	Matrx MX2 , height 405 mm with quick release hardware - User max. weight 114 kg	NC : SW > 460 mm and SW < 360 mm, 2370, 2372, 2490	927,01
DCA2316	☐	Elite Deep E2 , height 160 mm with mini-set mounting hardware	NC : SW < 360 mm, 2490	717,54
DCA2317	☐	Elite Deep E2 , height 210 mm with mini-set mounting hardware	NC : SW < 360 mm, 2490	717,54
DCA2318	☐	Elite Deep E2 , height 260 mm with mini-set mounting hardware	NC : SW < 360 mm, 2490	717,54





2120


MX2: only 140g more than a tension-adjustable backrest!



2300, 2305, 2310, 2315

DCA2320	☐	<i>Elite Deep E2 , height 310 mm with mini-set mounting hardware</i>	NC : SW < 360 mm, 2490	717,54	 2316 to 2331  2332 to 2357
DCA2322	☐	<i>Elite Deep E2 , height 360 mm with mini-set mounting hardware</i>	NC : SW < 360 mm, 2490	717,54	
DCA2325	☐	<i>Elite Deep E2 , height 410 mm with mini-set mounting hardware</i>	NC : SW < 360 mm, 2490	717,54	
DCA2330	☐	<i>Elite Deep E2 , height 460 mm with mini-set mounting hardware</i>	NC : SW < 360 mm, 2490	717,54	
DCA2331	☐	<i>Elite Deep E2 , height 510 mm with mini-set mounting hardware</i>	NC : SW < 360 mm, 2490	717,54	
DCA2332	☐	Elite E2, height 160 mm with mini-set mounting hardware	NC : SW < 360 mm, 2490	717,54	
DCA2334	☐	Elite E2, height 210 mm with mini-set mounting hardware	NC : SW < 360 mm, 2490	717,54	
DCA2335	☐	Elite E2, height 260 mm with mini-set mounting hardware	NC : SW < 360 mm, 2490	717,54	
DCA2340	☐	Elite E2, height 310 mm with mini-set mounting hardware	NC : SW < 360 mm, 2490	717,54	
DCA2345	☐	Elite E2, height 360 mm with mini-set mounting hardware	NC : SW > 460 mm and SW < 360 mm, 2490	717,54	
DCA2350	☐	Elite E2, height 410 mm with mini-set mounting hardware	NC : SW < 360 mm, 2490	717,54	
DCA2355	☐	Elite E2, height 460 mm with mini-set mounting hardware	NC : SW < 360 mm, 2490	717,54	
DCA2357	☐	Elite E2, height 510 mm with mini-set mounting hardware	NC : SW < 360 mm, 2490	717,54	
Matrx Backrest Width - see tables 4 at the end of the measurement sheet					
DCA2360	☐	360 mm - indicative bust width 265 mm		○	
DCA2362	☐	380 mm - indicative bust width 290 mm		○	
DCA2364	☐	410 mm - indicative bust width 315 mm		○	
DCA2366	☐	430 mm - indicative bust width 340 mm		○	
DCA2368	☐	460 mm - indicative bust width 370 mm		○	
DCA2370	☐	480 mm - indicative bust width 390 mm		○	
DCA2372	☐	510 mm - indicative bust width 420 mm		○	
Push Handles					
DCA2400	☐	Without push handles	NC : 2490	○	
DCA2410	☐	Push handles fixed, mini	NC : 2490, 6580	○	
DCA2420	☐	Push handles fixed, long		◆	
DCA2430	☐	Height adjustable rear set	NC : 2490, 3520, 3620	212,32	
DCA2440	☐	Height adjustable, integrated	NC : 2490, 2595	254,03	
DCA2450	☐	Foldable push handles	NC : 2490, 2595, 6580	213,27	
Headrest					
DCA2490	☐	Headrest with lateral adjustment and adjustable ear cushions - supplied with backrest adjuster	NC : 2595, 6580	168,72	
Backrest Stabilization Bar					
DCA2595	☐	Backrest stabilization bar, swing away and removable	NC : BH ≤ 390 mm	151,66	
SEAT UPHOLSTERY					
DCA2610	☐	Standard seat upholstery - central loop band		◆	 2610
DCA2620	☐	Seat upholstery with 1 central (soft) and 2 side straps fasteners bands (rough)		37,91	


UNIQUE - SEAT UPHOLSTERY STITCHING COLOUR					 2700
UCA2602	☐	NEON YELLOW		118,48	
UCA2603	☐	NEON PINK		118,48	
UCA2604	☐	BLUE		118,48	
UCA2605	☐	WHITE		118,48	
UCA2606	☐	RED		118,48	
UCA0005	☐	"Your personal color": <i>Please contact our customers service</i>		<i>On Request</i>	
SEATING					
Seat Cushion					 2710  2720  2740 / 2742 2744 / 2746  2748
DCA2700	☐	STANDARD SEAT CUSHION, 60 MM DOUBLE FOAM WITH VISCO TOP	NC : 2810, 2820, 2830, 2840, 2850	101,42	
DCA2710	☐	MATRX FLO-TECH LITE	NC : 2810, 2820, 2830, 2840, 2850	118,48	
DCA2720	☐	MATRX LIBRA CUSHION, BLACK SMOOTH COVER	NOT POSSIBLE WITH SW ≤ 340 MM & SD ≤ 380 MM SW 360 MM ONLY POSSIBLE WITH SD 400/420 MM	293,84	
DCA2740	☐	CLASSIC VISCO CUSHION 375 X 400 MM ONLY FOR USERS WEIGHTING UP TO 50 KG	NC : 2810, 2820, 2830, 2840, 2850	76,78	
DCA2742	☐	CLASSIC VISCO CUSHION 405 X 400 MM ONLY FOR USERS WEIGHTING UP TO 100 KG	NC : 2810, 2820, 2830, 2840, 2850	65,40	
DCA2744	☐	CLASSIC VISCO CUSHION 430 X 430 MM ONLY FOR USERS WEIGHTING UP TO 100 KG	NC : 2810, 2820, 2830, 2840, 2850	65,40	
DCA2746	☐	CLASSIC VISCO CUSHION 455 X 400 MM ONLY FOR USERS WEIGHTING UP TO 100 KG	NC : 2810, 2820, 2830, 2840, 2850	76,78	
DCA2748	☐	CONTOUR VISCO NG CUSHION	NC : 2810, 2820, 2830, 2840, 2850	76,78	
DCA2750	☐	VICAIR ACTIVE O2 CUSHION		683,73	
SEAT OPTION					 2800
DCA2800	☐	SEAT BAG, CLICK IN AND REMOVABLE		81,52	
Accessoires coussin Matrx Libra					 2810  2820  2830  2840  2850
DCA2810	☐	FLUID SUPPLEMENT SAC (PAIR)		91,00	
DCA2820	☐	TAPERED WEDGE PAIR		41,71	
DCA2830	☐	ABDUCTOR		47,39	
DCA2840	☐	LATERAL SIDE WEDGE		41,71	
DCA2850	☐	ANTERIOR FRONT WEDGE		54,98	
Base rigide					 2860
DCA2860	☐	SEAT RIGIDIZER	(Mandatory: choose a seat cushion)	56,87	
SEAT BAGS					 2860
DCA2910	☐	BIG BAG (TO FIX UNDER SEAT)	NC : SD ≤ 340 mm	61,61	
LEGRESTS AND FOOTRESTS					
LEGRESTS FOR SWING AWAY					 3000 / 3100
RIGHT LEGREST					
DCA3000	☐	LEGREST, ANGLE OPEN, 70° - RIGHT FOOTREST MANDATORY	NC : 3110	◆	
DCA3010	☐	LEGREST, ANGLE MID-CLOSED, 80° - RIGHT FOOTREST MANDATORY	NC : 3100, 5650	○	
DCA3020	☐	AMPUTEE LEGREST - RIGHT	NC : 3280	274,88	
DCA3030	☐	ANGLE ADJUSTABLE LEGREST - RIGHT INCLUDING ANGLE, WIDTH AND DEPTH ADJUSTABLE PLASTIC FOOTPLATE	NC : 3280	100,25	
DCA3040	☐	WITHOUT LEGRESTS ON THE RIGHT SIDE ONLY FIXED FRAME		○	

LEFT LEGREST					 3020 / 3120  3030 / 3130
DCA3100	☐	LEGREST, ANGLE OPEN, 70° - LEFT FOOTREST MANDATORY		◆	
DCA3110	☐	LEGREST, ANGLE MID-CLOSED, 80° - LEFT FOOTREST MANDATORY	NC : 5650	○	
DCA3120	☐	AMPUTEE LEGREST - LEFT	NC : 3280	274,88	
DCA3130	☐	ANGLE ADJUSTABLE LEGREST - LEFT INCLUDING ANGLE, WIDTH AND DEPTH ADJUSTABLE PLASTIC FOOTPLATE	NC : 3280	100,25	
DCA3140	☐	WITHOUT LEGRESTS ON THE LEFT SIDE ONLY FIXED FRAME		○	
FOOTREST					
DCA3260	☐	2 PC. FLIP UP, PLASTIC - NEW PART	NOT POSSIBLE WITH SW < 340 MM, LLL < 260 MM, TAPERED FRAME SW < 380 MM	◆	
DCA3270	☐	2 PC. - ANGLE AND DEPTH ADJUSTABLE, CARBON	NC : 3310	311,85	
DCA3280	☐	1 PC. FLIP-UP CARBON FOOTPLATE, ANGLE AND DEPTH ADJUSTABLE	NOT POSSIBLE WITH LLL < 300 MM, NC : 3310	329,86	
FOOT AND LEG SUPPORT					
DCA3300	☐	CALF STRAP MOUNTED ON THE FRAME		◆	
DCA3305	☐	CALF STRAP WITH BRACKET SUPPORT		76,78	
DCA3310	☐	HEEL LOOPS		72,99	
SIDE GUARDS					
CLOTHES-GUARDS, MUDGUARDS					 3400  3440  3450
DCA3400	☐	ECONOMY CLOTHES GUARDS, FIXED <i>Increase seat width by 0 to +10 mm</i>	NC : 3500, 3510, 3530, 3540, 3600, 3610, 3630, 3640, 7600, 8450	◆	
DCA3405	☐	ECONOMY CLOTHES GUARDS, FLIP BACK <i>Decrease seat width by 0 to +10 mm</i>	NC : 3500, 3510, 3530, 3540, 3550, 3600, 3610, 3630, 3640, 7600, 8450	○	
DCA3410	☐	CARBON CLOTHES GUARDS, FIXED <i>Increase seat width by 0 to +10 mm</i>	NC : 3500, 3510, 3530, 3540, 3600, 3610, 3630, 3640, 7600, 8450	167,77	
DCA3425	☐	ECONOMY MUDGUARDS, FIXED <i>Increase seat width by 0 to +10 mm</i>	NC : 3500, 3510, 3530, 3540, 3600, 3610, 3630, 3640, 6000, 6010, 6140, 6150, 6580, 7600, 8450	○	
DCA3430	☐	CARBON MUDGUARDS, FIXED NOT POSSIBLE WITH FSTF < 410 MM <i>Increase seat width by 0 to +10 mm</i>	NC : 3500, 3510, 3530, 3540, 3600, 3610, 3630, 3640, 6000, 6010, 6140, 6150, 6580, 6950, 7600, 8450, NC FSTF < 410 mm	223,70	
DCA3440	☐	CARBON MUDGUARDS, REMOVABLE <i>Decrease seat width by 0 to +10 mm</i>	NC : 3500, 3510, 3530, 3540, 3600, 3610, 3630, 3640, 6140, 6150, 8450	336,49	
DCA3450	☐	ECONOMY MUDGUARDS, REMOVABLE <i>Decrease seat width by 0 to +10 mm</i>	NC : 3500, 3510, 3530, 3540, 3600, 3610, 3630, 3640, 6140, 8450	○	
UNIQUE - CUSTOM TRANSPARENT COLORS - Only for economy clothes guards					
UCA3422	☐	TRANSPARENT		520,38	
UCA3423	☐	TRANSPARENT BLUE		745,02	
UCA3424	☐	NEON YELLOW		745,02	
UCA3425	☐	NEON ORANGE		745,02	
UCA3426	☐	NEON RED		745,02	
UCA0006	☐	"Your personnal color": Please contact our customers service		On Request	
UCA0007	☐	"Your personnal design": Please contact our customers service - <i>Provide the wished design in .ai / .pdf or .eps format</i>		On Request	

RIGHT ARMREST					 3500 3510 3600 3610
DCA3500	☐	ARMREST HEIGHT ADJUSTABLE (WITH TOOLS), REMOVABLE, SHORT, NON-LOCKING, INCLUDING CARBON CLOTHES GUARD RIGHT <i>Increase seat width by 0 to +10 mm</i>	NC : 6150	139,34	
DCA3510	☐	ARMREST HEIGHT ADJUSTABLE (WITH TOOLS), REMOVABLE, LONG, NON-LOCKING, INCLUDING CARBON CLOTHES GUARD RIGHT <i>Increase seat width by 0 to +10 mm</i>	NC : 6150	150,71	
DCA3520	☐	TUBULAR ARMREST, NON-LOCKING, HEIGHT ADJUSTABLE, REMOVABLE, SWING-AWAY, COMFORT PADDED, RIGHT <i>If 0120 selected, the backrest can't be folded down</i>	NC : 6950, 8450	145,02	
DCA3530	☐	KÜSCHALL ARMREST, HEIGHT ADJUSTABLE, REMOVABLE, SWING-AWAY, DESK ARMPAD NEOPRENE BLACK UPHOLSTERY, RIGHT <i>Decrease seat width by 0 to +10 mm</i>	NC : 6130, 6140, 6150	185,78	
DCA3540	☐	KÜSCHALL HEMI ARMREST, HEIGHT ADJUSTABLE, REMOVABLE, SWING-AWAY, WITH HEMI ARMPAD NEOPRENE BACK UPHOLSTERY RIGHT <i>Decrease seat width by 0 to +10 mm</i>	NC : 6130, 6140, 6150, 8450	113,17	 3530 3630 3540 3640
LEFT ARMREST					
DCA3600	☐	ARMREST HEIGHT ADJUSTABLE (WITH TOOLS), REMOVABLE, SHORT, NON-LOCKING, INCLUDING CARBON CLOTHES GUARD LEFT <i>Increase seat width by 0 to +10 mm</i>	NC : 6150	139,34	
DCA3610	☐	ARMREST HEIGHT ADJUSTABLE (WITH TOOLS), REMOVABLE, LONG, NON-LOCKING, INCLUDING CARBON CLOTHES GUARD LEFT <i>Increase seat width by 0 to +10 mm</i>	NC : 6150	150,71	
DCA3620	☐	TUBULAR ARMREST, NON-LOCKING, HEIGHT ADJUSTABLE, REMOVABLE, SWING-AWAY, COMFORT PADDED, LEFT <i>If 0120 selected, the backrest can't be folded down</i>	NC : 6950, 8450	145,02	
DCA3630	☐	KÜSCHALL ARMREST, HEIGHT ADJUSTABLE, REMOVABLE, SWING-AWAY, DESK ARMPAD NEOPRENE BLACK UPHOLSTERY, LEFT <i>Decrease seat width by 0 to +10 mm</i>	NC : 6130, 6140, 6150	185,78	
DCA3640	☐	KÜSCHALL HEMI ARMREST, HEIGHT ADJUSTABLE, REMOVABLE, SWING-AWAY, WITH HEMI ARMPAD NEOPRENE BACK UPHOLSTERY LEFT <i>Decrease seat width by 0 to +10 mm</i>	NC : 6130, 6140, 6150, 8450	113,17	
COLOUR OFFERING & CUSTOMIZATION					
FRAME COLOR					
DCA4000	☐	SPACE BLACK (RAL 9005)		☐	
DCA4010	☐	ANTHRACITE GREY (RAL 7016)		☐	
DCA4020	☐	PURE WHITE (RAL 9016)	NC : 4220	☐	
DCA4030	☐	CARMINE RED (RAL 3002)		☐	
DCA4040	☐	AZURE BLUE (RAL 5017)		☐	EXTRA LEAD TIME +10 DAYS
DCA4060	☐	FLASHY YELLOW (RAL 1016)		216,11	
DCA4100	☐	BLACK GLOSSY (RAL 9005)		216,11	
DCA4130	☐	SILVER GREY (RAL 9006)		216,11	
DCA4140	☐	ROYAL BLUE- specific color mix, no RAL definition		216,11	
DCA4150	☐	RUBY RED (RAL 3003)		216,11	
DCA4170	☐	DYNAMITE ORANGE - spe color mix, no RAL		216,11	
DCA4180	☐	FOREST GREEN (RAL 6029)		216,11	

UCA4101	☐	DIAMOND SILVER		696,68	 BOLD  TAG
UCA4102	☐	PASTEL GREEN		750,71	
UCA4103	☐	SKY BLUE		750,71	
UCA4104	☐	PLUM PURPLE		750,71	
UCA4105	☐	SALMON		750,71	
DCA4050	☐	Special Frame Colour (on demand only): - Manufacturing time + 10 days: for a color already offered on the other ranges of Invacare manual wheelchairs. - Manufacturing time + 15 days: for any other request (subject to feasibility) - specify RAL number		750,71	
UNIQUE - CERAMIC GLAZE FINISH					
UCA4066	☐	CERAMIC GLAZE FINISH (ONLY FOR UKA**** COLOURS)	NC : 4300, 4310	643,60	
STYLING					
DCA4190	☐	Bold	NC : 4300, 4310	64,45	
DCA4195	☐	Tag	NC : 4200 to 4250	◆	
BOLD COLOR					
DCA4200	☐	BLACK		○	
DCA4210	☐	DARK GREY		○	
DCA4220	☐	LIGHT GREY		○	
DCA4230	☐	RED		○	
DCA4240	☐	RED		○	
DCA4250	☐	GOLD		○	
UCA4252	☐	NEON YELLOW		161,14	
UCA4253	☐	NEON GREEN		161,14	
UCA4254	☐	NEON ORANGE		161,14	
UCA4255	☐	NEON PINK		161,14	
UCA4256	☐	NEON RED		161,14	
UCA0009	☐	"Your personnal color": Please contact customers service		<i>On Request</i>	
TAG COLOR					
DCA4300	☐	BLACK		○	
DCA4310	☐	RED		○	
FRONT WHEEL					
DCA5050	☐	4" EVERYDAY WHEEL WITH BLACK TYRE		○	 5200 / 5250 / 5450 / 5500 5350 / 5550   5050 / 5300
DCA5100	☐	4" COMFORT WHEEL WITH BLACK TYRE		○	
DCA5150	☐	4" COMFORT WHEEL WITH BLACK TYRE		75,83	
DCA5200	☐	4" FROGLEGS FRONT WHEEL WITH BLACK HUB, BLACK TYRE	Select the Froglegs front wheels with black hub (DCA5200) to access UNIQUE anodizations	121,33	
DCA5250	☐	4" FROGLEGS FRONT WHEEL WITH SILVER HUB, BLACK TYRE		121,33	
DCA5300	☐	5" EVERYDAY WITH BLACK TYRE		○	
DCA5350	☐	5" COMFORT WHEEL BLACK TYRE		◆	
DCA5400	☐	5" STAREC BLACK HUB, BLACK TYRE		103,32	
DCA5450	☐	5" FROGLEGS FRONT WHEEL WITH BLACK HUB, BLACK TYRE	Select the Froglegs front wheels with black hub (DCA5450) to access UNIQUE anodizations	147,87	
DCA5500	☐	5" FROGLEGS FRONT WHEEL WITH SILVER HUB, BLACK TYRE		147,87	
DCA5550	☐	6" COMFORT WITH BLACK TYRE		○	
DCA5600	☐	6" PNEUMATIC WHEEL		38,86	
DCA5650	☐	7" COMFORT WITH BLACK TYRE		38,86	
UNIQUE - FROGLEGS HUB COLOURS					
UCA5502	☐	PINK		98,58	
UCA5504	☐	ORANGE		98,58	
UCA5506	☐	BLUE		98,58	
UCA5507	☐	VIOLET		98,58	
UCA5508	☐	RED		98,58	
UCA5509	☐	GOLD		98,58	
UNIQUE - CERAMIC BEARING					
UCA5510	☐	CERAMIC BEARING		98,58	

REAR WHEEL CHOICE				
ONE-ARM-DRIVE SYSTEM				
DCA6000	☐	⚠ ONE ARM DRIVE SYSTEM RIGHT SIDE (WITH LIGHT WHEEL 7 BAR TYRES, ALU HANDRIMS)	NC : 6040, 6130, 6140, 6150, 6300, 6400, 6420, 6430, 6500, 6510, 6520, 6550, 6580, 6680, 6840, 6900, 6910, 6950, 8650, 8680	690,05
DCA6010	☐	⚠ ONE ARM DRIVE SYSTEM LEFT SIDE (WITH LIGHT WHEEL 7 BAR TYRES, ALU HANDRIMS)	NC : 6040, 6130, 6140, 6150, 6300, 6400, 6420, 6430, 6500, 6510, 6520, 6550, 6580, 6680, 6840, 6900, 6910, 6950, 8650, 8680	690,05
REAR WHEEL FIXATION				
DCA6020	☐	STANDARD FIXATION	NC : 6140, 6150	◆
DCA6040	☐	REAR WHEEL EXTENSION	NC : 6100, 6580, 6950	134,60
REAR WHEEL POSITION				
DCA6100	☐	1ST POSITION FROM THE FRONT	NC : 6580, 6840	○
DCA6110	☐	2ND POSITION FROM THE FRONT	NC : 6950	○
DCA6120	☐	3RD POSITION FROM THE FRONT		◆
DCA6130	☐	4TH POSITION FROM THE FRONT	NC : 6580, 6950	○
DCA6140	☐	5TH POSITION FROM THE FRONT		○
DCA6150	☐	6TH POSITION FROM THE FRONT		○
QUAD QUICK RELEASE AXLE				
DCA6300	☐	TETRA-CLIP	NC : 6550, 6580, 6950	143,13
REAR WHEEL SIZE				
DCA6400	☐	22"	NC : 6500, 6520, 6550, 6560, 6600, 6630, 6660, 6760, 6710, 6720, 6740, 6750, 6760, 6770, 6950	336,49
DCA6410	☐	24"		◆
DCA6420	☐	25"	NC : 6500, 6510, 6580, 6600, 6630, 6660, 6700, 6710, 6720, 6760, 6770, 6900, 6910, 6950	○
DCA6430	☐	26"	NC : 6500, 6520, 6550, 6600, 6630, 6660, 6720, 6740, 6750, 6760, 6770, 6840, 6950	517,54
REAR WHEEL TYPE				
DCA6500	☐	24" ACTIVE WHEELS (BLACK RIM, HUB AND RADIAL SPOKING INCL. ALU HANDRIMS)	24" (NC : All Handrims, All Spokeguards)	◆
DCA6510	☐	KUSCHALL STAREC HUB (BLACK RIM AND HUB, BLACK CROSS SPOKING)	22", 24", 26"	○
DCA6520	☐	HIGH PERFORMANCE (BLACK RIM, BLACK STAREC HUB, BLACK CROSS SPOKING)	24", 25" NC : 6660	533,65
DCA6550	☐	SPINERGY LXX (BLACK RIM, HUB AND RADIAL SPOKING)	24", 25" NC : 6660, 6910	771,56
UCA6551	☐	SPINERGY LITE EXTREME LX - 680g per wheel	24", 25"	1060,66
UCA6552	☐	SPINERGY LITE EXTREME X-LACED XLX - 660g per wheel	24", 25"	1140,28



6300

Tyre size

MAXXIS LIGHT GUARD / ALPHA PROTECT :
24" : 25-540

MBL SPEEDLITE :
24" : 25-540



6600



6625

UCA6553	☐	SPINERGY X-LACED SPORT LITE EXTREME XSLX - 757g per wheel	24", 25"		1206,64
UCA6554	☐	SPINERGY CARBON FIBER CLX - 570g per wheel	24", 25"		1358,29
DCA6580	☐	22", 24", 26" WHEELS WITH ATTENDANT DRUM BRAKE	22", 24", 25"	NC : 6950, 8680	518,48
UNIQUE - RIM ANODIZED COLOURS					
UCA6557	☐	BLUE			162,09
UCA6558	☐	GOLD			162,09
UCA6559	☐	GREEN			162,09
UCA6560	☐	ORANGE			162,09
UCA6561	☐	RED			162,09
UCA6562	☐	VIOLET			162,09
UNIQUE - HUB ANODIZED COLOURS					
UCA6563	☐	BLUE			162,09
UCA6564	☐	GOLD			162,09
UCA6565	☐	SILVER GREY (RAL 9006)			162,09
UCA6566	☐	GREEN			162,09
UCA6567	☐	ORANGE			162,09
UCA6568	☐	RED			162,09
UCA6569	☐	VIOLET			162,09
UNIQUE - SPOKE COLOURS					
UCA6570	☐	BLUE			162,09
UCA6571	☐	GREEN			162,09
UCA6572	☐	ORANGE			162,09
UCA6573	☐	PINK			162,09
UCA6574	☐	RED			162,09
UCA6575	☐	VIOLET			162,09
UCA6576	☐	WHITE			162,09
UCA6577	☐	YELLOW			162,09
UNIQUE - CERAMIC BEARING					
UCA6579	☐	CERAMIC BEARING			332,70

REAR WHEEL TYRE						 6630  6660
DCA6600	☐	MAXXIS LITE GUARD BLACK TYRE (puncture protection)	24"		◆	
DCA6625	☐	MAXXIS ALPHA PROTECT BLACK TYRE (puncture protection)	24"		72,04	
DCA6630	☐	MBL SPEEDLITE (puncture protection)	24"		72,04	
DCA6660	☐	24" SOLID TYRE BLACK	24"	NC : 7230	72,04	
HANDRIM						 6700 6710  6720  6740  6790 6760
DCA6700	☐	ANTI-SLIP DIST. 3 CM ADJUSTABLE 4CM			142,18	
DCA6710	☐	STEEL, DIST. 3 CM ADJUSTABLE 4CM			113,74	
DCA6720	☐	TITANIUM, DIST. 3 CM ADJUSTABLE 4CM			277,73	
DCA6740	☐	CARBOLIFE GEKKO, WITH ANTI-SLIP DIST. 3 CM ADJUSTABLE 4CM			373,46	
DCA6750	☐	CARBOLIFE GEKKO S, WITH ANTI-SLIP DIST. 3 CM ADJUSTABLE 4CM			373,46	
DCA6760	☐	CARBOLIFE CURVE L WITH ERGONOMIC PROFILE DIST. 3 CM ADJUSTABLE 4CM			282,46	
DCA6770	☐	CARBOLIFE QUADRO, WITH ERGONOMIC PROFILE DIST. 3 CM ADJUSTABLE 4CM			373,46	
DCA6780	☐	LIGHT ALU, GREY, DIST. 3 CM ADJUSTABLE 4CM			◆	
DCA6790	☐	LIGHT ALU, BLACK, DIST. 3 CM ADJUSTABLE 4CM			○	
REAR WHEEL CAMBER						
DCA6820	☐	0°			◆	
DCA6840	☐	3°		NC : 7230	○	
SPOKE GUARDS						
DCA6900	☐	22", 24", 26" TRANSPARENT			200,95	
DCA6910	☐	22", 24", 26" BLACK			200,95	
ALBER ADDS ON KIT						
DCA6950	☐	TWION AND E-MOTION M25 ADAPTER PLATE, 2 ALBER ANTI-TIPPERS INCLUDED		Only 24" wheels. NC : 7500, 7510, 7520, 8100, 8110, 8120, 8200, 8210	579,15	
<i>Tip : for perfect compatibility of the brakes with the manual wheels, we advise you to equip them with the same coating as the motorized wheels.</i>						
UNIQUE - CUSTOMIZATION						
UCA6960	☐	UNIQUE - CUSTOM COLOURS FORKS AND BEARING COVER			197,16	
UCA6961	☐	UNIQUE - CUSTOM COLOURS FORKS, BEARING COVER, FORKS HOLDERS, REAR WHEEL SUPPORTS, BRAKE CLAMPS, HANGER RELEASE LEVER			551,66	

UNIQUE - COLOURS PREMIUM ANODIZATION				
UCA6963	☐	RED		○
UCA6964	☐	VIOLET		○
UCA6965	☐	COPPER		○
UCA6966	☐	GREEN		○
UCA6967	☐	ORANGE		○
UCA6968	☐	GOLD		○
UCA6969	☐	CHAMPAGNE		○
UCA6970	☐	PINK		○
UCA6971	☐	BLUE		○
UCA6972	☐	POLY MIRROR FINISH		○
Brakes - see table 2 at the end				
DCA7200	☐	PULL BRAKES		◆
DCA7210	☐	PUSH BRAKES, BENT		○
DCA7220	☐	PUSH BRAKES LEVER STRAIGHT		○
DCA7230	☐	PERFORMANCE BRAKES	NC : 7300, 7810, 7820, 7830	76,78
DCA7250	☐	LIGHT ACTIVE BRAKE	NC : 7300	145,02
BRAKE EXTENSION LEVER				
DCA7300	☐	BRAKE EXTENSION LEVER		76,78



7250

SAFETY OPTIONS				
Assembly of a maximum of 2 elements per side from the following list: anti-tippers, tipping tubes, cane holder, tube armrests or transit wheels				
ANTITIPPER				
DCA7500	☐	ANTITIPPER RIGHT		130,81
DCA7510	☐	ANTITIPPER LEFT		130,81
DCA7520	☐	ANTITIPPER BOTH SIDES		261,61
TRANSPORTATION KIT				
DCA7600	☐	TRANSPORTATION KIT (LABELS)	NC : 7800, BH ≤ 400 mm	57,82
POSTURE BELT				
DCA7800	☐	STANDARD POSTURE BELT - PLASTIC BUCKLE		42,65
DCA7810	☐	BODYPOINT POSTURE BELT EVOFLEX, 2 POINTS, SMALL, FLAT-MOUNT WITH PUSH BUTTON		217,06
DCA7820	☐	BODYPOINT POSTURE BELT EVOFLEX, 2 POINTS, MEDIUM, FLAT-MOUNT WITH REHAB LATCH		217,06
DCA7830	☐	BODYPOINT POSTURE BELT EVOFLEX, 2 POINTS, LARGE, FLAT-MOUNT WITH REHAB LATCH		217,06
PASSIVE LIGHTS				
DCA7900	☐	PASSIVE LIGHTS ASSEMBLED (MOUNTED ON SPOKES)		22,75



7500 / 7520



7810 / 7820 / 7830

Evoflex belt adjustable from 35 mm to 125 mm rearward from the front of the seat sling. 6 positions in 15 mm increments

ATTENDANT OPTIONS				
FRAME PROTECTION				
DCA8000	☐	REAR FRAME PROTECTION		◆
DCA8010	☐	FRONT FRAME PROTECTION		44,55
TIPPER AID				
DCA8100	☐	TIPPER-AID, RIGHT	NC : 8200	66,35
DCA8110	☐	TIPPER-AID, LEFT	NC : 8210	66,35
DCA8120	☐	TIPPER-AID, BOTH SIDES	NC : 8200, 8210	132,70
CANE HOLDER				
DCA8200	☐	CANE HOLDER, RIGHT		66,35
DCA8210	☐	CANE HOLDER, LEFT		66,35
TRANSIT WHEELS				
DCA8300	☐	TRANSIT WHEELS 3"		301,42



8010

8100

8200



8300

OTHERS OPTIONS

DCA8450	☐	TABLE TRAY		391,47	 8550  8650  8850
DCA8500	☐	AIR PUMP - NEW		33,18	
DCA8550	☐	TOOL KIT		22,75	
DCA8650	☐	WHEELS BAG		65,40	
DCA8680	☐	24" MOUNTAIN BIKE WHEELS WITH BAG MOUNTAIN BIKE WHEELS AND TIRES WITH ALU GREY HANDRIMS ; QUICK RELEASE AXLES INCLUDED		646,45	
DCA8800	☐	BODYPOINT CALF STRAP		104,27	
DCA8850	☐	BODYPOINT MOBILITY BAG		104,27	

Table 1: HIGH OR STANDARD MOUNTED SITUATION (Foot plate, legrest angle and LLL)
--

STD	FOOTPLATE STANDARD MOUNTED
HIGH	FOOTPLATE HIGH MOUNTED
	CONFIGURATIONS POSSIBLE
	NC

	plastic foot plate standard				Carbon footplate 2 parts				Carbon footplate 1 piece			
	Swing Away Frame		Fixed Frame		Swing Away Frame		Fixed Frame		Swing Away Frame		Fixed Frame	
	70°	80°	70°	80°	70°	80°	70°	80°	70°	80°	70°	80°
LLL 200			HIGH	HIGH			HIGH	HIGH				
LLL 210			HIGH	HIGH			HIGH	HIGH				
LLL 220			HIGH	HIGH	HIGH	HIGH	HIGH	HIGH				
LLL 230			HIGH	HIGH	HIGH	HIGH	HIGH	HIGH				
LLL 240		HIGH	HIGH	HIGH	HIGH	HIGH	HIGH	HIGH				
LLL 250		HIGH	HIGH	HIGH	HIGH	HIGH	HIGH	HIGH				
LLL 260	HIGH	HIGH	HIGH	HIGH	HIGH	HIGH	HIGH	HIGH				
LLL 270	HIGH	HIGH	HIGH	HIGH	HIGH	STD	HIGH	HIGH		STD		
LLL 280	HIGH	HIGH	HIGH	HIGH	HIGH	STD	HIGH	HIGH		STD		
LLL 290	HIGH	HIGH	HIGH	HIGH	STD	STD	HIGH	HIGH	STD	STD		
LLL 300	HIGH	HIGH	HIGH	HIGH	STD	STD	HIGH	STD	STD	STD		STD
LLL 310	HIGH	HIGH	HIGH	HIGH	STD	STD	HIGH	STD	STD	STD		STD
LLL 320	HIGH	STD	HIGH	HIGH	STD	STD	STD	STD	STD	STD	STD	STD
LLL 330	HIGH	STD	HIGH	HIGH	STD	STD	STD	STD	STD	STD	STD	STD
LLL 340	HIGH	STD	HIGH	HIGH	STD	STD	STD	STD	STD	STD	STD	STD
LLL 350	STD	STD	HIGH	HIGH	STD	STD	STD	STD	STD	STD	STD	STD
LLL 360	STD	STD	HIGH	STD	STD	STD	STD	STD	STD	STD	STD	STD
LLL 370	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD
LLL 380	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD
LLL 390	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD
LLL 400	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD
LLL 410	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD
LLL 420	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD
LLL 430	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD
LLL 440	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD
LLL 450	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD
LLL 460	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD
LLL 470	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD
LLL 480	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD
LLL 490	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD
LLL 500	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD
LLL 510	STD		STD		STD		STD		STD		STD	

Table 2:
Brakes in relationship with rear wheel position, rear wheel size and SD

		22" REAR WHEEL					24" REAR WHEEL					25" REAR WHEEL					26" REAR WHEEL								
REAR WHEEL POS.		1	2	3	4	5	6	1	2	3	4	5	6	1	2	3	4	5	6	1	2	3	4	5	6
push brakes	SD 320-380																								
	SD 400																								
	SD 420																								
	SD 440																								
	SD 460																								
	SD 480																								
pull brakes	SD 320-380																								
	SD 400																								
	SD 420																								
	SD 440																								
	SD 460																								
	SD 480																								
performance brakes	SD 320-380																								
	SD 400																								
	SD 420																								
	SD 440																								
	SD 460																								
	SD 480																								
active brakes	SD 320-380																								
	SD 400																								
	SD 420																								
	SD 440																								
	SD 460																								
	SD 480																								
light active brakes	SD 320-380																								
	SD 400																								
	SD 420																								
	SD 440																								
	SD 460																								
	SD 480																								

NC

NC with Swing away frames

Table 3 : SWING AWAY HEMI FRAME CONDITION

Front wheel	4"	5"	6"	7"
FSTF 370	Hemi*			
FSTF 380	Hemi	Hemi*		
FSTF 390	Hemi	Hemi*		
FSTF 400	Hemi	Hemi*	Hemi*	
FSTF 410	Std*	Hemi	Hemi*	
FSTF 420	Std*	Hemi	Hemi*	
FSTF 430	Std*	Hemi	Hemi	
FSTF 440	Std	Std*	Hemi	
FSTF 450	Std	Std*	Hemi	
FSTF 460	Std	Std*	Std*	Hemi
FSTF 470	Std	Std	Std*	Hemi
FSTF 480	Std	Std	Std*	Hemi
FSTF 490	Std	Std	Std	Std*
FSTF 500	Std	Std	Std	Std*
FSTF 510	Std	Std	Std	Std*
FSTF 520	Std	Std	Std	Std
FSTF 530	Std	Std	Std	Std

	NC
	FSTF NOT IN THE EPF
Hemi* / Std*	WITH HOUSING CONNECTOR PLATE




Table 4 : MATRIX BACKREST WIDTH AVAILABLE RANGE RANGE

	ELITE E2 / ELITE DEEP E2 MATRX BACKREST WIDTH CHOICE						
SEAT WIDTH (SW)	360	380	410	430	460	480	510
280							
300							
320							
340							
360							
380							
400							
420							
440							
460							
480							
500							

	MX2 MATRIX BACKREST WIDTH CHOICE						
SEAT WIDTH (SW)	360	380	410	430	460	480	510
280							
300							
320							
340							
360							
380							
400							
420							
440							
460							
480							
500							

Accessory Ramps					
1440530	☐	Fiberglass Folding Mono Ramp Folded dimensions: 2000 x 230 mm 16.3 kg - maximum capacity: 300 kg		1 787,68	 1440530
1654128	☐	Basic ramp 2 telescopic parts in aluminum and non-slip coating Folded dimensions: 1210 x 194 mm 8.8 kg per pair - maximum capacity: 270 kg		402,84	 1654128
1654129	☐	Quick2go Compact 3-part aluminum telescopic ramp with non-slip coating Folded dimensions: 870 x 237 mm 13.6 kg per pair - max. : 260 kg		805,69	 1654129
1654130	☐	Aluminium folding mono ramp Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg		426,54	 1654130