

Küschall® K-Series

Please contact Invacare EU Export Customer Services on :-
Tel : +33 247 626980 ; Email : serviceclient_export@invacare.com
Or visit our website : www.invacare.eu.com



Küschall K-Series



Active, lightweight aluminum wheelchair, rigid frame, folding and angle-adjustable backrest



Description:
- Aluminum frame with hydroformed tubes
- Customization kit with premium decals
- Backrest adjustable in angle and folding on the seat with locking as standard
- Max user weight: 130 kg
- Complete weight: from 7.8 kg.
- Transport weight: from 5.1 kg.
- Warranty: 2 years excluding wearing parts
Discover the new possibilities of the special fabrication **UNIQUE**. Push back the limits of the personalization with a wide range of possibilities. Create **UNIQUE** wheelchairs.
You will find the special fabrications within the turquoise blue frames

Discover our new tool to help calculate overall dimensions and find the visual configurator to make your configuration!

Date :

Purchase Order :

Customer Code :


Distributor Stamp:

We reserve the right to deliver a + or – tolerance of +/- 10 mm on all measurements We reserve the right to make technical changes without notice


☐ Please make your selection with a cross in the box ◆ Standard feature ○ Free of charge option

CODE		DESCRIPTION	NC : Non Compatible NC : 9999 = not compatible with the reference 9999	Euros	
DKA0067	☐	küschall® K-Series®		3 016,11	
SPECIAL CONSTRUCTION					
DKA0000	☐	Myküschall special construction		On Request	
UKA0001	☐	UNIQUE - PERSONNALIZATION		On Request	
PACKS POSITIONNEMENT ET PRÉVENTION D'ESCARRES					
DKA0220	☐	Matrx MX2 & Libra positioning and pressure ulcer prevention pack including: - Matrx MX2 (size of your choice DKA2300 to DKA2315) - Matrx Libra cushion (DKA2720) - Bodypoint® Evoflex® 2-point hip belt (size of your choice DKA7810 to DKA7830)	NC: Seat width 360 mm possible only with depth 400/425 mm, 1310, 1315, 1350, 1355, 1410, 1420	1222,23	Save 15% by selecting this PACK, i.e. €277,53
DKA0230	☐	Matrx Elite E2 & Libra positioning and pressure ulcer prevention pack including: - Matrx Elite E2 / Elite Deep E2 backrest (size of your choice DKA2320 to DKA2350) - Matrx Libra cushion (DKA2720) - Bodypoint® Evoflex® 2-point hip belt (size of your choice DKA7810 to DKA7830)	NC: Seat width 360 mm possible only with depth 400/425 mm, 1310, 1315, 1410, 1420	1105,39	Save 10% by selecting this PACK, i.e. €106,70
SEATING CHOICE					
FRAME					
DKA1040	☐	Frame Angle 75° To The Ground Aluminium	NC : 1475, 1490, 1495, 7240	◆	 Châssis 90° : 1070
DKA1050	☐	Frame Angle 75° To The Ground Aluminium - Tapered Front Frame	NC : 1475, 1490, 1495, 1740, 1745, 1750, 3230, 7240	○	
DKA1060	☐	Frame Angle 75° To The Ground Aluminium +50Mm	NC : 1410, 1420, 1435, 1740, 1745, 1750, 1755, 1760	145,97	
DKA1070	☐	Frame Angle 90° To The Ground Aluminium	NC : 1475, 1490, 1495, 7240	○	
DKA1080	☐	Frame Angle 90° To The Ground Aluminium - Tapered Front Frame	NC : 1475, 1490, 1495, 1740, 1745, 1750, 3230, 5300, 5350, 5400, 5450, 5500, 7240	○	
DKA1090	☐	Frame Angle 90° To The Ground Aluminium +50 Mm	NC : 1410, 1420, 1435, 1740, 1745, 1750, 1755, 1760	145,97	

SUSPENSION				
DKA1200	☐	40 - 65 kg	NC : 1310, 1350, 1355, 1410, 1520, 1815, 1820, 1825, 1830, 1835, 6030, 6040, 6420, 6430, 6950	336,49
DKA1210	☐	65 - 85 kg	NC : 1310, 1350, 1355, 1410, 1520, 1815, 1820, 1825, 1830, 1835, 6030, 6040, 6420, 6430, 6950	336,49
DKA1220	☐	85 - 100 kg	NC : 1310, 1350, 1355, 1410, 1520, 1815, 1820, 1825, 1830, 1835, 6030, 6040, 6420, 6430, 6950	336,49
SEAT WIDTH (SW)				
DKA1310	☐	320 mm	NC : 2000, 2050, 2300 to 2357, 2610, 2630, 2710, 2720, 2740, 2742, 2744, 2746, 2748, 3405, 3420	○
DKA1315	☐	340 mm	NC : 2300 to 2357, 2710, 2720, 2740, 2742, 2744, 2746, 2748, 3405, 3420	○
DKA1320	☐	360 mm	NC : 2364, 2366, 2368, 2372, 2710, 2742, 2744, 2746, 2748	○
DKA1325	☐	380 mm	NC : 2366, 2368, 2370, 2372	○
DKA1330	☐	400 mm	NC : 2360, 2366, 2368, 2370, 2372	○
DKA1335	☐	420 mm	NC : 2360, 2362, 2368, 2370, 2372	○
DKA1340	☐	440 mm	NC : 2210, 2360, 2362, 2364, 2370, 2372, 2630, 2740, 2742	○
DKA1345	☐	460 mm	NC : 2210, 2360, 2362, 2364, 2372, 2630, 2740, 2742, 2744	○
DKA1350	☐	480 mm	NC : 2210, 2300, 2305, 2310, 2315, 2345, 2360, 2362, 2364, 2366, 2630, 2740, 2742, 2744, 3230	○
DKA1355	☐	500 mm	NC : 2210, 2300, 2305, 2310, 2315, 2345, 2360, 2362, 2364, 2366, 2368, 2630, 2740, 2742, 2744, 2746, 3210, 3230	○
SEAT DEPTH (SD)				
DKA1410	☐	350 mm	NC : 1500, 1510, 2630, 2710, 2720, 2740 to 2746, 2748, 2860, 7810, 7820, 7830	○
DKA1420	☐	375 mm	NC : 2710, 2720, 2742, 2744, 2746, 2748, 7810, 7820, 7830	○
DKA1435	☐	400 mm		○
DKA1450	☐	425 mm	NC : 2740, 2746	○
DKA1465	☐	450 mm	NC : 2630, 2740, 2742	○
DKA1475	☐	475 mm	NC : 2630, 2740, 2742, 2744, 2748	○
DKA1490	☐	500 mm	NC : 2630, 2710, 2740, 2742, 2744, 2746, 2748	○
DKA1495	☐	525 mm	NC : 2610, 2630, 2710, 2740, 2742, 2744, 2746, 2748	○
SEAT POSITION (SP)				
DKA1500	☐	Position 1 = 140 mm (MOST active)		○
DKA1510	☐	Position 2 = 125 mm		○
DKA1520	☐	Position 3 = 110 mm		◆
DKA1530	☐	Position 4 = 95 mm		○
DKA1540	☐	Position 5 = 80 mm (MOST stable)		○



BACK HEIGHT (BH)							
DKA1605	☐	270 mm			NC : 2150, 2240, 2430, 0703, 7600	☐	
DKA1610	☐	285 mm			NC : 2150, 2240, 7600	☐	
DKA1615	☐	300 mm	DKA1620	☐	315 mm	NC : 2150, 2240, 7600	☐
DKA1625	☐	330 mm	DKA1630	☐	345 mm	NC : 2150, 2240, 7600	☐
DKA1635	☐	360 mm			NC : 2150, 2210, 2240, 7600	☐	
DKA1640	☐	375 mm			NC : 2150, 2210, 2240, 7600	☒	
DKA1645	☐	390 mm			NC : 2150, 2210, 2240, 7600	☐	
DKA1650	☐	405 mm	DKA1655	☐	420 mm	NC : 2150, 2210, 2240	☐
DKA1660	☐	435 mm	DKA1665	☐	450 mm	NC : 2150, 2210, 2240	☐
DKA1670	☐	465 mm	DKA1675	☐	480 mm	NC : 2150, 2210, 2240	☐
Front seat height (FSTF) - see table 1 of front wheel compatibility and front seat height							
DKA1740	☐	450 mm			NC : 5300, 5350, 5400, 5450, 5500	☐	
DKA1745	☐	460 mm			NC : 5300, 5350, 5400, 5450, 5500	☐	
DKA1750	☐	470 mm				☐	
DKA1755	☐	480 mm				☐	
DKA1760	☐	490 mm				☐	
DKA1765	☐	500 mm				☒	
DKA1770	☐	510 mm				☐	
DKA1775	☐	520 mm				☐	
REAR SEAT-TO-FLOOR (RSTF)							
DKA1815	☐	390 mm			NC : 3490, 3495, 6030, 6040, 6420, 6430	☐	
DKA1820	☐	400 mm			NC : 3490, 3495, 6030, 6040, 6430	☐	
DKA1825	☐	410 mm			NC : 3490, 3495	☐	
DKA1830	☐	420 mm				☐	
DKA1835	☐	430 mm				☒	
DKA1840	☐	440 mm	DKA1845	☐	450 mm	☐	
DKA1850	☐	460 mm	DKA1855	☐	470 mm	☐	
DKA1860	☐	480 mm				☐	
DKA1865	☐	490 mm			NC : 6410	☐	
LOWER LEG LENGTH (LLL) - FOR LLL < 390MM AND DEPENDING ON CONFIGURATION, FOOTPLATE MAY BE UPMOUNTED, SEE TABLE 2							
DKA1918	☐	290 mm				☐	
DKA1920	☐	300 mm	DKA1922	☐	310 mm	☐	
DKA1924	☐	320 mm	DKA1926	☐	330 mm	☐	
DKA1928	☐	340 mm	DKA1930	☐	350 mm	☐	
DKA1932	☐	360 mm	DKA1934	☐	370 mm	☐	
DKA1936	☐	380 mm	DKA1938	☐	390 mm	☐	
DKA1940	☐	400 mm	DKA1942	☐	410 mm	☐	
DKA1944	☐	420 mm				☐	
DKA1946	☐	430 mm				☒	
DKA1948	☐	440 mm	DKA1950	☐	450 mm	☐	
DKA1952	☐	460 mm	DKA1954	☐	470 mm	☐	
DKA1956	☐	480 mm				☐	
BACKREST							
BACKREST MATERIAL							
DKA2000	☐	Aluminium			NC : SW 320 mm	☒	
DKA2050	☐	Titanium = - 80 g (with aluminum push handles)			NC : SW 320 mm, 2150, 2430, 7600	345,02	
BACKREST TYPE							
DKA2100	☐	Standard			NC : 2240, 2300 to 2357, 2440	☒	
DKA2150	☐	BACKREST WITH LOWER BACKBRACE, BACKREST TUBES HEIGHT IS 285 MM			NC : 2210, 2220, 2230, 2430	☐	



LLL = LLL patient - Seat cushion

BACK UPHOLSTERY				
DKA2210	☐	LIGHT BACK UPHOLSTERY	NC : 2300 to 2357, 2430, 2440 and SW > 420 mm / BH > 345 mm	178,20
DKA2220	☐	TENSION ADJUSTABLE PREMIUM BLACK BACK UPHOLSTERY WITH LOOP BANDS	NC : 2300 to 2357, 2440	◆
DKA2230	☐	AERO BACK, TENSION ADJUSTABLE	NC : 2300 to 2357, 2440	258,77
DKA2240	☐	WITHOUT BACKREST UPHOLSTERY, SELECT IF YOU WANT TO MOUNT POSITIONNING BACKRESTS SUCH AS MATRX		○
UNIQUE - BACK UPHOLSTERY STITCHING COLOUR - Only for Aero Back upholstery				
UKA2241	☐	NEON YELLOW		101,42
UKA2242	☐	NEON PINK		101,42
UKA2243	☐	BLUE		101,42
UKA2244	☐	WHITE		101,42
UKA2245	☐	RED		101,42
UKA0002	☐	"Your personal color": <i>Please contact our customers service</i>		<i>On Request</i>
UNIQUE - BACK UPHOLSTERY - EMBROIDERY - Only for Aero Back upholstery				
UKA2246	☐	SMILEY		218,01
UKA2248	☐	TRAVELER		218,01
UKA2249	☐	SAKURA BEAUTY		218,01
UKA2250	☐	FANNY CACTUS		218,01
UKA2251	☐	KUSCHALL LOGO: <i>Please contact our customers service</i>		<i>On Request</i>
UKA0003	☐	"Your personal design": <i>Please contact our customers service - Provide the wished design in .ai / .pdf or .png format</i>		<i>On request</i>
UNIQUE - BACK UPHOLSTERY - FLOCKING - Only for Aero Back upholstery				
UKA2253	☐	SMILEY		118,48
UKA2255	☐	TRAVELER		118,48
UKA2256	☐	SAKURA BEAUTY		118,48
UKA2257	☐	FANNY CACTUS		118,48
UKA2259	☐	PAINT STAIN		118,48
UKA0004	☐	"Your personal color": <i>Please contact our customers service - Provide the wished design in .ai / .pdf or .png format</i>		<i>On Request</i>
MATRX BACKRESTS - HEIGHT REFERS TO ACTUAL HEIGHT OF THE MATRX BACKREST, NOT POSSIBLE WITH SW ≤ 340 MM - Matrx MX2 backrest user max. weight 114 kg				
DKA2300	☐	Matrx MX2, Height 150 Mm With Quick Release Hardware	NC : 2370, 2372	927,01
DKA2305	☐	Matrx MX2, Height 230 Mm With Quick Release Hardware	NC : 2370, 2372	927,01
DKA2310	☐	Matrx MX2, Height 305 Mm With Quick Release Hardware	NC : 2370, 2372	927,01
DKA2315	☐	Matrx MX2, Height 405 Mm With Quick Release Hardware	NC : 2370, 2372	927,01
DKA2316	☐	Elite Deep E2 , Height 160 Mm With Mini-Set Mounting Hardware		717,54
DKA2317	☐	Elite Deep E2 , Height 210 Mm With Mini-Set Mounting Hardware		717,54
DKA2318	☐	Elite Deep E2 , Height 260 Mm With Mini-Set Mounting Hardware		717,54
DKA2320	☐	Elite Deep E2 , Height 310 Mm With Mini-Set Mounting Hardware		717,54
DKA2322	☐	Elite Deep E2, Height 360 Mm With Mini-Set Mounting Hardware		717,54
DKA2325	☐	Elite Deep E2, Height 410 Mm With Mini-Set Mounting Hardware		717,54
DKA2330	☐	Elite Deep E2, Height 460 Mm With Easy-Set Mounting Hardware		717,54








2230



2300, 2305, 2310, 2315

MX2: only 140g more than a tension-adjustable backrest!

DKA2331	☐	Elite Deep E2, Height 510 Mm With Easy-Set Mounting Hardware		717,54	 2316 to 2331  2332 to 2357
DKA2332	☐	Elite E2, Height 160 Mm With Mini-Set Mounting Hardware		717,54	
DKA2334	☐	Elite E2, Height 210 Mm With Mini-Set Mounting Hardware		717,54	
DKA2335	☐	Elite E2, Height 260 Mm With Mini-Set Mounting Hardware		717,54	
DKA2340	☐	Elite E2, Height 310 Mm With Mini-Set Mounting Hardware		717,54	
DKA2345	☐	Elite E2, Height 360 Mm With Mini-Set Mounting Hardware		717,54	
DKA2350	☐	Elite E2, Height 410 Mm With Mini-Set Mounting Hardware		717,54	
DKA2355	☐	Elite E2, Height 460 Mm With Easy-Set Mounting Hardware		717,54	
DKA2357	☐	Elite E2, Height 510 Mm With Easy-Set Mounting Hardware		717,54	
MATRIX BACKRESTS WIDTH CHOICE - See Table 3					
DKA2360	☐	360 mm - indicative bust 265 mm		☐	
DKA2362	☐	380 mm - indicative bust 290 mm		☐	
DKA2364	☐	410 mm - indicative bust 315 mm		☐	
DKA2366	☐	430 mm - indicative bust 340 mm		☐	
DKA2368	☐	460 mm - indicative bust 370 mm		☐	
DKA2370	☐	480 mm - indicative bust 390 mm		☐	
DKA2372	☐	510 mm - indicative bust 420 mm		☐	
PUSH HANDLES					
DKA2400	☐	WITHOUT PUSH HANDLES		☒	 2430  2450
DKA2410	☐	PUSH HANDLES FIXED, SHORT		☐	
DKA2420	☐	PUSH HANDLES FIXED, LONG		☐	
DKA2430	☐	HEIGHT ADJUSTABLE, REAR SET	NC : BH 285 mm to 330 mm + 3480, 3480	212,32	
DKA2440	☐	HEIGHT ADJUSTABLE, INTEGRATED		254,03	
DKA2450	☐	FOLDABLE PUSH HANDLES	NC : BH 315 mm to 330 mm + 3480	213,27	
BACKREST ANGLE (BA)					
DKA2520	☐	78°		☐	
DKA2540	☐	82°		☒	
DKA2560	☐	86°		☐	
DKA2580	☐	90°	DKA2590 ☐	94°	
SEAT UPHOLSTERY					
DKA2600	☐	STANDARD SEAT UPHOLSTERY - CENTRAL LOOP BAND		☒	 2600  2630  2610
DKA2610	☐	TENSION ADJUSTABLE WITH ONE CENTRAL LOOP BAND (SOFT)		92,89	
DKA2630	☐	LIGHT SEAT UPHOLSTERY		66,35	
UNIQUE - SEAT UPHOLSTERY STITCHING COLOUR					
UKA2602	☐	NEON YELLOW		118,48	
UKA2603	☐	NEON PINK		118,48	
UKA2604	☐	BLUE		118,48	
UKA2605	☐	WHITE		118,48	
UKA2606	☐	RED		118,48	
UKA0005	☐	"Your personnal color": <i>Please contact our customers service</i>		<i>On Request</i>	

SEATING					
SEAT CUSHION					
DKA2700	☐	STANDARD SEAT CUSHION,60 MM, DOUBLE FOAM WITH VISCO TOP	NC : 2810, 2820, 2830, 2840, 2850	101,42	 2700
DKA2710	☐	FLO-TECH LITE	NC : 2810, 2820, 2830, 2840, 2850	118,48	 2710
DKA2720	☐	MATRX LIBRA CUSHION, BLACK SMOOTH COVER	NC : largeur 360 mm possible uniquement avec profondeur 400 and 425 mm	293,84	 2720
DKA2740	☐	CLASSIC VISCO CUSHION 375 X 400 MM	NC : 2810, 2820, 2830, 2840, 2850	76,78	 2740 / 2742 2744 / 2746
DKA2742	☐	CLASSIC VISCO CUSHION 405 X 400 MM	NC : 2810, 2820, 2830, 2840, 2850	65,40	
DKA2744	☐	CLASSIC VISCO CUSHION 405 X 400 MM	NC : 2810, 2820, 2830, 2840, 2850	65,40	
DKA2746	☐	CLASSIC VISCO CUSHION 455 X 400 MM	NC : 2810, 2820, 2830, 2840, 2850	76,78	 2748
DKA2748	☐	CONTOUR VISCO NG CUSHION	NC : 2810, 2820, 2830, 2840, 2850	76,78	 2800
DKA2750	☐	VICAIR ACTIVE O2 CUSHION		683,73	
SEAT BAG					
DKA2800	☐	SEAT BAG, CLICK-IN AND REMOVABLE		81,52	
MATRX LIBRA CUSHION ACCESSORIES					
DKA2810	☐	FLUID SUPPLEMENT SAC (PAIR)		91,00	 2810
DKA2820	☐	TAPERED WEDGE PAIR		41,71	 2820
DKA2830	☐	ABDUCTOR		47,39	 2830
DKA2840	☐	LATERAL SIDE WEDGE		41,71	 2840
DKA2850	☐	ANTERIOR FRONT WEDGE		54,98	 2850
SEAT RIGIDIZER					
DKA2860	☐	SEAT RIGIDIZER	(Mandatory: choose a seat cushion)	56,87	 2860
SEAT UPHOLSTERY BAGS					
DKA2910	☐	BIG BAG - TO FIX UNDER THE SEAT		61,61	
FOOTREST					
FOOTREST TYPE (TUBE / PLATE)					
DKA3200	☐	FOOTREST TUBE, RIGID - ALUMINIUM NEW PROFILE		◆	 3200
DKA3210	☐	FOOTREST TUBE, RIGID - TITANIUM		246,45	
DKA3220	☐	CARBON FOOTPLATE, ANGLE ADJUSTABLE	NC : 3290	264,45	
DKA3230	☐	FOOTPLATE FLIP-UP TO SIDE, ANGLE ADJUSTABLE NOT POSSIBLE WITH TAPERED FRAME	NC : 3290	458,77	
FOOTREST COVER					
DKA3290	☐	FOOTREST COVER		113,74	 3305
CALF STRAP MOUNTED ON THE FRAME					
DKA3300	☐	CALF STRAP MOUNTED ON THE FRAME		◆	
DKA3305	☐	CALF STRAP WITH BRACKET SUPPORT		76,78	


CLOTHES GUARDS / MUDGUARDS				
CLOTHES GUARDS				
DKA3405	☐	ECONOMY CLOTHES GUARDS, FLIP-BACK - NEW PART		◆
DKA3420	☐	CARBON CLOTHES GUARDS, FLIP BACK - NEW DESIGN		167,77
MUDGUARDS				
DKA3440	☐	CARBON MUDGUARDS, REMOVABLE- NEW DESIGN	NC : 3490, 3495	336,49
DKA3450	☐	ECONOMY MUDGUARDS, REMOVABLE - NEW DESIGN	NC : 3490, 3495	○
UNIQUE - CUSTOM TRANSPARENT COLORS - Only for economy clothes guards				
UKA3422	☐	TRANSPARENT		520,38
UKA3423	☐	TRANSPARENT BLUE		745,02
UKA3424	☐	NEON YELLOW		745,02
UKA3425	☐	NEON ORANGE		745,02
UKA3426	☐	NEON RED		745,02
UKA0006	☐	"Your personal color": Please contact our customers service		On Request
UKA0007	☐	"Your personal design": Please contact our customers service -Provide the wished design in .ai / .pdf or .eps format		On Request
ARMREST / SIDEREST				
DKA3480	☐	TUBULAR ARMREST, NON-LOCKING, HEIGHT ADJUSTABLE, REMOVABLE, SWING-AWAY, COMFORT PADDED	NC : BH < 315 mm + 2450, BH <315 + 2430, 6950	264,45
DKA3490	☐	SIDEREST, HEIGHT ADJUSTABLE, SHORT, NON-LOCKING	NOT POSSIBLE WITH RSTF < 420 MM	253,08
DKA3495	☐	SIDEREST, HEIGHT ADJUSTABLE, LONG, NON-LOCKING	NOT POSSIBLE WITH RSTF < 420 MM	277,73
FRAME				
FRAME COLOR				
DKA4000	☐	SPACE BLACK (RAL 9005)		○
DKA4010	☐	ANTHRACITE GREY (RAL 7016)		○
DKA4020	☐	PURE WHITE (RAL 9016)	NC : 4220	○
DKA4030	☐	CARMINE RED (RAL 3002)		○
DKA4040	☐	AZURE BLUE (RAL 5017)		○
DKA4060	☐	FLASHY YELLOW (RAL 1016)		216,11
DKA4100	☐	BLACK GLOSSY (RAL 9005)		216,11
DKA4130	☐	SILVER GREY (RAL 9006)		216,11
DKA4140	☐	ROYAL BLUE - specific color mix, no RAL definition		216,11
DKA4150	☐	RUBY RED (RAL 3003)		216,11
DKA4170	☐	DYNAMITE ORANGE - specific color mix, no RAL definition		216,11
DKA4180	☐	FOREST GREEN (RAL 6029)		216,11
UKA4101	☐	DIAMOND SILVER		750,71
UKA4102	☐	PASTEL GREEN		750,71
UKA4103	☐	SKY BLUE		750,71
UKA4104	☐	PLUM PURPLE		750,71
UKA4105	☐	SALMON		750,71
UKA0008	☐	Special colors on demand only : - Manufacturing time + 10 days: for a color already offered on the other ranges of Invacare manual wheelchairs. WHERE - Manufacturing time + 15 days: for any other request (subject to feasibility) - specify RAL number		750,71
UNIQUE - CERAMIC GLAZE FINISH				
UKA4066	☐	CERAMIC GLAZE FINISH (ONLY FOR UKA**** COLOURS)		643,60
STYLING				
DKA4190	☐	BOLD	NC : 4300, 4310	64,45
DKA4195	☐	TAG	NC : 4200 to 4250	◆



3440



3440



3480

3490

EXTRA LEAD TIME
+10 DAYS



BOLD



TAG

BOLD COLOR				
DKA4200	☐	BLACK		○
DKA4210	☐	DARK GREY		○
DKA4220	☐	LIGHT GREY		○
DKA4230	☐	RED		○
DKA4240	☐	BLUE		○
DKA4250	☐	GOLD		○
UKA4252	☐	NEON YELLOW		161,14
UKA4253	☐	NEON GREEN		161,14
UKA4254	☐	NEON ORANGE		161,14
UKA4255	☐	NEON PINK		161,14
UKA4256	☐	NEON RED		161,14
UKA0009	☐	"Your personnal color": Please contact customers service		On Request

TAG COLOR				
DKA4300	☐	BLACK		○
DKA4310	☐	RED		○

FRONT WHEELS				
DKA5000	☐	3" SUPERSPORT		○
DKA5050	☐	4" EVERYDAY WHEEL WITH BLACK TYRE		◆
DKA5100	☐	4" COMFORT WHEEL WITH BLACK TYRE		○
DKA5150	☐	4" STAREC BLACK HUB, BLACK TYRE		75,83
DKA5200	☐	4" FROGLEGS FRONT WHEEL WITH BLACK HUB, BLACK TYRE	Select the Froglegs front wheels with black hub (DKA5200) to access UNIQUE anodizations	121,33
DKA5250	☐	4" FROGLEGS FRONT WHEEL WITH SILVER HUB, BLACK TYRE		121,33
DKA5300	☐	5" EVERYDAY WITH BLACK RUBBER HUB, BLACK TYRE		○
DKA5350	☐	5" COMFORT WHEEL BLACK RUBBER HUB, BLACK TYRE		○
DKA5400	☐	5" STAREC BLACK HUB, BLACK TYRE		103,32
DKA5450	☐	5" FROGLEGS FRONT WHEEL WITH BLACK HUB, BLACK TYRE	Select the Froglegs front wheels with black hub (DKA5450) to access UNIQUE anodizations	147,87
DKA5500	☐	5" FROGLEGS FRONT WHEEL WITH SILVER HUB, BLACK TYRE		147,87

UNIQUE - FROGLEGS HUB COLOURS				
UKA5502	☐	PINK		98,58
UKA5504	☐	ORANGE		98,58
UKA5506	☐	BLUE		98,58
UKA5507	☐	VIOLET		98,58
UKA5508	☐	RED		98,58
UKA5509	☐	GOLD		98,58

UNIQUE - CERAMIC BEARING				
UKA5510	☐	CERAMIC BEARING		98,58

REAR WHEEL FIXATION				
DKA6020	☐	STANDARD REAR WHEEL POSITION	NC : 6100 to 6140, 6230, 6240	◆
DKA6030	☐	LIGHT REAR WHEEL EXTENSION (POSITION 1 TO 3)	NC : 6070, 6130, 6140, 6230, 6240	252,13
DKA6040	☐	REAR WHEEL EXTENSION (5 POSITIONS)	NC : 6070	320,38

CAMBER AXLE TYPE - 1st AXLE				
DKA6050	☐	VARIO-AXE, ADJUSTABLE CAMBER 1 / 3 / 7 / 10°	NC : 6200, 6210, 6220, 6270, 6950, 7230	491,00
DKA6060	☐	STANDARD AXLE		◆
DKA6070	☐	CARBON AXLE	NC : 6950	176,30

POSITION OF 1st AXLE				
DKA6100	☐	1 (compulsory for the use of a 2nd axle)		○
DKA6110	☐	2	NC : 6230, 6240	○
DKA6120	☐	3	NC : 6230, 6240	◆
DKA6130	☐	4	NC : 6230, 6240	○
DKA6140	☐	5	NC : 6230, 6240	○



5000




5200 / 5250 / 5450 / 5500



5350

5050 / 5300



CAMBER ANGLE 1st AXLE				
DKA6200	☐	0°	NC : 6270	○
DKA6210	☐	3°		◆
DKA6220	☐	6°	NC : 6240, 6250, 6950	○
SECOND CAMBER AXLE TYPE - SECOND AXLE ONLY IN THE 5TH POSITION FROM THE FRONT				
DKA6230	☐	STANDARD	NC : 6950	252,13
DKA6240	☐	VARIO-AX, ADJUSTABLE CAMBER 1 / 3 / 7 / 10°	NC : 6250, 6260, 6270, 6950, 7230	491,00
CAMBER ANGLE 2nd AXLE - MAX. 3° CAMBER DIFFERENCE WITH 1ST AXLE ; IF ONLY ONE OF THE AXLES IS A VARIO-AX, 2ND AXLE ONLY IN 0 OR 3°				
DKA6250	☐	0°		○
DKA6260	☐	3°		○
DKA6270	☐	6°		○
QUAD RELEASE AXLE				
DKA6300	☐	TETRA-CLIP	NC : 6550, 6950	143,13
REAR WHEELS SIZE (see the possible diameters per wheel in Type of rear wheels)				
DKA6410	☐	24"		◆
DKA6420	☐	25"	NC : 6500, 6510, 6600, 6610, 6630, 6660, 6680, 6700, 6710, 6720, 6760, 6770, 6900, 6910, 6950	○
DKA6430	☐	26"	NC : 6500, 6520, 6550, 6600, 6610, 6630, 6660, 6720, 6740, 6750, 6760, 6770, 6950, 7240	516,59
REAR WHEELS TYPE				
DKA6500	☐	24" ACTIVE WHEELS (BLACK RIM, HUB AND RADIAL SPOKING INCL. ALU HANDRIMS)	24" NC : All handrims, 6680, 6900, 6910	◆
DKA6510	☐	KUSCHALL STAREC HUB (BLACK RIM AND HUB, BLACK CROSS SPOKING)	24", 26"	○
DKA6520	☐	HIGH PERFORMANCE (BLACK RIM, BLACK STAREC HUB, BLACK CROSS SPOKING)	24", 25" NC : 6660	533,65
DKA6550	☐	SPINERGY LXX (BLACK RIM, HUB AND RADIAL SPOKING)	24", 25" NC : 6660, 6910	771,56
UKA6551	☐	SPINERGY LITE EXTREME LX - 680g per wheel	24", 25"	1060,66
UKA6552	☐	SPINERGY LITE EXTREME X-LACED XLX - 660g per wheel	24", 25"	1140,28
UKA6553	☐	SPINERGY X-LACED SPORT LITE EXTREME XSLX - 757g per wheel	24", 25"	1206,64
UKA6554	☐	SPINERGY CARBON FIBER CLX - 570g per wheel	24", 25"	1358,26
UNIQUE - RIM ANODIZED COLOURS				
UKA6557	☐	BLUE		162,09
UKA6558	☐	GOLD		162,09
UKA6559	☐	GREEN		162,09
UKA6560	☐	ORANGE		162,09
UKA6561	☐	RED		162,09
UKA6562	☐	VIOLET		162,09
UNIQUE - HUB ANODIZED COLOURS				
UKA6563	☐	BLUE		162,09
UKA6564	☐	GOLD		162,09
UKA6565	☐	SILVER GREY (RAL 9006)		162,09
UKA6566	☐	GREEN		162,09
UKA6567	☐	ORANGE		162,09
UKA6568	☐	RED		162,09
UKA6569	☐	VIOLET		162,09




6300

UNIQUE - SPOKE COLOURS				
UKA6570	☐	BLUE		162,09
UKA6571	☐	GREEN		162,09
UKA6572	☐	ORANGE		162,09
UKA6573	☐	PINK		162,09
UKA6574	☐	RED		162,09
UKA6575	☐	VIOLET		162,09
UKA6576	☐	WHITE		162,09
UKA6577	☐	YELLOW		162,09
UNIQUE - CERAMIC BEARING				
UKA6579	☐	CERAMIC BEARING		332,70
REAR WHEEL TYRE				
DKA6600	☐	MAXXIS LITE GUARD BLACK TYRE (puncture protection)	24"	◆
DKA6625	☐	MAXXIS ALPHA PROTECT BLACK TYRE (puncture protection)	24"	72,04
DKA6630	☐	MBL SPEEDLITE (puncture protection)	24"	72,04
DKA6660	☐	SOLID TYRE, BLACK	24" NC : 6680, 7230	72,04
HANDRIMS				
DKA6700	☐	ANTI-SLIP DIST. 3 CM ADJUSTABLE 4CM	24", 26"	142,18
DKA6710	☐	STEEL, DIST. 3 CM ADJUSTABLE 4CM	24", 26"	113,74
DKA6720	☐	TITANIUM, DIST. 3 CM ADJUSTABLE 4CM	24"	277,73
DKA6740	☐	CARBOLIFE GEKKO, WITH ANTI-SLIP DIST. 3 CM ADJUSTABLE 4CM	24", 25"	373,46
DKA6750	☐	CARBOLIFE GEKKO S, WITH ANTI-SLIP DIST. 3 CM ADJUSTABLE 4CM	24", 25"	373,46
DKA6760	☐	CARBOLIFE CURVE L WITH ERGONOMIC PROFILE DIST. 3 CM ADJUSTABLE 4CM	24"	282,46
DKA6770	☐	CARBOLIFE QUADRO, WITH ERGONOMIC PROFILE DIST. 3 CM ADJUSTABLE 4CM	24"	373,46
DKA6780	☐	LIGHT ALU, GREY, DIST. 3 CM ADJUSTABLE 4CM	24", 25", 26"	◆
DKA6790	☐	LIGHT ALU, BLACK, DIST. 3 CM ADJUSTABLE 4CM	24", 25", 26"	○
SPOKE GUARDS				
DKA6900	☐	Transparent	24", 26"	200,95
DKA6910	☐	Black	24", 26"	200,95





6790 6760

6700 6710

6720

6740

ALBER ADD-ON KIT - 2 ALBER ANTI-TIPPERS INCLUDED / ONLY FOR 24" REAR WHEELS					
ALBER ADDS ON KIT + 3° CAMBER AXLE : MAX USER WEIGHT 100 Kg					
DKA6950	☐	E-MOTION & TWION M25 ADAPTER PLATE	NC : 7500, 7510, 7520, 8200, 8210, 8300	579,15	
<i>Tip : for perfect compatibility of the brakes with the manual wheels, we advise you to equip them with the same coating as the motorized wheels.</i>					
UNIQUE CUSTOMIZATION					 7210 7230 7240  7250
UKA6960	☐	UNIQUE - CUSTOM COLOURS FORKS AND BEARING COVER		197,16	
UKA6961	☐	UNIQUE - CUSTOM COLOURS FORKS, BEARING COVER, BACKREST SUPPORT, SEAT CAPS, BRAKE CLAMPS		551,66	
UKA6962	☐	UNIQUE - CUSTOM COLOURS FORKS, BEARING COVER, BACKREST SUPPORT, SEAT CAPS, BRAKE CLAMPS, FOOTREST, CAMBER BAR CLAMPS		779,15	
UNIQUE - COLOURS PREMIUM ANODIZATION					
UKA6963	☐	RED		○	
UKA6964	☐	VIOLET		○	
UKA6965	☐	COPPER		○	
UKA6966	☐	GREEN		○	
UKA6967	☐	ORANGE		○	
UKA6968	☐	GOLD		○	
UKA6969	☐	CHAMPAGNE		○	
UKA6970	☐	PINK		○	
UKA6971	☐	BLUE		○	
UKA6972	☐	POLY MIRROR FINISH		○	
BRAKES					
DKA7210	☐	PUSH BRAKE, LEVER BENT		◆	
DKA7230	☐	PERFORMANCE BRAKE	NC : 7300	76,78	
DKA7240	☐	ACTIVE BRAKE	NC : 7300	76,78	
DKA7250	☐	LIGHT ACTIVE BRAKE	NC : 7300	145,02	
BRAKE EXTENSION LEVER					
DKA7300	☐	EXTENSION LEVER FOR STANDARD BRAKE		76,78	
SAFETY OPTIONS					
MAX. 2 ADAPTATIONS PER SIDE (ADAPTATIONS=ANTITIPPER, TIPPER AID, CANE HOLDER, TRANSIT WHEELS)					
ANTI TIPPER					 7500 / 7520
DKA7500	☐	ANTITIPPER TUBE, RIGHT		130,81	
DKA7510	☐	ANTITIPPER TUBE, LEFT		130,81	
DKA7520	☐	ANTITIPPER TUBE, BOTH SIDES	NC : 8300	261,61	
TRANSPORTATION KIT					
DKA7600	☐	TRANSPORTATION KIT (LABELS)	NC : BH ≤ 400 mm, 7800	57,82	
BELT					 Evoflex belt adjustable from 35 mm to 125 mm rearward from the front of the seat sling. 6 positions in 15 mm increments  7810 / 7820 / 7830
DKA7800	☐	STANDARD BELT - PLASTIC BUCKLE		42,65	
DKA7810	☐	BODYPOINT POSTURE BELT EVOFLEX, 2 POINTS, SMALL, FLAT-MOUNT WITH PUSH BUTTON		217,06	
DKA7820	☐	BODYPOINT POSTURE BELT EVOFLEX, 2 POINTS, MEDIUM, FLAT-MOUNT WITH REHAB LATCH		217,06	
DKA7830	☐	BODYPOINT POSTURE BELT EVOFLEX, 2 POINTS, LARGE, FLAT-MOUNT WITH REHAB LATCH		217,06	
PASSIVE LIGHTS					
DKA7900	☐	PASSIVE LIGHTS, ASSEMBLED		22,75	
ATTENDANT OPTIONS					
FRAME PROTECTION					
DKA8010	☐	FRONT FRAME PROTECTION		44,55	
CANE HOLDER					
DKA8200	☐	CANE HOLDER, RIGHT		66,35	
DKA8210	☐	CANE HOLDER, LEFT		66,35	

TRANSIT WHEELS				
DKA8300	☐	TRANSIT WHEELS		301,42
OTHERS OPTIONS				
DKA8500	☐	AIR PUMP - NEW	NOT POSSIBLE WITH SW 340 MM	33,18
DKA8550	☐	TOOL KIT		22,75
DKA8650	☐	WHEELS BAG		65,40
DKA8680	☐	24" MOUNTAIN BIKE WHEELS WITH BAG -MOUNTAIN BIKE WHEELS AND TIRES WITH ALU GREY HANDRIMS ; QUICK RELEASE AXLES INCLUDED		646,45
DKA8800	☐	BODYPOINT CALF STRAP		104,27
DKA8850	☐	BODYPOINT MOBILITY BAG		104,27
RAMPS				
1440530	☐	Fiberglass Folding Mono Ramp Folded dimensions: 2000 x 230 mm 16.3 kg - maximum capacity: 300 kg		1 787,68
1654128	☐	Basic ramp 2 telescopic parts in aluminum and non-slip coating Folded dimensions: 1210 x 194 mm 8.8 kg per pair - maximum capacity: 270 kg		402,84
1654129	☐	Quick2go Compact 3-part aluminum telescopic ramp with non-slip coating Folded dimensions: 870 x 237 mm 13.6 kg per pair - max. : 260 kg		805,69
1654130	☐	Aluminum Folding Mono Ramp Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg		426,54



8300



8550



8680



1440530



1654128



1654129



1654130

Table 1

Frame type/angle/length, rear wheel size, front wheel size

Frame	24" rear wheel			25" rear wheel			26" rear wheel		
	front wheel			front wheel			front wheel		
	3"	4"	5"	3"	4"	5"	3"	4"	5"
75° Short									
75° Standard									
75° +50mm									
90° Short									
90° Standard									
90° +50mm									
75° tapered									
90° tapered									

Table 3

MATRIX BACKREST WIDTH AVAILABLE RANGE RANGE

SEAT WIDTH (SW)	ELITE E2 / ELITE DEEP E2 MATRIX BACKREST WIDTH CHOICE						
	360 MM	380 MM	410 MM	430 MM	460 MM	480 MM	510 MM
320 MM							
340 MM							
360 MM							
380 MM							
400 MM							
420 MM							
440 MM							
460 MM							
480 MM							
500 MM							

SEAT WIDTH (SW)	MX2 MATRIX BACKREST WIDTH CHOICE						
	360 MM	380 MM	410 MM	430 MM	460 MM	480 MM	510 MM
320 MM							
340 MM							
360 MM							
380 MM							
400 MM							
420 MM							
440 MM							
460 MM							
480 MM							
500 MM							

Table 2 :

Frame type/angle/length, rear wheel size, lower leg length, FSTF, footrest type

Frame	24" rear wheel				25" rear wheel				26" rear wheel			
	FSTF	footrest	footrest	footrest	FSTF	footrest	footrest	footrest	FSTF	footrest	footrest	footrest
75° Short	450				460				470			
	460				470				480			
	470				480				490			
75° Standard	480				490				500			
	490				500				510			
	500				510				520			
75° +50mm	500				510				520			
	510				520				530			
	520				530				540			
90° Short	450				460				470			
	460				470				480			
	470				480				490			
90° Standard	480				490				500			
	490				500				510			
	500				510				520			
90° +50mm	500				510				520			
	510				520				530			
	520				530				540			
75° tapered	450				460				470			
	460				470				480			
	470				480				490			
90° tapered	480				490				500			
	490				500				510			
	500				510				520			