

Please contact Invacare EU Export Customer Services on :-
Tel : +33 247 626980 ; Email : servicedclient_export@invacare.com
Or visit our website : www.invacare.eu.com



Küschall The KSL



Active and lightweight aluminum manual wheelchair, rigid frame, folding and angle-adjustable backrest



- Description:
- Aluminum frame with hydroformed tubes
- Customization kit with premium decals
- Max user weight: 100 kg
- Complete weight: from 6.8 kg.
- Transport weight: from 4.3 kg.
- Warranty: 2 years excluding wearing parts
Discover the new possibilities of the special fabrication **UNIQUE**. Push back the limits of the personalization with a wide range of possibilities. Create **UNIQUE** wheelchairs.
You will find the special fabrications within the turquoise blue frames.

Discover our new tool to help calculate overall dimensions and find the visual configurator to make your configuration!

Date :

Purchase Order :

Customer Code :


Distributor Stamp:

We reserve the right to deliver a + or – tolerance of +/- 10 mm on all measurements We reserve the right to make technical changes without notice

☐ Please make your selection with a cross in the box ☒ Standard feature ☐ Free of charge option

CODE		DESCRIPTION	NC : Non Compatible NC : 9999 = not compatible with the reference 9999	Euros	
DSA0100	☐	küschall® The KSL - Fixed Backrest		4 598,10	
DSA0120	☐	küschall® The KSL - Foldable and Angle Adjustable Backrest		4 813,27	
SPECIAL CONSTRUCTION					
DSA0000	☐	Myküschall special construction		On Request	
USA0001	☐	UNIQUE - PERSONNALIZATION		On Request	
POSITIONNING PACKAGE					
DSA0220	☐	Matrx MX2 & Libra positioning and pressure ulcer prevention pack including: - Matrx MX2 folder (size to choose from DSA2300 to DSA2315) - Matrx Libra Cushion (DSA2720) - Bodypoint® Evoflex® 2-point hip belt (size to choose from DSA7810 to DSA7830)	NC: Seat width 360 mm possible only with depth 410/435 mm, 1315, 1430	1222,23	Save 15% by selecting this PACK, i.e. €218.85!
CHASSIS TYPE					
CHASSIS					
DSA1000	☐	FRAME ANGLE 75° TO THE GROUND		☒	
DSA1010	☐	FRAME ANGLE 75° TO THE GROUND - TAPERED FRONT FRAME		☐	
DSA1020	☐	FRAME ANGLE 90° TO THE GROUND		☐	
DSA1030	☐	FRAME ANGLE 90° TO THE GROUND - TAPERED FRONT FRAME	NC : 5300, 5350, 5400, 5500	☐	
	☐	Gripping bar welded under the seat behind the central fixing hole of the seat cover (additional weight approximately 170 g and painted in the color of the frame)		On Request	
SEAT WIDTH (SW)					
DSA1315	☐	340 mm	NC : 1600, 2300, 2305, 2310, 2315, 2710, 2720, 2740, 2742, 2744, 2746, 2748	☐	
DSA1320	☐	360 mm	NC : 2362, 2364, 2366, 2742, 2744, 2746, 2748	☐	
DSA1325	☐	380 mm	NC : 2364, 2366, 2744	☐	
DSA1330	☐	400 mm	NC : 2360, 2364, 2366, 2740, 2744	☐	
DSA1335	☐	420 mm	NC : 2360, 2362, 2366, 2740	☐	
DSA1340	☐	440 mm	NC : 2360, 2362, 2364, 2740, 2742	☐	

SEAT DEPTH (SD)							
DSA1430	☐	385 mm			NC : 2720, 2744, 7810, 7820, 7830	○	
DSA1440	☐	410 mm			NC : 2746	◆	
DSA1455	☐	435 mm			NC : 2740, 2742	○	
DSA1470	☐	460 mm			NC : 2740, 2742, 2744	○	
DSA1485	☐	485 mm			NC : 2710, 2740, 2742, 2744, 2746, 2748	○	
BACKREST HEIGHT (BH)							
DSA1600	☐	BACK HEIGHT DEPENDS ON POSITIONING BACKREST - SELECT IF YOU WANT TO ORDER MATRX / POSTURE PACKAGING CHOICE			NC : 2200, 2210, 2200, 2230	○	
DSA1605	☐	270 mm			NC : 2210, 2240	○	
DSA1610	☐	285 mm			NC : 2210, 2240	○	
DSA1615	☐	300 mm			NC : 2240	◆	
DSA1620	☐	315 mm	DSA1625	☐	330 mm	NC : 2240	○
DSA1630	☐	345 mm	DSA1635	☐	360 mm	NC : 2240	○
DSA1640	☐	375 mm	DSA1645	☐	390 mm	NC : 2240	○
DSA1650	☐	405 mm	DSA1655	☐	420 mm	NC : 2240	○
FRONT SEAT-TO-FLOOR HEIGHT (FSTF) - See table 1							
DSA1740	☐	450 mm			NC : 1840, 1845, 1850, 1855, 1860, 6420	○	
DSA1745	☐	460 mm			NC : 1845, 1850, 1855, 1860	○	
DSA1750	☐	470 mm			NC : 1850, 1855, 1860	○	
DSA1755	☐	480 mm			NC : 1855, 1860	○	
DSA1760	☐	490 mm			NC : 1860	◆	
DSA1765	☐	500 mm				○	
DSA1770	☐	510 mm			NC : 1820	○	
DSA1775	☐	520 mm			NC : 1820, 1825	○	
DSA1780	☐	530 mm			NC : 1820, 1825, 1830, 6410	○	
REAR SEAT-TO-FLOOR HEIGHT (RSTF) - RSTF = "FSTF -100 MM" TO "FSTF-20 MM"							
DSA1820	☐	400 mm			NC : 6420	○	
DSA1825	☐	410 mm				○	
DSA1830	☐	420 mm				○	
DSA1835	☐	430 mm				◆	
DSA1840	☐	440 mm	DSA1845	☐	450 mm	○	
DSA1850	☐	460 mm	DSA1855	☐	470 mm	○	
DSA1860	☐	480 mm				○	
LOWER LEG LENGTH (LLL)							
- 75° FRAME: LLL = "FSTF-100 MM" TO "FSTF-30 MM"							
- 90° FRAME: LLL = "FSTF-80 MM TO "FSTF-40 MM"							
DSA1930	☐	350 mm				○	
DSA1932	☐	360 mm	DSA1934	☐	370 mm	○	
DSA1936	☐	380 mm	DSA1938	☐	390 mm	○	
DSA1940	☐	400 mm	DSA1942	☐	410 mm	○	
DSA1944	☐	420 mm				○	
DSA1946	☐	430 mm				◆	
DSA1948	☐	440 mm	DSA1950	☐	450 mm	○	
DSA1952	☐	460 mm	DSA1954	☐	470 mm	○	
DSA1956	☐	480 mm	DSA1958	☐	490 mm	○	
DSA1960	☐	500 mm				○	
BACKREST							
BACK UPHOLSTERY							
DSA2200	☐	STANDARD UPHOLSTERY			NC : 2300, 2305, 2310, 2315, 2440	◆	
DSA2210	☐	LIGHT BACK UPHOLSTERY			NC : 2300, 2305, 2310, 2315, 2440	178,20	
DSA2220	☐	TENSION ADJUSTABLE PREMIUM BLACK BACK UPHOLSTERY WITH LOOP BANDS			NC : 2300, 2305, 2310, 2315, 2440	○	
DSA2230	☐	AERO BACK, TENSION ADJUSTABLE			NC : 2300, 2305, 2310, 2315, 2440	258,77	
DSA2240	☐	WITHOUT BACKREST UPHOLSTERY - SELECT IF YOU WANT TO MOUNT POSITIONNING BACKRESTS SUCH AS MATRX				○	
UNIQUE - BACK UPHOLSTERY STITCHING COLOUR - Only for Aero Back upholstery							
USA2241	☐	NEON YELLOW				101,42	
USA2242	☐	NEON PINK				101,42	
USA2243	☐	BLUE				101,42	
USA2244	☐	WHITE				101,42	
USA2245	☐	RED				101,42	
USA0002	☐	"Your personnal color": <i>Please contact our customers service</i>				On request	



UNIQUE - BACK UPHOLSTERY - EMBROIDERY - Only for Aero Back upholstery				
USA2246	☐	SMILEY		218,01
USA2248	☐	TRAVELER		218,01
USA2249	☐	SAKURA BEAUTY		218,01
USA2250	☐	FANNY CACTUS		218,01
USA2251	☐	KUSCHALL LOGO: <i>Please contact our customers service</i>		On request
USA0003	☐	"Your personnal design": <i>Please contact our customers service - Provide the wished design in .ai / .pdf or .png format</i>		On request

UNIQUE - BACK UPHOLSTERY- FLOCKING - Only for Aero Back upholstery				
USA2253	☐	SMILEY		118,48
USA2255	☐	TRAVELER		118,48
USA2256	☐	SAKURA BEAUTY		118,48
USA2257	☐	FANNY CACTUS		118,48
USA2259	☐	PAINT STAIN		118,48
USA0004	☐	"Your personnal design": <i>Please contact our customers service - Provide the wished design in .ai / .pdf or .png format</i>		On request

MATRX BACKRESTS				
-HEIGHT REFERS TO ACTUAL HEIGHT OF THE MATRX BACKREST - Matrx MX2 backrest user max. weight: 114 kg				
DSA2300	☐	MATRX MX2, HEIGHT 150 MM WITH QUICK RELEASE HARDWARE		927,01
DSA2305	☐	MATRX MX2, HEIGHT 150 MM WITH QUICK RELEASE HARDWARE		927,01
DSA2310	☐	MATRX MX2, HEIGHT 305 MM WITH QUICK RELEASE HARDWARE		927,01
DSA2315	☐	MATRX MX2, HEIGHT 405 MM WITH QUICK RELEASE HARDWARE		927,01

MATRX BACKRESTS WIDTH CHOICE				
DSA2360	☐	360 mm - indicative bust width 265 mm		☐
DSA2362	☐	380 mm - indicative bust width 290 mm		☐
DSA2364	☐	410 mm - indicative bust width 315 mm		☐
DSA2366	☐	430 mm - indicative bust width 340 mm		☐
DSA2368	☐	460 mm - indicative bust width 370 mm		☐

PUSH HANDLES				
DSA2400	☐	WITHOUT PUSH HANDLES		☒
DSA2410	☐	LIGHT BACK UPHOLSTERY		☐
DSA2420	☐	TENSION ADJUSTABLE PREMIUM BLACK BACK UPHOLSTE		☐
DSA2440	☐	HEIGHT ADJUSTABLE, INTEGRATED (ONLY WITH MATRX BACKREST)		254,03
DSA2450	☐	WITHOUT BACKREST UPHOLSTERY		213,27

BACKREST ANGLE (BA) - from the seat							
DSA2500	☐	74°	DSA2520	☐	78°		☐
DSA2540	☐	82°					☐
DSA2560	☐	86°	DSA2580	☐	90°		☐

SEAT UPHOLSTERY				
DSA2600	☐	STANDARD SEAT UPHOLSTERY - CENTRAL LOOP BAND		☒
DSA2630	☐	LIGHT SEAT UPHOLSTERY : -60kg		66,35

UNIQUE - SEAT UPHOLSTERY STITCHING COLOUR				
USA2602	☐	NEON YELLOW		118,48
USA2603	☐	NEON PINK		118,48
USA2604	☐	BLUE		118,48
USA2605	☐	WHITE		118,48
USA2606	☐	RED		118,48
USA0005	☐	"Your personnal color": <i>Please contact our customers service</i>		On request



MX2: only 140g more than a tension-adjustable backrest!




2300, 2305, 2310, 2315



2450



2600



2630

SEATING					
CUSHION					 2700  2710  2720  2740 / 2742  2748  2810  2820  2830  2840  2850  2860
DSA2700	☐	STANDARD SEAT CUSHION,60 MM, DOUBLE FOAM WITH VISCO TOP	NC : 2810, 2820, 2830, 2840, 2850	101,42	
DSA2710	☐	FLO-TECH LITE	NC : 2810, 2820, 2830, 2840, 2850	118,48	
DSA2720	☐	MATRX LIBRA CUSHION, BLACK SMOOTH COVER	NC : largeur 360 mm possible uniquement avec profondeur 410 et 435 mm	293,84	
DSA2740	☐	CLASSIC VISCO CUSHION 375 X 400 MM - ONLY FOR USERS WEIGHTING UP TO 50 KG	NC : 2810, 2820, 2830, 2840, 2850	76,78	
DSA2742	☐	CLASSIC VISCO CUSHION 405 X 400 MM - ONLY FOR USERS WEIGHTING UP TO 100 KG	NC : 2810, 2820, 2830, 2840, 2850	65,40	
DSA2744	☐	CLASSIC VISCO CUSHION 430 X 430 MM - ONLY FOR USERS WEIGHTING UP TO 100 KG	NC : 2810, 2820, 2830, 2840, 2850	65,40	
DSA2746	☐	CLASSIC VISCO CUSHION 455 X 400 MM - ONLY FOR USERS WEIGHTING UP TO 100 KG	NC : 2810, 2820, 2830, 2840, 2850	76,78	
DSA2748	☐	CONTOUR VISCO NG CUSHION	NC : 2810, 2820, 2830, 2840, 2850	76,78	
DSA2750	☐	VICAIR ACTIVE O2 CUSHION		683,73	
MATRX LIBRA CUSHION ACCESSORIES					
DSA2810	☐	FLUID SUPPLEMENT SAC (PAIR)		90,05	
DSA2820	☐	TAPERED WEDGE PAIR		41,71	
DSA2830	☐	ABDUCTOR		47,39	
DSA2840	☐	LATERAL SIDE WEDGE		41,71	
DSA2850	☐	ANTERIOR FRONT WEDGE		54,98	
SEAT RIGIDIZER					
DSA2860	☐	SEAT RIGIDIZER	(Mandatory: choose a seat cushion)	56,87	
FOOTREST					
FOOTREST TYPE (TUBE / PLATE)					
DSA3200	☐	FOOTREST TUBE, RIGID - ALUMINIUM NEW PROFILE		○	
DSA3210	☐	FOOTREST TUBE, RIGID - TITANIUM		◆	
DSA3220	☐	CARBON FOOTPLATE, ANGLE ADJUSTABLE	NC : 3290	264,45	
FOOTREST COVER					
DSA3290	☐	FOOTREST COVER		113,74	
FOOT AND LEG SUPPORT					
DSA3300	☐	CALF STRAP MOUNTED ON THE FRAME		◆	
DSA3305	☐	CALF STRAP WITH BRACKET SUPPORT		76,78	



3200



3210



3305


FOOT AND LEG SUPPORT						
DSA3410	☐	CARBON CLOTHES GUARDS, FIXED		◆		
DSA3430	☐	CARBON MUDGUARDS, FIXED	NC : 7230	89,10		
COLOUR OFFERING & CUSTOMIZATION						
FRAME COLOR						
DSA4000	☐	SPACE BLACK (RAL 9005)		○		
DSA4010	☐	ANTHRACITE GREY (RAL 7016)		○		
DSA4020	☐	PURE WHITE (RAL 9016)	NC : 4220	○		
DSA4030	☐	CARMINE RED (RAL 3002)		○		
DSA4040	☐	AZURE BLUE (RAL 5017)		○	Additional +10 Days	
DSA4060	☐	FLASHY YELLOW (RAL 1016)		216,11		
DSA4100	☐	BLACK GLOSSY (RAL 9005)		216,11		
DSA4130	☐	SILVER GREY (RAL 9006)		216,11		
DSA4140	☐	ROYAL BLUE - specific color mix, no RAL definition		216,11		
DSA4150	☐	RUBY RED (RAL 3003)		216,11		
DSA4170	☐	DYNAMITE ORANGE - specific color mix, no RAL definition		216,11		
DSA4180	☐	FOREST GREEN (RAL 6029)		216,11	 BOLD	
USA4101	☐	DIAMOND SILVER		696,68		
USA4102	☐	PASTEL GREEN		750,71		
USA4103	☐	SKY BLUE		750,71		
USA4104	☐	PLUM PURPLE		750,71		
USA4105	☐	SALMON		750,71		
USA0008	☐	Special colors: - Manufacturing time + 10 days: for a color already offered on the other ranges of Invacare manual wheelchairs. WHERE - Manufacturing time + 15 days: for any other request (subject to feasibility) - specify RAL number		750,71		
UNIQUE - CERAMIC GLAZE FINISH						 TAG
USA4066	☐	CERAMIC GLAZE FINISH (ONLY FOR USA**** COLOURS)		643,60		
STYLING						
DSA4190	☐	BOLD	NC : 4300, 4310	64,45		
DSA4195	☐	TAG	NC : 4200 à 4250	◆		
BOLD COLOR						
DSA4200	☐	BLACK		○		
DSA4210	☐	DARK GREY		○		
DSA4220	☐	LIGHT GREY		○		
DSA4230	☐	RED		○		
DSA4240	☐	BLUE		○		
DSA4250	☐	GOLD		○		
USA4252	☐	NEON YELLOW		161,14		
USA4253	☐	NEON GREEN		161,14		
USA4254	☐	NEON ORANGE		161,14		
USA4255	☐	NEON PINK		161,14		
USA4256	☐	NEON RED		161,14		
USA0009	☐	"Your personnal color": Please contact customers service		On request		
TAG COLOR					 5000  5200 / 5250 / 5450 / 5500  5350  5050 / 5300	
DSA4300	☐	BLACK		○		
DSA4310	☐	RED		○		
FRONT WHEEL						
DSA5000	☐	3" SUPERSPORT		○		
DSA5050	☐	4" EVERYDAY WHEEL WITH BLACK TYRE		◆		
DSA5100	☐	4" COMFORT WHEEL WITH BLACK TYRE		○		
DSA5150	☐	4" STAREC BLACK HUB, BLACK TYRE		75,83		
DSA5200	☐	4" FROGLEGS FRONT WHEEL WITH BLACK HUB, BLACK TYRE	Select the Froglegs front wheels with black hub (DSA5200) to access UNIQUE anodizations	121,33		
DSA5250	☐	4" FROGLEGS FRONT WHEEL WITH SILVER HUB, BLACK TYRE		121,33		
DSA5300	☐	5" EVERYDAY WITH BLACK TYRE	NOT POSSIBLE WITH 90° FRONT FRAME (DSA1020/1030)	○		
DSA5350	☐	5" COMFORT WHEEL BLACK TYRE	NOT POSSIBLE WITH 90° FRONT FRAME (DSA1020/1030)	○		
DSA5400	☐	5" STAREC BLACK HUB, BLACK TYRE	NOT POSSIBLE WITH 90° FRONT FRAME (DSA1020/1030)	103,32		
DSA5450	☐	5" FROGLEGS FRONT WHEEL WITH BLACK HUB, BLACK TYRE	NOT POSSIBLE WITH 90° FRONT FRAME (DSA1020/1030)	147,87		
DSA5500	☐	5" FROGLEGS FRONT WHEEL WITH SILVER HUB, BLACK TYRE	NOT POSSIBLE WITH 90° FRONT FRAME (DSA1020/1030) / Select the Froglegs front wheels with black hub (DSA5450) to access UNIQUE anodizations	147,87		

UNIQUE - FROGLEGS HUB COLOURS				
USA5502	☐	PINK		98,58
USA5504	☐	ORANGE		98,58
USA5506	☐	BLUE		98,58
USA5507	☐	VIOLET		98,58
USA5508	☐	RED		98,58
USA5509	☐	GOLD		98,58
UNIQUE - CERAMIC BEARING				
USA5510	☐	CERAMIC BEARING		98,58

REAR WHEEL

REAR WHEEL POSITION (distance X on the drawing)				
DSA6100	☐	140 mm (position 1 on the K-Series)		○
DSA6110	☐	125 mm (position 2 on the K-Series)		○
DSA6120	☐	110 mm (position 3 on the K-Series)		◆
DSA6130	☐	95 mm (position 4 on the K-Series)		○
DSA6140	☐	80 mm (position 5 on the K-Series)		○
CAMBER OF THE CARBON AXLE				
DSA6200	☐	0°		○
DSA6210	☐	3°		◆
DSA6220	☐	6°	NC : 6950	○
QUAD RELEASE AXLE				
DSA6300	☐	QUAD RELEASE AXLE	NC : 6550, 6950	143,13
REAR WHEEL SIZE				
DSA6410	☐	24"		◆
DSA6420	☐	25"	NC : 6600, 6610, 6630, 6700, 6710, 6720, 6760, 6770, 6900, 6910, 6950	○
REAR WHEEL TYPE				
DSA6520	☐	HIGH PERFORMANCE (BLACK RIM, BLACK STAREC HUB, BLACK CROSS SPOKING)	24", 25"	◆
DSA6550	☐	SPINERGY L XK (BLACK RIM, HUB AND RADIAL SPOKING)	24", 25"	771,56
USA6551	☐	SPINERGY LITE EXTREME LX - 680g per wheel	24", 25"	1060,66
USA6552	☐	SPINERGY LITE EXTREME X-LACED XLX - 660g per wheel	24", 25"	1140,28
USA6553	☐	SPINERGY X-LACED SPORT LITE EXTREME XSLX - 757g per wheel	24", 25"	1206,64
USA6554	☐	SPINERGY CARBON FIBER CLX - 570g per wheel	24", 25"	1358,29

UNIQUE - RIM ANODIZED COLOURS				
USA6557	☐	BLUE		162,09
USA6558	☐	GOLD		162,09
USA6559	☐	GREEN		162,09
USA6560	☐	ORANGE		162,09
USA6561	☐	RED		162,09
USA6562	☐	VIOLET		162,09



6300

Taille des pneus

MAXXIS LIGHT GUARD / ALPHA PROTECT :
24" : 25-540

MBL SPEEDLITE :
24" : 25-540



6600



UNIQUE - HUB ANODIZED COLOURS				
USA6563	☐	BLUE		162,09
USA6564	☐	GOLD		162,09
USA6565	☐	SILVER GREY (RAL 9006)		162,09
USA6566	☐	GREEN		162,09
USA6567	☐	ORANGE		162,09
USA6568	☐	RED		162,09
USA6569	☐	VIOLET		162,09
UNIQUE - SPOKE COLOURS				
USA6570	☐	BLUE		162,09
USA6571	☐	GREEN		162,09
USA6572	☐	ORANGE		162,09
USA6573	☐	PINK		162,09
USA6574	☐	RED		162,09
USA6575	☐	VIOLET		162,09
USA6576	☐	WHITE		162,09
USA6577	☐	YELLOW		162,09
UNIQUE - CERAMIC BEARING				
USA6579	☐	CERAMIC BEARING		332,70
REAR TYRES				
DSA6600	☐	MAXXIS LITE GUARD BLACK TYRE (puncture protection)	24"	○
DSA6625	☐	MAXXIS ALPHA PROTECT BLACK TYRE (puncture protection)	24", 25"	○
DSA6630	☐	MBL SPEEDLITE (puncture protection)	24"	◆
HANDRIM				
DSA6700	☐	ANTI-SLIP DIST. 3 CM ADJUSTABLE 4CM	24"	142,18
DSA6710	☐	STEEL, DIST. 3 CM ADJUSTABLE 4CM	24"	113,74
DSA6720	☐	TITANIUM, DIST. 3 CM ADJUSTABLE 4CM	24"	277,73
DSA6740	☐	CARBOLIFE GEKKO, WITH ANTI-SLIP DIST. 3 CM ADJUSTABLE 4CM	24", 25"	373,46
DSA6750	☐	CARBOLIFE GEKKO S, WITH ANTI-SLIP DIST. 3 CM ADJUSTABLE 4CM	24", 25"	373,46
DSA6760	☐	CARBOLIFE CURVE L WITH ERGONOMIC PROFILE DIST. 3 CM ADJUSTABLE 4CM	24"	282,46
DSA6770	☐	CARBOLIFE QUADRO, WITH ERGONOMIC PROFILE DIST. 3 CM ADJUSTABLE 4CM	24"	373,46
DSA6780	☐	LIGHT ALU, GREY, DIST. 3 CM ADJUSTABLE 4CM	24", 25"	◆
DSA6790	☐	LIGHT ALU, BLACK, DIST. 3 CM ADJUSTABLE 4CM	24", 25"	○
SPOKE GUARDS				
DSA6900	☐	Transparent	24", 26"	200,95
DSA6910	☐	Black	24", 26"	200,95
ALBER ADD ON KIT				
DSA6950	☐	E-MOTION & TWION M25 ADAPTER PLATE -- 2 ALBER ANTI-TIPPERS INCLUDED / ONLY FOR 24" REAR WHEELS	Only for 24" wheels NC : 7500, 7510, 7520	579,15
Tip : for perfect compatibility of the brakes with the manual wheels, we advise you to equip them with the same coating as the motorized wheels.				

6625



6630



6700 6710



6720



6740




6790 6760



7210 7230 7240



UNIQUE - CUSTOMIZATION					
USA6960	☐	UNIQUE - CUSTOM COLOURS FORKS AND BEARING COVER		197,16	
USA6961	☐	UNIQUE - CUSTOM COLOURS FORKS, BEARING COVER, BACKREST SUPPORT (<i>if K-series backrest</i>) , BRAKE CLAMPS		551,66	
USA6962	☐	UNIQUE - CUSTOM COLOURS FORKS, BEARING COVER, BACKREST SUPPORT (if K-series backrest), BRAKE CLAMPS, FOOTREST, CAMBER BAR CLAMP		779,15	
UNIQUE - COLOURS PREMIUM ANODIZATION					
USA6963	☐	RED		○	
USA6964	☐	VIOLET		○	
USA6965	☐	COPPER		○	
USA6966	☐	GREEN		○	
USA6967	☐	ORANGE		○	
USA6968	☐	GOLD		○	
USA6969	☐	CHAMPAGNE		○	
USA6970	☐	PINK		○	
USA6971	☐	BLUE		○	
USA6972	☐	POLY MIRROR FINISH		○	
SAFETY OPTIONS					
Mounting of a maximum of 2 elements per side from the following list: anti-tippers, cane holder or transit wheels				7250 7500 / 7520 Evoflex belt adjustable from 35 mm to 125 mm rearward from the front of the seat sling. 6 positions in 15 mm increments  7810 / 7820 / 7830	
BRAKES					
DSA7210	☐	PUSH BRAKE, LEVER BENT			◆
DSA7230	☐	PERFORMANCE BRAKE			76,78
DSA7240	☐	ACTIVE BRAKE			76,78
DSA7250	☐	LIGHT ACTIVE BRAKE			145,02
ANTI TIPPER					
DSA7500	☐	ANTITIPPER TUBE, RIGHT			130,81
DSA7510	☐	ANTITIPPER TUBE, LEFT			130,81
DSA7520	☐	ANTITIPPER TUBE, BOTH SIDES			261,61
BELT					
DSA7800	☐	POSTURE BELT - PLASTIC BELT			42,65
DSA7810	☐	BODYPOINT POSTURE BELT EVOFLEX, 2 POINTS, SMALL, FLAT-MOUNT WITH PUSH BUTTON			217,06
DSA7820	☐	BODYPOINT POSTURE BELT EVOFLEX, 2 POINTS, MEDIUM, FLAT-MOUNT WITH REHAB LATCH			217,06
DSA7830	☐	BODYPOINT POSTURE BELT EVOFLEX, 2 POINTS, LARGE, FLAT-MOUNT WITH REHAB LATCH			217,06
PASSIVE LIGHTS					
DSA7900	☐	PASSIVE LIGHTS, ASSEMBLED			22,75
OTHER OPTIONS					
Chassis Protection					8550 8680
DSA8010	☐	FRONT FRAME PROTECTION		44,55	
DSA8500	☐	AIR PUMP - NEW		33,18	
DSA8550	☐	TOOL KIT		22,75	
DSA8650	☐	WHEELS BAG		65,40	
DSA8680	☐	24" MOUNTAIN BIKE WHEELS WITH BAG - MOUNTAIN BIKE WHEELS AND TIRES WITH ALU GREY HANDRIMS ; QUICK RELEASE AXLES INCLUDED		646,45	
DSA8800	☐	BODYPOINT CALF STRAP		104,27	
DSA8850	☐	BODYPOINT MOBILITY BAG		104,27	

Summary



MESURES PERSONNALISEES	
SW	
ST = SD	
RW = BH	
FSTF = SHv	
RSTF =SHh	
LLL	
BA = RW	
X	
User Weight	
User Size	

Ramps

1440530	☐	Fiberglass Folding Mono Ramp Folded dimensions: 2000 x 230 mm 16.3 kg - maximum capacity: 300 kg		1 787,68	 1440530
1654128	☐	Basic ramp 2 telescopic parts in aluminum and non-slip coating Folded dimensions: 1210 x 194 mm 8.8 kg per pair - maximum capacity: 270 kg		402,84	 1654128
1654129	☐	Quick2go Compact 3-part aluminum telescopic ramp with non-slip coating Folded dimensions: 870 x 237 mm 13.6 kg per pair - max. : 260 kg		805,69	 1654129
1654130	☐	Aluminium folding mono ramp Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg		426,54	 1654130