

Invacare® Action³ Junior®

Please contact Invacare EU Export Customer Services on :-
Tel : +33 247 626980 ; Email : serviceclient_export@invacare.com
Or visit our website : www.invacare.eu.com



Invacare® Action³ Junior®

Folding manual wheelchair



Bodypoint®

matrix®

CE

Description:

- Weight: from 15 kg

- Maximum user weight: 80 kg.

- 2-year warranty period excluding wear parts

Date :

Purchase Order :


Customer Code :

Distributor Stamp::


☐ Please make your selection with a cross in the box ☒ Standard feature ☐ Free of charge option

CODE		DESCRIPTION	NC : Non Compatible NC : 9999 = not compatible with the reference 9999	Euros	
CNB0030	☐	Invacare® <i>Action</i> ®³ <i>Junior</i> ® - Fixed Backrest		529,85	
CNB0035	☐	Invacare® <i>Action</i> ®³ <i>Junior</i> ® - Folding Backrest		572,18	
CNB0040	☐	Invacare® <i>Action</i> ®³ <i>Junior</i> ® - Reclining Backrest		572,18	
PROPULSION TYPE					
CNB0100	☐	SELF PROPULSION		◆	
SEAT					
STANDARD SEAT VERSION					
CNB0180	☐	305 MM SEAT WIDTH	NC : 0250, 0252, 0520, 0570, 0890, 1190, 1195	○	
CNB0190	☐	330 MM SEAT WIDTH	NC : 0240, 0251, 0530, 0580, 0900	○	
CNB0200	☐	355 MM SEAT WIDTH	NC : 0240, 0251, 0530, 0580, 0900	○	
SEAT DEPTH					
CNB0240	☐	300 MM SEAT DEPTH	NC : 1364	○	
CNB0250	☐	350 MM SEAT DEPTH		○	
CNB0251	☐	ADJUSTABLE SEAT DEPTH 250 TO 300 MM	NC : 0340, 1364	50,24	
CNB0252	☐	ADJUSTABLE SEAT DEPTH 300 TO 350 MM	NC : 0340	50,24	
SEAT HEIGHT					
CNB0260	☐	460 mm		◆	
CNB0270	☐	435 mm	NC : 0505, 0555	○	
CNB0280	☐	410 mm	NC : 0505, 0555, 1375, 1430	○	
SEAT UPHOLSTERY TYPE					
CNB0330	☐	NYLON WITH LOOP BANDS SEAT UPHOLSTERY		○	
CNB0340	☐	NYLON WITH LOOP BANDS SEAT UPHOLSTERY, WIDTH & DEPTH ADJUSTABLE	NC : 0360	◆	
SEAT CUSHION					
CNB0362	☐	SEAT CUSHION MSS (ESSENTIAL JUNIOR)		90,05	 0362

BACKREST						
BACKREST TYPE						
CNB0380	☐	FIXED 7° BACKREST - 3 HEIGHTS: 370/400/430 MM - DELIVERED AT 370 MM (SW 205 TO 280 MM) AT 400 MM (SW 305 TO 380 MM)		◆		
CNB0390	☐	RECLINING (RATCHET) 0/30° BACKREST - 5 HEIGHTS: 350/370/390/410/430 MM - DELIVERED AT 370 MM (SW 205 TO 280 MM) AT 390 MM (SW 305 TO 380 MM) W/O BACKBRACE	NC : 1190, 1195	◆		
CNB0395	☐	RECLINING (GAS SPRING) 0/30° BACKREST - 400 MM HEIGHT W/O BACKBRACE	NC : 1190, 1195	237,91		
CNB0400	☐	FOLDING BACKREST - 3 HEIGHTS: 370/400/430 MM- DELIVERED AT 370 MM (SW 205 TO 280 MM) AT 400 MM (SW 305 TO 380 MM)		◆		
CNB0420	☐	FOLDING BACKREST - 400 MM HEIGHT; HEIGHT ADJUSTABLE PUSHANDLE (100 MM)		154,50		
CNB0425	☐	FIXED 7° BACKREST - 400 MM (with 0475) 430 MM (with 0480) HEIGHT; HEIGHT ADJUSTABLE PUSHANDLE (150 MM)	NC : 0492, 0495	154,50		
BACKREST UPHOLSTERY TYPE						
CNB0475	☐	WIDTH & HEIGHT ADJUSTABLE NYLON SLING TYPE	NC : 0866, 0868	◆		
CNB0480	☐	CONTOUR (TENSION) ADJUSTABLE NYLON TYPE	NC : 0866, 0868	151,66		
Matrx Mini backrests (fixings included) - backrest depth 80 mm - max user weight: 68 kg						
CNB0492	☐	Matrx Mini height 310 mm - Curve 80 mm	NC : 1345	519,43		
CNB0495	☐	Matrx Mini height 360 mm - Curve 80 mm	NC : 1345	519,43		
Please note - loss of approximately 20 mm in seat depth with reclining backrests - delivered with Mini fixings						
HANGERS/FOOTPLATES						
HEIGHT ADJ. BY STEP OF 10 MM						
HANGERS RH TYPE						
CNB0505	☐	90° STRAIGHT RH REMOVABLE HANGER - UL STD 125 TO 260 MM	NC : 0600, 0610	83,41		
CNB0510	☐	80° SHORT RH SWING IN/OUT HANGER - 0° STANDARD POSITION; UL STD 220 TO 320 MM	NC : 0561, 0562, 0563, 0610	○		
CNB0511	☐	80° SHORT RH SWING IN/OUT HANGER - 30° ABDUCTION POSITION; UL STD 220 TO 320 MM	NC : 0560, 0562, 0563, 0610, 0611, 0881	○		
CNB0512	☐	80° LONG RH SWING IN/OUT HANGER - 0° STANDARD POSITION; UL STD 300 TO 450 MM	NC : 0560, 0561, 0563, 0610	◆		
CNB0513	☐	80° LONG RH SWING IN/OUT HANGER - 30° ABDUCTION POSITION; UL STD 300 TO 450 MM	NC : 0560, 0561, 0562, 0610, 0611, 0881	○		
CNB0520	☐	ELEVATING LEGREST (0° TO 80°) RH SWING IN/SWING OUT HANGER (INCLUDING CALFPAD); UL STD 275 TO 375 MM	NC : 0600, 0611, 0880, 0886	100,25		
CNB0530	☐	ELEVATING LEGREST (0° TO 80°) RH SWING IN/SWING OUT HANGER (WITHOUT CALFPAD, WITH CALFSTRAP); UL STD 235 TO 295 MM -	NC : 0600, 0611, 0880, 0886	100,25		
HANGERS LH TYPE						
CNB0555	☐	90° STRAIGHT LH REMOVABLE HANGER - UL STD 125 TO 260 MM	NC : 0620, 0630	83,41		
CNB0560	☐	80° SHORT LH SWING IN/OUT HANGER - 0° STANDARD POSITION; UL STD 220 TO 320 MM	NC : 0630	○		
CNB0561	☐	80° SHORT LH SWING IN/OUT HANGER - 30° ABDUCTION POSITION; UL STD 220 TO 320 MM	NC : 0611, 0630, 0881	○		
CNB0562	☐	80° LONG LH SWING IN/OUT HANGER - 0° STANDARD POSITION; UL STD 300 TO 450 MM	NC: 0630	◆		
CNB0563	☐	80° LONG LH SWING IN/OUT HANGER - 30° ABDUCTION POSITION; UL STD 300 TO 450 MM	NC : 0611, 0630, 0881	○		
CNB0570	☐	ELEVATING LEGREST (0° TO 80°) LH SWING IN/SWING OUT HANGER (INCLUDING CALFPAD); UL ST 275 TO 375 MM	NC : 0611, 0620, 0880, 0886	100,25		
CNB0580	☐	ELEVATING LEGREST (0° TO 80°) LH SWING IN/SWING OUT HANGER (WITHOUT CALFPAD, WITH CALFSTRAP); UL STD 235 TO 295 MM -	NC : 0611,0620, 0880, 0886	100,25		
FOOTPLATES RH TYPE						
CNB0600	☐	FLIP UP RH FOOTPLATE	NC : 0875, 0886	◆		
CNB0605	☐	FLIP UP, ANGLE & DEPTH ADJUSTABLE RH FOOTPLATE		31,28		
CNB0610	☐	FLIP UP AND ANGLE ADJUSTABLE RH FOOTPLATE	NC : 0875, 0886	○		
CNB0611	☐	ONE PIECE FOOTBOARD	NC : 0620, 0625, 0630, 0875	60,66		
FOOTPLATES LH TYPE						
CNB0620	☐	FLIP UP LH FOOTPLATE	NC : 0875, 0886	◆		
CNB0625	☐	FLIP UP, ANGLE & DEPTH ADJUSTABLE LH FOOTPLATE		31,28		
CNB0630	☐	FLIP UP AND ANGLE ADJUSTABLE LH FOOTPLATE	NC : 0875, 0886	○		



0475




0480




Matrx Mini




Fixations Mini




0505 / 0555




0510 / 0560




0520 / 0530




0605




0610



0611



0475




0480




Matrx Mini




Fixations *Mini*



0505 / 0555




0510 / 0560




0520 / 0530











0605



0610



0611

ARMRESTS					
ARMRESTS RH FORM					 0640 / 0740  0645 / 0745  0650 / 0750  0655 / 0755
CNB0640	☐	REMOVABLE RH (N°1) AUTOLOCK SAFETY DEVICE INCLUDED - DESK, STD ARMPAD (60 MM)	NC : 0745, 0746, 0750, 0755	◆	
CNB0645	☐	REMOVABLE RH (N°1) AUTOLOCK SAFETY DEVICE INCLUDED - JUNIOR, STD ARMPAD (60 MM)	NC : 0740, 0746, 0750, 0755	○	
CNB0646	☐	REMOVABLE RH (N°1) AUTOLOCK SAFETY DEVICE INCLUDED - NARROW ARMPAD JUNIOR (50 MM)	NC : 0740, 0745, 0750, 0755, 1470	○	
CNB0650	☐	MUDGUARD RH -	NC : 0740, 0745, 0746, 0755, 1201, 1470, 1471, 1472	60,66	
CNB0655	☐	SKIRTGUARD RH - JUNIOR	NC : 0740, 0745, 0746, 0750, 1470, 1471, 1472	○	
ARMRESTS LH FORM					 0650 / 0750  0655 / 0755
CNB0740	☐	REMOVABLE LH (N°1) AUTOLOCK SAFETY DEVICE INCLUDED - DESK, STD ARMPAD (60 MM)		◆	
CNB0745	☐	REMOVABLE LH (N°1) AUTOLOCK SAFETY DEVICE INCLUDED - JUNIOR, STD ARMPAD (60 MM)		○	
CNB0746	☐	REMOVABLE LH (N°1) AUTOLOCK SAFETY DEVICE INCLUDED - NARROW ARMPAD JUNIOR (50 MM)	NC : 0750, 0755, 1470	○	
CNB0750	☐	MUDGUARD LH	NC : 1201, 1470, 1471, 1472	60,66	
CNB0755	☐	SKIRTGUARD LH - JUNIOR	NC : 1470, 1471, 1472	○	
SEATING OPTIONS TYPE					
CNB0860	☐	HEADREST STANDARD MULTI - ADJUSTABLE - INCLUDING WIDTH ADJUSTABLE BACKBRACE	NC : 0865, 0866	176,30	 0866  0868  0875  0860  0865
CNB0865	☐	HEADREST ROUND MULTI - ADJUSTABLE - INCLUDING WIDTH ADJUSTABLE BACKBRACE	NC : 0866	265,40	
CNB0866	☐	MATRX MINI ELAN HEADREST (HEAD PAD 150 MM WIDE) - ONLY AVAILABLE WITH MATRX BACKRESTS	NC: 0860, 0865 and only compatible with Matrx folder	466,35	
CNB0868	☐	MATRX LATERAL SUPPORT, FIXED (PAIR) - ONLY AVAILABLE WITH MATRX BACKRESTS		236,02	
CNB0875	☐	BODYPOINT ANKLE HUGGERS (PAIR) SIZE S		165,88	
CNB0880	☐	ADJUSTABLE CALF STRAP		9,48	
CNB0881	☐	FRONT STABILISER KIT - + 100 MM OUTWARD		52,13	
CNB0886	☐	FOOTPLATE ADJUSTMENT OPTIMIZER KIT - (FRONT OR REAR SET ADJUSTMENT)		45,50	
CNB0890	☐	ADDITIONAL ELEVATING LEGREST (0° TO 80°) SWING IN/OUT HANGER PAIR (INCL. ADJ FOOTPLATES); UL STD 275 TO 375 MM -	NC : 0900	200,49	
CNB0900	☐	ADDITIONAL ELEVATING LEGREST (0° TO 80°) SWING IN/OUT HANGER PAIR (INCL. ADJ FOOTPLATES, WITHOUT CALFPADS, WITH CALFSTRAPS); UL STD 235 TO 295 MM -		200,49	
CNB0902	☐	WIDTH ADJUSTABLE BACK BRACE -		71,09	
COLOURS					
CNB0952	☐	PEARL WHITE		○	
CNB0953	☐	MATT BLACK		○	
CNB0954	☐	MATT RED		○	
CNB0955	☐	INTENSE YELLOW		○	
CNB0956	☐	POLAR BLUE		○	
CNB0957	☐	CANDY PINK		○	
CNB0959	☐	NAVY BLUE		○	
CNB0991	☐	SPECIAL COLOUR (ON DEMAND ONLY)	RAL	On Request	
FRONT WHEELS					
CNB0999	☐	125 X 30 MM (5" x 1") - BLACK SOLID TYRE		◆	
CNB1001	☐	125 X 25 MM (5" x 1") - FLASHING LIGHTS SOLID TYRE		72,99	
CNB1007	☐	125 X 40 MM (5"x 1" 3/4) - BLACK SOLID TYRE		38,86	
REAR WHEELS					
REAR WHEEL SIZE					 Standard  1.3/8" 1.3/8" 1130 1120
CNB1020	☐	20" - 515 mm	NC : 1040, 1050	○	
CNB1030	☐	22" - 560 mm	NC : 1045	◆	
REAR WHEEL TYPE					
CNB1040	☐	STANDARD (BLACK HUB, COLORLESS RIM & ZINC PLATTED SPOKES)	NC : 1280	◆	
CNB1045	☐	REINFORCED (COLORLESS HUB, CLEAR ANODIZED RIM & STAINLESS STEEL SPOKES)	NC : 1280	○	
CNB1050	☐	DRUM BRAKE (22" : COLORLESS HUB, CLEAR ANODIZED RIM & STAINLESS STEEL SPOKES)	NC : 1270, 1275	○	
REAR WHEEL TYRE					
CNB1120	☐	TYRES SOLID BLACK (1"3/8)		◆	
CNB1130	☐	PNEUMATIC PROFILED BLACK (1"3/8)		○	

HANDRIM TYPE				
CNB1140	☐	ALUMINIUM PRE-ANODIZED HANDRIM		◆
CNB1141	☐	HANDRIM COATED IN BLACK ANTI-SLIP PLASTIC		127,01
REAR WHEELS AXLE TYPE				
CNB1180	☐	QUICK RELEASE AXLE		◆
REAR WHEELS POSITION				
CNB1190	☐	STANDARD REAR WHEELS POSITION		◆
CNB1195	☐	MEDIUM REAR WHEELS POSITION		○
CNB1200	☐	PASSIVE REAR WHEELS POSITION		○
CNB1201	☐	DUAL AMPUTEE REAR WHEELS POSITIONS	NC : 1275, 1280, 1375	148,82
CHASSIS OPTIONS TYPE				
CNB1253	☐	SPOKE GUARDS CLEAR PAIR		165,88
CNB1254	☐	SPOKE GUARDS PIXEL; PAIR		190,52
CNB1255	☐	SPOKE GUARDS SNOWFLAKES; PAIR		190,52
CNB1256	☐	SPOKE GUARDS COLOR ME!; PAIR		190,52
BRAKES TYPE				
CNB1270	☐	PUSH TO LOCK BRAKES		◆
CNB1275	☐	PULL TO LOCK BRAKES		○
CNB1280	☐	ATTENDANT HUB BRAKES (INCLUDING PUSH TO LOCK BRAKES)	NC : 1426	178,20
SAFETY OPTIONS TYPE				
CNB1345	☐	TRANSPORTATION BRACKETS		24,64
CNB1362	☐	BODYPOINT POSTURE BELT 2 POINTS, SMALL 110 mm x 25 MM		
CNB1364	☐	BODYPOINT POSTURE BELT 2 POINTS, MEDIUM 140 mm x 40 MM		
CNB1370	☐	REAR ANTI-TIPPERS PAIR WITH TIPPING AID	NC : 1430	87,20
CNB1375	☐	TRANSFER KIT (100 MM (4") WHEELS)		67,30
CNB1380	☐	REFLECTORS KIT (FOR SPOKE WHEELS ONLY)		38,86
CNB1390	☐	BRAKE EXTENSION PAIR		10,43
OTHERS OPTIONS				
CNB1426	☐	STROLLER PUSH HANDLES PAIR		204,74
CNB1430	☐	RH TIPPING AID		42,65
CNB1470	☐	ACRYLIC TRAY		72,83
CNB1471	☐	RH SWING AWAY ACRYLIC TRAY		281,52
CNB1472	☐	LH SWING AWAY ACRYLIC TRAY		281,52
RAMPS				
1440530	☐	Fiberglass Folding Mono Ramp Folded dimensions: 2000 x 230 mm 16.3 kg - maximum capacity: 300 kg"		1 787,68
1654128	☐	Basic ramp 2 telescopic parts in aluminum and non-slip coating - Folded dimensions: 1210 x 194 mm. 8.8 kg per pair - maximum capacity: 270 kg		402,84
1654129	☐	Quick2go Compact 3-part aluminum telescopic ramp with non-slip coating Folded dimensions: 870 x 237 mm 13.6 kg per pair - maximum capacity: 260 kg		805,69
1654130	☐	Aluminium folding mono ramp Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg		426,54