

Please contact Invacare EU Export Customer Services on :-
Tel : +33 247 626980 ; Email : serviceclient_export@invacare.com
 Or visit our website : www.invacare.eu.com



Invacare® Action³ NG Folding Aluminium Manual Wheelchair



Description:

- Weight: from 14.2 kg.
- Maximum user weight: 125 kg.
- 2-year warranty period excluding wear parts

Date :

Purchase Order :

Customer Code :

Distributor Stamp:



Invacare Unique Customization Service
 Please specify the quote or special production number:

☐ Please make your selection with a cross in the box

◆ Standard feature

○ Free of charge option

CODE		DESCRIPTION	NC : Non Compatible NC : 9999 = not compatible with the reference 9999	Euros	
CEB0031	☐	Invacare® Action ³ NG - Fixed Backrest		529,85	
CEB0036	☐	Invacare® Action ³ NG - Folding Backrest		572,18	
CEB0041	☐	Invacare® Action ³ NG - Reclining Backrest		572,18	
FLEXIBLE POSITIONING FILE PACK					
On demand	☐	Asymmetrically adjustable backrest with 8 straps + 2 repositionable trunk supports + a Matrx Libra seat cushion + a rigid base + a Bodypoint 2-point pelvic belt	Only with 43 cm backrest height	794,76	
ALBER					
CEB0070	☐	Bracket For Twion / E-Motion M25 - Including Alber Anti-Tipper	NC : 0310, 0315, 0732, 0832, 1064, 1066, 1073, 1074, 1082, 1170, 1185, 1201, 1280, 1320, 1330, 1345, 1365, 1370, 1375, 1430, 1440	579,15	
CEB0080	☐	Bracket For Viamobil V25	NC : 0300, 0310, 0315, 0455, 0460, 1170, 1201, 1365, 1370, 1375, 1430, 1440	313,74	
CEB0090	☐	Bracket For Viamobil Eco V14	NC : 0290, 0300, 0310, 0315, 0905, 0906, 0907, 0945, 1185, 1201, 1365, 1370, 1375, 1430, 1440, 1451	414,25	
PROPULSION TYPE					
CEB0100	☐	Self Propulsion		◆	
SEAT					
SEAT WIDTH					
CEB0180	☐	380 mm	NC : 0545+0595, 0852, 0855	○	
CEB0190	☐	405 mm	NC : 0545+0595	○	
CEB0200	☐	430 mm	NC : 0853	◆	
CEB0210	☐	455 mm	NC : 0853	○	
CEB0220	☐	480 mm	NC : 0853, 0854	○	
CEB0230	☐	505 mm	NC : 0853, 0854, 0855, 0856	○	
SEAT DEPTH					
CEB0240	☐	400 mm	NC : 0879	◆	
CEB0250	☐	450 mm	NC : 0853, 0878	○	
CEB0252	☐	Adjustable from 450 to 400 mm Delivered at 430 mm (or 450 mm if choice of a seat cushion)	NC : 0330, 0350	30,33	

SEAT HEIGHT				
CEB0260	☐	510 mm	NC : 0738, 0838, 1035, 1050, 1054, 1056, 1066	○
CEB0270	☐	485 mm	NC : 1054	◆
CEB0280	☐	460 mm		○
CEB0290	☐	435 mm	NC : 0660/0670/0760/0770 + 24" wheels, 1005, 1010, 1030	○
CEB0300	☐	410 mm	NC : 24" wheels, 0935, 1005, 1010, 1030, 1054, 1056, 1365, 1370, 1440	○
CEB0310	☐	385 mm (only with 5" front wheels CEB1051 and 22" rear wheels)	NC : 0660, 0670, 0738, 0760, 0770, 0838, 0935, 1035, 1056, 1068, 1280, 1365, 1370, 1440	○
CEB0315	☐	360 mm (only with CEB1054 5" front wheels and 20" rear wheels)	NC : 0600, 0611, 0620, 0660, 0670, 0738, 0760, 0770, 0838, 0935, 1280, 1035, 1056, 1066, 1068, 1365, 1375, 1440	142,02
SEAT UPHOLSTERY TYPE				
CEB0330	☐	NYLON WITHOUT LOOP BANDS SEAT UPHOLSTERY		◆
CEB0340	☐	NYLON WITH LOOP BANDS SEAT UPHOLSTERY		○
CEB0350	☐	PADDED NYLON SEAT UPHOLSTERY		30,33
BACKREST				
Backrest type - anti-tippers recommended with reclining backrests				
CEB0380	☐	FIXED 0° BACKREST 2 HEIGHTS 400/430 MM (DELIV. 430 MM) - FIXED PUSH HANDLES	NC : 0471, 0945	52,13
CEB0390	☐	FIXED 0° BACKREST 510 MM HEIGHT - FIXED PUSH HANDLES	NC : 0471, 0945	86,26
CEB0395	☐	FIXED 7° BACKREST - HEIGHT ADJUST 380 TO 460 MM (DELIVERED 380 MM)	NC : 0474, 0475, 0478, 0479, 0481, 0905, 0906, 0907, 0940, 1451	295,73
CEB0396	☐	FIXED 7° BACKREST - HEIGHT ADJUST 380 TO 460 MM (DELIVERED 380 MM)	NC : 0474, 0475, 0478, 0479, 0481, 0905, 0906, 0907, 0940, 1451	295,73
CEB0410	☐	FIXED 7° BACKREST - 2 HEIGHTS 400/430 MM (DELIV. 430 MM)	NC : 0471, 0945	◆
CEB0420	☐	FIXED 7° BACKREST - 510 MM HEIGHT	NC : 0471, 0945	33,18
CEB0435	☐	RECLINING (RATCHET) 0/30° BACKREST INCL. BACKRACE & PASSIVE REAR WHEEL POS. ONLY - 3 HEIGHTS 390/410/430 MM (DELIV.430 MM)	NC : 0471, 0738, 0940, 0945, 1185, 1190	◆
CEB0445	☐	RECLINING (GAS SPRING) 0/30° BACKREST INCL. BACKRACE & PASSIVE REAR WHEEL POS. ONLY - 3 HEIGHTS 390/410/430 MM (DELIV.430 MM)	NC : 0471, 0738, 0940, 0945, 1185, 1190	○
CEB0450	☐	RECLINING (GAS SPRING) 0/30° BACKREST INCL. BACKRACE & PASSIVE REAR WHEEL POS. ONLY - 3 HEIGHTS470/490/510 MM (DELIV.510 MM)	NC : 0471, 0738, 0940, 0945, 1185, 1190	33,18
CEB0455	☐	FOLDING 7° BACKREST - 430 MM HEIGHT	NC : 0471, 0945	◆
CEB0460	☐	FOLDING 7° BACKREST - 510 MM HEIGHT	NC : 0471, 0480, 0481, 0945	33,18
Matrix backrests - See the table "Possible Matrix backrest widths depending on the seat width" at the bottom of the measurement sheet. Find the trunk wedges and all the accessories on the Matrix measurement sheet! 				
CEB0451	☐	Matrix Elite E2 height 160 mm - Curve 80 mm - Mini fasteners	NC : 0471, 0474, 0477, 0478, 0481, 0882, 0940, 0945, 1481	717,54
CEB0452	☐	Matrix Elite E2 height 210 mm - Curve 80 mm - Mini fasteners	NC : 0471, 0474, 0477, 0478, 0481, 0882, 0940, 0945, 1481	717,54
CEB0453	☐	Matrix Elite E2 height 260 mm - Curve 80 mm - Mini fasteners	NC : 0471, 0474, 0477, 0478, 0481, 0882, 0940, 0945, 1481	717,54
CEB0454	☐	Matrix Elite E2 height 310 mm - Curve 80 mm - Mini fasteners	NC : 0471, 0474, 0477, 0478, 0481, 0882, 0940, 0945, 1481	717,54
CEB0456	☐	Matrix Elite E2 height 360 mm - Curve 80 mm - Mini fasteners	NC : 0471, 0474, 0477, 0478, 0481, 0882, 0940, 0945, 1481	717,54
CEB0461	☐	Matrix Elite E2 height 410 mm - Curve 80 mm - Mini fasteners	NC : 0471, 0474, 0477, 0478, 0481, 0882, 0940, 0945, 1481	717,54
CEB0462	☐	Matrix Elite E2 height 460 mm - Curve 80 mm - Standard fasteners	NC : 0471, 0474, 0477, 0478, 0481, 0882, 0940, 0945, 1481	717,54
CEB0457	☐	Matrix Elite E2 height 510 mm - Curve 80 mm - Standard fasteners	NC : 0471, 0474, 0477, 0478, 0481, 0882, 0940, 0945, 1481	717,54




0396



0435



0455 / 0460

CEB0458	☐	Matrx Elite Deep E2 height 160 mm - Curve 160 mm - Mini fasteners	NC : 0471, 0474, 0477, 0478, 0481, 0882, 0940, 0945, 1481	717,54	 0471  0474 / 0475  0480 / 0481	
CEB0459	☐	Matrx Elite Deep E2 height 210 mm - Curve 160 mm - Mini fasteners	NC : 0471, 0474, 0477, 0478, 0481, 0882, 0940, 0945, 1481	717,54		
CEB0466	☐	Matrx Elite Deep E2 height 260 mm - Curve 160 mm - Mini fasteners	NC : 0471, 0474, 0477, 0478, 0481, 0882, 0940, 0945, 1481	717,54		
CEB0467	☐	Matrx Elite Deep E2 height 310 mm - Curve 160 mm - Mini fasteners	NC : 0471, 0474, 0477, 0478, 0481, 0882, 0940, 0945, 1481	717,54		
CEB0468	☐	Matrx Elite Deep E2 height 360 mm - Curve 160 mm - Mini fasteners	NC : 0471, 0474, 0477, 0478, 0481, 0882, 0940, 0945, 1481	717,54		
CEB0463	☐	Matrx Elite Deep E2 height 410 mm - Curve 160 mm - Mini fasteners	NC : 0471, 0474, 0477, 0478, 0481, 0882, 0940, 0945, 1481	717,54		
CEB0464	☐	Matrx Elite Deep E2 height 460 mm - Curve 160 mm - Mini fasteners	NC : 0471, 0474, 0477, 0478, 0481, 0882, 0940, 0945, 1481	717,54		
CEB0469	☐	Matrx Elite Deep E2 height 510 mm - Curve 160 mm - Mini fasteners	NC : 0471, 0474, 0477, 0478, 0481, 0882, 0940, 0945, 1481	717,54		
Caution - loss of approx. 20 mm of seat depth with tiltable backrests - supplied with Mini or Standard fixings except for PMH backrests supplied with Split fixing. 						
Matrx backrest width- see table at the end of the measurement sheet 						
CEB0482	☐	360 mm - indicative bust width 265 mm	NC : 1481			
CEB0483	☐	380 mm - indicative bust width 290 mm	NC : 1481			
CEB0484	☐	410 mm - indicative bust width 315 mm	NC : 1481			
CEB0485	☐	430 mm - indicative bust width 340 mm	NC : 1481			
CEB0486	☐	460 mm - indicative bust width 370 mm	NC : 1481			
CEB0487	☐	480 mm - indicative bust width 390 mm	NC : 1481			
CEB0488	☐	510 mm - indicative bust width 420 mm	NC : 1481			
BACKREST UPHOLSTERY TYPE						
CEB0471	☐	STANDARD NYLON SLING TYPE (JEMIMA)	NC : 0882, 0905, 0906, 0907, 0882			
CEB0474	☐	LUMBAR SUPPORT (+1 STRAP) BI MATERIAL PADDED COVER INCL. BACK POCKET			33,08	
CEB0475	☐	LUMBAR SUPPORT (+1 STRAP) PADDED SHAPED COVER				
CEB0478	☐	CONTOUR ADJUSTABLE (3+1 STRAPS) BI MATERIAL PADDED COVER INCL. BACK POCKET	NC : 0940, 0945		75,83	
CEB0479	☐	CONTOUR ADJUSTABLE (3+1 STRAPS) PADDED SHAPED COVER	NC : 0940, 0945		33,08	
CEB0480	☐	CONTOUR ADJUSTABLE (7+1 STRAPS) PADDED SHAPED COVER	NC : 0940, 0945		138,39	
CEB0481	☐	CONTOUR ADJUSTABLE (7+1 STRAPS) BI MATERIAL PADDED COVER INCL. BACK POCKET	NC : 0940, 0945		189,57	
HANGERS/FOOTPLATES						
Separate plates delivered with heel straps						
HANGERS RH TYPE						
CEB0510	☐	80° STRAIGHT RH SWING IN/SWING OUT HANGER				
CEB0520	☐	ELEVATING LEGREST (0° TO 75°) RH SWING IN/SWING OUT HANGER (INCLUDING CALFPAD)	NC : 0611, 0930, 0935, 0936		73,82	
CEB0545	☐	AMPUTEE LEGREST RH	NC : 0600, 0610, 0611, 0930, 0936		140,28	
HANGERS LH TYPE						
CEB0560	☐	80° STRAIGHT LH SWING IN/SWING OUT HANGER				
CEB0570	☐	ELEVATING LEGREST (0° TO 75°) LH SWING IN/SWING OUT HANGER (INCLUDING CALFPAD)	NC: 0611, 0930, 0935, 0936		73,82	
CEB0595	☐	AMPUTEE LEGREST LH	NC : 0611, 0620, 0630, 0930, 0936		140,28	

FOOTPLATES RH TYPE				 0610 / 0630  0610 / 0630  0611	
CEB0600	☐	FLIP UP RH FOOTPLATE - (INCLUDING HEEL STRAP)			◆
CEB0610	☐	FLIP UP DEPTH & ANGLE AJUSTABLE RH FOOTPLATE - (INCLUDING HEEL STRAP)			26,43
CEB0611	☐	FLIP UP ONE PIECE FOOTPLATE - DEPTH & ANGLE ADJUSTABLE	NC : 0620, 0630, 0935, 0936		234,12
FOOTPLATES LH TYPE					
CEB0620	☐	FLIP UP LH FOOTPLATE - (INCLUDING HEEL STRAP)		◆	
CEB0630	☐	FLIP UP DEPTH & ANGLE AJUSTABLE LH FOOTPLATE - (INCLUDING HEEL STRAP)		26,43	
ARMRESTS					
ARMRESTS RH FORM IN BLACK COLOR					
CEB0640	☐	REMOVABLE RH (N°1) AUTOLOCK SAFETY DEVICE INCLUDED - DESK	NC : 0760, 0770, 0772, 0780, 0790, 0795, 0796, 0798, 0838, 1480	◆	
CEB0650	☐	REMOVABLE RH (N°1) AUTOLOCK SAFETY DEVICE INCLUDED - FULL LENGTH	NC : 0760, 0770, 0772, 0780, 0790, 0795, 0796, 0798, 0838	24,64	
CEB0656	☐	REMOVABLE AND CONTINUOUSLY HEIGHT-ADJUSTABLE FROM 200 MM TO 280 MM - SHORT NARROW GUTTER (330 MM) WITHOUT ROTATION	NC : 0760, 0770, 0772, 0780, 0790, 0795, 0796, 0798, 0838, 1480	113,17	
CEB0660	☐	SWING AWAY DETACHABLE RH (N°2) - DESK	NC : 0740, 0750, 0756, 0772, 0780, 0790, 0795, 0796, 0838, 1480	○	
CEB0670	☐	SWING AWAY DETACHABLE RH (N°2) - FULL LENGTH	NC : 0740, 0750, 0756, 0772, 0780, 0790, 0795, 0796, 0798, 0838	24,64	
CEB0672	☐	LIFTABLE AND REMOVABLE, HEIGHT-ADJUSTABLE FROM 170 TO 295 MM - SHORT (330 MM) NON-ROTATING NARROW TROUGH WITH CLOTHES GUARD AND ERGONOMIC SUPPORT HANDLE	NC : 0740, 0750, 0760, 0770, 0795, 0796, 0798, 0838, 1480	113,17	
CEB0680	☐	SWING AWAY DETACHABLE RH (N°3) - DESK	NC : 0740, 0750, 0756, 0760, 0770, 0795, 0796, 0798, 0838, 1480	117,54	
CEB0690	☐	SWING AWAY DETACHABLE RH (N°3) - FULL LENGTH	NC : 0740, 0750, 0756, 0760, 0770, 0795, 0796, 0832, 0838	140,28	
CEB0695	☐	REMOVABLE RH (N°4) AUTOLOCK SAFETY DEVICE INCLUDED - DESK	NC: 0740, 0750, 0756, 0760, 0770, 0772, 0780, 0790, 0838, 1185, 1480	117,54	
CEB0696	☐	REMOVABLE RH (N°4) AUTOLOCK SAFETY DEVICE INCLUDED - FULL LENGTH	NC : 0740, 0750, 0756, 0760, 0770, 0772, 0780, 0790, 0838, 1185	140,28	
CEB0698	☐	REMOVABLE AND HEIGHT ADJUSTABLE - SHORT NARROW GUTTER (330 MM) WITHOUT ROTATION	NC : 0740, 0750, 0756, 0760, 0770, 0772, 0780, 0790, 0838, 1185, 1480	113,17	
CEB0732	☐	REMOVABLE RH (N°4) AUTOLOCK SAFETY DEVICE INCLUDED - ARMPAD HEMI BLACK PU TR26	NC : 0838, 1185, 1480	113,17	
CEB0738	☐	REMOVABLE MUDGUARD RH (N°6) (CUSHION IS RECOMMENDED FOR SEAT HEIGHT 410 & 435 MM) -	NC : 0740, 0750, 0756, 0760, 0770, 0772, 0780, 0790, 0795, 0796, 0832, 1064, 1066, 1200, 1201, 1480	60,66	
ARMRESTS LH FORM IN BLACK COLOR					
CEB0740	☐	REMOVABLE LH (N°1) AUTOLOCK SAFETY DEVICE INCLUDED - DESK	NC : 1480	◆	
CEB0750	☐	REMOVABLE LH (N°1) AUTOLOCK SAFETY DEVICE INCLUDED - FULL LENGTH		24,64	
CEB0756	☐	REMOVABLE AND CONTINUOUSLY HEIGHT-ADJUSTABLE FROM 200 MM TO 280 MM - SHORT NARROW GUTTER (330 MM) WITHOUT ROTATION	NC : 1480	113,17	
CEB0760	☐	SWING AWAY DETACHABLE LH (N°2) - DESK	NC : 1480	○	
CEB0770	☐	SWING AWAY DETACHABLE LH (N°2) - FULL LENGTH		24,64	
CEB0772	☐	LIFTABLE AND REMOVABLE, HEIGHT-ADJUSTABLE FROM 170 TO 295 MM - SHORT (330 MM) NON-ROTATING NARROW TROUGH WITH CLOTHES GUARD AND ERGONOMIC SUPPORT HANDLE	NC : 1480	113,17	
CEB0780	☐	SWING AWAY DETACHABLE LH (N°3) - DESK	NC : 1480	117,54	
CEB0790	☐	SWING AWAY DETACHABLE LH (N°3) - FULL LENGTH		140,28	
CEB0795	☐	REMOVABLE LH (N°4) AUTOLOCK SAFETY DEVICE INCLUDED - DESK	NC : 1185, 1480	117,54	
CEB0796	☐	REMOVABLE LH (N°4) AUTOLOCK SAFETY DEVICE INCLUDED - FULL LENGTH	NC : 1185	140,28	



0640 / 0740



0656 / 0756



0660 / 0760



0672 / 0772



0680 / 0780



0695 / 0795




0698 / 0798



0732 / 0832



0738 / 0838

CEB0798	☐	REMOVABLE AND HEIGHT ADJUSTABLE - SHORT NARROW GUTTER (330 MM) WITHOUT ROTATION	NC : 1480, 1185	113,17	 0849
CEB0832	☐	REMOVABLE LH (N°4) AUTOLOCK SAFETY DEVICE INCLUDED - ARMPAD HEMI BLACK PU TR26	NC : 1185, 1480	113,17	
CEB0838	☐	REMOVABLE MUDGUARD LH (N°6) (CUSHION IS RECOMMENDED FOR SEAT HEIGHT 410 & 435 MM) -	NC : 1064, 1066	60,66	
SEAT CUSHION TYPE					
Cushion					 0853 / 0854  0873
CEB0849	☐	BASIC 60 MM FOAM CUSHION - NYLON & ANTI-SLIP COVER	NC : 0853, 0854, 0855, 0856, 0873	33,08	
CEB0853	☐	CLASSIC VISCO CUSHION 375X 400 MM -	NC : 0873, 0878, 0879	76,78	
CEB0854	☐	CLASSIC VISCO CUSHION 405 X 400 MM -	NC : 0873, 0878, 0879	65,40	
CEB0855	☐	CLASSIC VISCO CUSHION 430 X 430 MM -	NC : 0873, 0878, 0879	65,40	
CEB0856	☐	CLASSIC VISCO CUSHION 455 X 400 MM -	NC : 0873, 0878, 0879	76,78	
CEB0869	☐	FLO-TECH LITE CUSHION THICKNESS 55 MM		123,22	
CEB0873	☐	FLO-TECH IMAGE CUSHION THICKNESS 55 MM		246,45	
CEB0874	☐	FLO-TECH SOLUTION XTRA CUSHION THICKNESS 55 MM		360,19	
CEB0876	☐	SEAT CUSHION MATRX LIBRA, BLACK MICRO-VENTILATED MESH COVER, THICKNESS 70 MM		293,84	
SEAT CUSHION DEPTH					
CEB0878	☐	FOR 400 MM SEAT DEPTH		☐	
CEB0879	☐	FOR 450 MM SEAT DEPTH		☐	
OTHER SEATING OPTIONS					 0905  0906  0907  0945
CEB0852	☐	SEAT RIGIDIZER	(Mandatory : choose a seat cushion)	61,61	
CEB0882	☐	LATERAL POSITIONING PADS (PAIR)		237,91	
CEB0905	☐	NECKREST BLACK PU TR26 (INCLUDING BACKBRACE EXCEPT FOR LAGUNA)	NC : 0906, 0907, 0940, 0945	60,10	
CEB0906	☐	HEADREST BLACK PU TR26 (INCLUDING BACKBRACE EXCEPT FOR LAGUNA)	NC : 0907, 0940, 0945	199,05	
CEB0907	☐	HEADREST WITH CHEEK SUPPORT BLACK PU TR26 (INCLUDING BACKBRACE EXCEPT FOR LAGUNA) -	NC : 0940, 0945	217,06	
CEB0930	☐	ADJUSTABLE CALF STRAP		10,43	
CEB0935	☐	LONGER FOOTREST TUBE (UL= 450-530 MM)		17,06	
CEB0936	☐	SHORTER FOOTREST SUPPORT (PAIR) (UL= 230-430 MM)		83,41	
CEB0940	☐	BACKBRACE	NC : 0945	47,39	
CEB0945	☐	FOLDABLE BACKBRACE	NC : 1451	105,21	
COLOURS					 0961 / 0964 / 0966  0974 / 0969 / 0980
CEB0961	☐	SLATE GREY (RAL7024 FINE TEXTURE)		☐	
CEB0964	☐	PEARL WHITE		☐	
CEB0966	☐	MATT BLACK		☐	
CEB0969	☐	RED MATT		☐	
CEB0974	☐	NAVY BLUE		☐	
CEB0980	☐	ANTHRACITE BLACK		☐	
CEB0991	☐	SPECIAL COLOUR		On Demand	
CASTER HOUSING TYPE					
CEB0995	☐	STANDARD		☒	

FRONT WHEELS				
CEB1005	☐	200 X 32 MM (8" X 1.1/4") - BLACK PNEUMATIC TYRE		○
CEB1010	☐	200 X 30 MM (8" X 1.1/4") - BLACK SOLID TYRE		○
CEB1030	☐	200 X 45 MM (8" X 2") - BLACK SOLID TYRE		○
CEB1035	☐	150 X 30 MM (6" X 1.1/4") - BLACK SOLID TYRE MEDIUM HARD		○
CEB1050	☐	150 X 30 MM (6" X 1.1/4") - BLACK SOLID TYRE		◆
CEB1054	☐	125 X 30 MM (5" X 1") - BLACK SOLID TYRE		○
CEB1056	☐	140 X 40 MM (5" 1/2 X 1" 3/4) - BLACK SOLID TYRE MEDIUM HARD		○
REAR WHEELS				
REAR WHEEL SIZE				
CEB1064	☐	20" / 515 MM	NC : 1071, 1073, 1074, 1088, 1170, 1260, 1280	○
CEB1066	☐	22" / 560 MM	NC : 1074, 1260	○
CEB1068	☐	24" / 600 MM	NC : 1261	◆
REAR WHEEL TYPE				
CEB1071	☐	STANDARD (BLACK HUB, COLORLESS RIM & ZINC PLATTED SPOKES)	NC : 1170, 1280	◆
CEB1072	☐	REINFORCED (COLORLESS HUB, CLEAR ANODIZED RIM & STAINLESS STEEL SPOKES)	NC : 1280	○
CEB1073	☐	DRUM BRAKE (20/22/24" : COLORLESS HUB, CLEAR ANODIZED RIM & STAINLESS STEEL SPOKES / 12" : BLACK PLASTIC HUB & RIM)	NC : 1270, 1275, 1320, 1330	○
CEB1074	☐	COMPOSITE (BLACK PLASTIC HUB & RIM)	NC : 1088, 1260, 1261, 1280	○
TYRE TYPE				
CEB1082	☐	TYRES SOLID BLACK 35 MM (1"3/8)		◆
CEB1084	☐	PNEUMATIC PROFILED BLACK 35 MM (1"3/8)		○
CEB1088	☐	PNEUMATIC LOW PROFILE BLACK 25 MM (1")		○
HANDRIM TYPE				
CEB1140	☐	ALUMINIUM PRE-ANODIZED HANDRIM		◆
CEB1150	☐	HANDRIM COATED IN BLACK ANTI-SLIP PLASTIC		127,01
REAR WHEELS AXLE TYPE				
CEB1170	☐	FIXED AXLE	NC : 1185, 1365	○
CEB1180	☐	QUICK RELEASE AXLE		◆
REAR WHEELS POSITION				
CEB1185	☐	Active position (37.5 mm axles in front of the backrest tubes) - Specific rear plates	NC : 1320, 1330, 1345, 1365	148,82
CEB1190	☐	Standard position (25 mm axles in front of the backrest tubes)		◆
CEB1200	☐	Passive position (25 mm axles behind the backrest tubes - standard with reclining backrest)		○
CEB1201	☐	Very rearward position (axles 60 mm behind the backrest tubes)	NC: 1275, 1280, 1320, 1330, 1365	148,82
Pump				
CEB1230	☐	PUMP AND SUPPORT		10,43
CHASSIS OPTIONS TYPE				
CEB1241	☐	FRONT WHEELS EXTENSION (+ 50 MM OUTWARD)		○
CEB1260	☐	SPOKE GUARDS PAIR 600 MM (24") BLACK	NC : 1261	165,88
CEB1261	☐	SPOKE GUARDS PAIR CLEAR		165,88
BRAKES TYPE				
CEB1270	☐	PUSH TO LOCK BRAKES		◆
CEB1275	☐	PULL TO LOCK BRAKES		○
CEB1280	☐	ATTENDANT HUB BRAKES (INCLUDING PUSH TO LOCK BRAKES)		178,20
CEB1320	☐	OAD WIRE CONTROLLED BRAKE RH	NC : 1390	94,79
CEB1330	☐	OAD WIRE CONTROLLED BRAKE LH	NC : 1390	94,79



10101050



StandardComposite



108810841082



1241



1270

SAFETY OPTIONS TYPE				
CEB1345	☐	TRANSPORTATION BRACKETS		24,64
CEB1360	☐	POSTURE BELT - PLASTIC BUCKLE	NC : 1361, 1362, 1363, 1364	31,28
CEB1361	☐	HIP BELT, 2-PT, CTR-PULL, PB - M X 460MM PADS, FLAT-MOUNT	NC : 1362, 1363, 1364	199,05
CEB1362	☐	HIP BELT, 2-PT, CTR-PULL, PB - L X 620MM PADS, FLAT-MOUNT	NC : 1363, 1364	206,64
CEB1363	☐	HIP BELT, 4-PT, CTR-PULL, PB - M X 460MM PADS, FLAT-MOUNT	NC : 1364	234,12
CEB1364	☐	HIP BELT, 4-PT, CTR-PULL, PB - L X 620MM PADS, FLAT-MOUNT		241,71
CEB1365	☐	TRANSFER KIT (100 MM (4") WHEELS) - ANTI-BARRIER		68,25
CEB1370	☐	REAR ANTI-TIPPERS PAIR	NC : 1375, 1440	79,62
CEB1375	☐	REAR ANTI-TIPPERS PAIR WITH TIPPING AID - (REA TYPE)	NC : 1440	125,12
CEB1380	☐	REFLECTORS KIT		38,86
CEB1390	☐	BRAKE EXTENSION PAIR		10,43
OPTIONS				
CEB1430	☐	CANE HOLDER		49,29
CEB1440	☐	TIPPING AID RH		28,44
CEB1451	☐	DRIP STAND SUPPORT WITH DRIPSTAND (WITH BACKBRACE 0940 ONLY)		101,42
OTHERS OPTIONS				
CEB1480	☐	ACRYLIC TRAY		72,83
ACCESSORIES (delivered separtly)				
AP1493219	☐	GUTTER WITH INDEPENDENT SIDE ROTATION, ADJUSTABLE IN HEIGHT AND DEPTH, RIGHT	Only compatible with armrest 0680, 0690, 0695, 0696, 0732	113,17
AP1493220	☐	GUTTER WITH INDEPENDENT SIDE ROTATION, ADJUSTABLE IN HEIGHT AND DEPTH, LEFT	Only compatible with armrest 0780, 0790, 0795, 0796, 0832	113,17
RAMPS				
1440530	☐	Fiberglass Folding Mono Ramp Folded dimensions: 2000 x 230 mm 16.3 kg - maximum capacity: 300 kg		1 787,68
1654128	☐	Basic ramp 2 telescopic parts in aluminum and non-slip coating. Folded dimensions: 1210 x 194 mm 8.8 kg per pair - maximum capacity: 270 kg		402,84
1654129	☐	Quick2go Compact 3-part aluminum telescopic ramp with non-slip coating Folded dimensions: 870 x 237 mm 13.6 kg per pair - maximum capacity: 260 kg		805,69
1654130	☐	Aluminium folding mono ramp Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg		426,54

