

Invacare® Action®³_{NG} Dual HR™

Please contact Invacare EU Export Customer Services on :-
Tel : +33 247 626980 ; Email : serviceclient_export@invacare.com
Or visit our website : www.invacare.eu.com



Invacare® Action®³_{NG} Dual HR™
Aluminum folding manual wheelchair



Description:
- Propulsion and steering by quick-release double handrail: right/left reversible system with interior handrail adjustment (0 or +20 mm). 3° seat slope as standard
- Weight: from 15 kg
- Maximum user weight: 125 kg.
- 2-year warranty period excluding wear parts

Think of the model: Action3NG Hemi with configurable and ergonomic armrest !




Date :
Purchase Order :
Customer Code :
Distributor Stamp::



Invacare Unique Customization Service
Please specify the quote or special production number:

☐ Please make your selection with a cross in the box ◆ Standard feature ○ Free of charge option

CODE		DESCRIPTION	NC : Non Compatible NC : 9999 = not compatible with the reference 9999	Euros	
CEH0031	☐	Invacare® <i>Action</i> ® ³ _{NG} <i>Dual HR</i> - Fixed Backrest		529,85	
CEH0036	☐	Invacare® <i>Action</i> ® ³ _{NG} <i>Dual HR</i> - Folding Backrest		572,18	
CEH0041	☐	Invacare® <i>Action</i> ® ³ _{NG} <i>Dual HR</i> - Reclining Backrest		572,18	
DOUBLE HANDRAIL KIT					
CEH0140	☐	Dual HR quick release kit right - new version	NC : 1330	257,09	
CEH0150	☐	Dual HR quick release kit left - new version	NC : 1320	257,09	
SEAT					
SEAT WIDTH					
CEH0180	☐	380 mm	NC : 0545+0595, 0852, 0855	○	
CEH0190	☐	405 mm	NC : 0545+0595	○	
CEH0200	☐	430 mm	NC : 0853	◆	
CEH0210	☐	455 mm	NC : 0853	○	
CEH0220	☐	480 mm	NC : 0853, 0854	○	
CEH0230	☐	505 mm	NC : 0853, 0854, 0855, 0856	○	
SEAT DEPTH					
CEH0240	☐	400 mm	NC : 0879	◆	
CEH0250	☐	450 mm	NC : 0853, 0878	○	
CEH0252	☐	400 TO 450 MM ADJUSTABLE SEAT DEPTH	NC : 0330, 0350	26,54	
SEAT HEIGHT					
CEH0270	☐	485 mm	NC : 1054	◆	
CEH0280	☐	460 mm		○	
CEH0290	☐	435 mm	NC : 0660, 0670, 0760, 0770 Only with 6" and 5.5" front wheels	○	
CEH0300	☐	410 mm	NC : 0935, 1005, 1010, 1030, 1056, 1068, 1365, 1370, 1440	○	
CEH0310	☐	385 mm	NC : 0660, 0670, 0760, 0770, 0935, 1005, 1010, 1030, 1035, 1050, 1056, 1068, 1370, 1440	○	
SEAT UPHOLSTERY TYPE					
CEH0330	☐	NYLON WITHOUT LOOP BANDS SEAT UPHOLSTERY		◆	
CEH0340	☐	NYLON WITH LOOP BANDS SEAT UPHOLSTERY		○	
CEH0350	☐	PADDED NYLON SEAT UPHOLSTERY		26,54	

BACKREST					
BACKREST TYPE					
CEH0395	☐	FIXED 7° BACKREST - HEIGHT ADJUST 380 TO 460 MM (DELIVERED 380 MM)	NC : 0474, 0475, 0478, 0479, 0481, 0905, 0906, 0907, 0940, 1451	295,73	 0396
CEH0396	☐	FIXED 7° BACKREST - HEIGHT ADJUST 380 TO 460 MM (DELIVERED 380 MM)	NC : 0474, 0475, 0478, 0479, 0481, 0905, 0906, 0907, 0940, 1451	295,73	
CEH0410	☐	FIXED 7° BACKREST - 2 HEIGHTS 400/430 MM (DELIV. 430 MM)	NC : 0945	◆	
CEH0420	☐	FIXED 7° BACKREST - 510 MM HEIGHT	NC : 0945	33,18	
CEH0435	☐	RECLINING (RATCHET) 0/30° BACKREST INCL. BACKRACE & PASSIVE REAR WHEEL POS. ONLY - 3 HEIGHTS 390/410/430 MM (DELIV.430 MM)	NC : 0940, 0945, 1190	◆	
CEH0445	☐	RECLINING (GAS SPRING) 0/30° BACKREST INCL. BACKRACE & PASSIVE REAR WHEEL POS. ONLY - 3 HEIGHTS 390/410/430 MM (DELIV.430 MM)	NC : 0940, 0945, 1190	○	
CEH0450	☐	RECLINING (GAS SPRING) 0/30° BACKREST INCL. BACKRACE & PASSIVE REAR WHEEL POS. ONLY - 3 HEIGHTS470/490/510 MM (DELIV.510 MM)	NC : 0940, 0945, 1190	33,18	
CEH0455	☐	FOLDING 7° BACKREST - 430 MM HEIGHT	NC : 0945	◆	
BACKREST UPHOLSTERY TYPE					
CEH0474	☐	LUMBAR SUPPORT (+1 STRAP) BI MATERIAL PADDED COVER INCL. BACK POCKET		33,08	 0474 / 0475
CEH0475	☐	LUMBAR SUPPORT (+1 STRAP) PADDED SHAPED COVER		◆	
CEH0478	☐	CONTOUR ADJUSTABLE (3+1 STRAPS) BI MATERIAL PADDED COVER INCL. BACK POCKET	NC : 0940, 0945	66,16	
CEH0479	☐	CONTOUR ADJUSTABLE (3+1 STRAPS) PADDED SHAPED COVER	NC : 0940, 0945	33,08	
CEH0480	☐	CONTOUR ADJUSTABLE (7+1 STRAPS) PADDED SHAPED COVER	NC : 0940, 0945	138,39	
CEH0481	☐	CONTOUR ADJUSTABLE (7+1 STRAPS) BI MATERIAL PADDED COVER INCL. BACK POCKET	NC : 0940, 0945	189,57	
HANGERS/FOOTPLATES					
HANGERS RH TYPE					
CEH0510	☐	80° STRAIGHT RH SWING IN/SWING OUT HANGER		◆	 0510 / 0560
CEH0520	☐	ELEVATING LEGREST (0° TO 75°) RH SWING IN/SWING OUT HANGER (INCLUDING CALFPAD)	NC : 0611, 0930, 0935, 0936	73,82	
CEH0545	☐	AMPUTEE LEGREST RH	NC : 0600, 0610, 0611, 0930, 0936	140,28	
HANGERS LH TYPE					
CEH0560	☐	80° STRAIGHT LH SWING IN/SWING OUT HANGER		◆	 0520 / 0570
CEH0570	☐	ELEVATING LEGREST (0° TO 75°) LH SWING IN/SWING OUT HANGER (INCLUDING CALFPAD)	NC : 0611, 0930, 0935, 0936	73,82	
CEH0595	☐	AMPUTEE LEGREST LH	NC : 0611, 0620, 0630, 0930, 0936	140,28	
FOOTPLATES RH TYPE					
CEH0600	☐	FLIP UP RH FOOTPLATE - (INCLUDING HEEL STRAP)		◆	 0610 / 0630
CEH0610	☐	FLIP UP DEPTH & ANGLE AJUSTABLE RH FOOTPLATE - (INCLUDING HEEL STRAP)		26,43	
CEH0611	☐	FLIP UP ONE PIECE FOOTPLATE - DEPTH & ANGLE ADJUSTABLE	NC : 0620, 0630, 0935, 0936	234,12	
FOOTPLATES LH TYPE					
CEH0620	☐	FLIP UP LH FOOTPLATE - (INCLUDING HEEL STRAP)		◆	 0611
CEH0630	☐	FLIP UP DEPTH & ANGLE AJUSTABLE LH FOOTPLATE - (INCLUDING HEEL STRAP)		26,43	

ARMRESTS				
ARMRESTS RH FORM IN BLACK COLOR				
CEH0640	☐	REMOVABLE RH (N°1) AUTOLOCK SAFETY DEVICE INCLUDED - DESK	NC : 0760, 0770, 0772, 0780, 0790, 0795, 0796, 0798, 1480	◆
CEH0650	☐	REMOVABLE RH (N°1) AUTOLOCK SAFETY DEVICE INCLUDED - FULL LENGTH	NC : 0760, 0770, 0772, 0780, 0790, 0795, 0796, 0798	24,64
CEH0656	☐	REMOVABLE AND CONTINUOUSLY HEIGHT-ADJUSTABLE FROM 200 MM TO 280 MM - SHORT NARROW GUTTER (330 MM) WITHOUT ROTATION	NC : 0760, 0770, 0772, 0780, 0790, 0795, 0796, 1480	113,17
CEH0660	☐	REMOVABLE RH (N°1) "RIO" Special Only For Denmark AUTOLOCK SAFETY DEVICE INCLUDED -	NC : 0740, 0750, 0756, 0772, 0780, 0790, 0795, 0796, 1480	○
CEH0670	☐	SWING AWAY DETACHABLE RH (N°2) - FULL LENGTH	NC : 0740, 0750, 0756, 0772, 0780, 0790, 0795, 0796, 0798	24,64
CEH0672	☐	LIFTABLE AND REMOVABLE, HEIGHT-ADJUSTABLE FROM 170 TO 295 MM - SHORT (330 MM) NON-ROTATING NARROW	NC : 0740, 0750, 0760, 0770, 0795, 0796, 0798, 0838, 1480	113,17
CEH0680	☐	SWING AWAY DETACHABLE RH (N°3) - DESK	NC : 0740, 0750, 0760, 0770, 0795, 0796, 0798, 1480	117,54
CEH0690	☐	SWING AWAY DETACHABLE RH (N°3) - FULL LENGTH	NC : 0740, 0750, 0756, 0760, 0770, 0795, 0796, 0832	140,28
CEH0695	☐	REMOVABLE RH (N°4) AUTOLOCK SAFETY DEVICE INCLUDED - DESK	NC : 0740, 0750, 0756, 0760, 0770, 0772, 0780, 0790, 1480	117,54
CEH0696	☐	REMOVABLE RH (N°4) AUTOLOCK SAFETY DEVICE INCLUDED - FULL LENGTH	NC : 0740, 0750, 0756, 0760, 0770, 0772, 0780, 0790	140,28
CEH0698	☐	REMOVABLE AND HEIGHT ADJUSTABLE - SHORT NARROW GUTTER (330 MM) WITHOUT ROTATION	NC : 0740, 0750, 0756, 0760, 0770, 0772, 0780, 0790, 1480	113,17
CEH0732	☐	REMOVABLE RH (N°4) AUTOLOCK SAFETY DEVICE INCLUDED - ARMPAD HEMI BLACK PU TR26	NC : 1480	113,17
ARMRESTS LH FORM IN BLACK COLOR				
CEH0740	☐	REMOVABLE LH (N°1) AUTOLOCK SAFETY DEVICE INCLUDED - DESK	NC : 1480	◆
CEH0750	☐	REMOVABLE LH (N°1) AUTOLOCK SAFETY DEVICE INCLUDED - FULL LENGTH		21,80
CEH0756	☐	REMOVABLE AND CONTINUOUSLY HEIGHT-ADJUSTABLE FROM 200 MM TO 280 MM - SHORT NARROW GUTTER (330 MM) WITHOUT ROTATION		113,17
CEH0760	☐	SWING AWAY DETACHABLE LH (N°2) - DESK	NC : 1480	○
CEH0770	☐	SWING AWAY DETACHABLE LH (N°2) - FULL LENGTH		24,64
CEH0772	☐	LIFTABLE AND REMOVABLE, HEIGHT-ADJUSTABLE FROM 170 TO 295 MM - SHORT (330 MM) NON-ROTATING NARROW	NC : 1480	113,17
CEH0780	☐	SWING AWAY DETACHABLE LH (N°3) - DESK	NC : 1480	117,54
CEH0790	☐	SWING AWAY DETACHABLE LH (N°3) - FULL LENGTH		140,28
CEH0795	☐	REMOVABLE LH (N°4) AUTOLOCK SAFETY DEVICE INCLUDED - DESK	NC : 1480	117,54
CEH0796	☐	REMOVABLE LH (N°4) AUTOLOCK SAFETY DEVICE INCLUDED - FULL LENGTH		140,28
CEH0798	☐	REMOVABLE AND HEIGHT ADJUSTABLE - SHORT NARROW GUTTER (330 MM) WITHOUT ROTATION	NC : 1185	113,17
CEH0832	☐	REMOVABLE LH (N°4) AUTOLOCK SAFETY DEVICE INCLUDED - ARMPAD HEMI BLACK PU TR26	NC : 1480	113,17




0640 / 0740

0656 / 0756







0660 / 0760





0672 / 0772

0680 / 0780


0695 / 0795

0732 / 0832

Only possible on the
side opposite
the double handrail

SEAT CUSHION TYPE					
Cushion					 0849  0853 / 0854 0855 / 0856  0871  0873  0882  0905  09060907  0945
CEH0849	☐	BASIC 60 MM FOAM CUSHION - NYLON & ANTI-SLIP COVER	NC : 0853, 0854, 0855, 0856, 0871, 0873	33,08	
CEH0853	☐	CLASSIC VISCO CUSHION 375X 400 MM -	NC : 0871, 0873, 0878, 0879	76,78	
CEH0854	☐	CLASSIC VISCO CUSHION 405 X 400 MM -	NC : 0871, 0873, 0878, 0879	65,40	
CEH0855	☐	CLASSIC VISCO CUSHION 430 X 430 MM -	NC : 0871, 0873, 0878, 0879	65,40	
CEH0856	☐	CLASSIC VISCO CUSHION 455 X 400 MM -	NC : 0871, 0873, 0878, 0879	76,78	
CEH0871	☐	MATRX CONTOUR NG VISCO CUSHION	NC : 0873	76,78	
CEH0873	☐	MATRX FLO-TECH IMAGE CUSHION		246,45	
SEAT CUSHION DEPTH					
CEH0878	☐	FOR 400 MM SEAT DEPTH		☐	
CEH0879	☐	FOR 450 MM SEAT DEPTH		☐	
OTHER SEATING OPTIONS					
CEH0852	☐	SEAT RIGIDIZER	(Mandatory: Choose a seat cushion)	61,61	
CEH0882	☐	LATERAL POSITIONING PADS (PAIR)		237,91	
CEH0905	☐	NECKREST BLACK PU TR26 (INCLUDING BACKBRACE EXCEPT FOR LAGUNA)	NC : 0906, 0907, 0940, 0945	60,10	
CEH0906	☐	HEADREST BLACK PU TR26 (INCLUDING BACKBRACE EXCEPT FOR LAGUNA)	NC : 0907, 0940, 0945	199,05	
CEH0907	☐	HEADREST WITH CHEEK SUPPORT BLACK PU TR26 (INCLUDING BACKBRACE EXCEPT FOR LAGUNA) -	NC : 0940, 0945	217,06	
CEH0930	☐	ADJUSTABLE CALF STRAP		10,43	
CEH0935	☐	LONGER FOOTREST TUBE (UL= 450-530 MM)	NC : 0936	17,06	
CEH0936	☐	SHORTER FOOTREST SUPPORT (PAIR) (UL= 230-430 MM)		83,41	
CEH0940	☐	BACKBRACE	NC : 0945	47,39	
CEH0945	☐	FOLDABLE BACKBRACE	NC : 1451	105,21	
COLOURS					
CEH0961	☐	SLATE GREY (RAL7024 FINE TEXTURE)		☐	 096109640966  097609690980
CEH0964	☐	PEARL WHITE		☐	
CEH0966	☐	MATT BLACK		☐	
CEH0967	☐	BLUE POP		☐	
CEH0969	☐	RED MATT		☐	
CEH0974	☐	NAVY BLUE		☐	
CEH0980	☐	ANTHRACITE BLACK		☐	
CEH0991	☐	SPECIAL COLOUR		On Request	
CASTER HOUSING TYPE					
CEH0995	☐	STANDARD		☒	
FRONT WHEELS					
CEH1005	☐	200 X 32 MM (8" X 1.1/4") - BLACK PNEUMATIC TYRE		☐	 10101050
CEH1010	☐	200 X 30 MM (8" X 1.1/4") - BLACK SOLID TYRE		☐	
CEH1030	☐	200 X 45 MM (8" X 2") - BLACK SOLID TYRE		☐	
CEH1035	☐	150 X 30 MM (6" X 1.1/4") - BLACK SOLID TYRE MEDIUM HARD		☐	
CEH1050	☐	150 X 30 MM (6" X 1.1/4") - BLACK SOLID TYRE		☒	
CEH1054	☐	125 X 30 MM (5" X 1") - BLACK SOLID TYRE		☐	
CEH1056	☐	140 X 40 MM (5" 1/2 X 1" 3/4) - BLACK SOLID TYRE MEDIUM HARD		☐	
REAR WHEELS					
REAR WHEEL SIZE					 1.3/8"1" 10821088
CEH1066	☐	22" - 560 mm		☐	
CEH1068	☐	24" - 600 mm		☒	
REAR WHEEL TYPE					
CEH1075	☐	ONE ARM DRIVE (BLACK HUB & ZINC PLATTED SPOKED WITH ONE ARM DRIVE HANDRIM SYSTEM)		☒	
TYRE TYPE					
CEH1082	☐	TYRES SOLID BLACK 35 MM (1"3/8)		☒	
CEH1088	☐	PNEUMATIC LOW PROFILE BLACK 25 MM (1")		☐	
REAR WHEELS AXLE TYPE					
CEH1180	☐	QUICK RELEASE AXLE		☒	

REAR WHEELS POSITION						
CEH1190	☐	STANDARD REAR WHEELS POSITION - 25MM FRONTWARDS/BACKREST CANE AXLE (12,5MM with Active Rear Wheel Support and Seat Depth 500MM)		◆	 1241	
CEH1200	☐	PASSIVE REAR WHEELS POSITION - 25MM BACKWARDS/BACKREST CANE AXLE (12,5MM with Active Rear Wheel Support and Seat Depth 500MM)		○		
PUMP						
CEH1230	☐	PUMP AND SUPPORT		10,43		
CHASSIS OPTIONS TYPE						
CEH1241	☐	FRONT WHEELS EXTENSION (+ 50 MM OUTWARD)		○		
BRAKES TYPE						
CEH1270	☐	PUSH TO LOCK BRAKES		◆	 1270	
CEH1275	☐	PULL TO LOCK BRAKES		○		
CEH1320	☐	OAD WIRE CONTROLLED BRAKE RH	NC : 1390	94,79		
CEH1330	☐	OAD WIRE CONTROLLED BRAKE LH	NC : 1390	94,79		
SAFETY OPTIONS TYPE						
CEH1345	☐	TRANSPORTATION BRACKETS		24,64	 1345  1361 / 1362  1363 / 1364  1375 1390	
CEH1360	☐	POSTURE BELT - PLASTIC BUCKLE	NC : 1361, 1362, 1363, 1364	31,28		
CEH1361	☐	HIP BELT, 2-PT, CTR-PULL, PB - M X 460MM PADS, FLAT-MOUNT	NC : 1362, 1363, 1364	199,05		
CEH1362	☐	HIP BELT, 2-PT, CTR-PULL, PB - L X 620MM PADS, FLAT-MOUNT	NC : 1363, 1364	206,64		
CEH1363	☐	HIP BELT, 4-PT, CTR-PULL, PB - M X 460MM PADS, FLAT-MOUNT	NC : 1364	234,12		
CEH1364	☐	HIP BELT, 4-PT, CTR-PULL, PB - L X 620MM PADS, FLAT-MOUNT		241,71		
CEH1370	☐	REAR ANTI-TIPPERS PAIR -	NC : 1375, 1440	79,62		
CEH1375	☐	REAR ANTI-TIPPERS PAIR WITH TIPPING AID - (REA TYPE)	NC : 1440	125,12		
CEH1380	☐	REFLECTORS KIT		38,86		
CEH1390	☐	BRAKE EXTENSION PAIR		10,43		
OPTIONS						
CEH1430	☐	CANE HOLDER		49,29	 1440  1480	
CEH1440	☐	TIPPING AID RH		28,44		
CEH1451	☐	DRIP STAND SUPPORT WITH DRIPSTAND (WITH BACKBRACE 0940 ONLY)		101,42		
OTHERS OPTIONS						
CEH1480	☐	ACRYLIC TRAY		72,83	 1440530  1654128  1654129  1654130	
RAMPS						
1440530	☐	Fiberglass Folding Mono Ramp Folded dimensions: 2000 x 230 mm 16.3 kg - maximum capacity: 300 kg		1 787,68		
1654128	☐	Basic ramp 2 telescopic parts in aluminum and non-slip coating. Folded dimensions: 1210 x 194 mm 8.8 kg per pair - maximum capacity: 270 kg		402,84		
1654129	☐	Quick2go Compact 3-part aluminum telescopic ramp with non-slip coating Folded dimensions: 870 x 237 mm 13.6 kg per pair - maximum capacity: 260 kg		805,69		
1654130	☐	Aluminium folding mono ramp Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg		426,54		