

Invacare® Action®³_{NG} Hemi

Please contact Invacare EU Export Customer Services on :-
Tel : +33 247 626980 ; Email : serviceclient_export@invacare.com
Or visit our website : www.invacare.eu.com



Invacare® Action®³_{NG} Hemi
Folding aluminum manual wheelchair



- Description:
- Weight: from 15.2 kg.
 - Maximum user weight: 125 kg.
 - Equipped as standard with a concave armrest for hemiplegic patients
 - Double handrail available as an option
 - Seat height from 360 mm for foot traction
 - 2-year warranty period excluding wear parts

Date :
Purchase Order :
Customer Code :
Distributor Stamp:



Invacare Unique Customization Service
Please specify the quote or special production number:


☐ Please make your selection with a cross in the box ☒ Standard feature ☐ Free of charge option

CODE		DESCRIPTION	NC : Non Compatible NC : 9999 = not compatible with the reference 9999	EUROS	
CEP0031	☐	Invacare® Action®3NG Hemi - Fixed backrest and 1 concave Hemi Armrest (refer to the armrests section)		643,01	
CEP0036	☐	Invacare® Action®3NG Hemi - Mid-height folding backrest and 1 Hemi Armrest concave (refer to the armrests section)		685,35	
CEP0041	☐	Invacare® Action®3NG Hemi - Reclining backrest and 1 Hemi concave armrest (refer to the armrests section)		685,35	
ALBER					
CEP0080	☐	BRACKET FOR VIAMOBIL V25	NC : 0140, 0150, 0300, 0310, 0315, 0455, 0460, 0451 to, 0469, 1170, 1201, 1365, 1370, 1375, 1430, 1440	313,74	
CEP0090	☐	BRACKET FOR VIAMOBIL ECO V14	NC : 0140, 0150, 0290, 0300, 0310, 0315, 0451 to 0469, 0905, 0906, 0907, 0908, 0945, 1185, 1201, 1365, 1370, 1375, 1430, 1440, 1451	414,25	
PROPULSION TYPE					
CEP0100	☐	SELF PROPULSION	NC : 1075	◆	
CEP0140	☐	DUAL HANDRIM RIGHT HAND PROPULSION (NEW DHR SYSTEM), QR AXLE	NC : 0315, right gutter armrest, 1064, 1071, 1072, 1073, 1074, 1140, 1150, 1170, 1185, 1260, 1261, 1280, 1330, 1365	257,09	
CEP0150	☐	DUAL HANDRIM LEFT HAND PROPULSION (NEW DHR SYSTEM), QR AXLE	NC : 0315, left gutter armrest, 1064, 1071, 1072, 1073, 1074, 1140, 1150, 1170, 1185, 1260, 1261, 1280, 1320, 1365	257,09	
SEAT					
SEAT WIDTH					
CEP0180	☐	380 mm	NC : 0485, 0486, 0487, 0488, 0545+0595, 0852, 0855	○	
CEP0190	☐	405 mm	NC : 0482, 0486, 0487, 0488, 0545+0595	○	
CEP0200	☐	430 mm	NC : 0482, 0483, 0487, 0488, 0853	◆	
CEP0210	☐	455 mm	NC : 0482, 0483, 0484, 0488, 0853	○	
CEP0220	☐	480 mm	NC : 0482, 0483, 0484, 0485, 0853, 0854	○	
CEP0230	☐	505 mm	NC : 0842, 0483, 0484, 0485, 0486, 0853, 0854, 0855, 0856	○	

SEAT DEPTH				
CEP0240	☐	400 mm	NC : 0879	◆
CEP0250	☐	450 mm	NC : 0853, 0878	○
CEP0252	☐	400 TO 450 MM ADJUSTABLE SEAT DEPTH	NC : 0330, 0350	30,33
SEAT HEIGHT				
CEP0260	☐	510 mm	NC : 1050, 1054, 1056, 1066	○
CEP0270	☐	485 mm	NC : 1054	○
CEP0280	☐	460 mm		◆
CEP0290	☐	435 mm	NC : 0660/0670/0760/0770 + 24" wheels, 1005, 1010, 1030	○
CEP0300	☐	410 mm	NC : 24" wheels, 0935, 1005, 1010, 1030, 1035, 1056, 1068, 1365, 1370, 1440	○
CEP0310	☐	385 mm	NC : 0660, 0670, 0760, 0770, 0935, 1005, 1035, 1056, 1068, 1073, 1280, 1365, 1370, 1440	○
CEP0315	☐	360 MM SEAT HEIGHT, 0° SEAT ANGLE (AVAILABLE WITH LOW FORK, 5" FRONT WHEEL & 20" REAR WHEELS)	NC : 0600, 0611, 0620, 0660, 0670, 0760, 0770, 0935, 1280, 1365, 1375, 1440	145,02
SEAT UPHOLSTERY TYPE				
CEP0330	☐	NYLON WITHOUT LOOP BANDS SEAT UPHOLSTERY		◆
CEP0340	☐	NYLON WITH LOOP BANDS SEAT UPHOLSTERY		○
CEP0350	☐	PADDED NYLON SEAT UPHOLSTERY		30,33
BACKREST				
BACKREST TYPE - Anti-tippers required with reclining backrests				
CEP0380	☐	FIXED 0° BACKREST 2 HEIGHTS 400/430 MM (DELIV. 430 MM)	NC : 0471, 0477, 0945	52,13
CEP0390	☐	FIXED 0° BACKREST 510 MM HEIGHT - FIXED PUSH HANDLES	NC : 0471, 0477, 0945	86,26
CEP0395	☐	FIXED 7° BACKREST - HEIGHT ADJUST 380 TO 460 MM (DELIVERED 380 MM)	NC : 0451 to 0469, 0474, 0475, 0477, 0478, 0479, 0481, 0905, 0906, 0907, 0940, 1451	295,73
CEP0396	☐	FIXED 7° BACKREST - HEIGHT ADJUST 380 TO 460 MM (DELIVERED 380 MM)	NC : 0451 to 0469, 0474, 0475, 0477, 0478, 0479, 0481, 0905, 0906, 0907, 0940, 1451	295,73
CEP0410	☐	FIXED 7° BACKREST - 2 HEIGHTS 400/430 MM (DELIV. 430 MM)	NC : 0471, 0477, 0945	◆
CEP0420	☐	FIXED 7° BACKREST - 510 MM HEIGHT	NC : 0471, 0477, 0945	33,18
CEP431	☐	ANGLE ADJUSTABLE AND FOLD DOWN (-15° to + 15°) FIXED 7°, HEIGHT 350MM / 14" WITH FIXED SHORT PUSHHANDLES - HEIGHT 325-350 MM / 13"-14" SET AT 350MM / 14" (2 positions, 25mm / 1" steps through uph)	NC : 0471, 0474, 0475, 0478, 0479, 0480, 0481, 0882, 0905, 0906, 0907, 0940, 1280, 1345, 1451	456,87
CEP0432	☐	ANGLE ADJUSTABLE AND FOLD DOWN (-15° to + 15°) FIXED 7°, HEIGHT 425MM / 17" WITH FIXED LONG PUSHHANDLES - HEIGHT 425-450 MM / 17"-18" SET AT 425MM / 17" (2 positions, 25mm / 1" steps through uph)	NC : 0471, 0474, 0475, 0478, 0479, 0480, 0481, 0882	456,87
CEP0435	☐	RECLINING (RATCHET) 0/30° BACKREST INCL. BACKRACE & PASSIVE REAR WHEEL POS. ONLY - 3 HEIGHTS 390/410/430 MM (DELIV.430 MM)	NC : 0471, 0477, 0940, 0945, 1185, 1190	◆
CEP0445	☐	RECLINING (GAS SPRING) 0/30° BACKREST INCL. BACKRACE & PASSIVE REAR WHEEL POS. ONLY - 3 HEIGHTS 390/410/430 MM (DELIV.430 MM)	NC : 0471, 0477, 0940, 0945, 1185, 1190	○
CEP0450	☐	RECLINING (GAS SPRING) 0/30° BACKREST INCL. BACKRACE & PASSIVE REAR WHEEL POS. ONLY - 3 HEIGHTS470/490/510 MM (DELIV.510 MM)	NC : 0471, 0477, 0940, 0945, 1185, 1190	33,18
CEP0455	☐	FOLDING 7° BACKREST - 430 MM HEIGHT	NC : 0451 to 0454, 0458 to 0467, 0471, 0477, 0945	◆
CEP0460	☐	FOLDING 7° BACKREST - 510 MM HEIGHT	NC : 0451 to 0454, 0458 to 0467, 0471, 0477, 0480, 0481, 0945	33,18


0396


0435


0455 / 0460

Matrx backs - See correspondence table "Possible widths of Matrx backs depending on the width of the seat" at the bottom of the order form.
Find the trunk supports and all the accessories on the Matrx order form!

CEP0451	☐	MATRX ELITE E2 BACK WITH HARDWARE - 160 MM BACK HEIGHT - CURVED 80 MM - MINI FASTENERS	NC : 0471, 0474, 0475, 0477, 0478, 0479, 0480, 0481, 0657, 0677, 0757, 0777, 0882, 0940, 0945	717,54
CEP0452	☐	MATRX ELITE E2 BACK WITH HARDWARE - 210 MM BACK HEIGHT - CURVED 80 MM - MINI FASTENERS	NC : 0471, 0474, 0475, 0477, 0478, 0479, 0480, 0481, 0657, 0677, 0757, 0777, 0882, 0940, 0945	717,54
CEP0453	☐	MATRX ELITE E2 BACK WITH HARDWARE - 260 MM BACK HEIGHT - CURVED 80 MM - MINI FASTENERS	NC : 0471, 0474, 0475, 0477, 0478, 0479, 0480, 0481, 0657, 0677, 0757, 0777, 0882, 0940, 0945	717,54
CEP0454	☐	MATRX ELITE E2 BACK WITH HARDWARE - 310 MM BACK HEIGHT - CURVED 80 MM - MINI FASTENERS	NC : 0471, 0474, 0475, 0477, 0478, 0479, 0480, 0481, 0657, 0677, 0757, 0777, 0882, 0940, 0945	717,54
CEP0456	☐	MATRX ELITE E2 BACK WITH HARDWARE - 360 MM BACK HEIGHT - CURVED 80 MM - MINI FASTENERS	NC : 0471, 0474, 0475, 0477, 0478, 0479, 0480, 0481, 0657, 0677, 0757, 0777, 0882, 0940, 0945	717,54
CEP0461	☐	MATRX ELITE E2 BACK WITH HARDWARE - 410 MM BACK HEIGHT - CURVED 80 MM - MINI FASTENERS	NC : 0471, 0474, 0475, 0477, 0478, 0479, 0480, 0481, 0657, 0677, 0757, 0777, 0882, 0940, 0945	717,54
CEP0462	☐	MATRX ELITE E2 BACK WITH HARDWARE - 460 MM BACK HEIGHT - CURVED 80 MM - STANDARD FASTENERS	NC : 0471, 0474, 0475, 0477, 0478, 0479, 0480, 0481, 0657, 0677, 0757, 0777, 0882, 0940, 0945	717,54
CEP0457	☐	MATRX ELITE E2 BACK WITH HARDWARE - 510 MM BACK HEIGHT - CURVED 80 MM - STANDARD FASTENERS	NC : 0471, 0474, 0475, 0477, 0478, 0479, 0480, 0481, 0657, 0677, 0757, 0777, 0882, 0940, 0945	717,54
CEP0458	☐	MATRX ELITE DEEP E2 BACK WITH HARDWARE - 160 MM BACK HEIGHT - CURVED 160 MM - MINI FASTENERS	NC : 0471, 0474, 0475, 0477, 0478, 0479, 0480, 0481, 0657, 0677, 0757, 0777, 0882, 0940, 0945	717,54
CEP0459	☐	MATRX ELITE DEEP E2 BACK WITH HARDWARE - 210 MM BACK HEIGHT - CURVED 160 MM - MINI FASTENERS	NC : 0471, 0474, 0475, 0477, 0478, 0479, 0480, 0481, 0657, 0677, 0757, 0777, 0882, 0940, 0945	717,54
CEP0466	☐	MATRX ELITE DEEP E2 BACK WITH HARDWARE - 260 MM BACK HEIGHT - CURVED 160 MM - MINI FASTENERS	NC : 0471, 0474, 0475, 0477, 0478, 0479, 0480, 0481, 0657, 0677, 0757, 0777, 0882, 0940, 0945	717,54
CEP0467	☐	MATRX ELITE DEEP E2 BACK WITH HARDWARE - 310 MM BACK HEIGHT - CURVED 160 MM - MINI FASTENERS	NC : 0471, 0474, 0475, 0477, 0478, 0479, 0480, 0481, 0657, 0677, 0757, 0777, 0882, 0940, 0945	717,54
CEP0468	☐	MATRX ELITE DEEP E2 BACK WITH HARDWARE - 360 MM BACK HEIGHT - CURVED 160 MM - MINI FASTENERS	NC : 0471, 0474, 0475, 0477, 0478, 0479, 0480, 0481, 0657, 0677, 0757, 0777, 0882, 0940, 0945	717,54
CEP0463	☐	MATRX ELITE DEEP E2 BACK WITH HARDWARE - 410 MM BACK HEIGHT - CURVED 160 MM - MINI FASTENERS	NC : 0471, 0474, 0475, 0477, 0478, 0479, 0480, 0481, 0657, 0677, 0757, 0777, 0882, 0940, 0945	717,54
CEP0464	☐	MATRX ELITE DEEP E2 BACK WITH HARDWARE - 460 MM BACK HEIGHT - CURVED 160 MM - STANDARD FASTENERS	NC : 0471, 0474, 0475, 0477, 0478, 0479, 0480, 0481, 0657, 0677, 0757, 0777, 0882, 0940, 0945	717,54
CEP0469	☐	MATRX ELITE DEEP E2 BACK WITH HARDWARE - 510 MM BACK HEIGHT - CURVED 160 MM - STANDARD FASTENERS	NC : 0471, 0474, 0475, 0477, 0478, 0479, 0480, 0481, 0657, 0677, 0757, 0777, 0882, 0940, 0945	717,54

Please note - loss of approximately 20 mm in seat depth with reclining backrests using jacks - delivered with Mini or Standard fixings except for the PMH backrests delivered with the Split fixing.

Matrx backrest width - see chart at end of order form				
CEP0482	☐	360 MM - INDICATIVE BUST WIDTH : 265 MM		☐
CEP0483	☐	380 MM - INDICATIVE BUST WIDTH : 290 MM		☐
CEP0484	☐	410 MM - INDICATIVE BUST WIDTH : 315 MM		☐
CEP0485	☐	430 MM - INDICATIVE BUST WIDTH : 340 MM		☐
CEP0486	☐	460 MM - INDICATIVE BUST WIDTH : 370 MM		☐
CEP0487	☐	480 MM - INDICATIVE BUST WIDTH : 390 MM		☐
CEP0488	☐	510 MM - INDICATIVE BUST WIDTH : 420 MM		☐






Matrx Elite E2 /
Elite Deep E2



Standard




Split

BACKREST UPHOLSTERY TYPE					 0471
CEP0471	☐	STANDARD NYLON SLING TYPE (JEMIMA)	NC : 0882, 0905, 0906, 0907	○	
CEP0474	☐	LUMBAR SUPPORT (+1 STRAP) BI MATERIAL PADDED COVER INCL. BACK POCKET		33,08	
CEP0475	☐	LUMBAR SUPPORT (+1 STRAP) PADDED SHAPED COVER		◆	
CEP0477	☐	CONTOUR ADJUSTABLE (3+1 STRAPS) BI MATERIAL PADDED COVER INCL. BACK POCKET		○	
CEP0478	☐	CONTOUR ADJUSTABLE (3+1 STRAPS) BI MATERIAL PADDED COVER INCL. BACK POCKET	NC : 0940, 0945	66,16	
CEP0479	☐	CONTOUR ADJUSTABLE (3+1 STRAPS) PADDED SHAPED COVER	NC : 0940, 0945	33,08	
CEP0480	☐	CONTOUR ADJUSTABLE (7+1 STRAPS) PADDED SHAPED COVER	NC : 0940, 0945	138,39	
CEP0481	☐	CONTOUR ADJUSTABLE (7+1 STRAPS) BI MATERIAL PADDED COVER INCL. BACK POCKET	NC : 0940, 0945	189,57	 0474 / 0475  0480 / 0481

HANGERS/FOOTPLATES				
HANGERS RH TYPE				
CEP0510	☐	80° STRAIGHT RH SWING IN/SWING OUT HANGER		◆
CEP0520	☐	ELEVATING LEGREST (0° TO 75°) RH SWING IN/SWING OUT HANGER (INCLUDING CALFPAD)	NC : 0611, 0930, 0935, 0936	73,82
CEP0545	☐	AMPUTEE LEGREST RH	NC : 0600, 0610, 0611, 0930, 0936	140,28
HANGERS LH TYPE				
CEP0560	☐	80° STRAIGHT LH SWING IN/SWING OUT HANGER		◆
CEP0570	☐	ELEVATING LEGREST (0° TO 75°) LH SWING IN/SWING OUT HANGER (INCLUDING CALFPAD)	NC: 0611, 0930, 0935, 0936	73,82
CEP0595	☐	AMPUTEE LEGREST LH	NC : 0611, 0620, 0630, 0930, 0936	140,28
FOOTPLATES RH TYPE				
CEP0600	☐	FLIP UP RH FOOTPLATE		◆
CEP0610	☐	FLIP UP DEPTH & ANGLE AJUSTABLE RH FOOTPLATE		26,43
CEP0611	☐	FLIP UP ONE PIECE FOOTPLATE	NC : 0620, 0630, 0935, 0936	234,12
FOOTPLATES LH TYPE				
CEP0620	☐	FLIP UP LH FOOTPLATE		◆
CEP0630	☐	FLIP UP DEPTH & ANGLE AJUSTABLE LH FOOTPLATE		26,43



0510 / 0560


0520 / 0570


0545 / 0595



0610 / 0630


0610 / 0630


0611

ARMRESTS

A SINGLE CONCAVE HEMI WITH A CHOICE OF FLAT, CURVED OR CURVED HORN PALM SUPPORT AT NO ADDITIONAL PRICE.




+



+

or



or



or








or






HEMI concave armrest adjustable in depth over 100 mm including right or left reversible rotator 360° in 18° steps.

Choice of: flat and ambidextrous palm support OR curved and ambidextrous palm support OR right or left curved horn palm support


All the dimensions of these different elements available at the end of the order form. Warning: if the backrest is set at an angle and can be folded down on the selected seat, it is mandatory to remove the omission with the concave armrest to fold down the backrest


ARMRESTS RH FORM IN BLACK COLOR					 0640 / 0650     0680 / 0690  0662  0664  0666
CEP0640	☐	REMOVABLE RH (N°1) AUTOLOCK SAFETY DEVICE INCLUDED - DESK - ADJ. 200 TO 280 MM HEIGHT	NC : 0662, 0664, 0666, 0780, 0790	◆	
CEP0650	☐	REMOVABLE RH (N°1) AUTOLOCK SAFETY DEVICE INCLUDED - FULL LENGTH - ADJ. 200 TO 280 MM HEIGHT	NC : 0662, 0664, 0666, 0780, 0790	○	
CEP0657	☐	REMOVABLE RH (N°1) AUTOLOCK SAFETY DEVICE INCLUDED - ROTATIVE HEMI ARMPAD WITH PALMAR SUPPORT (360°) - ADJ. 200 TO 280 MM HEIGHT & DEPTH	NC : 0757, 0777	○	
CEP0677	☐	SWING AWAY DETACHABLE RH (N°3) - ROTATIVE HEMI ARMPAD WITH PALMAR SUPPORT (360°) - ADJ. IN HEIGHT (170-295 MM) & DEPTH	NC : 0757, 0777	○	
CEP0680	☐	SWING AWAY DETACHABLE RH (N°3) - DESK - ADJ. IN HEIGHT (170-295 MM)	NC : 0662, 0664, 0666, 0740, 0750	○	
CEP0690	☐	SWING AWAY DETACHABLE RH (N°3) - FULL LENGTH - ADJ. IN HEIGHT (170-295 MM) & DEPTH	NC : 0740, 0750, 0760, 0770	○	
PALMAR SUPPORT RH					 0662  0664  0666
CEP0662	☐	FLAT PALMAR SUPPORT RH		○	
CEP0664	☐	CURVED PALMAR SUPPORT RH		○	
CEP0666	☐	HORN TYPE PALMAR SUPPORT RH		○	
ARMRESTS LH FORM IN BLACK COLOR					 0740 / 0750    0780 / 0790  0762  0764  0766
CEP0740	☐	REMOVABLE LH (N°1) AUTOLOCK SAFETY DEVICE INCLUDED - DESK - ADJ. 200 TO 280 MM HEIGHT	NC : 0762, 0764, 0766	○	
CEP0750	☐	REMOVABLE LH (N°1) AUTOLOCK SAFETY DEVICE INCLUDED - FULL LENGTH - ADJ. 200 TO 280 MM HEIGHT	NC : 0762, 0764, 0766	○	
CEP0757	☐	REMOVABLE LH (N°1) AUTOLOCK SAFETY DEVICE INCLUDED - ROTATIVE HEMI ARMPAD WITH PALMAR SUPPORT (360°) - ADJ. 200 TO 280 MM HEIGHT & DEPTH		◆	
CEP0777	☐	SWING AWAY DETACHABLE LH (N°3) - ROTATIVE HEMI ARMPAD WITH PALMAR SUPPORT (360°) - ADJ. IN HEIGHT (170-295 MM) & DEPTH		○	
CEP0780	☐	SWING AWAY DETACHABLE LH (N°3) - DESK - ADJ. IN HEIGHT (170-295 MM)	NC : 0762, 0764, 0766	○	
CEP0790	☐	SWING AWAY DETACHABLE LH (N°3) - FULL LENGTH - ADJ. IN HEIGHT (170-295 MM) & DEPTH	NC : 0762, 0764, 0766	○	
PALMAR SUPPORT LH					 0762  0764  0766
CEP0762	☐	FLAT PALMAR SUPPORT LH		◆	
CEP0764	☐	CURVED PALMAR SUPPORT LH		○	
CEP0766	☐	HORN TYPE PALMAR SUPPORT LH		○	
SEAT CUSHION TYPE					
Cushion					 0849  0853 / 0854  0871  0873  0876
CEP0849	☐	BASIC 60 MM FOAM CUSHION	NC : 0853, 0854, 0855, 0856, 0871, 0873	33,08	
CEP0853	☐	CLASSIC VISCO CUSHION 375X 400 MM	NC : 0871, 0873, 0878, 0879	76,78	
CEP0854	☐	CLASSIC VISCO CUSHION 405 X 400 MM	NC : 0871, 0873, 0878, 0879	65,40	
CEP0855	☐	CLASSIC VISCO CUSHION 430 X 430 MM	NC : 0871, 0873, 0878, 0879	65,40	
CEP0856	☐	CLASSIC VISCO CUSHION 455 X 400 MM	NC : 0871, 0873, 0878, 0879	76,78	
CEP0871	☐	MATRX CONTOUR NG VISCO CUSHION	NC : 0873	76,78	
CEP0873	☐	MATRX FLO-TECH IMAGE CUSHION		246,45	
CEP0876	☐	MATRX LIBRA CUSHION		293,84	
SEAT CUSHION DEPTH					 0876
CEP0878	☐	FOR 400 MM SEAT DEPTH		○	
CEP0879	☐	FOR 450 MM SEAT DEPTH		○	


OTHER SEATING OPTIONS					 0882  0905  09060907  0908  0945
CEP0852	☐	SEAT RIGIDIZER	(Mandatory: Choose a seat cushion)	☐	
CEP0882	☐	LATERAL POSITIONING PADS (PAIR)		237,91	
CEP0905	☐	NECKREST BLACK PU TR26 (INCLUDING BACKBRACE EXCEPT FOR LAGUNA)	NC : 0906, 0907, 0940, 0945	60,10	
CEP0906	☐	HEADREST BLACK PU TR26 (INCLUDING BACKBRACE EXCEPT FOR LAGUNA)	NC : 0907, 0940, 0945	199,05	
CEP0907	☐	HEADREST WITH CHEEK SUPPORT BLACK PU TR26 (INCLUDING BACKBRACE EXCEPT FOR LAGUNA)	NC : 0940, 0945	217,06	
CEP0908	☐	MATRIX SOFT PAD HEADREST (SOFT PAD 250MM) WITH FIXED HARDWARE		441,71	
CEP0930	☐	ADJUSTABLE CALF STRAP		10,43	
CEP0935	☐	LONGER FOOTREST TUBE (UL= 450-530 MM)	NC : 0936	17,06	
CEP0936	☐	SHORTER FOOTREST SUPPORT (PAIR) (UL= 230-430 MM)		83,41	
CEP0940	☐	BACKBRACE	NC : 0945	47,39	
CEP0945	☐	FOLDABLE BACKBRACE	NC : 1451	105,21	
COLOURS					
CEP0961	☐	SLATE GREY (RAL7024 FINE TEXTURE)		☐	
CEP0964	☐	PEARL WHITE		☐	
CEP0966	☐	MATT BLACK		☐	
CEP0967	☐	BLUE POP		☐	
CEP0969	☐	RED MATT		☐	
CEP0974	☐	NAVY BLUE		☐	
CEP0980	☐	ANTHRACITE BLACK		☐	
CEP0991	☐	SPECIAL COLOUR		On Demand	
CASTER HOUSING TYPE					
CEP0995	☐	STANDARD		☒	
FRONT WHEELS					
CEP1005	☐	200 X 32 MM (8" X 1.1/4") - BLACK PNEUMATIC TYRE		☐	
CEP1010	☐	200 X 30 MM (8" X 1.1/4") - BLACK SOLID TYRE		☐	
CEP1030	☐	200 X 45 MM (8" X 2") - BLACK SOLID TYRE		☐	
CEP1035	☐	150 X 30 MM (6" X 1.1/4") - BLACK SOLID TYRE MEDIUM HARD		☐	
CEP1050	☐	150 X 30 MM (6" X 1.1/4") - BLACK SOLID TYRE		☒	
CEP1054	☐	125 X 30 MM (5" X 1") - BLACK SOLID TYRE		☐	
CEP1056	☐	140 X 40 MM (5" 1/2 X 1" 3/4) - BLACK SOLID TYRE MEDIUM HARD		☐	
REAR WHEELS					
REAR WHEEL SIZE					
CEP1064	☐	20" / 515 MM	NC : 1071, 1073, 1074, 1075, 1088, 1170, 1260, 1280	☐	
CEP1066	☐	22" / 560 MM	NC : 1074, 1260	☐	
CEP1068	☐	24" / 600 MM	NC : 1261	☒	
REAR WHEEL TYPE					
CEP1071	☐	STANDARD (BLACK HUB, COLORLESS RIM & ZINC PLATTED SPOKES)	NC : 1280	☒	
CEP1072	☐	REINFORCED (COLORLESS HUB, CLEAR ANODIZED RIM & STAINLESS STEEL SPOKES)	NC : 1280	☐	
CEP1073	☐	DRUM BRAKE (20/22/24" : COLORLESS HUB, CLEAR ANODIZED RIM & STAINLESS STEEL SPOKES / 12" : BLACK PLASTIC HUB & RIM)	NC : 1270, 1275, 1320, 1330	☐	
CEP1074	☐	COMPOSITE (BLACK PLASTIC HUB & RIM)	NC : 1088, 1260, 1261, 1280	☐	
CEP1075	☐	ONE ARM DRIVE (BLACK HUB & ZINC PLATTED SPOKED WITH ONE ARM DRIVE HANDRIM SYSTEM)	NC : 1084, 1140, 1150, 1170, 1185, 1260, 1261, 1280, 1365	☐	


TYRE TYPE					 1" 1.3/8" 1.3/8" 1088 1084 1082
CEP1082	☐	TYRES SOLID BLACK 35 MM (1"3/8)		◆	
CEP1084	☐	PNEUMATIC PROFILED BLACK 35 MM (1"3/8)		○	
CEP1088	☐	PNEUMATIC LOW PROFILE BLACK 25 MM (1")		○	
HANDRIM TYPE					
CEP1140	☐	ALUMINIUM PRE-ANODIZED HANDRIM		◆	
CEP1150	☐	HANDRIM COATED IN BLACK ANTI-SLIP PLASTIC		127,01	
REAR WHEELS AXLE TYPE					
CEP1170	☐	FIXED AXLE	NC : 1185, 1365	○	
CEP1180	☐	QUICK RELEASE AXLE		◆	
REAR WHEELS POSITION					
CEP1185	☐	ACTIVE REAR WHEELS POSITION - 37,5MM FRONTWARDS/BACKREST CANE AXLE (with Active Rear Wheel Support)	NC : 1320, 1330, 1345, 1365	148,82	
CEP1190	☐	STANDARD REAR WHEELS POSITION - 25MM FRONTWARDS/BACKREST CANE AXLE (12,5MM with Active Rear Wheel Support and Seat Depth 500MM)		◆	
CEP1200	☐	PASSIVE REAR WHEELS POSITION - 25MM BACKWARDS/BACKREST CANE AXLE (12,5MM with Active Rear Wheel Support and Seat Depth 500MM)		○	
CEP1201	☐	DUAL AMPUTEE REAR WHEELS POSITIONS - TRANSIT=75MM BACKWARDS/BACKREST CANE AXLE, ADJUSTABLE TO 50MM BY THE DEALER & SELF PROP=60MM BACKWARDS/BACKREST CANE AXLE, ADJUSTABLE TO 85MM	NC: 1275, 1280, 1320, 1330, 1365	148,82	
PUMP					
CEP1230	☐	PUMP AND SUPPORT		10,43	
CHASSIS OPTIONS TYPE					
CEP1241	☐	FRONT WHEELS EXTENSION (+ 50 MM OUTWARD)		○	 1241
CEP1260	☐	SPOKE GUARDS PAIR 600 MM (24") BLACK	NC : 1261	165,88	
CEP1261	☐	SPOKE GUARDS PAIR CLEAR		165,88	
BRAKES TYPE					
CEP1270	☐	PUSH TO LOCK BRAKES		◆	 1270
CEP1275	☐	PULL TO LOCK BRAKES		○	
CEP1280	☐	ATTENDANT HUB BRAKES (INCLUDING PUSH TO LOCK BRAKES)		178,20	
CEP1320	☐	OAD WIRE CONTROLLED BRAKE RH	NC : 1390	94,79	
CEP1330	☐	OAD WIRE CONTROLLED BRAKE LH	NC : 1390	94,79	
SAFETY OPTIONS TYPE					
CEP1345	☐	TRANSPORTATION BRACKETS		○	 1345 1365 1370 1375 1361 / 1362 1363 / 1364
CEP1360	☐	POSTURE BELT - PLASTIC BUCKLE	NC : 1361, 1362, 1363, 1364	31,28	
CEP1361	☐	HIP BELT, 2-PT, CTR-PULL, PB - M X 460MM PADS, FLAT-MOUNT	NC : 1362, 1363, 1364	199,05	
CEP1362	☐	HIP BELT, 2-PT, CTR-PULL, PB - L X 620MM PADS, FLAT-MOUNT	NC : 1363, 1364	206,64	
CEP1363	☐	HIP BELT, 4-PT, CTR-PULL, PB - M X 460MM PADS, FLAT-MOUNT	NC : 1364	234,12	
CEP1364	☐	HIP BELT, 4-PT, CTR-PULL, PB - L X 620MM PADS, FLAT-MOUNT		241,71	
CEP1365	☐	TRANSFER KIT (100 MM (4") WHEELS) - ANTI-BARRIER		68,25	
CEP1370	☐	REAR ANTI-TIPPERS PAIR -	NC : 1375, 1440	79,62	
CEP1375	☐	REAR ANTI-TIPPERS PAIR WITH TIPPING AID - (REA TYPE)	NC : 1440	125,12	
CEP1380	☐	REFLECTORS KIT		38,86	
CEP1390	☐	BRAKE EXTENSION PAIR		10,43	
ATTENDANT OPTIONS TYPE					
CEP1430	☐	CANE HOLDER		49,29	 1440
CEP1440	☐	TIPPING AID RH		28,44	
CEP1451	☐	DRIP STAND SUPPORT WITH DRIPSTAND (WITH BACKBRACE 0940 ONLY)		101,42	


COMPOSITION AND DIMENSIONS OF THE CONCAVE HEMI ARMREST OFFERED AS A MOUNTED OPTION



















Possible widths of the Matrix backrests depending on the seat width							
Backrest Width	(mm)	Seat Width (mm)					
	380	405	430	455	480	505	
	360						
	380						
	410						
	430						
	460						
	480						
	510						

RAMPS					
1440530	☐	Folding mono ramp, fiberglass Folded dimensions: 2000 x 820 mm 16,3 kg - max. load : 300 kg		1 787,68	 1440530
1654128	☐	2-part telescopic Basic Ramp, aluminum and anti-slipping material. Folded dimensions: 1210 x 194 mm. 8,8 kg (pair) - max. load : 270 kg		402,84	 1654128
1654129	☐	3-part telescopic compact Quick2go Ramp, aluminum and ati-slipping material Folded dimensions: 870 x 237 mm 13,6 kg (pair) - max. load: 260 kg		805,69	 1654129
1654130	☐	Folding mono ramp, aluminum Folded dimensions: 1824 x 714 mm 13,9 kg - max. load: 300 kg		426,54	 1654130

January 2024
Action 3NG Hemi

The public prices of the options valid only if ordered with the wheelchair.
For options ordered separately, consult your distributor.
© 2024 Invacare International Sarl

All rights reserved
8/8