

Please contact Invacare EU Export Customer Services on :-
Tel : +33 247 626980 ; Email : serviceclient_export@invacare.com
Or visit our website : www.invacare.eu.com



Invacare® Action®³_{NG} ONE ARM DRIVE (OAD)

Fauteuil manuel en aluminium pliant par croisillon



- Description:
- Propulsion, steering and braking by pendular lever
 - Weight: from 18 kg.
 - Maximum user weight: 125 kg.
 - 2-year warranty period excluding wear parts

Date :

Purchase Order :

Customer Code :







Distributor Stamp::



Invacare Unique Customization Service
Please specify the quote or special production number:

☐ Please make your selection with a cross in the box ☒ Standard feature ☐ Free of charge option

CODE		DESCRIPTION	NC : Non Compatible NC : 9999 = not compatible with the reference 9999	Euros	
CEI0031	☐	Invacare® Action® ³ _{NG} OAD - Fixed Backrest		529,85	
CEI0036	☐	Invacare® Action® ³ _{NG} OAD - Folding Backrest		572,18	
CEI0041	☐	Invacare® Action® ³ _{NG} OAD - Reclining Backrest		572,18	
PROPULSION TYPE					
CEI0160	☐	OAD BY LEVER RH PROPULSION	NC : 0732	1274,88	
CEI0170	☐	OAD BY LEVER LH PROPULSION	NC : 0832	1274,88	
SEAT					
SEAT WIDTH					
CEI0180	☐	380 mm	NC : 0545+0595, 0852, 0855	☐	
CEI0190	☐	405 mm	NC : 0545+0595	☐	
CEI0200	☐	430 mm	NC : 0853	☒	
CEI0210	☐	455 mm	NC : 0853	☐	
CEI0220	☐	480 mm	NC : 0853, 0854	☐	
CEI0230	☐	505 mm	NC : 0853, 0854, 0855, 0856	☐	
SEAT DEPTH					
CEI0240	☐	400 mm	NC : 0879	☒	
CEI0250	☐	450 mm	NC : 0853, 0878	☐	
CEI0252	☐	400 TO 450 MM ADJUSTABLE SEAT DEPTH	NC : 0330, 0350	30,33	
SEAT HEIGHT					
CEI0260	☐	510 mm	NC : 1035	☐	
CEI0270	☐	485 mm		☒	
CEI0280	☐	460 mm	NC : 1345	☐	
SEAT UPHOLSTERY TYPE					
CEI0330	☐	NYLON WITHOUT LOOP BANDS SEAT UPHOLSTERY		☒	
CEI0340	☐	NYLON WITH LOOP BANDS SEAT UPHOLSTERY		☐	
CEI0350	☐	PADDED NYLON SEAT UPHOLSTERY		30,33	

BACKREST					
BACKREST TYPE - Anti-tippers required with reclining backrests					
CEI0395	☐	FIXED 7° BACKREST - HEIGHT ADJUST 380 TO 460 MM (DELIVERED 380 MM)	NC : 0474, 0475, 0478, 0479, 0481, 0905, 0906, 0907, 0940, 1451	295,73	 0936  0435  0455 / 0460
CEI0396	☐	FIXED 7° BACKREST - HEIGHT ADJUST 380 TO 460 MM (DELIVERED 380 MM)	NC : 0474, 0475, 0478, 0479, 0481, 0905, 0906, 0907, 0940, 1451	295,73	
CEI0410	☐	FIXED 7° BACKREST - 2 HEIGHTS 400/430 MM (DELIV. 430 MM)	NC : 0945	◆	
CEI0420	☐	FIXED 7° BACKREST - 510 MM HEIGHT	NC : 0945	33,18	
CEI0435	☐	RECLINING (RATCHET) 0/30° BACKREST INCL. BACKRACE & PASSIVE REAR WHEEL POS. ONLY - 3 HEIGHTS 390/410/430 MM (DELIV.430 MM)	NC : 0940, 0945	◆	
CEI0445	☐	RECLINING (GAS SPRING) 0/30° BACKREST INCL. BACKRACE & PASSIVE REAR WHEEL POS. ONLY - 3 HEIGHTS 390/410/430 MM (DELIV.430 MM)	NC : 0940, 0945	○	
CEI0450	☐	RECLINING (GAS SPRING) 0/30° BACKREST INCL. BACKRACE & PASSIVE REAR WHEEL POS. ONLY - 3 HEIGHTS470/490/510 MM (DELIV.510 MM)	NC : 0940, 0945	33,18	
CEI0455	☐	FOLDING 7° BACKREST - 430 MM HEIGHT	NC : 0945	◆	
BACKREST UPHOLSTERY TYPE					
CEI0474	☐	LUMBAR SUPPORT (+1 STRAP) BI MATERIAL PADDED COVER INCL. BACK POCKET		33,08	 0474 / 0475  0480 / 0481
CEI0475	☐	LUMBAR SUPPORT (+1 STRAP) PADDED SHAPED COVER		◆	
CEI0478	☐	CONTOUR ADJUSTABLE (3+1 STRAPS) BI MATERIAL PADDED COVER INCL. BACK POCKET	NC : 0940, 0945	66,16	
CEI0479	☐	CONTOUR ADJUSTABLE (3+1 STRAPS) PADDED SHAPED COVER	NC : 0940, 0945	33,08	
CEI0480	☐	CONTOUR ADJUSTABLE (7+1 STRAPS) PADDED SHAPED COVER	NC : 0940, 0945	138,39	
CEI0481	☐	CONTOUR ADJUSTABLE (7+1 STRAPS) BI MATERIAL PADDED COVER INCL. BACK POCKET	NC : 0940, 0945	189,57	
HANGERS/FOOTPLATES					
HANGERS RH TYPE					
CEI0510	☐	80° STRAIGHT RH SWING IN/SWING OUT HANGER		◆	 0510 / 0560  0520 / 0570
CEI0520	☐	ELEVATING LEGREST (0° TO 75°) RH SWING IN/SWING OUT HANGER (INCLUDING CALFPAD)	NC : 0611, 0930, 0935, 0936	73,82	
CEI0545	☐	AMPUTEE LEGREST RH	NC : 0600, 0610, 0611, 0930, 0936	140,28	
HANGERS LH TYPE					
CEI0560	☐	WITHOUT LH HANGER		◆	 0545 / 0595  0610 / 0630  0610 / 0630  0611
CEI0570	☐	ELEVATING LEGREST (0° TO 75°) LH SWING IN/SWING OUT HANGER (INCLUDING CALFPAD)	NC : 0611, 0930, 0935, 0936	73,82	
CEI0595	☐	AMPUTEE LEGREST LH	NC : 0611, 0620, 0630, 0930, 0936	140,28	
FOOTPLATES RH TYPE					
CEI0600	☐	FLIP UP RH FOOTPLATE - (INCLUDING HEEL STRAP)		◆	
CEI0610	☐	FLIP UP DEPTH & ANGLE AJUSTABLE RH FOOTPLATE - (INCLUDING HEEL STRAP)		26,43	
CEI0611	☐	FLIP UP ONE PIECE FOOTPLATE - DEPTH & ANGLE ADJUSTABLE	NC : 0620, 0630, 0935, 0936	203,79	
FOOTPLATES LH TYPE					
CEI0620	☐	FLIP UP LH FOOTPLATE - (INCLUDING HEEL STRAP)		◆	
CEI0630	☐	FLIP UP DEPTH & ANGLE AJUSTABLE LH FOOTPLATE - (INCLUDING HEEL STRAP)		26,43	

ARMRESTS

ARMRESTS RH FORM IN BLACK COLOR				
CEI0656	☐	REMOVABLE AND CONTINUOUSLY HEIGHT-ADJUSTABLE FROM 200 MM TO 280 MM - SHORT NARROW GUTTER (330 MM) WITHOUT ROTATION	NC : 0760, 0770, 0772, 0780, 0790, 0798, 1480	113,17
CEI0660	☐	SWING AWAY DETACHABLE RH (N°2) - DESK	NC : 0756, 0772, 0780, 0790, 1480	◆
CEI0670	☐	SWING AWAY DETACHABLE RH (N°2) - FULL LENGTH	NC : 0756, 0780, 0790, 0798	24,64
CEI0672	☐	LIFTABLE AND REMOVABLE, HEIGHT-ADJUSTABLE FROM 170 TO 295 MM - SHORT (330 MM) NON-ROTATING NARROW TROUGH WITH CLOTHES GUARD AND ERGONOMIC SUPPORT HANDLE	NC : 0760, 0770, 0798, 1480	113,17
CEI0680	☐	SWING AWAY DETACHABLE RH (N°3) - DESK	NC : 0756, 0760, 0770, 0798, 1480	117,54
CEI0690	☐	SWING AWAY DETACHABLE RH (N°3) - FULL LENGTH	NC : 0756, 0760, 0770	140,28
CEI0698	☐	REMOVABLE AND HEIGHT ADJUSTABLE - SHORT NARROW GUTTER (330 MM) WITHOUT ROTATION	NC : 0760, 0770, 0780, 0790	113,17
CEI0732	☐	REMOVABLE RH (N°4) AUTOLOCK SAFETY DEVICE INCLUDED - ARMPAD HEMI BLACK PU TR26	NC : 1480	113,17



0656 / 0756



0660 / 0760




0672 / 0772



0680 / 0780



0698 / 0798



0732 / 0832

ARMRESTS LH FORM IN BLACK COLOR				
CEI0756	☐	REMOVABLE AND CONTINUOUSLY HEIGHT-ADJUSTABLE FROM 200 MM TO 280 MM - SHORT NARROW GUTTER (330 MM) WITHOUT ROTATION		113,17
CEI0760	☐	SWING AWAY DETACHABLE LH (N°2) - DESK	NC : 1480	◆
CEI0770	☐	SWING AWAY DETACHABLE LH (N°2) - FULL LENGTH		24,64
CEI0772	☐	LIFTABLE AND REMOVABLE, HEIGHT-ADJUSTABLE FROM 170 TO 295 MM - SHORT (330 MM) NON-ROTATING NARROW TROUGH WITH CLOTHES GUARD AND ERGONOMIC SUPPORT HANDLE	NC : 1480	113,17
CEI0780	☐	SWING AWAY DETACHABLE LH (N°3) - DESK	NC : 1480	117,54
CEI0790	☐	SWING AWAY DETACHABLE LH (N°3) - FULL LENGTH		140,28
CEI0798	☐	REMOVABLE AND HEIGHT ADJUSTABLE - SHORT NARROW GUTTER (330 MM) WITHOUT ROTATION		113,17
CEI0832	☐	REMOVABLE LH (N°4) AUTOLOCK SAFETY DEVICE INCLUDED - ARMPAD HEMI BLACK PU TR26	NC : 1480	113,17

SEAT CUSHION TYPE

Cushion				
CEI0849	☐	BASIC 60 MM FOAM CUSHION	NC : 0853, 0854, 0855, 0856, 0871, 0873	33,08
CEI0853	☐	CLASSIC VISCO CUSHION 375X 400 MM	NC : 0871, 0873, 0878, 0879	76,78
CEI0854	☐	CLASSIC VISCO CUSHION 405 X 400 MM	NC : 0871, 0873, 0878, 0879	65,40
CEI0855	☐	CLASSIC VISCO CUSHION 430 X 430 MM	NC : 0871, 0873, 0878, 0879	65,40
CEI0856	☐	CLASSIC VISCO CUSHION 455 X 400 MM	NC : 0871, 0873, 0878, 0879	76,78
CEI0871	☐	MATRX CONTOUR NG VISCO CUSHION	NC : 0873	76,78
CEI0873	☐	MATRX FLO-TECH IMAGE CUSHION		246,45



0849



0853 / 0854
0855 / 0856



0871



0873

SEAT CUSHION DEPTH				
CEI0878	☐	FOR 400 MM SEAT DEPTH		○
CEI0879	☐	FOR 450 MM SEAT DEPTH		○




0882

OTHER SEATING OPTIONS				
CEI0852	☐	SEAT RIGIDIZER	(Mandatory: Choose a seat cushion)	61,61
CEI0882	☐	LATERAL POSITIONING PADS (PAIR)		237,91
CEI0905	☐	EXCEPT FOR LAGUNA)	NC : 0906, 0907, 0940, 0945	60,10
CEI0906	☐	HEADREST BLACK PU TR26 (INCLUDING BACKBRACE EXCEPT FOR LAGUNA)	NC : 0907, 0940, 0945	199,05
CEI0907	☐	HEADREST WITH CHEEK SUPPORT BLACK PU TR26 (INCLUDING BACKBRACE EXCEPT FOR LAGUNA)	NC : 0940, 0945	217,06
CEI0930	☐	ADJUSTABLE CALF STRAP		10,43
CEI0935	☐	LONGER FOOTREST TUBE (UL= 450-530 MM)	NC : 0936	17,06
CEI0936	☐	SHORTER FOOTREST SUPPORT (PAIR) (UL= 230-430 MM)		83,41
CEI0940	☐	BACKBRACE	NC : 0945	47,39
CEI0945	☐	FOLDABLE BACKBRACE	NC : 1451	105,21



0905




0906

0907




0945

COLOURS						
CEI0961	☐	SLATE GREY (RAL7024 FINE TEXTURE)		☐	 0961 0964 0966	
CEI0964	☐	PEARL WHITE		☐		
CEI0966	☐	MATT BLACK		☐		
CEI0969	☐	RED MATT		☐		
CEI0974	☐	NAVY BLUE		☐		
CEI0980	☐	ANTHRACITE BLACK		☐	 0974 0969 0980	
CEI0991	☐	SPECIAL COLOUR	RAL :	On Request		
CASTER HOUSING TYPE						
CEI0995	☐	STANDARD		☒		
FRONT WHEELS						
CEI1005	☐	200 X 32 MM (8" X 1.1/4") - BLACK PNEUMATIC TYRE		☐	 1010 1050	
CEI1010	☐	200 X 30 MM (8" X 1.1/4") - BLACK SOLID TYRE		☐		
CEI1030	☐	200 X 45 MM (8" X 2") - BLACK SOLID TYRE		☐		
CEI1035	☐	150 X 30 MM (6" X 1.1/4") - BLACK SOLID TYRE MEDIUM HARD		☐		
CEI1050	☐	150 X 30 MM (6" X 1.1/4") - BLACK SOLID TYRE		☒		
REAR WHEELS						
REAR WHEEL SIZE					 Standard  1.3/8" 1.3/8" 1084 1082	
CEI1068	☐	24" - 600 mm		☒		
REAR WHEEL TYPE						
CEI1071	☐	STANDARD (BLACK HUB, COLORLESS RIM & ZINC PLATTED SPOKES)		☒		
TYRE TYPE						
CEI1082	☐	TYRES SOLID BLACK 35 MM (1"3/8)		☒		
CEI1084	☐	PNEUMATIC PROFILED BLACK 35 MM (1"3/8)		☐		
REAR WHEELS POSITION						
CEI1200	☐	PASSIVE REAR WHEELS POSITION - 25MM BACKWARDS/BACKREST CANE AXLE (12,5MM with Active Rear Wheel Support and Seat Depth 500MM)		☒		
PUMP						
CEI1230	☐	PUMP AND SUPPORT		10,43		
CHASSIS OPTIONS TYPE						
CEI1241	☐	FRONT WHEELS EXTENSION (+ 50 MM OUTWARD)		☐	 1241	
BRAKES TYPE						
CEI1270	☐	PUSH TO LOCK BRAKES		☒	 1270	
CEI1275	☐	PULL TO LOCK BRAKES		☐		
SAFETY OPTIONS TYPE						
CEI1345	☐	TRANSPORTATION BRACKETS		24,64	 1345 1361 / 1362 1363 / 1364 1370 1375	
CEI1360	☐	POSTURE BELT - PLASTIC BUCKLE	NC : 1361, 1362, 1363, 1364	31,28		
CEI1361	☐	HIP BELT, 2-PT, CTR-PULL, PB - M X 460MM PADS, FLAT-MOUNT	NC : 1362, 1363, 1364	199,05		
CEI1362	☐	HIP BELT, 2-PT, CTR-PULL, PB - L X 620MM PADS, FLAT-MOUNT	NC : 1363, 1364	206,64		
CEI1363	☐	HIP BELT, 4-PT, CTR-PULL, PB - M X 460MM PADS, FLAT-MOUNT	NC : 1364	234,12		
CEI1364	☐	HIP BELT, 4-PT, CTR-PULL, PB - L X 620MM PADS, FLAT-MOUNT		241,71		
CEI1370	☐	REAR ANTI-TIPPERS PAIR	NC : 1375, 1440	79,62		
CEI1375	☐	REAR ANTI-TIPPERS PAIR WITH TIPPING AID - (REA TYPE)	NC : 1440	127,96		
CEI1380	☐	REFLECTORS KIT		38,86		
ATTENDANT OPTIONS TYPE						
CEI1430	☐	CANE HOLDER		49,29	 1430 1440 1480	
CEI1440	☐	TIPPING AID RH		28,44		
CEI1451	☐	DRIP STAND SUPPORT WITH DRIPSTAND (WITH BACKBRACE 0940 ONLY)		101,42		

OTHERS OPTIONS				
CEI1480	☐	ACRYLIC TRAY		72,83
RAMPS				
1440530	☐	Fiberglass Folding Mono Ramp Folded dimensions: 2000 x 230 mm 16.3 kg - maximum capacity: 300 kg"		1 787,68
1654128	☐	Basic ramp 2 telescopic parts in aluminum and non-slip coating - Folded dimensions: 1210 x 194 mm. 8.8 kg per pair - maximum capacity: 270 kg		402,84
1654129	☐	Quick2go Compact 3-part aluminum telescopic ramp with non-slip coating Folded dimensions: 870 x 237 mm 13.6 kg per pair - maximum capacity: 260 kg		805,69
1654130	☐	Aluminium folding mono ramp Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg		426,54


1440530


1654128


1654129


1654130