

Please contact Invacare EU Export Customer Services on :-
Tel : +33 247 626980 ; Email : serviceclient_export@invacare.com
Or visit our website : www.invacare.eu.com



Invacare® Action³_{NG} RC (Rocking Chair)

Manual folding aluminum wheelchair with mechanical seat inclination at 25°



Tie down hook without supplement

- Description:**
- Manual Wheelchair Action3NG Rocking Chair 6 wheels with central drive wheels for better access to handrails
 - Mechanical seat tilt at 25° offering a resting and lockable position
 - Articulated rear wheel supports fitted with 5" wheels to facilitate 2-wheeling
 - New cable pull brake system
- Comfort PACK:**
Transform the Action3NG RC into a real light and folding 6-wheel comfort chair. This pack includes: a 510 mm high reclining backrest with rigid and removable backrest shell + a Laguna backrest cushion + a pair of legrests with adjustable paddles + a neckrest.
- Weight: from 17.6 kg.
 - Maximum user weight: 125 kg.
 - 2-year warranty period excluding wear parts

Date :

Purchase Order :

Customer Code :

Distributor Stamp:



Invacare Unique Customization Service
Please specify the quote or special production number:

☐ Please make your selection with a cross in the box ◆ Standard feature ○ Free of charge option

CODE		DESCRIPTION	NC : Non Compatible NC : 9999 = not compatible with the reference 9999	Euros	
CET0031	☐	Invacare® Action ³ _{NG} RC - Fixed Backrest	NC : Comfort Pack	1059,70	
CET0036	☐	Invacare® Action ³ _{NG} RC - Folding Backrest	NC : Comfort Pack	1144,36	
CET0041	☐	Invacare® Action ³ _{NG} RC - Reclining Backrest		1144,36	

COMFORT PACK

⚠ If you check the Pack, please do not check the options individually

CET0050	☐	COMFORT PACK: Reclining backrest (0442) + rigid and removable back shell allowing the chair to be folded + Laguna back cushion (0490) + pair of legrests (0520 + 0570) with adjustable footrests (0610 + 0630) + neck support (0905)	NC: 0180, 0220, 0930, 0935, 0936, 0940, 0945, backrest raiser, 1345	293,68	
---------	--------------------------	--	---	--------	--

PROPULSION TYPE

CET0100	☐	SELF PROPULSION		◆	
---------	--------------------------	-----------------	--	---	--

SEAT

SEAT WIDTH

CET0180	☐	380 mm	NC : 0442, 0545+0595, 0852, 0855, 1345	○	
CET0190	☐	405 mm	NC : 0545+0595, 1345	○	
CET0200	☐	430 mm	NC : 0853	◆	
CET0210	☐	455 mm	NC : 0853	○	
CET0220	☐	480 mm	NC : 0442, 0853, 0854	○	
CET0230	☐	505 mm	NC : 0853, 0854, 0855, 0856	○	

SEAT DEPTH








CET0240	☐	400 mm	NC : 0879	◆	
CET0250	☐	450 mm	NC : 0853, 0878	○	
CET0252	☐	Adjustable from 450 to 400 mm Delivered at 430 mm (or 450 mm if choice of a seat cushion)	NC : 0330, 0350	30,33	






SEAT HEIGHT





CET0270	☐	485 mm - Only with 24" drive wheels		○	
CET0280	☐	485 mm - Only with 22" drive wheels		◆	




SEAT UPHOLSTERY TYPE

CET0330	☐	NYLON WITHOUT LOOP BANDS SEAT UPHOLSTERY		◆	
CET0340	☐	NYLON WITH LOOP BANDS SEAT UPHOLSTERY		○	
CET0350	☐	PADDED NYLON SEAT UPHOLSTERY		30,33	

BACKREST					
DE225974	☐	Backrest extension - height 230 mm - special demand	NC : 0395, 0396, 0442	On Request	  0380 / 0390 / 0395  0396  0431 / 0432  0445 / 0450  0455 / 0460  0471  0474 / 0475  0480 / 0481  0490
BACKREST TYPE					
CET0380	☐	FIXED 0° BACKREST 2 HEIGHTS 400/430 MM (DELIV. 430 MM) - FIXED PUSH HANDLES	NC : 0471, 0477, 0490, 0491, 0945	52,13	
CET0390	☐	FIXED 0° BACKREST 510 MM HEIGHT - FIXED PUSH HANDLES	NC : 0471, 0477, 0490, 0491, 0945	86,26	
CET0395	☐	FIXED 7° BACKREST - HEIGHT ADJUST 380 TO 460 MM (DELIVERED 380 MM)	NC : 0474, 0475, 0477, 0478, 0479, 0481, 0490, 0491, 0905, 0906, 0907, 0940, 1451	295,73	
CET0396	☐	FIXED 7° BACKREST - HEIGHT ADJUST 380 TO 460 MM (DELIVERED 380 MM)	NC : 0474, 0475, 0477, 0478, 0479, 0481, 0490, 0491, 0905, 0906, 0907, 0940, 1451	295,73	
CET0410	☐	FIXED 7° BACKREST - 2 HEIGHTS 400/430 MM (DELIV. 430 MM)	NC : 0471, 0477, 0490, 0491, 0945	◆	
CET0420	☐	FIXED 7° BACKREST - 510 MM HEIGHT	NC : 0471, 0477, 0490, 0491, 0945	○	
CET0431	☐	ANGLE ADJUSTABLE AND FOLD DOWN (-15° to + 15°) FIXED 7°, HEIGHT 350MM / 14" WITH FIXED SHORT PUSHHANDLES	NC : 0471, 0474, 0475, 0478, 0479, 0480, 0481, 0490, 0491, 0882, 0905, 0906, 0907, 0940, 1345, 1451	456,87	
CET0432	☐	ANGLE ADJUSTABLE AND FOLD DOWN (-15° to + 15°) FIXED 7°, HEIGHT 425MM / 17" WITH FIXED LONG PUSHHANDLES	NC : 0471, 0474, 0475, 0478, 0479, 0480, 0481, 0490, 0491, 0882	456,87	
CET0442	☐	RECLINING (GAS SPRING) 0/30° LAGUNA SHELL	NC : 0471, 0474, 0475, 0477, 0478, 0479, 0480, 0481, 0882, 0940, 0945, 1345, 1451	○	
CET0445	☐	RECLINING (GAS SPRING) 0/30° BACKREST INCL. BACKRACE & PASSIVE REAR WHEEL POS. ONLY	NC : 0471, 0477, 0490, 0491, 0940, 0945	◆	
CET0450	☐	RECLINING (GAS SPRING) 0/30° BACKREST INCL. BACKRACE & PASSIVE REAR WHEEL POS. ONLY	NC : 0471, 0477, 0490, 0491, 0940, 0945	○	
CET0455	☐	FOLDING 7° BACKREST	NC : 0471, 0477, 0490, 0491, 0945	◆	
CET0460	☐	FOLDING 7° BACKREST	NC : 0471, 0477, 0480, 0481, 0490, 0491, 0945	○	
BACKREST UPHOLSTERY TYPE					
CET0471	☐	STANDARD NYLON SLING TYPE (JEMIMA)	NC : 0882, 0905, 0906, 0907, 0882	○	
CET0474	☐	LUMBAR SUPPORT (+1 STRAP) BI MATERIAL PADDED COVER INCL. BACK POCKET		33,08	
CET0475	☐	LUMBAR SUPPORT (+1 STRAP) PADDED SHAPED COVER		◆	
CET0477	☐	CONTOUR ADJUSTABLE (3+1 STRAPS) BI MATERIAL PADDED COVER INCL. BACK POCKET		○	
CET0478	☐	CONTOUR ADJUSTABLE (3+1 STRAPS) BI MATERIAL PADDED COVER INCL. BACK POCKET	NC : 0940, 0945	66,16	
CET0479	☐	CONTOUR ADJUSTABLE (3+1 STRAPS) PADDED SHAPED COVER	NC : 0940, 0945	33,08	
CET0480	☐	CONTOUR ADJUSTABLE (7+1 STRAPS) PADDED SHAPED COVER	NC : 0940, 0945	138,39	
CET0481	☐	CONTOUR ADJUSTABLE (7+1 STRAPS) BI MATERIAL PADDED COVER INCL. BACK POCKET	NC : 0940, 0945	189,57	
CET0490	☐	COMFORT BACKREST LAGUNA BLACK PU TR26	NC : 0940, 0945, 1451	33,08	
CET0491	☐	COMFORT BACKREST PASSAD 2 BLACK PU TR26	NC : 0940, 0945, 1451	33,08	

HANGERS/FOOTPLATES						
HANGERS RH TYPE						
CET0510	☐	80° STRAIGHT RH SWING IN/SWING OUT HANGER		◆	 0510 / 0560	
CET0520	☐	ELEVATING LEGREST (0° TO 75°) RH SWING IN/SWING OUT HANGER (INCLUDING CALFPAD)	NC : 0611, 0930, 0935, 0936	73,82		
CET0545	☐	AMPUTEE LEGREST RH	NC : 0600, 0610, 0611, 0930, 0936	140,28		
HANGERS LH TYPE						
CET0560	☐	80° STRAIGHT LH SWING IN/SWING OUT HANGER		◆	 0520 / 0570	
CET0570	☐	ELEVATING LEGREST (0° TO 75°) LH SWING IN/SWING OUT HANGER (INCLUDING CALFPAD)	NC: 0611, 0930, 0935, 0936	73,82		
CET0595	☐	AMPUTEE LEGREST LH	NC : 0611, 0620, 0630, 0930, 0936	140,28		
FOOTPLATES RH TYPE						
CET0600	☐	FLIP UP RH FOOTPLATE - (INCLUDING HEEL STRAP)		◆	 0610 / 0630	
CET0610	☐	FLIP UP DEPTH & ANGLE AJUSTABLE RH FOOTPLATE - (INCLUDING HEEL STRAP)		26,43		
CET0611	☐	FLIP UP ONE PIECE FOOTPLATE - DEPTH & ANGLE ADJUSTABLE	NC : 0620, 0630, 0935, 0936	234,12		
FOOTPLATES LH TYPE						
CET0620	☐	FLIP UP LH FOOTPLATE - (INCLUDING HEEL STRAP)		◆	 0610 / 0630	
CET0630	☐	FLIP UP DEPTH & ANGLE AJUSTABLE LH FOOTPLATE - (INCLUDING HEEL STRAP)		26,43		
						 0611
ARMRESTS						
ARMRESTS RH FORM IN BLACK COLOR						
CET0660	☐	SWING AWAY DETACHABLE RH (N°2) - DESK	NC : 0772, 0780, 0790, 1480, 1483	◆	 0660 / 0760	
CET0670	☐	SWING AWAY DETACHABLE RH (N°2) - FULL LENGTH	NC : 0772, 0780, 0790	○		
CET0672	☐	FOLDABLE AND REMOVABLE, HEIGHT ADJUSTABLE FROM 170 TO 295 MM - SHORT (330 MM) NON-ROTATING NARROW CHANNEL WITH CLOTHES GUARD AND ERGONOMIC SUPPORT HANDLE	NC : 0760, 0770, 1480, 1483	113,17		
CET0680	☐	SWING AWAY DETACHABLE RH (N°3) - DESK	NC : 0760, 0770, 1480, 1483	○	 0672 / 0772	
CET0690	☐	SWING AWAY DETACHABLE RH (N°3) - FULL LENGTH	NC : 0760, 0770, 1483	○		
ARMRESTS LH FORM IN BLACK COLOR						
CET0760	☐	SWING AWAY DETACHABLE LH (N°2) - DESK	NC : 1480, 1484	◆	 0680 / 0780	
CET0770	☐	SWING AWAY DETACHABLE LH (N°2) - FULL LENGTH		○		
CET0772	☐	FOLDABLE AND REMOVABLE, HEIGHT ADJUSTABLE FROM 170 TO 295 MM - SHORT (330 MM) NON-ROTATING NARROW CHANNEL WITH CLOTHES GUARD AND ERGONOMIC SUPPORT HANDLE	NC : 1480, 1484	113,17		
CET0780	☐	SWING AWAY DETACHABLE LH (N°3) - DESK	NC : 1480, 1484	○		
CET0790	☐	SWING AWAY DETACHABLE LH (N°3) - FULL LENGTH	NC : 1484	○		
SEAT CUSHION TYPE						
Cushion						
CET0849	☐	BASIC 60 MM FOAM CUSHION - NYLON & ANTI-SLIP COVER		33,08	 0849	
CET0853	☐	CLASSIC VISCO CUSHION 375X 400 MM -	NC : 0878, 0879	76,78	 0853 / 0854 0855 / 0856	
CET0854	☐	CLASSIC VISCO CUSHION 405 X 400 MM -	NC : 0878, 0879	65,40		
CET0855	☐	CLASSIC VISCO CUSHION 430 X 430 MM -	NC : 0878, 0879	65,40	 0871	
CET0856	☐	CLASSIC VISCO CUSHION 455 X 400 MM -	NC : 0878, 0879	76,78	 0873	
CET0871	☐	MATRX CONTOUR NG VISCO CUSHION		76,78		
CET0873	☐	MATRX FLO-TECH IMAGE CUSHION		246,45	 0876	
CET0876	☐	MATRX LIBRA CUSHION		293,84		

SEAT CUSHION DEPTH					 0852
CET0878	☐	FOR 400 MM SEAT DEPTH		☐	
CET0879	☐	FOR 450 MM SEAT DEPTH		☐	
OTHER SEATING OPTIONS					 0882  0905  09060907  0945
CET0852	☐	SEAT RIGIDIZER	(Mandatory: Choose a seat cushion)	61,61	
CET0882	☐	LATERAL POSITIONING PADS (PAIR)		237,91	
CET0905	☐	NECKREST BLACK PU TR26 (INCLUDING BACKBRACE EXCEPT FOR LAGUNA)	NC : 0906, 0907, 0940, 0945	60,10	
CET0906	☐	HEADREST BLACK PU TR26 (INCLUDING BACKBRACE EXCEPT FOR LAGUNA)	NC : 0907, 0940, 0945	199,05	
CET0907	☐	HEADREST WITH CHEEK SUPPORT BLACK PU TR26 (INCLUDING BACKBRACE EXCEPT FOR LAGUNA) -	NC : 0940, 0945	217,06	
CET0930	☐	ADJUSTABLE CALF STRAP		10,43	
CET0935	☐	LONGER FOOTREST TUBE (UL= 450-530 MM)	NC : 0936	17,06	
CET0936	☐	SHORTER FOOTREST SUPPORT (PAIR) (UL= 230-430 MM)		83,41	
CET0940	☐	BACKBRACE	NC : 0945	☐	
CET0945	☐	FOLDABLE BACKBRACE	NC : 1451	105,21	
COLOURS					
CET0961	☐	SLATE GREY (RAL7024 FINE TEXTURE)		☐	 0961 / 0966  0974 / 0969
CET0966	☐	MATT BLACK		☐	
CET0967	☐	BLUE POP		☐	
CET0969	☐	RED MATT		☐	
CET0974	☐	NAVY BLUE			
CET0991	☐	SPECIAL COLOUR		On Request	
CASTER HOUSING TYPE					
CET0995	☐	STANDARD		☒	
FRONT WHEELS					
CET1035	☐	150 X 30 MM (6" X 1.1/4") - BLACK SOLID TYRE MEDIUM HARD		☐	 1050
CET1050	☐	150 X 30 MM (6" X 1.1/4") - BLACK SOLID TYRE		☒	
CET1056	☐	140 X 40 MM (5" 1/2 X 1" 3/4) - BLACK SOLID TYRE MEDIUM HARD		☐	
REAR WHEELS					
REAR WHEEL SIZE					 Standard  1"1.3/8"1.3/8" 108810841082
CET1066	☐	22" - 560 mm	NC : 1260	☒	
CET1068	☐	24" - 600 mm	NC : 1261	☐	
REAR WHEEL TYPE					
CET1071	☐	STANDARD (BLACK HUB, COLORLESS RIM & ZINC PLATTED SPOKES)		☒	
CET1072	☐	REINFORCED (COLORLESS HUB, CLEAR ANODIZED RIM & STAINLESS STEEL SPOKES)		☐	
TYRE TYPE					
CET1082	☐	TYRES SOLID BLACK 35 MM (1"3/8)		☒	
CET1084	☐	PNEUMATIC PROFILED BLACK 35 MM (1"3/8)		☐	
CET1088	☐	PNEUMATIC LOW PROFILE BLACK 25 MM (1")		☐	
HANDRIM TYPE					
CET1140	☐	ALUMINIUM PRE-ANODIZED HANDRIM		☒	
CET1150	☐	HANDRIM COATED IN BLACK ANTI-SLIP PLASTIC		127,01	
REAR WHEELS AXLE TYPE					
CET1180	☐	QUICK RELEASE AXLE		☒	
REAR WHEELS POSITION					
CET1195	☐	ROCKING CHAIR REAR WHEELS POSITION - 'PIVOT POSITION +62,5MM & DRIVE WHEELS + 90MM FRONTWARDS(/BACKREST CANE AXLE)		☒	
Pump					
CET1230	☐	PUMP AND SUPPORT		10,43	
CHASSIS OPTIONS TYPE					
CET1241	☐	FRONT WHEELS EXTENSION (+ 50 MM OUTWARD)		☐	 1241
CET1260	☐	SPOKE GUARDS PAIR 600 MM (24") BLACK	NC : 1261	165,88	
CET1261	☐	SPOKE GUARDS PAIR CLEAR		165,88	
BRAKES TYPE					
CET1272	☐	ROCKING CHAIR PULL TO LOCK BRAKES		☒	
SAFETY OPTIONS TYPE					
CET1345	☐	TRANSPORTATION BRACKETS	NC : 0050, 0180, 0190, 0431, 0442	☐	 1345
CET1360	☐	POSTURE BELT - PLASTIC BUCKLE		31,28	
CET1380	☐	REFLECTORS KIT		38,86	

OPTIONS					
CET1451	☐	DRIP STAND SUPPORT WITH DRIPSTAND (WITH BACKBRACE 0940 ONLY)		101,42	
OTHERS OPTIONS					
CET1480	☐	ACRYLIC TRAY	NC : 1483, 1484, 1485	72,83	 1480  1483 / 1484  1485
CET1483	☐	HALF TABLE TRAY, CLEAR, FLIP UP, RH	NC : 1484	72,83	
CET1484	☐	HALF TABLE TRAY, CLEAR, FLIP UP, LH		72,83	
CET1485	☐	COMFORT PADDING FOR HALF TABLE TRAY		90,05	
ACCESSORIES (delivered separtly)					
AP1493219	☐	GUTTER WITH INDEPENDENT SIDE ROTATION, ADJUSTABLE IN HEIGHT AND DEPTH, RIGHT	Only compatible with armrest 0680, 0690	113,17	 1440530  1654128  1654129  1654130
AP1493220	☐	GUTTER WITH INDEPENDENT SIDE ROTATION, ADJUSTABLE IN HEIGHT AND DEPTH, LEFT	Only compatible with armrest 0780, 0790	113,17	
RAMPS					
1440530	☐	Fiberglass Folding Mono Ramp Folded dimensions: 2000 x 230 mm 16.3 kg - maximum capacity: 300 kg		1 787,68	
1654128	☐	Basic ramp 2 telescopic parts in aluminum and non-slip coating. Folded dimensions: 1210 x 194 mm 8.8 kg per pair - maximum capacity: 270 kg		402,84	
1654129	☐	Quick2go Compact 3-part aluminum telescopic ramp with non-slip coating Folded dimensions: 870 x 237 mm 13.6 kg per pair - maximum capacity: 260 kg		805,69	
1654130	☐	Aluminium folding mono ramp Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg		426,54	