

Invacare® Action^{®3}_{NG} RC Plus

Please contact Invacare EU Export Customer Services on :-
Tel : +33 247 626980 ; Email : serviceclient_export@invacare.com
Or visit our website : www.invacare.eu.com



Invacare® Action^{®3}_{NG} RC Plus (Rocking Chair)

Manual folding aluminum wheelchair with mechanical seat inclination at 25°



- Description:
- standard: neck support, Matrix Contour Visco NG seat cushion and pair of narrow non-rotating gutters.
 - 6 wheels with central drive wheels for better access to handrails
 - Mechanical seat tilt at 25° offering a resting and lockable position
 - Articulated rear wheel supports equipped with 5" wheels facilitating 2-wheelers
 - **PACK Comfort: Transform the Action3NG RC Plus into a real lightweight and folding 6-wheel comfort chair.**
 - Weight: from 17.6 kg.
 - Maximum user weight: 125 kg.
 - 2-year warranty period excluding wear parts

Date :

Purchase Order :

Customer Code :







Distributor Stamp:





Invacare Unique Customization Service
Please specify the quote or special production number:

☐ Please make your selection with a cross in the box ☒ Standard feature ☐ Free of charge option

CODE		DESCRIPTION	NC : Non Compatible NC : 9999 = not compatible with the reference 9999	Euros		
CEV0031	☐	Invacare® <i>Action</i> ® ³ _{NG} RC - Fixed Backrest	NC : Comfort Pack	893,06		
CEV0041	☐	Invacare® <i>Action</i> ® ³ _{NG} RC - Reclining Backrest		935,39		
COMFORT PACK						
 If you check the Pack, please do not check the options individually						
CEV0060	☐	COMFORT PACK: Reclining backrest 510 mm high (0442) + rigid and removable back shell allowing the chair to be folded + Laguna back cushion (0490) + pair of legrests (0520 + 0570) with adjustable footrests (0610 + 0630)	NC : 0180, 0220, 0930, 0935, 0936, 1345	233,57		
PROPULSION TYPE						
CEV0100	☐	SELF PROPULSION		◆		
SEAT						
SEAT WIDTH						
CEV0180	☐	380 mm	NC : 0442, 0545+0595, 0852, 0855, 1345	○		
CEV0190	☐	405 mm	NC : 0545+0595, 1345	○		
CEV0200	☐	430 mm	NC : 0853	◆		
CEV0210	☐	455 mm	NC : 0853	○		
CEV0220	☐	480 mm	NC : 0442, 0853, 0854	○		
CEV0230	☐	505 mm	NC : 0853, 0854, 0855, 0856	○		
SEAT DEPTH						
CEV0240	☐	400 mm	NC : 0879	◆		
CEV0250	☐	450 mm	NC : 0853, 0878	○		
CEV0252	☐	Adjustable from 450 to 400 mm Delivered at 430 mm (or 450 mm if choice of a seat cushion)	NC : 0330, 0350	30,33		
SEAT HEIGHT						
CEV0270	☐	485 mm - Only with 24" drive wheels		○		
CEV0280	☐	485 mm - Only with 22" drive wheels		◆		
SEAT UPHOLSTERY TYPE						
CEV0330	☐	NYLON WITHOUT LOOP BANDS SEAT UPHOLSTERY		◆		
CEV0340	☐	NYLON WITH LOOP BANDS SEAT UPHOLSTERY		○		
CEV0350	☐	PADDED NYLON SEAT UPHOLSTERY		30,33		
BACKREST						
BACKREST TYPE						
CEV0410	☐	FIXED 7° BACKREST - 2 HEIGHTS 400/430 MM (DELIV. 430 MM)	NC : 0471, 0477, 0490, 0491, 0945	◆	 0445 / 0450	
CEV0420	☐	FIXED 7° BACKREST - 510 MM HEIGHT	NC : 0471, 0477, 0490, 0491, 0945	○		
CEV0442	☐	RECLINING (GAS SPRING) 0/30° LAGUNA SHELL	NC : 0471, 0474, 0475, 0477, 0478, 0479, 0480, 0481, 0882, 0940, 0945, 1345, 1451	○		
CEV0445	☐	RECLINING (GAS SPRING) 0/30° BACKREST INCL. BACKRACE & PASSIVE REAR WHEEL POS. ONLY	NC : 0471, 0477, 0490, 0491, 0940, 0945	◆		
CEV0450	☐	RECLINING (GAS SPRING) 0/30° BACKREST INCL. BACKRACE & PASSIVE REAR WHEEL POS. ONLY	NC : 0471, 0477, 0490, 0491, 0940, 0945	○		

BACKREST UPHOLSTERY TYPE					0475  0490 
CEV0475	☐	LUMBAR SUPPORT (+1 STRAP) PADDED SHAPED COVER		◆	
CEV0479	☐	CONTOUR ADJUSTABLE (3+1 STRAPS) PADDED SHAPED COVER	NC : 0940, 0945	33,08	
CEV0480	☐	CONTOUR ADJUSTABLE (7+1 STRAPS) PADDED SHAPED COVER	NC : 0940, 0945	138,39	
CEV0490	☐	COMFORT BACKREST LAGUNA BLACK PU TR26	NC : 0940, 0945, 1451	33,08	
CEV0491	☐	COMFORT BACKREST PASSAD 2 BLACK PU TR26	NC : 0940, 0945, 1451	33,08	
HANGERS/FOOTPLATES					
HANGERS RH TYPE					
CEV0510	☐	80° STRAIGHT RH SWING IN/SWING OUT HANGER		◆	0510 / 0560  0520 / 0570  0545 / 0595  0610 / 0630  0610 / 0630 
CEV0520	☐	ELEVATING LEGREST (0° TO 75°) RH SWING IN/SWING OUT HANGER (INCLUDING CALFPAD)	NC : 0611, 0930, 0935, 0936	73,82	
CEV0545	☐	AMPUTEE LEGREST RH	NC : 0600, 0610, 0611, 0930, 0936	140,28	
HANGERS LH TYPE					
CEV0560	☐	80° STRAIGHT LH SWING IN/SWING OUT HANGER		◆	
CEV0570	☐	ELEVATING LEGREST (0° TO 75°) LH SWING IN/SWING OUT HANGER (INCLUDING CALFPAD)	NC: 0611, 0930, 0935, 0936	73,82	
CEV0595	☐	AMPUTEE LEGREST LH	NC : 0611, 0620, 0630, 0930, 0936	140,28	
FOOTPLATES RH TYPE					
CEV0600	☐	FLIP UP RH FOOTPLATE - (INCLUDING HEEL STRAP)		◆	
CEV0610	☐	FLIP UP DEPTH & ANGLE AJUSTABLE RH FOOTPLATE - (INCLUDING HEEL STRAP)		26,43	
FOOTPLATES LH TYPE					
CEV0620	☐	FLIP UP LH FOOTPLATE - (INCLUDING HEEL STRAP)		◆	
CEV0630	☐	FLIP UP DEPTH & ANGLE AJUSTABLE LH FOOTPLATE - (INCLUDING HEEL STRAP)		26,43	
ARMRESTS					
ARMRESTS RH FORM IN BLACK COLOR					
CEV0675	☐	Liftable and removable, adjustable in height from 170 to 295 mm - long narrow (430 mm) without rotation adjustable in depth without tools, cutout to protect clothes and ergonomic support handle		◆	 0675 / 0775
ARMRESTS LH FORM IN BLACK COLOR					
CEV0775	☐	Liftable and removable, adjustable in height from 170 to 295 mm - long narrow (430 mm) without rotation adjustable in depth without tools, cutout to protect clothes and ergonomic support handle		◆	
SEAT CUSHION TYPE					
Cushion					
CEV0849	☐	BASIC 60 MM FOAM CUSHION - NYLON & ANTI-SLIP COVER		-43,70	0849  0853 / 0854 0855 / 0856  0871 
CEV0853	☐	CLASSIC VISCO CUSHION 375X 400 MM -	NC : 0878, 0879	○	
CEV0854	☐	CLASSIC VISCO CUSHION 405 X 400 MM -	NC : 0878, 0879	-11,37	
CEV0855	☐	CLASSIC VISCO CUSHION 430 X 430 MM -	NC : 0878, 0879	-11,37	
CEV0856	☐	CLASSIC VISCO CUSHION 455 X 400 MM -	NC : 0878, 0879	○	
CEV0871	☐	MATRX CONTOUR NG VISCO CUSHION		◆	
SEAT CUSHION DEPTH					
CEV0878	☐	FOR 400 MM SEAT DEPTH		○	
CEV0879	☐	FOR 450 MM SEAT DEPTH		○	
OTHER SEATING OPTIONS					
CEV0852	☐	SEAT RIGIDIZER	(Mandatory: Choose a seat cushion)	61,61	0852  0882  0905  0906 0907 
CEV0882	☐	LATERAL POSITIONING PADS (PAIR)		237,91	
CEV0905	☐	NECKREST BLACK PU TR26 (INCLUDING BACKBRACE EXCEPT FOR LAGUNA)	NC : 0906, 0907, 0940, 0945	◆	
CEV0906	☐	HEADREST BLACK PU TR26 (INCLUDING BACKBRACE EXCEPT FOR LAGUNA)	NC : 0907, 0940, 0945	199,05	
CEV0907	☐	HEADREST WITH CHEEK SUPPORT BLACK PU TR26 (INCLUDING BACKBRACE EXCEPT FOR LAGUNA) -	NC : 0940, 0945	217,06	
CEV0930	☐	ADJUSTABLE CALF STRAP		10,43	
CEV0935	☐	LONGER FOOTREST TUBE (UL= 450-530 MM)	NC : 0936	17,06	
CEV0936	☐	SHORTER FOOTREST SUPPORT (PAIR) (UL= 230-430 MM)		83,41	

COLOURS						
CEV0961	☐	SLATE GREY (RAL7024 FINE TEXTURE)		☐	0961 / 0966 0974 / 0969	
CEV0966	☐	MATT BLACK		☐		
CEV0967	☐	BLUE POP		☐		
CEV0969	☐	RED MATT		☐		
CEV0974	☐	NAVY BLUE				
CEV0991	☐	SPECIAL COLOUR		On Request		
CASTER HOUSING TYPE						
CEV0995	☐	STANDARD		☒		
FRONT WHEELS						
CEV1035	☐	150 X 30 MM (6" X 1.1/4") - BLACK SOLID TYRE MEDIUM HARD		☐	 1050	
CEV1050	☐	150 X 30 MM (6" X 1.1/4") - BLACK SOLID TYRE		☒		
CEV1056	☐	140 X 40 MM (5" 1/2 X 1" 3/4) - BLACK SOLID TYRE MEDIUM HARD		☐		
REAR WHEELS						
REAR WHEEL SIZE					 Standard 1" 1.3/8" 1.3/8"	
CEV1066	☐	22" - 560 mm	NC : 1260	☒		
CEV1068	☐	24" - 600 mm	NC : 1261	☐		
REAR WHEEL TYPE						
CEV1071	☐	STANDARD (BLACK HUB, COLORLESS RIM & ZINC PLATTED SPOKES)		☒		
CEV1072	☐	REINFORCED (COLORLESS HUB, CLEAR ANODIZED RIM & STAINLESS STEEL SPOKES)		☐		
TYRE TYPE						
CEV1082	☐	TYRES SOLID BLACK 35 MM (1"3/8)		☒		
CEV1084	☐	PNEUMATIC PROFILED BLACK 35 MM (1"3/8)		☐		
CEV1088	☐	PNEUMATIC LOW PROFILE BLACK 25 MM (1")		☐		
HANDRIM TYPE						
CEV1140	☐	ALUMINIUM PRE-ANODIZED HANDRIM		☒		
REAR WHEELS AXLE TYPE						
CEV1180	☐	QUICK RELEASE AXLE		☒		
REAR WHEELS POSITION						
CEV1195	☐	ROCKING CHAIR REAR WHEELS POSITION - 'PIVOT POSITION +62,5MM & DRIVE WHEELS + 90MM FRONTWARDS(/BACKREST CANE AXLE)		☒		
Pump						
CEV1230	☐	PUMP AND SUPPORT		10,43		
CHASSIS OPTIONS TYPE						
CEV1241	☐	FRONT WHEELS EXTENSION (+ 50 MM OUTWARD)		☐		 1241
CEV1260	☐	SPOKE GUARDS PAIR 600 MM (24") BLACK	NC : 1261	165,88		
CEV1261	☐	SPOKE GUARDS PAIR CLEAR		165,88		
BRAKES TYPE						
CEV1272	☐	ROCKING CHAIR PULL TO LOCK BRAKES		☒		
SAFETY OPTIONS TYPE						
CEV1345	☐	TRANSPORTATION BRACKETS	NC : 0180, 0190	☐	 1345	
CEV1360	☐	POSTURE BELT - PLASTIC BUCKLE		31,28		
OPTIONS						
CEV1451	☐	DRIP STAND SUPPORT WITH DRIPSTAND (WITH BACKBRACE 0940 ONLY)		101,42	 1440530  1654128  1654129  1654130	
RAMPS						
1440530	☐	Fiberglass Folding Mono Ramp Folded dimensions: 2000 x 230 mm 16.3 kg - maximum capacity: 300 kg		1 787,68		
1654128	☐	Basic ramp 2 telescopic parts in aluminum and non-slip coating. Folded dimensions: 1210 x 194 mm 8.8 kg per pair - maximum capacity: 270 kg		402,84		
1654129	☐	Quick2go Compact 3-part aluminum telescopic ramp with non-slip coating Folded dimensions: 870 x 237 mm 13.6 kg per pair - maximum capacity: 260 kg		805,69		
1654130	☐	Aluminium folding mono ramp Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg		426,54		