

Invacare[®] Action^{®3}_{NG} Transit

Please contact Invacare EU Export Customer Services on :-
Tel : +33 247 626980 ; Email : serviceclient_export@invacare.com
Or visit our website : www.invacare.eu.com



Invacare[®] Action^{®3}_{NG} Transit

Transit manual sluminium folding wheelchair



Description: -

Seat width HT = seat width + 160 mm
- Weight: from 13.5 kg
- Maximum user weight: 125 kg -
2-year warranty period excluding wear parts



Date :

Purchase Order :

Customer Code :









Distributor Stamp::







Invacare Unique Customization Service
Please specify the quote or special production number:

☐ Please make your selection with a cross in the box ◆ Standard feature ○ Free of charge option

CODE		DESCRIPTION	NC : Non Compatible NC : 9999 = not compatible with the reference 9999	Euros	
CEF0036	☐	Invacare [®] Action ^{®3} _{NG} Transit - Folding Backrest		382,46	
CEF0041	☐	Invacare [®] Action ^{®3} _{NG} Transit - Reclining Backrest		382,46	
ALBER					
CEF0090	☐	BRACKET FOR VIAMOBIL ECO V14	NC : 0905, 0906, 0907, 1201, 1370, 1430, 1441, 1451	414,26	
PROPULSION TYPE					
CEF0110	☐	Transit		◆	
SEAT					
SEAT WIDTH					
CEF0180	☐	380 mm	NC : 0852, 0855	○	
CEF0190	☐	405 mm		○	
CEF0200	☐	430 mm	NC : 0853	◆	
CEF0210	☐	455 mm	NC : 0853	○	
CEF0220	☐	480 mm	NC : 0853, 0854	○	
CEF0230	☐	505 mm	NC : 0853, 0854, 0855, 0856	○	
SEAT DEPTH					
CEF0240	☐	400 mm	NC : 0879	◆	
CEF0250	☐	450 mm	NC : 0853, 0878	○	
CEF0252	☐	400 TO 450 MM ADJUSTABLE SEAT DEPTH	NC : 0330, 0350	30,33	
SEAT HEIGHT					
CEF0260	☐	510 mm	NC : 1035, 1050	○	
CEF0270	☐	485 mm		◆	
CEF0280	☐	460 mm		○	
SEAT UPHOLSTERY TYPE					
CEF0330	☐	NYLON WITHOUT LOOP BANDS SEAT UPHOLSTERY		◆	
CEF0340	☐	NYLON WITH LOOP BANDS SEAT UPHOLSTERY		○	
CEF0350	☐	PADDED NYLON SEAT UPHOLSTERY		30,33	
BACKREST					
BACKREST TYPE - Anti-tippers required with reclining backrests					
CEF0435	☐	TILTING BY MEANS OF RACKS 0°/30° - WITH TENSIONER - HEIGHTS 390/ 410/ 430 MM (DELIV.430 MM)	NC : 0940	◆	 0435 0455 / 0460
CEF0445	☐	RECLINING (GAS SPRING) 0/30° BACKREST INCL. BACKRACE & PASSIVE REAR WHEEL POS. ONLY - 3 HEIGHTS 390/410/430 MM (DELIV.430 MM)	NC : 0940	○	
CEF0450	☐	RECLINING (GAS SPRING) 0/30° BACKREST INCL. BACKRACE & PASSIVE REAR WHEEL POS. ONLY - 3 HEIGHTS470/490/510 MM (DELIV.510 MM)	NC : 0940	33,18	
CEF0455	☐	FOLDING 7° BACKREST - 430 MM HEIGHT		◆	
CEF0460	☐	FOLDING 7° BACKREST - 510 MM HEIGHT	NC : 0480, 0481	33,18	

BACKREST UPHOLSTERY TYPE					 0474 / 0475  0480 / 0481
CEF0474	☐	LUMBAR SUPPORT (+1 STRAP) BI MATERIAL PADDED COVER INCL. BACK POCKET		33,08	
CEF0475	☐	LUMBAR SUPPORT (+1 STRAP) PADDED SHAPED COVER		◆	
CEF0478	☐	CONTOUR ADJUSTABLE (3+1 STRAPS) BI MATERIAL PADDED COVER INCL. BACK POCKET	NC : 0940	66,16	
CEF0479	☐	CONTOUR ADJUSTABLE (3+1 STRAPS) PADDED SHAPED COVER	NC : 0940	33,08	
CEF0480	☐	CONTOUR ADJUSTABLE (7+1 STRAPS) PADDED SHAPED COVER	NC : 0940	138,39	
CEF0481	☐	CONTOUR ADJUSTABLE (7+1 STRAPS) BI MATERIAL PADDED COVER INCL. BACK POCKET	NC : 0940	189,57	
HANGERS/FOOTPLATES					
HANGERS RH TYPE					 0510 / 0560  0520 / 0570
CEF0510	☐	80° STRAIGHT RH SWING IN/SWING OUT HANGER		◆	
CEF0520	☐	ELEVATING LEGREST (0° TO 75°) RH SWING IN/SWING OUT HANGER (INCLUDING CALFPAD)	NC : 0611, 0930, 0935, 0936	73,82	
CEF0545	☐	AMPUTEE LEGREST RH	NC : 0600, 0610, 0611, 0930, 0936	140,28	
HANGERS LH TYPE					 0545 / 0595  0610 / 0630
CEF0560	☐	WITHOUT LH HANGER		◆	
CEF0570	☐	ELEVATING LEGREST (0° TO 75°) LH SWING IN/SWING OUT HANGER (INCLUDING CALFPAD)	NC : 0611, 0930, 0935, 0936	73,82	
CEF0595	☐	AMPUTEE LEGREST LH	NC : 0611, 0620, 0630, 0930, 0936	140,28	
FOOTPLATES RH TYPE					 0610 / 0630
CEF0600	☐	FLIP UP RH FOOTPLATE - (INCLUDING HEEL STRAP)		◆	
CEF0610	☐	FLIP UP DEPTH & ANGLE AJUSTABLE RH FOOTPLATE - (INCLUDING HEEL STRAP)		26,43	
CEF0611	☐	FLIP UP ONE PIECE FOOTPLATE - DEPTH & ANGLE ADJUSTABLE	NC : 0620, 0630, 0935, 0936	234,12	
FOOTPLATES LH TYPE					 0611
CEF0620	☐	FLIP UP LH FOOTPLATE - (INCLUDING HEEL STRAP)		◆	
CEF0630	☐	FLIP UP DEPTH & ANGLE AJUSTABLE LH FOOTPLATE - (INCLUDING HEEL STRAP)		26,43	
ARMRESTS					
ARMRESTS RH FORM IN BLACK COLOR					 0640 / 0740  0656 / 0756  0660 / 0760  0672 / 0772  0680 / 0780  0695 / 0795
CEF0640	☐	REMOVABLE RH (N°1) AUTOLOCK SAFETY DEVICE INCLUDED - DESK	NC : 0760, 0770, 0772, 0780, 0790, 0795, 0796, 0798, 1480	◆	
CEF0650	☐	REMOVABLE RH (N°1) AUTOLOCK SAFETY DEVICE INCLUDED - FULL LENGTH	NC : 0760, 0770, 0772, 0780, 0790, 0795, 0796, 0798	24,64	
CEF0656	☐	REMOVABLE AND CONTINUOUSLY HEIGHT-ADJUSTABLE FROM 200 MM TO 280 MM - SHORT NARROW GUTTER (330 MM) WITHOUT ROTATION	NC : 0760, 0770, 0772, 0780, 0790, 0795, 0796, 0798, 1480	113,17	
CEF0660	☐	SWING AWAY DETACHABLE RH (N°2) - DESK	NC : 0740, 0750, 0756, 0772, 0780, 0790, 0795, 0796, 1480	○	
CEF0670	☐	SWING AWAY DETACHABLE RH (N°2) - FULL LENGTH	NC : 0740, 0750, 0756, 0772, 0780, 0790, 0795, 0796, 0798	24,64	
CEF0672	☐	LIFTABLE AND REMOVABLE, HEIGHT-ADJUSTABLE FROM 170 TO 295 MM - SHORT (330 MM) NON-ROTATING NARROW TROUGH WITH CLOTHES GUARD AND ERGONOMIC SUPPORT HANDLE	NC : 0740, 0750, 0760, 0770, 0795, 0796, 0798, 1480	113,17	
CEF0680	☐	SWING AWAY DETACHABLE RH (N°3) - DESK	NC : 0740, 0750, 0756, 0760, 0770, 0795, 0796, 0798, 1480	117,54	
CEF0690	☐	SWING AWAY DETACHABLE RH (N°3) - FULL LENGTH	NC : 0740, 0750, 0756, 0760, 0770, 0795, 0796	140,28	
CEF0695	☐	REMOVABLE RH (N°4) AUTOLOCK SAFETY DEVICE INCLUDED - DESK	NC : 0740, 0750, 0756, 0760, 0770, 0772, 0780, 0790, 1480	117,54	
CEF0696	☐	REMOVABLE RH (N°4) AUTOLOCK SAFETY DEVICE INCLUDED - FULL LENGTH	NC : 0740, 0750, 0756, 0760, 0770, 0772, 0780, 0790	140,28	
CEF0698	☐	REMOVABLE AND HEIGHT ADJUSTABLE - SHORT NARROW GUTTER (330 MM) WITHOUT ROTATION	NC : 0740, 0750, 0756, 0760, 0770, 0772, 0780, 0790, 1480	113,17	
CEF0732	☐	REMOVABLE RH (N°4) AUTOLOCK SAFETY DEVICE INCLUDED - ARMPAD HEMI BLACK PU TR26	NC : 1480	113,17	

ARMRESTS LH FORM IN BLACK COLOR					 0698 / 0798  0732 / 0832
CEF0740	☐	REMOVABLE LH (N°1) AUTOLOCK SAFETY DEVICE INCLUDED - DESK	NC : 1480	◆	
CEF0750	☐	REMOVABLE LH (N°1) AUTOLOCK SAFETY DEVICE INCLUDED - FULL LENGTH		24,64	
CEF0756	☐	REMOVABLE AND CONTINUOUSLY HEIGHT-ADJUSTABLE FROM 200 MM TO 280 MM - SHORT NARROW GUTTER (330 MM) WITHOUT ROTATION	NC : 1480	113,17	
CEF0760	☐	SWING AWAY DETACHABLE LH (N°2) - DESK	NC : 1480	○	
CEF0770	☐	SWING AWAY DETACHABLE LH (N°2) - FULL LENGTH		24,64	
CEF0772	☐	LIFTABLE AND REMOVABLE, HEIGHT-ADJUSTABLE FROM 170 TO 295 MM - SHORT (330 MM) NON-ROTATING NARROW TROUGH WITH CLOTHES GUARD AND ERGONOMIC SUPPORT HANDLE	NC : 1480	113,17	
CEF0780	☐	SWING AWAY DETACHABLE LH (N°3) - DESK	NC : 1480	117,54	
CEF0790	☐	SWING AWAY DETACHABLE LH (N°3) - FULL LENGTH		140,28	
CEF0795	☐	REMOVABLE LH (N°4) AUTOLOCK SAFETY DEVICE INCLUDED - DESK	NC : 1480	117,54	
CEF0796	☐	REMOVABLE LH (N°4) AUTOLOCK SAFETY DEVICE INCLUDED - FULL LENGTH		140,28	
CEB0698	☐	REMOVABLE AND HEIGHT ADJUSTABLE - SHORT NARROW GUTTER (330 MM) WITHOUT ROTATION	NC : 1480	113,17	
CEF0832	☐	REMOVABLE LH (N°4) AUTOLOCK SAFETY DEVICE INCLUDED - ARMPAD HEMI BLACK PU TR26	NC : 1480	113,17	
SEAT CUSHION TYPE					
Cushion					
CEF0849	☐	BASIC 50 MM FOAM CUSHION	NC : 0853, 0854, 0855, 0856, 0873	33,08	
CEF0853	☐	CLASSIC VISCO CUSHION 375X 400 MM	NC : 0873, 0878, 0879	76,78	
CEF0854	☐	CLASSIC VISCO CUSHION 405 X 400 MM	NC : 0873, 0878, 0879	65,40	
CEF0855	☐	CLASSIC VISCO CUSHION 430 X 430 MM	NC : 0873, 0878, 0879	65,40	
CEF0856	☐	CLASSIC VISCO CUSHION 455 X 400 MM	NC : 0873, 0878, 0879	76,78	
CEF0873	☐	MATRX FLO-TECH IMAGE CUSHION		246,45	
SEAT CUSHION DEPTH					
CEF0878	☐	FOR 400 MM SEAT DEPTH		○	
CEF0879	☐	FOR 450 MM SEAT DEPTH		○	
OTHER SEATING OPTIONS					
CEF0852	☐	SEAT RIGIDIZER	(Mandatory: Choose a seat cushion)	61,61	
CEF0882	☐	LATERAL POSITIONING PADS (PAIR)		237,91	
CEF0905	☐	NECKREST BLACK PU TR26 (INCLUDING BACKBRACE EXCEPT FOR LAGUNA)	NC : 0906, 0907, 0940	60,10	
CEF0906	☐	HEADREST BLACK PU TR26 (INCLUDING BACKBRACE EXCEPT FOR LAGUNA)	NC : 0907, 0940	199,05	
CEF0907	☐	HEADREST WITH CHEEK SUPPORT BLACK PU TR26 (INCLUDING BACKBRACE EXCEPT FOR LAGUNA)	NC : 0940	217,06	
CEF0930	☐	ADJUSTABLE CALF STRAP		10,43	
CEF0935	☐	LONGER FOOTREST TUBE (UL= 450-530 MM)	NC : 0936	17,06	
CEF0936	☐	SHORTER FOOTREST SUPPORT (PAIR) (UL= 230-430 MM)		83,41	
CEF0940	☐	BACKBRACE		47,39	
COLOURS					
CEF0961	☐	SLATE GREY (RAL7024 FINE TEXTURE)		○	
CEF0964	☐	PEARL WHITE		○	
CEF0966	☐	MATT BLACK		○	
CEF0969	☐	RED MATT		○	
CEF0974	☐	NAVY BLUE		○	
CEF0980	☐	ANTHRACITE BLACK		○	
CEF0991	☐	SPECIAL COLOUR	RAL :	On Request	
CASTER HOUSING TYPE					
CEF0995	☐	STANDARD		◆	
FRONT WHEELS					
CEF1005	☐	200 X 32 MM (8" X 1.1/4") - BLACK PNEUMATIC TYRE		○	
CEF1010	☐	200 X 30 MM (8" X 1.1/4") - BLACK SOLID TYRE		○	
CEF1030	☐	200 X 45 MM (8" X 2") - BLACK SOLID TYRE		○	
CEF1035	☐	150 X 30 MM (6" X 1.1/4") - BLACK SOLID TYRE MEDIUM HARD		○	
CEF1050	☐	150 X 30 MM (6" X 1.1/4") - BLACK SOLID TYRE		◆	

REAR WHEELS					
REAR WHEEL SIZE					
CEF1062	☐	12" - 305 mm		◆	
REAR WHEEL TYPE					
CEF1073	☐	DRUM BRAKE (20/22/24" : COLORLESS HUB, CLEAR ANODIZED RIM & STAINLESS STEEL SPOKES / 12" : BLACK PLASTIC HUB & RIM)	NC : 1270	○	
CEF1074	☐	COMPOSITE (BLACK PLASTIC HUB & RIM)	NC : 1280	◆	
TYRE TYPE					
CEF1082	☐	TYRES SOLID BLACK 35 MM (1"3/8)		◆	
REAR WHEELS AXLE TYPE					
CEF1170	☐	FIXED AXLE		◆	
REAR WHEELS POSITION					
CEF1200	☐	PASSIVE REAR WHEELS POSITION - 25MM BACKWARDS/BACKREST CANE AXLE (12,5MM with Active Rear Wheel Support and Seat Depth 500MM)		◆	
CEF1201	☐	DUAL AMPUTEE REAR WHEELS POSITIONS - TRANSIT=75MM BACKWARDS/BACKREST CANE AXLE, ADJUSTABLE TO 50MM BY THE DEALER & SELF PROP=60MM BACKWARDS/BACKREST CANE AXLE, ADJUSTABLE TO 85MM BY THE DEALER	NC : 1280	148,82	
PUMP					
CEF1230	☐	PUMP AND SUPPORT		10,43	
CHASSIS OPTIONS TYPE					
CEF1241	☐	FRONT WHEELS EXTENSION (+ 50 MM OUTWARD)		○	 1241
BRAKES TYPE					
CEF1270	☐	PUSH TO LOCK BRAKES		◆	 1270
CEF1280	☐	ATTENDANT HUB BRAKES (INCLUDING PUSH TO LOCK BRAKES)		178,20	
SAFETY OPTIONS TYPE					
CEF1345	☐	TRANSPORTATION BRACKETS		24,64	 1345  1361 / 1362  1363 / 1364  1370
CEF1360	☐	POSTURE BELT - PLASTIC BUCKLE	NC : 1361, 1362, 1363, 1364	◆	
CEF1361	☐	HIP BELT, 2-PT, CTR-PULL, PB - M X 460MM PADS, FLAT-MOUNT	NC : 1362, 1363, 1364	199,05	
CEF1362	☐	HIP BELT, 2-PT, CTR-PULL, PB - L X 620MM PADS, FLAT-MOUNT	NC : 1363, 1364	206,64	
CEF1363	☐	HIP BELT, 4-PT, CTR-PULL, PB - M X 460MM PADS, FLAT-MOUNT	NC : 1364	234,12	
CEF1364	☐	HIP BELT, 4-PT, CTR-PULL, PB - L X 620MM PADS, FLAT-MOUNT		241,71	
CEF1370	☐	REAR ANTI-TIPPERS PAIR	NC : 1441	79,62	
OPTIONS					
CEF1430	☐	CANE HOLDER		49,29	 1480
CEF1441	☐	TIPPING AID RH		28,44	
CEF1451	☐	DRIP STAND SUPPORT WITH DRIPSTAND (WITH BACKBRACE 0940 ONLY)		101,42	
OTHERS OPTIONS					
CEF1480	☐	ACRYLIC TRAY		72,83	
ACCESSORIES (delivered separtly)					
AP1493219	☐	GUTTER WITH INDEPENDENT SIDE ROTATION, ADJUSTABLE IN HEIGHT AND DEPTH, RIGHT	Only compatible with armrest 0680, 0690, 0695, 0696, 0732	113,17	 1654130  1654128  1440530  1654129
AP1493220	☐	GUTTER WITH INDEPENDENT SIDE ROTATION, ADJUSTABLE IN HEIGHT AND DEPTH, LEFT	Only compatible with armrest 0780, 0790, 0795, 0796, 0832	113,17	
RAMPS					
1440530	☐	Fiberglass Folding Mono Ramp Folded dimensions: 2000 x 230 mm 16.3 kg - maximum capacity: 300 kg"		1 787,68	
1654128	☐	Basic ramp 2 telescopic parts in aluminum and non-slip coating - Folded dimensions: 1210 x 194 mm. 8.8 kg per pair - maximum capacity: 270 kg		402,84	
1654129	☐	Quick2go Compact 3-part aluminum telescopic ramp with non-slip coating Folded dimensions: 870 x 237 mm 13.6 kg per pair - maximum capacity: 260 kg		805,69	
1654130	☐	Aluminium folding mono ramp Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg		426,54	