

Invacare® Action®4_{NG} Dual HR™

Please contact Invacare EU Export Customer Services on :-
Tel : +33 247 626980 ; Email : serviceclient_export@invacare.com
Or visit our website : www.invacare.eu.com



Invacare® Action®4_{NG} Dual HR™
Aluminum manual wheelchair folding by double brace

Think of the model: Action3NG Hemi
with configurable and ergonomic
gutter!

Date :
Purchase Order :
Customer Code :
Distributor Stamp:



- Description:
- Propulsion and steering by quick-release double handrail: right/left reversible system with interior handrail adjustment (0 or +20 mm). 3° seat slope as standard
 - Weight: from 15.4 kg
 - Maximum user weight: 125 kg
 - 2-year warranty period excluding wear parts




Invacare Unique Customization Service
Please specify the quote or special production number:


☐ Please make your selection with a cross in the box ☒ Standard feature ☐ Free of charge option


CODE		DESCRIPTION	NC : Non Compatible NC : 9999 = not compatible with the reference 9999	Euros		
CKH0031	☐	Invacare®Action®4NG Dual HR - Fixed Backrest		529,85		
CKH0036	☐	Invacare®Action®4NG Dual HR - Folding Backrest		572,18		
CKH0041	☐	Invacare®Action®4NG Dual HR - Backrest reclining from 0° to 30° or folding and adjustable in angle		572,18		
If you check a Pack, do not check the options individually, Please check only one Pack at a time						
CKH0050	☐	PACK 1: RECLINING (RATCHET) 0/30° BACKREST (CKA0320) + CONTOUR ADJUSTABLE (7+1 STRAPS) BI MATERIAL PADDED COVER (CKA0375)	NC : 0780, 0782, 1055, 1060	☐		
CKH0055	☐	PACK 2: RECLINING (RATCHET) 0/30° BACKREST (CKA0320) + ARMREST SWING AWAY DETACHABLE RH & LH (N°3) (CKA0539 & 0599)	NC : 0780, 0782, 1055, 1060, 1270, 1271, 1272, 1273	☐		
CKH0060	☐	PACK 3: RECLINING (RATCHET) 0/30° BACKREST (CKA0320) + CONTOUR ADJUSTABLE (7+1 STRAPS) BI MATERIAL PADDED COVER (CKA0375) + ARMREST SWING AWAY DETACHABLE RH & LH (N°3) (CKA0539 & 0599)	NC : 0780, 0782, 1055, 1060, 1270, 1271, 1272, 1273	110,90		
PROPULSION TYPE						
CKH0113	☐	DUAL HANDRIM RIGHT HAND PROPULSION (NEW DHR SYSTEM), QR AXLE	NC : 0555, 1160	257,09		
CKH0114	☐	DUAL HANDRIM LEFT HAND PROPULSION (NEW DHR SYSTEM), QR AXLE	NC : 0615, 1150	257,09		
SEAT						
SEAT WIDTH						
CKH0120	☐	380 mm	NC : 0201, 0420+0470, 0656, 0664	☐		
CKH0130	☐	405 mm	NC : 0201,0420+0470	☐		
CKH0140	☐	430 mm	NC : 0657	☒		
CKH0150	☐	455 mm	NC : 0657	☐		
CKH0160	☐	480 mm	NC : 0657, 0663	☐		
CKH0162	☐	505 mm	NC : 0657, 0663, 0664, 0665	☐		
SEAT DEPTH						
CKH0180	☐	400 mm	NC : 0702, 0703	☒		
CKH0190	☐	450 mm	NC : 0657, 0701, 0703	☐		
CKH0195	☐	500 mm	NC : 0260, 0295, 0657, 0661, 0663, 0664, 0665, 0681, 0701, 0702	☐		
CKH0200	☐	400 TO 450 MM ADJUSTABLE SEAT DEPTH	NC : 0295, 0703	☐		
CKH0201	☐	450 TO 500 MM ADJUSTABLE SEAT DEPTH	NC : 0260, 0295, 0656, 0657, 0661, 0681, 0701	☐		



SEAT HEIGHT				
CKH0220	☐	485 mm	NC : 0925	◆
CKH0230	☐	485 mm		○
CKH0240	☐	435 mm	NC : 0845, 0850, 0870	○
CKH0250	☐	410 mm	NC : 0770, 0845, 0850, 0870, 1195, 1246	○
CKH0260	☐	385 mm	NC : 0770, 0845, 0850, 0870, 0890, 0895, 0948, 1195, 1246	○
SEAT UPHOLSTERY TYPE				
CKH0290	☐	NYLON WITH LOOP BANDS SEAT UPHOLSTERY		○
CKH0295	☐	PADDED NYLON SEAT UPHOLSTERY		◆
BACKREST				
Back type - anti-tippers required with reclining backs				
CKH0300	☐	FIXED 7° BACKREST - HEIGHT ADJUST 380 TO 460 MM (DELIVERED 380 MM)	NC : 0364, 0367, 0368, 0375, 0537, 0538, 0539, 0540, 0597, 0598, 0599, 0600, 0716, 0717, 0718, 0780, 1241	○
CKH0310	☐	FIXED 7° BACKREST - HEIGHT ADJUST 380 TO 460 MM (DELIVERED 380 MM)	NC : 0364, 0367, 0368, 0375,0537, 0538, 0539, 0540, 0597, 0598, 0599, 0600, 0716, 0717, 0718, 0780, 1241	294,79
CKH0311	☐	FIXED 7° BACKREST - 2 HEIGHTS 400/430 MM (DELIV. 430 MM)	NC : 0360, 0367, 0782	◆
CKH0312	☐	FIXED 7° BACKREST - HEIGHT 510 MM	NC : 0360, 0367	33,18
CKH0317	☐	ANGLE ADJUSTABLE AND FOLD DOWN (-15° to + 15°) FIXED 7°, HEIGHT 350MM / 14" WITH FIXED SHORT PUSHHANDLES - HEIGHT 325-350 MM / 13"-14" SET AT	NC : 0360, 0364, 0368, 0375, 0716, 0717, 0718, 0721, 0780, 1241	456,87
CKH0318	☐	ANGLE ADJUSTABLE AND FOLD DOWN (-15° to + 15°) FIXED 7°, HEIGHT 425MM / 17" WITH FIXED LONG PUSHHANDLES - HEIGHT 425-450 MM / 17"-18" SET AT	NC : 0360, 0364, 0368, 0375, 0716, 0717, 0718, 0721	456,87
CKH0320	☐	RECLINING (RATCHET) 0/30° BACKREST INCL. BACKRACE & PASSIVE REAR WHEEL POS. ONLY - 3 HEIGHTS 390/410/430 MM (DELIVERED 430 MM)	NC : 0360, 0367, 0780, 0782, 1055, 1060,	◆
CKH0333	☐	RECLINING (GAS SPRING) 0/30° BACKREST INCL. BACKRACE & PASSIVE REAR WHEEL POS. ONLY - 3 HEIGHTS 390/410/430 MM (DELIVERED 430 MM)	NC : 0360, 0367, 0780, 0782, 1055, 1060	○
CKH0334	☐	RECLINING (GAS SPRING) 0/30° BACKREST INCL. BACKRACE & PASSIVE REAR WHEEL POS. ONLY - 3 HEIGHTS 470/490/510 MM (DELIVERED 510 MM)	NC : 0360, 0367, 0780, 0782, 1055, 1060	33,18
CKH0345	☐	RECLINING/FOLDING (GAS SPRING) 0/30° BACKREST INCL. BACKRACE & PASSIVE REAR WHEEL POS. ONLY - 3 HEIGHTS 390/410/430 MM (DELIVERED 430 MM)	NC : 0360, 0367, 0780, 0782, 1055, 1060	○
CKH0341	☐	FOLDING 7° BACKREST - 430 MM HEIGHT	NC : 0360, 0367, 0782	◆
CKH0342	☐	FOLDING 7° BACKREST - 510 MM HEIGHT	NC : 0360, 0367, 0375, 0782	33,18
BACKREST UPHOLSTERY TYPE				
CKH0360	☐	STANDARD PADDED NYLON SLING TYPE (JEMIMA)	NC : 0721	○
CKH0364	☐	LUMBAR SUPPORT (+1 STRAP) BI MATERIAL PADDED COVER INCL. BACK POCKET		◆
CKH0367	☐	CONTOUR ADJUSTABLE (3+1 STRAPS) BI MATERIAL PADDED COVER INCL. BACK POCKET		○
CKH0368	☐	CONTOUR ADJUSTABLE (3+1 STRAPS) BI MATERIAL PADDED COVER INCL. BACK POCKET INCLUDING BACK BRACE	NC : 0780, 0782	33,08
CKH0375	☐	CONTOUR ADJUSTABLE (7+1 STRAPS) BI MATERIAL PADDED COVER INCL. BACK POCKET INCLUDING BACK BRACE	NC : 0780, 0782	138,39


0310


0360







0364


0375

HANGERS/FOOTPLATES					
HANGERS RH TYPE					 0390 / 0440
CKH0390	☐	80° STRAIGHT RH SWING IN/SWING OUT HANGER	NC : 0773	◆	
CKH0400	☐	ELEVATING LEGREST (0° TO 75°) RH SWING IN/SWING OUT HANGER (INCLUDING CALFPAD)	NC : 0491, 0760, 0770, 0771	73,82	
CKH0420	☐	AMPUTEE LEGREST RH	NC : 0480, 0490, 0491, 0760, 0771, 0773	140,28	
HANGERS LH TYPE					 0400 / 0450
CKH0440	☐	80° STRAIGHT LH SWING IN/SWING OUT HANGER	NC : 0773	◆	
CKH0450	☐	ELEVATING LEGREST (0° TO 75°) LH SWING IN/SWING OUT HANGER (INCLUDING CALFPAD)	NC : 0491, 0760, 0770, 0771	73,82	
CKH0470	☐	AMPUTEE LEGREST LH	NC : 0491, 0500, 0510, 0760, 0771, 0773	140,28	
FOOTPLATES RH TYPE					 0491
CKH0480	☐	FLIP UP RH FOOTPLATE	NC : 0773	◆	
CKH0490	☐	FLIP UP DEPTH & ANGLE AJUSTABLE RH FOOTPLATE		26,43	
CKH0491	☐	FLIP UP ONE PIECE FOOTPLATE	NC : 0500, 0510, 0770, 0771, 0773	234,12	
FOOTPLATES LH TYPE					 0490 / 0510
CKH0500	☐	FLIP UP LH FOOTPLATE	NC : 0773	◆	
CKH0510	☐	FLIP UP DEPTH & ANGLE AJUSTABLE LH FOOTPLATE		26,43	
ARMRESTS					
ARMRESTS RH FORM IN BLACK COLOR					 0520 / 0580
CKH0520	☐	REMOVABLE RH "RIO" (N°1) AUTOLOCK SAFETY DEVICE INCLUDED - DESK	NC : 0593, 0595, 0596, 0597, 0598, 0599, 0600, 0603, 1270, 1271	○	
CKH0530	☐	REMOVABLE RH "RIO"(N°1) AUTOLOCK SAFETY DEVICE INCLUDED - FULL LENGTH	NC : 0593, 0595, 0596, 0597, 0598, 0599, 0600, 0603	○	
CKH0531	☐	RIO, REMOVABLE AND CONTINUOUSLY HEIGHT-ADJUSTABLE FROM 200 MM TO 280 MM - SHORT NARROW GUTTER (330 MM) WITHOUT ROTATION	NC : 0593, 0595, 0596, 0597, 0598, 0599, 0600, 1270, 1271	113,17	
CKH0533	☐	REMOVABLE RH (N°4) AUTOLOCK SAFETY DEVICE INCLUDED - DESK	NC : 0580, 0590, 0591, 0597, 0598, 0599, 0600, 0603, 1270, 1271	117,54	
CKH0535	☐	REMOVABLE AND HEIGHT ADJUSTABLE - SHORT NARROW GUTTER (330 MM) WITHOUT ROTATION	NC : 0580, 0590, 0591, 0597, 0598, 0599, 0600, 0603, 1270, 1271	113,17	
CKH0536	☐	REMOVABLE RH (N°4) AUTOLOCK SAFETY DEVICE INCLUDED - FULL LENGTH	NC : 0580, 0590, 0591, 0597, 0598, 0599, 0600, 0603, 1271	117,54	
CKH0537	☐	SWING AWAY DETACHABLE RH (N°2) - DESK	NC : 0580, 0590, 0591, 0593, 0595, 0596, 0599, 0600, 0603, 1055,1270, 1271	◆	
CKH0538	☐	SWING AWAY DETACHABLE RH (N°2) - FULL LENGTH	NC : 0580, 0590, 0593, 0596, 0599, 0600, 1055	○	
CKH0539	☐	SWING AWAY DETACHABLE RH (N°3) - DESK	NC : 0580, 0590, 0591, 0593, 0595, 0596, 0597, 0598, 1055, 1270, 1271	117,54	
CKH0540	☐	SWING AWAY DETACHABLE RH (N°3) - FULL LENGTH	NC : 0580, 0590, 0591, 0593, 0595, 0596, 0597, 0598, 1055, 1271	117,54	
CKH0543	☐	LIFTABLE AND REMOVABLE, HEIGHT-ADJUSTABLE FROM 170 TO 295 MM - SHORT (330 MM) NON-ROTATING NARROW TROUGH WITH CLOTHES GUARD AND ERGONOMIC SUPPORT HANDLE	NC : 0580, 0590, 0591, 0593, 0595 0596, 0597, 0598, 1055, 1271	113,17	
CKH0555	☐	REMOVABLE RH (N°4) AUTOLOCK SAFETY DEVICE INCLUDED - HEMI BLACK PU TR26	NC : 1270, 1271	113,17	

ARMRESTS LH FORM IN BLACK COLOR					
CKH0580	☐	REMOVABLE LH "RIO" (N°1) AUTOLOCK SAFETY DEVICE INCLUDED - DESK	NC : 1270, 1272		<i>Only possible on the side opposite the double handrail</i>
CKH0590	☐	REMOVABLE LH "RIO"(N°1) AUTOLOCK SAFETY DEVICE INCLUDED - FULL LENGTH			
CKH0591	☐	RIO, REMOVABLE AND CONTINUOUSLY HEIGHT-ADJUSTABLE FROM 200 MM TO 280 MM - SHORT NARROW GUTTER (330 MM) WITHOUT ROTATION	NC : 1270, 1272	113,17	
CKH0593	☐	REMOVABLE LH (N°4) AUTOLOCK SAFETY DEVICE INCLUDED - DESK	NC : 1270, 1272	117,54	
CKH0596	☐	REMOVABLE LH (N°4) AUTOLOCK SAFETY DEVICE INCLUDED - FULL LENGTH	NC : 1270, 1272	113,17	 0555 / 0615
CKH0595	☐	REMOVABLE AND HEIGHT ADJUSTABLE - SHORT NARROW GUTTER (330 MM) WITHOUT ROTATION	NC : 1272	117,54	
CKH0597	☐	SWING AWAY DETACHABLE LH (N°2) - DESK	NC : 1055, 1270, 1272		
CKH0598	☐	SWING AWAY DETACHABLE LH (N°2) - FULL LENGTH	NC : 1055		
CKH0599	☐	SWING AWAY DETACHABLE LH (N°3) - DESK	NC : 1055, 1270, 1272	117,54	
CKH0600	☐	SWING AWAY DETACHABLE LH (N°3) - FULL LENGTH	NC : 1055, 1272	117,54	
CKH0603	☐	LIFTABLE AND REMOVABLE, HEIGHT-ADJUSTABLE FROM 170 TO 295 MM - SHORT (330 MM) NON-ROTATING NARROW TROUGH WITH CLOTHES GUARD AND ERGONOMIC SUPPORT HANDLE	NC : 1055, 1272	113,17	
CKH0615	☐	REMOVABLE LH (N°4) AUTOLOCK SAFETY DEVICE INCLUDED - HEMI BLACK PU TR26	NC : 1270, 1272	113,17	
SEATING OPTIONS TYPE					
SEAT CUSHION TYPE					 0654 0657 / 0663 0664 / 0665 0661 0681
CKH0654	☐	BASIC 60 MM FOAM CUSHION	NC : 0657, 0661, 0663, 0664, 0665, 0681	66,16	
CKH0657	☐	CLASSIC VISCO CUSHION 375X 400 MM	NC : 0661, 0681, 0701, 0702, 0703	76,78	
CKH0663	☐	CLASSIC VISCO CUSHION 405 X 400 MM	NC : 0661, 0681, 0701, 0702, 0703	65,40	
CKH0664	☐	CLASSIC VISCO CUSHION 430 X 430 MM	NC : 0661, 0681, 0701, 0702, 0703	65,40	
CKH0665	☐	CLASSIC VISCO CUSHION 455 X 400 MM	NC : 0661, 0681, 0701, 0702, 0703	76,78	
CKH0661	☐	MATRX FLO-TECH IMAGE CUSHION	NC : 0681, 0703	246,45	
CKH0681	☐	MATRX CONTOUR VISCO NG CUSHION	NC : 0703	76,78	
SEAT CUSHION DEPTH					 0656
CKH0701	☐	FOR 400 MM SEAT DEPTH			
CKH0702	☐	FOR 450 MM SEAT DEPTH			
CKH0703	☐	FOR 500 MM SEAT DEPTH			
OTHER SEATING OPTIONS					 0716 0717 0718 0721 0782
CKH0656	☐	SEAT RIGIDIZER	(Mandatory: Choose a seat cushion)		
CKH0716	☐	NECKREST BLACK PU TR26 (INCLUDING BACKBRACE EXCEPT FOR LAGUNA)	NC : 0717, 0718, 0780, 0782	60,10	
CKH0717	☐	HEADREST BLACK PU TR26 (INCLUDING BACKBRACE EXCEPT FOR LAGUNA)	NC : 0717, 0718, 0780, 0782	199,05	
CKH0718	☐	HEADREST WITH CHEEK SUPPORT BLACK PU TR26 (INCLUDING BACKBRACE EXCEPT FOR LAGUNA)	NC : 0780, 0782	217,06	
CKH0721	☐	LATERAL POSITIONING PADS (PAIR)		237,91	
CKH0760	☐	ADJUSTABLE CALF STRAP		10,43	
CKH0770	☐	LONGER FOOTREST TUBE (UL= 450-530 MM)	NC : 0771	17,06	
CKH0771	☐	SHORTER FOOTREST SUPPORT (PAIR) (UL= 230-430 MM)		79,62	
CKH0773	☐	FOOTPLATE PADDING		101,42	
CKH0780	☐	BACKBRACE	NC : 0782	47,39	
CKH0782	☐	FOLDABLE BACKBRACE		105,21	

COLOURS					
CKH0801	☐	SLATE GREY (RAL7024 FINE TEXTURE)		☐	0801 / 0804 0806 / 0807 0811 / 0820 0816 / 0817 0815
CKH0804	☐	PEARL WHITE		☐	
CKH0806	☐	ELECTRIC GREEN		54,03	
CKH0807	☐	MATT BLACK		☐	
CKH0811	☐	RED MATT		☐	
CKH0815	☐	WATER BLUE		54,03	
CKH0816	☐	NAVY BLUE		☐	
CKH0817	☐	DARK PURPLE		54,03	
CKH0820	☐	ANTHRACITE BLACK		☐	
CKH0821	☐	SPECIAL COLOUR	RAL :	On Request	
FRONT WHEELS					
CKH0845	☐	200 X 32 MM (8" X 1.1/4") - BLACK PNEUMATIC TYRE		☐	0850 0900
CKH0850	☐	200 X 30 MM (8" X 1.1/4") - BLACK SOLID TYRE		☐	
CKH0870	☐	200 X 45 MM (8" X 2") - BLACK SOLID TYRE		☐	
CKH0890	☐	150 X 30 MM (6" X 1.1/4") - BLACK SOLID TYRE		☒	
CKH0895	☐	150 X 30 MM (6" X 1.1/4") - BLACK SOLID TYRE MEDIUM HARD		☐	
CKH0925	☐	125 X 30 MM (5" X 1") - BLACK SOLID TYRE		☐	
REAR WHEELS					
REAR WHEEL SIZE					1.3/8" 0972 1" 0978 1070 1075
CKH0946	☐	22" - 560 mm		☐	
CKH0948	☐	24" - 600 mm		☒	
REAR WHEELS TYPE					
CKH0965	☐	ONE ARM DRIVE (BLACK HUB & ZINC PLATTED SPOKED WITH ONE ARM DRIVE HANDRIM SYSTEM)		☒	
TYRE TYPE					
CKH0972	☐	TYRES SOLID BLACK 35 MM (1"3/8)		☒	
CKH0978	☐	PNEUMATIC LOW PROFILE BLACK 25 MM (1")		☐	
REAR WHEELS AXLE TYPE					
CKH1050	☐	QUICK RELEASE AXLE		☒	
REAR WHEELS POSITION					
CKH1055	☐	ACTIVE REAR WHEELS POSITION 52,5 MM FRONTWARD/BACKREST CANE AXLE	NC : 1252	119,43	
CKH1060	☐	STANDARD REAR WHEELS POSITION 35 MM FRONTWARD/BACKREST CANE AXLE	NC : 1252	☒	
CKH1070	☐	PASSIVE REAR WHEELS POSITION 35 MM BACKWARD/BACKREST CANE AXLE		☐	
CKH1075	☐	DUAL AMPUTEE POSITION 52,5 MM BACKWARD/BACKREST CANE AXLE,ADJUSTABLE TO 75 MM BY THE DEALER	NC : 1125	119,43	
PUMP					
CKH1090	☐	PUMP AND SUPPORT		10,43	
CHASSIS OPTIONS TYPE					
CKH1101	☐	FRONT WHEELS EXTENSION (+ 50 MM OUTWARD)		☐	1101
BRAKES TYPE					
CKH1120	☐	PUSH TO LOCK BRAKES		☒	1120
CKH1125	☐	PULL TO LOCK BRAKES		☐	
CKH1150	☐	OAD WIRE CONTROLLED BRAKE RH	NC : 1220	☐	
CKH1160	☐	OAD WIRE CONTROLLED BRAKE LH	NC : 1220	☐	

SAFETY OPTIONS TYPE					
CKH1175	☐	TRANSPORTATION BRACKETS	NC : 1252	24,64	 1175  1189 / 1192  1193 / 1194  1195  1200
CKH1190	☐	POSTURE BELT - PLASTIC BUCKLE	NC : 1189, 1192, 1193, 1194	31,28	
CKH1189	☐	HIP BELT, 2-PT, CTR-PULL, PB M X 460MM PADS, FLAT-MOUNT	NC : 1192, 1193, 1194	145,97	
CKH1192	☐	HIP BELT, 2-PT, CTR-PULL, PB L X 620MM PADS, FLAT-MOUNT	NC :1193, 1194	152,61	
CKH1193	☐	HIP BELT, 4-PT, CTR-PULL, PB M X 460M PADS, FLAT-MOUNT	NC : 1194	180,09	
CKH1194	☐	HIP BELT, 4-PT, CTR-PULL, PB L X 620MM PADS, FLAT-MOUNT		185,78	
CKH1195	☐	REAR ANTI-TIPPER (RH)	NC : 1200	○	
CKH1200	☐	REAR ANTI-TIPPERS PAIR WITH TIPPING AID	NC : 1246	125,12	
CKH1220	☐	BRAKE EXTENSION PAIR		10,43	
ATTENDANT OPTIONS TYPE					
CKH1241	☐	DRIP STAND SUPPORT WITH DRIP STAND (WITH BACKBRACE 0780 ONLY)		101,42	 1246  1270  1270  1271 / 1272  1273
CKH1246	☐	TIPPING AID (LH)		45,50	
CKH1252	☐	OXYGEN BOTTLE HOLDER (RH ONLY) ANTI-TIPPERS RECOMMENDED		146,92	
CKH1270	☐	ACRYLIC TRAY	NC : 1271, 1272, 1273	72,83	
CKH1271	☐	HALF TABLE TRAY, CLEAR, FLIP UP, RH	NC : 1272	72,83	
CKH1272	☐	HALF TABLE TRAY, CLEAR, FLIP UP, LH		72,83	
CKH1273	☐	COMFORT PADDING FOR HALF TABLE TRAY (WITH CKA1271 OR CKA1272 ONLY)		90,05	
RAMPS					
1440530	☐	Fiberglass Folding Mono Ramp Folded dimensions: 2000 x 230 mm 16.3 kg - maximum capacity: 300 kg		1 787,68	 1440530  1654128  1654129  1654130
1654128	☐	Basic ramp 2 telescopic parts in aluminum and non-slip coating - Folded dimensions: 1210 x 194 mm. 8.8 kg per pair - maximum capacity: 270 kg		402,84	
1654129	☐	Quick2go Compact 3-part aluminum telescopic ramp with non-slip coating Folded dimensions: 870 x 237 mm 13.6 kg per pair - maximum capacity: 260 kg		805,69	
1654130	☐	Aluminium folding mono ramp Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg		426,54	