

Invacare® Action®⁴_{NG} HD

Please contact Invacare EU Export Customer Services on :-
Tel : +33 247 626980 ; Email : serviceclient_export@invacare.com
Or visit our website : www.invacare.eu.com



Invacare® Action®⁴_{NG} HD

Aluminum manual wheelchair folding by double brace



Description:

- Weight: from 20.2 kg
- Maximum user weight: 160 kg
- 2-year warranty period excluding wear parts

Date :

Purchase Order :



Customer Code :




Distributor Stamp:



Invacare Unique Customization Service
Please specify the quote or special production number:

☐ Please make your selection with a cross in the box ☒ Standard feature ☐ Free of charge option

CODE		DESCRIPTION	NC : Non Compatible NC : 9999 = not compatible with the reference 9999	Euros	
CKG0031	☐	Invacare® <i>Action</i> ® ⁴ _{NG} <i>HD</i> - Fixed Backrest		529,85	
CKG0041	☐	Invacare® <i>Action</i> ® ⁴ _{NG} <i>HD</i> - Reclining Backrest		766,82	
ALBER					
CKG0080	☐	BRACKET FOR VIAMOBIL V25	NC : 0110, 1196, 1200, 1240, 1246, 1252	313,74	
PROPULSION TYPE					
CKG0100	☐	Self Propulsion	NC : 0942	◆	
CKG0110	☐	Transit	NC : 0240, 0946, 0948, 1020, 1030, 1050, 1060, 1110, 1111, 1125	○	
SEAT					
SEAT WIDTH					 0360
CKG0170	☐	505 MM Seat Width (Inc Back Brace)	NC : 0292	○	
CKG0171	☐	555 MM Seat Width (Inc reinforced seat upholstery & back brace)	NC : 0661, 0681, 1270	○	
CKG0172	☐	605 MM Seat Width (Inc reinforced seat upholstery and back brace)	NC : 0180, 0661, 0681, 1270	○	
SEAT DEPTH					
CKG0180	☐	400 mm	NC : 0292, 0702, 0703	○	
CKG0190	☐	450 mm	NC : 0701, 0703	◆	
CKG0195	☐	500 mm	NC : 0295, 0661, 0681, 0701, 0702	○	
CKG0200	☐	400 TO 450 MM ADJUSTABLE SEAT DEPTH	NC : 0292, 0295, 0703	○	
CKG0201	☐	450 TO 500 MM ADJUSTABLE SEAT DEPTH	NC : 0295, 0661, 0681, 0701	○	
	☐	550 mm - with reinforced seat cover	NC : 0654, 0661, 0681, 1175	On Request	
SEAT HEIGHT					
CKG0210	☐	510 mm	NC : 0946	○	
CKG0220	☐	485 mm		◆	
CKG0230	☐	460 mm		○	
CKG0240	☐	435 mm	NC : 0850, 0870, 0942	○	
SEAT UPHOLSTERY TYPE					
CKG0290	☐	Nylon noir avec scratch		○	
CKG0292	☐	NYLON WITH LOOP BANDS SEAT UPHOLSTERY	NC : 0654, 0661, 0681	167,77	
CKG0295	☐	PADDED NYLON SEAT UPHOLSTERY		◆	
BACKREST					
Backrest type - tensioner included - anti-tippers recommended with reclining backrest					 0360
CKG0300	☐	FIXED 7° BACKREST - HEIGHT ADJUST 380 TO 460 MM (DELIVERED 380 MM)	NC : 0365, 0369, 0537, 0538, 0597, 0598, 0716, 0717, 0718, 1241	◆	
CKG0333	☐	RECLINING (GAS SPRING) 0/30° BACKREST INCL. BACKRACE & PASSIVE REAR WHEEL POS. ONLY - 3 HEIGHTS 390/410/430 MM (DELIVERED 430 MM)	NC : 0360, 1060	◆	

BACKREST UPHOLSTERY TYPE					 03650370	
CKG0360	☐	STANDARD PADDED NYLON SLING TYPE	NC : 0721	◆		
CKG0365	☐	LUMBAR SUPPORT (+1 STRAP) PADDED SHAPED COVER		○		
CKG0369	☐	CONTOUR ADJUSTABLE (3+1 STRAPS) PADDED SHAPED COVER - INCLUDING BACK BRACE		33,08		
CKG0370	☐	CONTOUR ADJUSTABLE (7+1 STRAPS) PADDED SHAPED COVER - INCLUDING BACK BRACE		138,39		
HANGERS/FOOTPLATES						
HANGERS RH TYPE					 0390 / 0440 0400 / 0450	
CKG0390	☐	80° STRAIGHT RH SWING IN/SWING OUT HANGER		◆		
CKG0400	☐	ELEVATING LEGREST (0° TO 75°) RH SWING IN/SWING OUT HANGER (INCLUDING CALFPAD)	NC : 0480, 0491, 0760, 0770	73,82		
CKG0420	☐	AMPUTEE LEGREST RH	NC : 0480, 0490, 0491, 0760	140,28		
HANGERS LH TYPE						 0420 / 0470 0490 / 0510 °
CKG0440	☐	80° STRAIGHT LH SWING IN/SWING OUT HANGER		◆		
CKG0450	☐	ELEVATING LEGREST (0° TO 75°) LH SWING IN/SWING OUT HANGER (INCLUDING CALFPAD)	NC : 0491, 0500, 0760, 0770	73,82		
CKG0470	☐	AMPUTEE LEGREST LH	NC : 0491, 0500, 0510, 0760	140,28		
FOOTPLATES RH TYPE						 0490 / 0510
CKG0480	☐	FLIP UP RH FOOTPLATE - INCLUDING ADJUSTABLE HEEL STRAP		◆		
CKG0490	☐	FLIP UP DEPTH & ANGLE AJUSTABLE RH FOOTPLATE - INCLUDING ADJUSTABLE HEEL STRAP	NC : 0770	26,43		
CKG0491	☐	FLIP UP ONE PIECE FOOTPLATE - DEPTH & ANGLE ADJUSTABLE	NC : 0500, 0510, 0770	234,12		
FOOTPLATES LH TYPE					 0491	
CKG0500	☐	FLIP UP LH FOOTPLATE - INCLUDING ADJUSTABLE HEEL STRAP		◆		
CKG0510	☐	FLIP UP DEPTH & ANGLE AJUSTABLE LH FOOTPLATE - INCLUDING ADJUSTABLE HEEL STRAP	NC : 0770	26,43		
ARMRESTS						
ARMRESTS RH FORM IN BLACK COLOR					 0520 / 0580 0531 / 0581 0533 / 0593 0535 / 0595	
CKG0520	☐	REMOVABLE RH "RIO" (N°1) AUTOLOCK SAFETY DEVICE INCLUDED - DESK - ADJ. 200 TO 280 MM HEIGHT + SKIRTGUARD DEPTH & HEIGHT ADJ.	NC : 0593, 0595, 0596, 0597, 0598, 0603, 1270	◆		
CKG0531	☐	RIO, REMOVABLE AND CONTINUOUSLY HEIGHT-ADJUSTABLE FROM 200 MM TO 280 MM - SHORT NARROW GUTTER (330 MM) WITHOUT ROTATION	NC : 0593, 0595, 0596, 0597, 0598, 0599, 0603, 1270	113,17		
CKG0533	☐	REMOVABLE RH (N°4) AUTOLOCK SAFETY DEVICE INCLUDED - DESK - ADJ. IN HEIGHT (210-345 MM) + SKIRTGUARD HEIGHT ADJ.	NC : 0580, 0591, 0597, 0598, 0603, 1270	117,54		
CKG0535	☐	REMOVABLE AND HEIGHT ADJUSTABLE - SHORT NARROW GUTTER (330 MM) WITHOUT ROTATION	NC : 0580, 0591, 0597, 0598, 0599, 0603, 1270	113,17		
CKG0536	☐	REMOVABLE RH (N°4) AUTOLOCK SAFETY DEVICE INCLUDED - FULL LENGTH - ADJ. IN HEIGHT (210-345 MM) & DEPTH + SKIRTGUARD HEIGHT ADJ.	NC : 0580, 0591, 0597, 0598, 0603	117,54		
CKG0537	☐	SWING AWAY DETACHABLE RH (N°2) - DESK	NC : 0580, 0591, 0593, 0595, 0596, 0603, 1270	○		
CKG0538	☐	SWING AWAY DETACHABLE RH (N°2) - FULL LENGTH	NC : 0580, 0593, 0596	○		

ARMRESTS LH FORM IN BLACK COLOR					 0537 / 0597  0533 / 0593
CKG0580	☐	REMOVABLE LH "RIO" (N°1) AUTOLOCK SAFETY DEVICE INCLUDED - DESK - ADJ. 200 TO 280 MM HEIGHT + SKIRTGUARD DEPTH & HEIGHT ADJ.	NC : 1270	◆	
CKG0591	☐	RIO, REMOVABLE AND CONTINUOUSLY HEIGHT-ADJUSTABLE FROM 200 MM TO 280 MM - SHORT NARROW GUTTER (330 MM) WITHOUT ROTATION	NC : 1270	113,17	
CKG0593	☐	REMOVABLE LH (N°4) AUTOLOCK SAFETY DEVICE INCLUDED - DESK - ADJ. IN HEIGHT (210-345 MM) + SKIRTGUARD HEIGHT ADJ.	NC : 1270	117,54	
CKG0595	☐	REMOVABLE AND HEIGHT ADJUSTABLE - SHORT NARROW GUTTER (330 MM) WITHOUT ROTATION	NC : 1270	113,17	
CKG0596	☐	REMOVABLE LH (N°4) AUTOLOCK SAFETY DEVICE INCLUDED - FULL LENGTH - ADJ. IN HEIGHT (210-345 MM) & DEPTH + SKIRTGUARD HEIGHT ADJ.		117,54	
CKG0597	☐	SWING AWAY DETACHABLE LH (N°2) - DESK	NC : 1270	○	
CKG0598	☐	SWING AWAY DETACHABLE LH (N°2) - FULL LENGTH		○	
SEATING OPTIONS TYPE					
SEAT CUSHION TYPE					
CKG0654	☐	BASIC 60 MM FOAM CUSHION - NYLON & ANTI-SLIP COVER	NC : 0661, 0681	33,08	
CKG0661	☐	MATRX FLO-TECH IMAGE CUSHION - DELIVERED WITH 1 PLATILON COVER + 1 BLACK SMOOTH COVER	NC : 0681, 0703	246,45	
CKG0681	☐	MATRX CONTOUR VISCO NG CUSHION - DELIVERED WITH 1 PLATILON COVER + 1 BLACK SMOOTH COVER	NC : 0703	76,78	
SEAT CUSHION DEPTH					
CKG0701	☐	Seat Depth 400 mm		○	
CKG0702	☐	Seat Depth 450 mm		○	
CKG0703	☐	Seat Depth 500 mm		○	
OTHER SEATING OPTIONS					
CKG0716	☐	NECKREST BLACK PU TR26 (INCLUDING BACKBRACE EXCEPT FOR LAGUNA)	NC : 0717, 0718	60,10	
CKG0717	☐	HEADREST BLACK PU TR26 (INCLUDING BACKBRACE EXCEPT FOR LAGUNA)	NC : 0718	199,05	
CKG0718	☐	HEADREST WITH CHEEK SUPPORT BLACK PU TR26 (INCLUDING BACKBRACE EXCEPT FOR LAGUNA)		217,06	
CKG0721	☐	LATERAL POSITIONING PADS (PAIR)		237,91	
CKG0760	☐	ADJUSTABLE CALF STRAP		10,43	
CKG0770	☐	LONGER FOOTREST TUBE (UL= 450-530 MM)		17,06	
COLOURS					
CKG0801	☐	SLATE GREY (RAL7024 FINE TEXTURE)		○	
CKG0804	☐	PEARL WHITE		○	
CKG0806	☐	ELECTRIC GREEN		54,03	
CKG0807	☐	MATT BLACK		○	
CKG0811	☐	RED MATT		○	
CKG0815	☐	WATER BLUE		54,03	
CKG0816	☐	NAVY BLUE		○	
CKG0817	☐	DARK PURPLE		54,03	
CKG0820	☐	ANTHRACITE BLACK		○	
CKG0821	☐	SPECIAL COLOUR		On Request	
FRONT WHEELS					
CKG0850	☐	200 X 30 MM (8" X 1.1/4") - BLACK SOLID TYRE		◆	
CKG0870	☐	200 X 45 MM (8" X 2") - BLACK SOLID TYRE		○	

REAR WHEELS				
REAR WHEEL SIZE				
CKG0942	☐	12" - 305 mm	NC : 0962, 0974, 0978, 1020, 1030 1050, 1060, 1110, 1111, 1210, 1220	○
CKG0946	☐	22" - 560 mm	NC : 1110	○
CKG0948	☐	24" - 600 mm	NC : 1111	◆
REAR WHEELS TYPE				
CKG0962	☐	REINFORCED (COLORLESS HUB, CLEAR ANODIZED RIM & STAINLESS STEEL SPOKES)	NC : 1130, 1040	◆
CKG0963	☐	DRUM BRAKE (20/22/24" : COLORLESS HUB, CLEAR ANODIZED RIM & STAINLESS STEEL SPOKES / 12" : BLACK PLASTIC HUB & RIM)	NC : 1120, 1125	○
TYRE TYPE				
CKG0972	☐	TYRES SOLID BLACK 35 MM (1"3/8)		◆
CKG0974	☐	PNEUMATIC PROFILED BLACK 35 MM (1"3/8)		○
CKG0978	☐	PNEUMATIC LOW PROFILE BLACK 25 MM (1")		○
HANDRIM TYPE				
CKG1020	☐	ALUMINIUM PRE-ANODIZED HANDRIM		◆
CKG1030	☐	HANDRIM COATED IN BLACK ANTI-SLIP PLASTIC	NC : 1130	127,01
REAR WHEELS AXLE TYPE				
CKG1040	☐	FIXED AXLE		○
CKG1050	☐	QUICK RELEASE AXLE		◆
REAR WHEELS POSITION				
CKG1060	☐	STANDARD REAR WHEELS POSITION - 35 MM FRONTWARD/BACKREST CANE AXLE	NC : 1252	◆
CKG1070	☐	PASSIVE REAR WHEELS POSITION - 35 MM BACKWARD/BACKREST CANE AXLE		○
PUMP				
CKG1090	☐	PUMP AND SUPPORT		10,43
CHASSIS OPTIONS TYPE				
CKG1101	☐	FRONT WHEELS EXTENSION (+ 50 MM OUTWARD)		○
CKG1110	☐	SPOKE GUARDS PAIR 600 MM (24") BLACK		165,88
CKG1111	☐	SPOKE GUARDS PAIR CLEAR		165,88
BRAKES TYPE				
CKG1120	☐	PUSH TO LOCK BRAKES		◆
CKG1125	☐	PULL TO LOCK BRAKES		○
CKG1130	☐	ATTENDANT HUB BRAKES (INCLUDING PUSH TO LOCK BRAKES)		178,20
CKG1220	☐	BRAKE EXTENSION PAIR		10,43
SAFETY OPTIONS TYPE				
CKG1175	☐	TRANSPORTATION BRACKETS	NC : 1252	24,64
CKG1190	☐	POSTURE BELT - PLASTIC BUCKLE	NC : 1189, 1192, 1193, 1194	31,28
CKG1189	☐	HIP BELT, 2-PT, CTR-PULL, PB	NC : 1192, 1193, 1194	145,97
CKG1192	☐	HIP BELT, 2-PT, CTR-PULL, PB	NC : 1193, 1194	152,61
CKG1193	☐	HIP BELT, 4-PT, CTR-PULL, PB	NC : 1194	180,09
CKG1194	☐	HIP BELT, 4-PT, CTR-PULL, PB		185,78
CKG1196	☐	REAR ANTI-TIPPER (PAIR)	NC : 1200	79,62
CKG1200	☐	REAR ANTI-TIPPERS PAIR WITH TIPPING AID	NC : 1246	125,12
CKG1210	☐	REFLECTORS KIT		38,86
OTHERS OPTIONS				
CKG1240	☐	CANE HOLDER		49,29
CKG1241	☐	DRIP STAND SUPPORT WITH DRIP STAND (WITH BACKBRACE 0780 ONLY)		101,42
CKG1246	☐	TIPPING AID (LH)		45,50
CKG1252	☐	OXYGEN BOTTLE HOLDER (RH ONLY) - ANTI-TIPPERS RECOMMENDED		146,92
CKG1270	☐	ACRYLIC TRAY		72,83

1"

1.3/8"

1.3/8"

0978

0974

0972

1060

1070

1101



1120

1175

1189 / 1192

1193 / 1194

1200

ACCESSORIES (delivered separtly)					
AP1493219	☐	GUTTER WITH INDEPENDENT SIDE ROTATION, ADJUSTABLE IN HEIGHT AND DEPTH, RIGHT	Only compatible with armrest 0533, 0536	113,17	 1440530  1654128  1654129  1654130
AP1493220	☐	GUTTER WITH INDEPENDENT SIDE ROTATION, ADJUSTABLE IN HEIGHT AND DEPTH, LEFT	Only compatible with armrest 0593, 0596	113,17	
RAMPS					
1440530	☐	Fiberglass Folding Mono Ramp Folded dimensions: 2000 x 230 mm 16.3 kg - maximum capacity: 300 kg		1 787,68	
1654128	☐	Basic ramp 2 telescopic parts in aluminum and non-slip coating - Folded dimensions: 1210 x 194 mm. 8.8 kg per pair - maximum capacity: 270 kg		402,84	
1654129	☐	Quick2go Compact 3-part aluminum telescopic ramp with non-slip coating Folded dimensions: 870 x 237 mm 13.6 kg per pair - maximum capacity: 260 kg		805,69	
1654130	☐	Aluminium folding mono ramp Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg		426,54	