

Rea® Azalea® Assist Max

Please contact Invacare EU Export Customer Services on :-
Tel : +33 247 626980 ; Email : serviceclient_export@invacare.com
Or visit our website : www.invacare.eu.com



Rea® Azalea® Assist Max

Manual steel wheelchair with folding frame



- Description:
- Seat tilt with maintenance of the center of gravity and the correct position of the leg rests: 0°/20° and of the backrest: 0°/30° by pneumatic jacks.
 - Adjustable legrests from 0° to 80° and width-adjustable armrests.
 - Coating: Black Dartex.
 - Frame colour: Pearl gray (RAL 0515).
 - Weight: from 54 kg.
 - Maximum user weight: 180 kg.
 - 2-year warranty period excluding wear parts



Date :

Purchase Order :






Customer Code :










Distributor Stamp :








Invacare Unique Customization Service
Please specify the quote or special production number:

☐ Please make your selection with a cross in the box ☒ Standard feature ☐ Free of charge option

| CODE | | DESCRIPTION | NC : Non Compatible NC : 9999 = not compatible with the reference 9999 | Euros | |
|--|--------------------------|---|--|----------|--|
| BSB0015 | <input type="checkbox"/> | Rea® Azalea® Assist Max | | 5 531,75 | |
| PROPULSION TYPE | | | | | |
| BSB0020 | <input type="checkbox"/> | TRANSIT: 16" WHEELS WITH HUB BRAKES | | ◆ | |
| SEAT DIMENSIONS | | | | | |
| SEAT WIDTH | | | | |  |
| BSB0050 | <input type="checkbox"/> | 550 MM | | ○ | |
| BSB0060 | <input type="checkbox"/> | 610 MM | | ○ | |
| SEAT WIDTH EXTENSION (PRE ADJUSTMENT) | | | | | |
| BSB0080 | <input type="checkbox"/> | + 100 MM (ONLY 16" REAR WHEELS) | | ○ | |
| SEAT DEPTH | | | | | |
| BSB0090 | <input type="checkbox"/> | 530-600 MM | | ◆ | |
| SEAT HEIGHT | | | | | |
| BSB0110 | <input type="checkbox"/> | 450 MM | | ◆ | |
| SEAT TYPE | | | | | |
| BSB0120 | <input type="checkbox"/> | DEPTH ADJUSTABLE | | ◆ | |
| SEAT CUSHION | | | | | |
| BSB0130 | <input type="checkbox"/> | MAX SEAT CUSHION - SEAT UPHOLSTERY MANDATORY | | ◆ | |
| SEAT UPHOLSTERY | | | | | |
| BSB0155 | <input type="checkbox"/> | BLACK PU TR26 - MUTLI STRETCH PU COATED FABRIC | | ◆ | |
| BACKREST | | | | | |
| BACKREST TYPE | | | | |  0160  0170  0180  0220 |
| BSB0160 | <input type="checkbox"/> | BACKREST, TENSION ADJUSTABLE - PRE-ADJUSTED SPACE UPWARDS | | ◆ | |
| BACKREST COVER/ CUSHION | | | | | |
| BSB0170 | <input type="checkbox"/> | COVER, LATERAL - BACKREST UPHOLSTERY MANDATORY | | ◆ | |
| BSB0180 | <input type="checkbox"/> | CUSHION, LAGUNA (LATERAL SUPPORT) - BACKREST UPHOLSTERY MANDATORY | NC : 0415 | ○ | |
| BACKREST UPHOLSTERY | | | | | |
| BSB0215 | <input type="checkbox"/> | BLACK PU TR26 - MUTLI STRETCH PU COATED FABRIC | | ◆ | |
| PUSHHANDLES | | | | | |
| BSB0220 | <input type="checkbox"/> | PUSH HANDLES BRACED | | ◆ | |
| BSB0230 | <input type="checkbox"/> | HIGH PUSH BAR | | 50,24 | |
| SEAT TILT AND BACKREST REGULATION TYPE | | | | | |
| BSB0240 | <input type="checkbox"/> | ASSISTANT OPERATED GAS PISTON SEAT AND BACKREST TILT. - TILT LOCK MANDATORY | | ◆ | |
| BSB0605 | <input type="checkbox"/> | TILT LOCK (LOCKING OF PRE-SET ANGLE) | | ◆ | |

| LEGRESTS / FOOTRESTS | | | | | |
|---|--------------------------|--|-----------------|--------|---|
| LEGRESTS / HANGERS TYPE | | | | |  |
| BSB0260 | <input type="checkbox"/> | HANGER ANGLE ADJUSTABLE WITH KNEE PAD AND REINFORCED, SEPARATE CALF SUPPORT, PAIR | | ◆ | |
| FOOTRESTS TYPE | | | | | |
| BSB0280 | <input type="checkbox"/> | FOOTREST LOWER PART, DEPTH AND ANGLE ADJUSTABLE WITH SHORT TUBE AND FOOTBOARD CONVERTER, PAIR | | ○ | |
| BSB0290 | <input type="checkbox"/> | FOOTREST LOWER PART, DEPTH AND ANGLE ADJUSTABLE WITH LONG TUBE AND FOOTBOARD CONVERTER, PAIR | | ◆ | |
| ARMRESTS (Height adjustable, Autolock attachment included) | | | | | |
| ARMRESTS LH TYPE | | | | |  |
| BSB0300 | <input type="checkbox"/> | REINFORCED, WIDE PAD, LH | | ◆ | |
| ARMRESTS RH TYPE | | | | | |
| BSB0320 | <input type="checkbox"/> | REINFORCED, WIDE PAD, RH | | ◆ | |
| SEATING OPTIONS | | | | | |
| ARMREST OPTIONS | | | | |  |
| BSB0340 | <input type="checkbox"/> | SIDE SUPPORT COVER | | 70,14 | |
| BSB0350 | <input type="checkbox"/> | CUSHION TO SIDE SUPPORT COVER | | 15,17 | |
| BACKREST OPTIONS | | | | | |
| BSB0370 | <input type="checkbox"/> | HEADREST, SIDEWISE ADJUSTABLE | NC : 0400 | ○ |  |
| BSB0390 | <input type="checkbox"/> | HEADREST WITH CHEEK SUPPORT, SIDEWISE ADJUSTABLE | NC : 0380, 0400 | 225,59 | |
| BSB0380 | <input type="checkbox"/> | COVER FOR HEADREST | | 57,82 | |
| BSB0400 | <input type="checkbox"/> | NECKREST | | ◆ | |
| OTHERS BACKREST OPTIONS | | | | |  |
| BSB0415 | <input type="checkbox"/> | LATERAL POSITIONING PADS (WITH LOOP BAND BETWEEN COVER AND BACKREST UPHOLSTERY), PAIR | | 237,91 | |
| BSB0420 | <input type="checkbox"/> | HANDLES CLINIC KIT FOR HEAD-/NECKREST | | 30,33 | |
| BSB0430 | <input type="checkbox"/> | LUMBAR SUPPORT CUSHION | | 35,07 | |
| BSB0440 | <input type="checkbox"/> | WEDGES (ONE PAIR) | | 16,11 | |
| CHASSIS | | | | | |
| CHASSIS COLOUR | | | | |  |
| BSB0441 | <input type="checkbox"/> | PEARL GREY | | ◆ | |
| BSB0442 | <input type="checkbox"/> | AZURITE | | ○ | |
| BSB0443 | <input type="checkbox"/> | SAND | | ○ | |
| BSB0444 | <input type="checkbox"/> | ELECTRIC GREEN | | ○ | |
| BSB0445 | <input type="checkbox"/> | HAPPY RED | | ○ | |
| CHASSIS SAFETY | | | | |  |
| BSB0450 | <input type="checkbox"/> | CHASSIS EXTENDER, CASTORS 50 MM FORWARD. | | 87,20 | |
| CASTOR ATTACHMENT TYPE | | | | | |
| BSB0460 | <input type="checkbox"/> | FIXED | | ◆ | |
| FRONT CASTORS | | | | | |
| BSB0495 | <input type="checkbox"/> | 8"x2" - 200X45 BLACK SOLID TYRE | | ◆ | |
| FRONT CASTORS | | | | | |
| REAR WHEELS SIZE | | | | | |
| BSB0512 | <input type="checkbox"/> | 16" / 405 MM - FIXED REAR WHEEL ATTACHMENT | | ◆ | |
| REAR WHEELS TYPE | | | | | |
| BSB0524 | <input type="checkbox"/> | DRUM BRAKE (22/24" : COLORLESS HUB, CLEAR ANODIZED RIM & STAINLESS STEEL SPOKES / 16" : BLACK PLASTIC HUB & RIM) | | ◆ | |
| TYRE TYPE | | | | | |
| BSB0535 | <input type="checkbox"/> | TYRES SOLID BLACK 1" 3/8 | | ◆ | |
| SAFETY | | | | | |
| BRAKE TYPE | | | | |  |
| BSB0560 | <input type="checkbox"/> | USER MANOUEVERED TYRE BRAKES | | ◆ | |
| SAFETY OPTIONS | | | | | |
| BSB0570 | <input type="checkbox"/> | PELVIC BELT - PLASTIC BUCKLE | | ◆ | |
| BSB0590 | <input type="checkbox"/> | REFLECTORS KIT (WHEELS AND CHASSIS) | | 41,71 | |
| OPTIONS | | | | | |
| Think of Bodypoint positioning accessories: belts, harnesses, ankle supports. | | | | | |
|  | | | | | |

| OPTIONS | | | | | |
|---------|--------------------------|---|--|----------|--|
| BSB0600 | <input type="checkbox"/> | TABLE WITH ELBOW SUPPORTS | | 453,08 |  0600 |
| RAMPS | | | | | |
| 1440530 | <input type="checkbox"/> | Fiberglass Folding Mono Ramp Folded dimensions: 2000 x 230 mm 16.3 kg - maximum capacity: 300 kg | | 1 787,68 |  1440530 |
| 1654128 | <input type="checkbox"/> | Basic ramp 2 telescopic parts in aluminum and non-slip coating. Folded dimensions: 1210 x 194 mm. 8.8 kg per pair - maximum capacity: 270 kg | | 402,84 |  1654128 |
| 1654129 | <input type="checkbox"/> | Quick2go Compact 3-part aluminum telescopic ramp with non-slip coating Folded dimensions: 870 x 237 mm 13.6 kg per pair - maximum capacity: 260 kg | | 805,69 |  1654129 |
| 1654130 | <input type="checkbox"/> | Aluminium folding mono ramp Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg | | 426,54 |  1654130 |