

Rea® Azalea® Assist Minor

Please contact Invacare EU Export Customer Services on :-
Tel : +33 247 626980 ; Email : serviceclient_export@invacare.com
Or visit our website : www.invacare.eu.com



Rea® Azalea® Assist Minor

Manual folding steel chair



Date :

Purchase Order :

Customer Code :

Distributor Stamp::










- Description:
- Drum brakes.
 - Seat tilt (+1°/24°) and backrest (0°/30°) by pneumatic cylinders.
 - Seated tilt with translation.
 - Width-adjustable legrests/stems.
 - Heel straps.
 - Frame colour: Pearl gray (RAL 0515).
 - Weight: from 32 kg.
 - Maximum user weight: 75 kg.
 - 2-year warranty period excluding wear parts














Invacare Unique Customization Service
Please specify the quote or special production number:

☐ Please make your selection with a cross in the box ☒ Standard feature ☐ Free of charge option

CODE		DESCRIPTION	NC : Non Compatible NC : 9999 = not compatible with the reference 9999	Euros		
BNI0013	☐	Rea® Azalea® Assist Minor (< 16 ans)		1 709,00		
SEAT						
SEAT WIDTH					 0165	
BNI0038	☐	340 mm - adjustable from 340 to 440 mm		◆		
SEAT WIDTH EXTENSION (PRE ADJUSTMENT)						
BNI0065	☐	Comes with adjustment + 50 mm (at 390 mm)		○		
BNI0075	☐	Comes with adjustment + 100 mm (at 440 mm)	NC : 0110	○		
Seat depth						
BNI0095	☐	Adjustable from 380 to 450 mm		◆		
SEAT HEIGHT						
BNI0110	☐	400 mm		○		
BNI0120	☐	450 mm		◆		
SEAT ANGLE						
BNI0127	☐	NEGATIVE SEAT ANGLE -1 TO +23° (STD +1 TO +24°)		○		
SEAT TYPE						
BNI0130	☐	DEPTH ADJUSTABLE		◆		
SEAT CUSHION						
BNI0165	☐	CUSHION FLOSHAPE		◆		
SEAT UPHOLSTERY						
BNI0191	☐	BLACK PLUSH TR35		72,99		
BNI0201	☐	BLACK PU TR26		◆		
BNI0202	☐	BLACK SPACER TR36		○		
BACKREST						
BACKREST TYPE					 0217	
BNI0217	☐	FLEX 2 BACKREST (TENSION ADJ. AZALEA MINOR)		◆		
BNI0218	☐	FLEX 2 BACKREST (FIXED, AZALEA MINOR)	NC : 0240, 0905	○		
BACKREST COVER/ CUSHION						 0250
BNI0250	☐	CUSHION, LAGUNA (LATERAL SUPPORT)		◆		
BNI0260	☐	CUSHION, MISTRAL 2 (WAIST SUPPORT)	NC : 0322	146,92	 0260	

BACKREST UPHOLSTERY					 0340
BNI0311	☐	BLACK PLUSH TR35		79,62	
BNI0321	☐	BLACK PU TR26		◆	
BNI0322	☐	BLACK SPACER TR36		○	
PUSHHANDLES					 0345
BNI0340	☐	PUSH HANDLES BRACED		◆	
BNI0345	☐	PUSH BAR ANGLE ADJUSTABLE		145,97	
SEAT TILT AND BACKREST REGULATION TYPE					
BNI0350	☐	ASSISTANT OPERATED GAS PISTON SEAT AND BACKREST TILT		◆	
BNI1263	☐	TILT LOCK (LOCKING OF PRE-SET ANGLE)		◆	
LEGRESTS / FOOTRESTS					
LEGRESTS / HANGERS ADJUSTMENT					 0380 / 0430
BNI0378	☐	90° HANGER ATTACHMENT FOR A 85° POSITION- LEGREST ANGULATION: 10° TO 85	NC : 0390, 0410, 0440, 0460	52,13	
Potence gauche					
BNI0380	☐	HANGER ANGLE ADJUSTABLE LH. WITH KNEE PAD AND CALF SUPPORT	NC : 0490, 0942	100,83	
BNI0390	☐	HANGER FIXED 80 DEG, SWING IN SWING OUT - ALU 2003, LH		◆	 0390 / 0440
BNI0410	☐	LEGREST AMPUTEE - ALU 2008 LH	NC : 0490, 0510, 0520, 0941, 0942	140,28	
LEGRESTS / HANGERS RH TYPE					 0410 / 0460
BNI0430	☐	HANGER ANGLE ADJUSTABLE RH. WITH KNEE PAD AND CALF SUPPORT	NC : 0550, 0942	100,03	
BNI0440	☐	HANGER FIXED 80 DEG, SWING IN SWING OUT - ALU 2003, RH		◆	
BNI0460	☐	LEGREST AMPUTEE - ALU 2008 RH	NC : 0550, 0570, 0580, 0941, 0942	140,28	
FOOTRESTS					
FOOTRESTS ONE PIECE					 0475 / 0476
BNI0475	☐	FOOTREST ONE PIECE DEPTH AND ANGLE ADJUSTABLE SHORT TUBE - NO WIDTH ADJUSTMENT	NC : 0490, 0510, 0520, 0550, 0570, 0580, 0954, 0956	203,79	
BNI0476	☐	FOOTREST ONE PIECE DEPTH AND ANGLE ADJUSTABLE LONG TUBE - NO WIDTH ADJUSTMENT	NC : 0490, 0510, 0520, 0550, 0570, 0580, 0954, 0956	249,29	
FOOTRESTS LH TYPE					 0510 / 0570
BNI0490	☐	FOOTREST LOWER PART, DEPTH AND ANGLE ADJUSTABLE WITH SHORT TUBE AND HEEL STRAP, LH		○	
BNI0510	☐	FOOTREST LOWER PART, FIXED WITH LONG TUBE AND HEEL STRAP, LH	NC : 0954, 0956	○	
BNI0520	☐	FOOTREST LOWER PART, DEPTH AND ANGLE ADJUSTABLE WITH LONG TUBE AND HEEL STRAP, LH		◆	
FOOTRESTS RH TYPE					 0520 / 0580
BNI0550	☐	FOOTREST LOWER PART, DEPTH AND ANGLE ADJUSTABLE WITH SHORT TUBE AND HEEL STRAP, RH		○	
BNI0570	☐	FOOTREST LOWER PART, FIXED WITH LONG TUBE AND HEEL STRAP, RH.	NC : 0954, 0956	○	
BNI0580	☐	FOOTREST LOWER PART, DEPTH AND ANGLE ADJUSTABLE WITH LONG TUBE AND HEEL STRAP, RH		◆	
ARMRESTS (Height adjustable, Autolock attachment included)					
ARMRESTS LH TYPE					 0600 / 0630  0610 / 0640
BNI0600	☐	STANDARD PAD, LH	NC : 1233, 1240	○	
BNI0605	☐	WIDE PAD, LH	NC : 1233	○	
BNI0606	☐	CONCAVE GUTTER ADJUSTABLE IN HEIGHT AND DEPTH OVE 70 MM WITHOUT TOOLS (COMPATIBLE WITH SHELF)	NC : 1232	113,17	
BNI0610	☐	PADDED, LH.	NC : 0680, 0690, 1230, 1231, 1233	◆	
BNI0615	☐	HEMIPLEGIC ARMRESTS, LH.	NC : 1230, 1231, 1233, 1240, 1245	113,17	
BNI0620	☐	WITHOUT ARMREST, LH	NC : 0690, 1230, 1231, 1240, 1245	○	

ARMRESTS RH TYPE					 0615 / 0645
BNI0630	☐	STANDARD PAD, RH	NC : 1232,1240	○	
BNI0635	☐	WIDE PAD, RH	NC : 1232	○	
BNI6036	☐	CONCAVE GUTTER ADJUSTABLE IN HEIGHT AND DEPTH OVE 70 MM WITHOUT TOOLS (COMPATIBLE WITH SHELF)	NC : 1232	113,17	
BNI0640	☐	PADDED, RH.	NC : 0680, 0690, 1230, 1231,1232, 1240, 1245	◆	
BNI0645	☐	HEMIPLEGIC ARMRESTS, RH.	NC : 1230, 1231, 1232, 1240, 1245	113,17	
BNI0650	☐	WITHOUT ARMREST, RH	NC : 0690, 1230, 1231, 1240, 1245	○	
SEATING OPTIONS					
ARMREST OPTIONS					
BNI0680	☐	SIDE SUPPORT COVER		69,19	 0720
BNI0690	☐	CUSHION TO SIDE REST COVER		15,17	
SEAT OPTIONS					
BNI0710	☐	INCONTINENCE COVER		41,71	 0730
BNI0720	☐	ABDUCTION CUSHION		246,45	
BACKREST OPTIONS					
BNI0730	☐	HEADREST, SIDEWISE ADJUSTABLE	NC : 0750, 0770	○	 0730
BNI0750	☐	HEADREST WITH CHEEK SUPPORT, SIDEWISE ADJUSTABLE	NC : 0740, 0770, 0780	225,59	
BNI0735	☐	HEADREST MATRIX ELAN 4-POINT PAD (229W x 177H mm / 9"W x 7"H)	NC : 0740, 0770	408,53	 0750
BNI0740	☐	COVER FOR HEADREST		54,03	
BNI0770	☐	NECKREST		◆	 0736
BNI0782	☐	UNIVERSAL HEAD/NECKREST HOLDER		69,19	
BNI0790	☐	HANDLES CLINIC KIT FOR HEAD-/NECKREST		29,38	 0770
TRUNK SUPPORT LH					
BNI0800	☐	TRUNK SUPPORT MULTI ADJUSTABLE WITH STANDARD ARM (LH)		174,41	 0782
BNI0880	☐	TRUNK SUPPORT SWINGAWAY (LH)		156,40	
TRUNK SUPPORT RH					
BNI0810	☐	TRUNK SUPPORT MULTI ADJUSTABLE WITH STANDARD ARM (RH)		174,41	 0800 / 0810
BNI0890	☐	TRUNK SUPPORT SWINGAWAY (RH)		156,40	
BACKREST OPTIONS (Following)					
BNI0905	☐	LATERAL POSITIONING PADS (WITH LOOP BAND BETWEEN COVER AND BACKREST UPHOLSTERY), PAIR		237,91	 0905
BNI0915	☐	TILT SCALE, BACKREST RECLINE		67,30	
BNI0920	☐	WEDGES (ONE PAIR)		16,11	 0915
BNI0954	☐	Bodypoint Open Buckle Ankle Supports, Side Adjustable, Medium (pair) - Comes loose with bindings		170,62	
BNI0956	☐	Bodypoint ankle braces open with buckle, adjustable on the side, Small (pair) - delivered loose with bindings		161,14	 0954/0956
LEGREST OPTIONS					
BNI0941	☐	COVER FOOTPLATE		102,37	 0944
BNI0942	☐	CALF STRAP PADDED		119,43	
CHASSIS					
CHASSIS COLOUR					
BNI0944	☐	PEARL GREY		◆	 0946
BNI0946	☐	AZURITE		○	
BNI0947	☐	SAND		○	 0947
BNI0948	☐	ELECTRIC GREEN		○	
BNI0949	☐	HAPPY RED		○	 0948
CASTOR ATTACHMENT TYPE					
BNI0960	☐	Fixed		◆	 0949
FRONT CASTORS					
BNI0982	☐	5,5"x1.3/4" - 140X45 BLACK MEDIUM HARD		36,02	 0949
BNI0992	☐	6" x 1.1/4" - 150X30 BLACK MEDIUM HARD		◆	
REAR WHEELS					
REAR WHEELS SIZE					
BNI1047	☐	16" - 405 mm - with fixed rear wheel attachment		◆	 0949
REAR WHEELS TYPE					
BNI1076	☐	DRUM BRAKE (22/24" : COLORLESS HUB, CLEAR ANODIZED RIM & STAINLESS STEEL SPOKES / 16" : BLACK PLASTIC HUB & RIM)		◆	

TYRE TYPE					
BNI1092	☐	TYRES SOLID BLACK 1" 3/8		◆	
SAFETY					
BNI1170	☐	USER MANOUEVERED TYRE BRAKES		205,69	 1200
BNI1200	☐	PELVIC BELT - PLASTIC BUCKLE		◆	
POSITIONING OPTIONS					
Think of Bodypoint positioning accessories: belts, harnesses, ankle supports.					
OPTIONS					
TABLE TRAY					 1230  1231  1232 / 1233  1237  1240  1300
BNI1230	☐	TABLE TRAY INCL MOUNTING KIT	NC : 1237	72,82	
BNI1231	☐	TABLE TRAY INCL MOUNTING KIT, WITH ELBOW PADS	NC : 1237	154,50	
BNI1232	☐	HALF TABLE TRAY, CLEAR, FLIP UP, LH (ARMREST WITH STRAIGHT NARROW PAD INCL.)	NC : 1235	72,82	
BNI1233	☐	HALF TABLE TRAY, CLEAR, FLIP UP, RH (ARMREST WITH STRAIGHT NARROW PAD INCL.)	NC : 1235	72,82	
BNI1240	☐	SWING AWAY TABLE	NC : 1235, 1237	300,47	
TABLE TRAY CUSHION					
BNI1235	☐	TABLE TRAY CUSHION		104,27	
BNI1237	☐	PADDING		90,05	
OTHER OPTIONS					
BNI1300	☐	HARNESS ATTACHMENT		78,67	
BNI1305	☐	LOCKING KIT CASTOR INCL. CAR FIXATION		336,49	
BNI1310	☐	ATTACHMENT WHEN USING THE PELVIC BELT FOR		28,44	
RAMPS					
1440530	☐	Fiberglass Folding Mono Ramp Folded dimensions: 2000 x 230 mm 16.3 kg - maximum capacity: 300 kg"		1 787,68	 1440530
1654128	☐	Basic ramp 2 telescopic parts in aluminum and non-slip coating - Folded dimensions: 1210 x 194 mm. 8.8 kg per pair - maximum capacity: 270 kg		402,84	 1654128
1654129	☐	Quick2go Compact 3-part aluminum telescopic ramp with non-slip coating Folded dimensions: 870 x 237 mm 13.6 kg per pair - maximum capacity: 260 kg		805,69	 1654129
1654130	☐	Aluminium folding mono ramp Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg		426,54	 1654130