

Rea® Azalea® Base

Please contact Invacare EU Export Customer Services on :-
Tel : +33 247 626980 ; Email : serviceclient_export@invacare.com
Or visit our website : www.invacare.eu.com



Rea® Azalea® Base



- Description:**
- Drum brakes with parking brake.
 - Seat tilt with center of gravity maintained: -1°/+23° and backrest: 0°/+30° by pneumatic jacks.
 - Height adjustable push handles
 - Frame colour: Pearl gray (RAL 0515).
 - Weight: from 20 kg
 - Maximum user weight: 135 kg
 - 2-year warranty period excluding wear parts


Date :





Purchase Order :

Customer Code :


Distributor Stamp:

☐ Please make your selection with a cross in the box ☒ Standard feature ☐ Free of charge option

CODE		DESCRIPTION	NC : Non Compatible NC : 9999 = not compatible with the reference 9999	Euros	
BQA0010	☐	Rea [®] Azalea Base [®]		1 317,54	
BQA0010	☐	Rea [®] Azalea Minor Base [®] (Seat Width 340 mm)	NC : 0120	1 317,54	
PROPULSION TYPE					
BQA0020	☐	TRANSIT: 16" WHEELS WITH HUB BRAKES	NC : 0705, 0715, 0722, 0724, 0790, 0810, 0850, 0863, 0867	◆	
BQA0030	☐	SELF PROPELLED: 24"/ 22" WHEELS WITH USER BRAKES	NC : 0100, 0702, 0726	○	
BQA0040	☐	SELF- AND ASSISTANT PROPELLED: 24" / 22" WHEELS WITH HUB BRAKES	NC : 0100, 0722, 0724	○	
SEAT					
SEAT WIDTH					
BQA0050	☐	340 MM (EXTRA SMALL CHASSIS)	NC : 0120, 0180, 0186, 0600, 0665, 0672, 0675, 0863, 0867, 0900, 0902, 0936, 0938	○	
BQA0060	☐	390 MM (SMALL CHASSIS)	NC : 0110	○	
BQA0070	☐	440 MM (MEDIUM CHASSIS)	NC : 0110	○	
BQA0080	☐	490 MM (LARGE CHASSIS)	NC : 0110	○	
SEAT WIDTH EXTENSION (PRE ADJUSTMENT)					
BQA0090	☐	+ 50mm (+25mm per side)	NC : 0863, 0867	○	
BQA0100	☐	+ 100 mm (+50 mm per side)	Only with 16" rear wheels	○	
SEAT DEPTH					
BQA0110	☐	380-450 MM (ONLY SEAT WIDTH 340)		○	
BQA0120	☐	430-500 MM		○	
SEAT HEIGHT					 BQA0150
BQA0130	☐	400 mm	NC : 0180, 0330, 0340, 0390, 0400, 0665, 0672, 0675, 0715, 0936, 0938	○	
BQA0140	☐	450 mm	NC : 0705	◆	
SEAT ANGLE					
BQA0145	☐	OPTIONAL SEAT ANGLE +1 TO +25° (STD -1 TO +23°)		○	


SEAT INTERFACE					 BQA015 BQA0170
BQA0150	☐	SEAT PLATE STANDARD		235,07	
BQA0155	☐	SEAT PLATE WITH WEDGES (SEAT ANGLE +/- 5°)		283,41	
BQA0170	☐	WITHOUT INTERFACE		◆	
BACKREST					
BACKREST					 BQA0160 BQA0161
BQA0160	☐	ASSISTANT OPERATED GAS PISTON BACKREST RECLINE		◆	
BQA0161	☐	BACKREST REGULATION WITH RIGGING SCREW		○	
BQA0932	☐	TILT LOCK (LOCKING OF PRE-SET ANGLE)		◆	
LEGRESTS / FOOTRESTS					
CENTRAL LEGRESTS TYPE					 0190 / 0240  0200 / 0250  0220 / 0270
BQA0180	☐	CENTRAL LEGREST, INCL CALFPAD AND FOOTREST.	NC : 0186, 0188, 0190, 0200, 0220, 0240, 0250, 0270, 0290, 0300, 0310, 0330, 0340, 0360, 0370, 0390, 0400, 0572	900,47	
LEGRESTS / HANGERS ADJUSTMENT					
BQA0185	☐	LOW POSITION, STANDARD		◆	
BQA0186	☐	HIGH POSITION FOR LONGER LEGS		108,06	
BQA0188	☐	90° HANGER ATTACHMENT	NC : 0200, 0220, 0250, 0270	52,13	
LEGRESTS / HANGERS LH TYPE					
BQA0190	☐	HANGER ANGLE ADJUSTABLE LH. WITH KNEE PAD AND CALF SUPPORT	NC : 0300, 0310	100,03	
BQA0200	☐	HANGER FIXED 80 DEG, SWING IN SWING OUT - ALU 2003, LH	NC : 0572	59,72	
BQA0220	☐	LEGREST AMPUTEE - ALU 2008 LH	NC : 0290, 0300, 0310, 0330, 0340, 0572	140,28	
BQA0230	☐	WITHOUT LEGREST, LH	NC : 0290, 0360, 0370, 0390, 0400	◆	
LEGRESTS / HANGERS RH TYPE					
BQA0240	☐	HANGER ANGLE ADJUSTABLE RH. WITH KNEE PAD AND CALF SUPPORT	NC : 0360, 0370	100,03	
BQA0250	☐	HANGER FIXED 80 DEG, SWING IN SWING OUT - ALU 2003, RH	NC : 0572	59,72	
BQA0270	☐	LEGREST AMPUTEE - ALU 2008 RH	NC : 0290, 0360, 0370, 0390, 0400, 0572	140,28	
BQA0280	☐	WITHOUT LEGREST, RH	NC : 0290, 0360, 0370, 0390, 0400	◆	
FOOTRESTS					
FOOTRESTS ONE PIECE					 0290  0310 / 0340 0370 / 0400
BQA0290	☐	FOOTREST ONE PIECE DEPTH AND ANGLE ADJUSTABLE, NO WIDTH ADJUSTMENT	NC : 0300, 0310, 0330, 0340, 0360, 0370, 0390, 0400	202,84	
FOOTRESTS LH TYPE					
BQA0300	☐	FOOTREST LOWER PART, FIXED WITH SHORT TUBE AND HEEL STRAP, LH.	NC : 0572	○	
BQA0310	☐	FOOTREST LOWER PART, DEPTH AND ANGLE ADJUSTABLE WITH SHORT TUBE AND HEEL STRAP, LH		○	
BQA0330	☐	FOOTREST LOWER PART, FIXED WITH LONG TUBE AND HEEL STRAP, LH.	NC : 0572	○	
BQA0340	☐	FOOTREST LOWER PART, DEPTH AND ANGLE ADJUSTABLE WITH LONG TUBE AND HEEL STRAP, LH		○	
FOOTRESTS RH TYPE					
BQA0360	☐	FOOTREST LOWER PART, FIXED WITH SHORT TUBE AND HEEL STRAP, RH	NC : 0572	○	
BQA0370	☐	FOOTREST LOWER PART, DEPTH AND ANGLE ADJUSTABLE WITH SHORT TUBE AND HEEL STRAP, RH		○	
BQA0390	☐	FOOTREST LOWER PART, FIXED WITH LONG TUBE AND HEEL STRAP, RH.	NC : 0572	○	
BQA0400	☐	FOOTREST LOWER PART, DEPTH AND ANGLE ADJUSTABLE WITH LONG TUBE AND HEEL STRAP, RH		○	


ARMRESTS (Height adjustable, Autolock attachment included)				
ARMRESTS LH TYPE				
BQA0420	☐	STANDARD PAD, LH	NC : 0903	102,37
BQA0425	☐	CONCAVE GUTTER ADJUSTABLE IN HEIGHT AND DEPTH OVER 70 MM WITHOUT TOOLS (COMPATIBLE WITH SHELF)	NC : 0903	163,03
BQA0440	☐	PADDED, LH	NC : 0520, 0530, 0900, 0902, 0903, 0920, 0930	102,37
BQA0450	☐	HEMIPLEGIC ARMRESTS, LH	NC : 0900, 0902, 0903, 0910, 0915, 0920, 0930	163,03
BQA0460	☐	WITHOUT ARMREST, LH	NC : 0520, 0530, 0900, 0902, 0910, 0915, 0930	◆
ARMRESTS RH TYPE				
BQA0470	☐	STANDARD PAD, RH	NC : 0904	102,37
BQA0475	☐	CONCAVE GUTTER ADJUSTABLE IN HEIGHT AND DEPTH OVER 70 MM WITHOUT TOOLS (COMPATIBLE WITH SHELF)	NC : 0903	163,03
BQA0490	☐	PADDED, RH.	NC : 0520, 0530, 0900, 0902, 0904, 0920, 0930	102,37
BQA0500	☐	HEMIPLEGIC ARMRESTS, RH	NC : 0900, 0902, 0904, 0910, 0915, 0920, 0930	163,03
BQA0510	☐	WITHOUT ARMREST, RH	NC : 0520, 0530, 0900, 0902, 0910, 0915, 0920, 0930	◆
SEATING OPTIONS				
ARMREST OPTIONS				
BQA0520	☐	SIDE SUPPORT COVER		69,19
BQA0530	☐	CUSHION TO SIDE SUPPORT COVER		15,17
BACKREST OPTIONS				
BQA0540	☐	HEADREST, SIDEWISE ADJUSTABLE	NC : 0560, 0565	102,98
BQA0550	☐	HEADREST WITH CHEEK SUPPORT, SIDEWISE ADJUSTABLE	NC : 0545, 0560, 0565	225,59
BQA0545	☐	COVER FOR HEADREST		54,03
BQA0560	☐	NECKREST		102,98
BQA0565	☐	COVER FOR NECKREST		41,71
BQA0570	☐	HANDLES CLINIC KIT FOR HEAD-/NECKREST		29,38
LEGREST OPTIONS				
BQA0572	☐	FOOTPLATES PADDING		101,42
CHASSIS				
CHASSIS COLOUR				
BQA0591	☐	PEARL GREY		◆
BQA0592	☐	AZURITE		○
BQA0593	☐	SAND		○
BQA0594	☐	ELECTRIC GREEN		○
BQA0596	☐	HAPPY RED		○
CHASSIS SAFETY				
BQA0600	☐	CHASSIS EXTENDER, CASTORS 50 MM FORWARD.		87,20
CASTOR ATTACHMENT TYPE				
BQA0610	☐	FIXED		◆
FRONT CASTORS				
BQA0638	☐	5,5"x1.3/4" - 140X45 MEDIUM HARD BLACK		31,28
BQA0645	☐	6"x1.1/4" - 150X30 BLACK MEDIUM HARD		○
BQA0665	☐	8"x1.1/4" - 200X30 BLACK SOLID TYRE		◆
BQA0672	☐	8"x1.1/4" - 200X32 PNEUMATIC BLACK		○
BQA0675	☐	8"x2" - 200X45 BLACK SOLID TYRE		126,07
REAR WHEELS SIZE				
REAR WHEELS SIZE				
BQA0702	☐	16" / 405 MM - FIXED REAR WHEEL ATTACHMENT	NC : 0722, 0724, 0745, 0785, 0790, 0810, 0850, 0863, 0867	◆
BQA0705	☐	22" / 560 MM - QR REAR WHEEL ATTACHMENT		○
BQA0715	☐	24" / 600 MM - QR REAR WHEEL ATTACHMENT		○


0470


0440 / 0490


0450 / 0500


0540


0550


0560



0591


0592


0593


0594


0596


0600

REAR WHEELS TYPE					1" 0785 1.3/8" 0745
BQA0722	☐	STANDARD (BLACK HUB, COLORLESS RIM & ZINC PLATTED SPOKES)	NC : 0810		
BQA0724	☐	REINFORCED (COLORLESS HUB, CLEAR ANODIZED RIM & STAINLESS STEEL SPOKES)		36,02	
BQA0726	☐	DRUM BRAKE (22/24" : COLORLESS HUB, CLEAR ANODIZED RIM & STAINLESS STEEL SPOKES / 16" : BLACK PLASTIC HUB & RIM)	NC : 0785		
TYRE TYPE					
BQA0745	☐	PNEUMATIC PROFILED BLACK 1" 3/8			
BQA0775	☐	TYRES SOLID BLACK			
BQA0785	☐	PNEUMATIC LOW PROFILE BLACK 1"			
HANDRIM TYPE					
BQA0790	☐	Aluminium			
BQA0810	☐	PLASTIC COATED		200,00	
WHEEL OPTIONS					
SPOKEGUARD					
BQA0850	☐	FROST		219,91	
SAFETY					
BQA0860	☐	USER MANOUEVERED TYRE BRAKES			
BQA0863	☐	ONE ARM BRAKE LH		327,01	
BQA0867	☐	ONE ARM BRAKE RH		327,01	
OPTIONS					
Think of Bodypoint positioning accessories: belts, harnesses, ankle supports.				Bodypoint	
TABLE TRAY					
BQA0900	☐	TABLE TRAY INCL MOUNTING KIT	NC : 0907	72,82	
BQA0902	☐	TABLE TRAY INCL MOUNTING KIT, WITH ELBOW PADS	NC : 0907	154,50	
BQA0903	☐	HALF TABLE TRAY, CLEAR, FLIP UP, LH (ARMREST WITH STRAIGHT NARROW PAD INCL.)	NC : 0905	72,82	
BQA0904	☐	HALF TABLE TRAY, CLEAR, FLIP UP, RH (ARMREST WITH STRAIGHT NARROW PAD INCL.)	NC : 0905	72,82	
BQA0910	☐	SWING AWAY TABLE	NC : 0905, 0907	300,47	
BQA0915	☐	SWING AWAY TABLE WITH ELBOW PADS	NC : 0905, 0907	250,24	
TABLE TRAY CUSHION					
BQA0905	☐	TABLE TRAY CUSHION	NC : 0910, 0915	104,27	
BQA0907	☐	PADDING	NC : 0910, 0915	90,05	
OTHERS OPTIONS					
BQA0936	☐	MOUNTING BRACKET VIAMOBIL	NC : 0938	453,08	
BQA0938	☐	MOUNTING BRACKET VIAMOBIL PLUS		414,25	
BQA0920	☐	LOCKING DEVICE FOR TABLE TRAY		59,72	
BQA0970	☐	HARNESS ATTACHMENT		78,67	
RAMPS					
1440530	☐	Fiberglass Folding Mono Ramp Folded dimensions: 2000 x 230 mm 16.3 kg - maximum capacity: 300 kg		1 787,68	
1654128	☐	Basic ramp 2 telescopic parts in aluminum and non-slip coating. Folded dimensions: 1210 x 194 mm. 8.8 kg per pair - maximum capacity: 270 kg		402,84	
1654129	☐	Quick2go Compact 3-part aluminum telescopic ramp with non-slip coating Folded dimensions: 870 x 237 mm 13.6 kg per pair - maximum capacity: 260 kg		805,69	
1654130	☐	Aluminium folding mono ramp Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg		426,54	