

Rea® Azalea® Max

Please contact Invacare EU Export Customer Services on :-  
Tel : +33 247 626980 ; Email : serviceclient\_export@invacare.com



Rea® Azalea® Max

Manual steel wheelchair with folding frame



Description:

- Seat tilt with maintenance of the center of gravity and the correct position of the leg rests: 0°/20° and of the backrest: 0°/30° by pneumatic cylinders.
- Adjustable legrests from 0° to 80° and width
- adjustable armrests.
- Frame colour: Pearl gray (RAL 0515).
- Weight: from 54 kg.
- Maximum user weight: 180 kg.
- 2-year warranty period excluding wear parts



Date :

Purchase Order :






Customer Code :










Distributor Stamp:




Invacare Unique Customization Service  
Please specify the quote or special production number:

☐ Please make your selection with a cross in the box      ☒ Standard feature      ☐ Free of charge option

CODE		DESCRIPTION	NC : Non Compatible NC : 9999 = not compatible with the reference 9999	Euros	
BSA0010	<input type="checkbox"/>	Rea® <i>Azalea® Max</i>		5 531,75	
PROPULSION TYPE					
BSA0030	<input type="checkbox"/>	SELF PROPELLED: 24"/ 22" WHEELS WITH USER BRAKES	NC : 0524, 0545	<input checked="" type="checkbox"/>	
BSA0040	<input type="checkbox"/>	SELF- AND ASSISTANT PROPELLED: 24" / 22" WHEELS WITH HUB BRAKES	NC : 0522	213,27	
SEAT DIMENSIONS					
SEAT WIDTH					 0130
BSA0050	<input type="checkbox"/>	550 mm - Adjustable up to 600 mm		<input type="radio"/>	
BSA0060	<input type="checkbox"/>	610 mm - Adjustable up to 660 mm		<input type="radio"/>	
Seat width pre-adjustment					
BSA0070	<input type="checkbox"/>	Supplied with adjustment + 50 mm (at 600 or 660 mm)		<input type="radio"/>	
Seat depth					
BSA0090	<input type="checkbox"/>	Adjustable from 530 to 600 mm		<input checked="" type="checkbox"/>	
Floor/seat height (measured without cushion)					
BSA0100	<input type="checkbox"/>	400 mm	NC : 0290, 0495, 0516	<input type="radio"/>	
BSA0110	<input type="checkbox"/>	450 mm	NC : 0480, 0514	<input checked="" type="checkbox"/>	
SEAT TYPE					
BSA0120	<input type="checkbox"/>	DEPTH ADJUSTABLE		<input checked="" type="checkbox"/>	
SEAT CUSHION					
BSA0130	<input type="checkbox"/>	MAX SEAT CUSHION		<input checked="" type="checkbox"/>	
SEAT UPHOLSTERY					
BSA0155	<input type="checkbox"/>	BLACK PU TR26 - MUTLI STRETCH PU COATED FABRIC		<input checked="" type="checkbox"/>	
BACKREST					
BACKREST TYPE					 0160
BSA0160	<input type="checkbox"/>	BACKREST, TENSION ADJUSTABLE - PRE-ADJUSTED SPACE UPWARDS		<input checked="" type="checkbox"/>	
BACKREST COVER/ CUSHION					
BSA0170	<input type="checkbox"/>	COVER, LATERAL - BACKREST UPHOLSTERY MANDATORY		<input checked="" type="checkbox"/>	
BSA0180	<input type="checkbox"/>	CUSHION, LAGUNA (LATERAL SUPPORT) - BACKREST UPHOLSTERY MANDATORY	NC : 0415	<input type="radio"/>	
BACKREST UPHOLSTERY					 0180  0170
BSA0215	<input type="checkbox"/>	BLACK PU TR26 - MUTLI STRETCH PU COATED FABRIC		<input checked="" type="checkbox"/>	
PUSHHANDLES					
BSA0220	<input type="checkbox"/>	PUSH HANDLES BRACED		<input checked="" type="checkbox"/>	 0220
BSA0230	<input type="checkbox"/>	HIGH PUSH BAR		50,24	

SEAT TILT AND BACKREST REGULATION TYPE					
BSA0240	<input type="checkbox"/>	ASSISTANT OPERATED GAS PISTON SEAT AND BACKREST TILT. - TILT LOCK MANDATORY		◆	
BSA0250	<input type="checkbox"/>	ELECTRIC BY REMOTE CONTROL - COMPLIES WITH EN 12184 : 2014	NC : 1263, 1266	1 518,48	
BSA0605	<input type="checkbox"/>	TILT LOCK (LOCKING OF PRE-SET ANGLE)		◆	
LEGRESTS / FOOTRESTS					 
LEGRESTS / HANGERS TYPE					
BSA0260	<input type="checkbox"/>	HANGER ANGLE ADJUSTABLE WITH KNEE PAD AND REINFORCED, SEPARATE CALF SUPPORT, PAIR		◆	
FOOTRESTS TYPE					
BSA0280	<input type="checkbox"/>	FOOTREST LOWER PART, DEPTH AND ANGLE ADJUSTABLE WITH SHORT TUBE AND FOOTBOARD CONVERTER, PAIR		○	
BSA0290	<input type="checkbox"/>	FOOTREST LOWER PART, DEPTH AND ANGLE ADJUSTABLE WITH LONG TUBE AND FOOTBOARD CONVERTER, PAIR		◆	
ARMRESTS (Height adjustable, Autolock attachment included)					
ARMRESTS LH TYPE					
BSA0300	<input type="checkbox"/>	REINFORCED, WIDE PAD, LH		◆	
ARMRESTS RH TYPE					
BSA0320	<input type="checkbox"/>	REINFORCED, WIDE PAD, RH		◆	
SEATING OPTIONS					 0390  0370  0415  0430
ARMREST OPTIONS					
BSA0340	<input type="checkbox"/>	SIDE SUPPORT COVER		69,19	
BSA0350	<input type="checkbox"/>	CUSHION TO SIDE SUPPORT COVER		15,17	
SEAT OPTIONS					
BSA0360	<input type="checkbox"/>	INCONTINENCE COVER		41,71	
BSA0365	<input type="checkbox"/>	TILT SCALE		67,30	
BACKREST OPTIONS					
BSA0370	<input type="checkbox"/>	HEADREST, SIDEWISE ADJUSTABLE	NC : 0400	○	
BSA0390	<input type="checkbox"/>	HEADREST WITH CHEEK SUPPORT, SIDEWISE ADJUSTABLE	NC : 0380, 0400	225,59	
BSA0380	<input type="checkbox"/>	COVER FOR HEADREST		54,03	
BSA0400	<input type="checkbox"/>	NECKREST		◆	
OTHERS BACKREST OPTIONS					
BSA0415	<input type="checkbox"/>	LATERAL POSITIONING PADS (WITH LOOP BAND BETWEEN COVER AND BACKREST UPHOLSTERY), PAIR		237,91	
BSA0420	<input type="checkbox"/>	HANDLES CLINIC KIT FOR HEAD-/NECKREST		29,38	
BSA0430	<input type="checkbox"/>	LUMBAR SUPPORT CUSHION		35,07	
BSA0440	<input type="checkbox"/>	WEDGES (ONE PAIR)		16,11	
CHASSIS					 0441 0442 0443 0444 0445
CHASSIS COLOUR					
BSA0441	<input type="checkbox"/>	PEARL GREY		◆	
BSA0442	<input type="checkbox"/>	AZURITE		○	
BSA0443	<input type="checkbox"/>	SAND		○	
BSA0444	<input type="checkbox"/>	ELECTRIC GREEN		○	
BSA0445	<input type="checkbox"/>	HAPPY RED		○	
CHASSIS SAFETY					
BSA0450	<input type="checkbox"/>	CHASSIS EXTENDER, CASTORS 50 MM FORWARD.		87,20	
CASTOR ATTACHMENT TYPE					
BSA0460	<input type="checkbox"/>	Fixed		◆	
FRONT CASTORS					
BSA0480	<input type="checkbox"/>	5,5"x1.3/4" - 140X45 BLACK SOFT		36,02	
BSA0495	<input type="checkbox"/>	8"x2" - 200X45 BLACK SOLID TYRE		◆	



REAR WHEELS SIZE					
REAR WHEELS SIZE					
BSA0514	<input type="checkbox"/>	22" / 560 MM - QR REAR WHEEL ATTACHMENT			○
BSA0516	<input type="checkbox"/>	24" / 600 MM - QR REAR WHEEL ATTACHMENT			◆
REAR WHEELS TYPE					
BSA0522	<input type="checkbox"/>	REINFORCED (COLORLESS HUB, CLEAR ANODIZED RIM & STAINLESS STEEL SPOKES)			◆
BSA0524	<input type="checkbox"/>	DRUM BRAKE (22/24" : COLORLESS HUB, CLEAR ANODIZED RIM & STAINLESS STEEL SPOKES / 16" : BLACK PLASTIC HUB & RIM)			○
TYRE TYPE					
BSA0535	<input type="checkbox"/>	TYRES SOLID BLACK 1" 3/8			◆
HANDRIM TYPE					
BSA0540	<input type="checkbox"/>	ALUMINIUM			◆
BSA0545	<input type="checkbox"/>	PLASTIC COATED			196,21
SPOKEGUARD					
BSA0550	<input type="checkbox"/>	FROST			219,91
SAFETY					
BRAKE TYPE					
BSA0560	<input type="checkbox"/>	USER MANOuverED TYRE BRAKES			◆
BSA0561	<input type="checkbox"/>	USER MANOuverED TYRE BRAKES, EXTENDED ARM			58,77
SAFETY OPTIONS					
BSA0570	<input type="checkbox"/>	PELVIC BELT - PLASTIC BUCKLE			73,93
BSA0590	<input type="checkbox"/>	REFLECTORS KIT (WHEELS AND CHASSIS)			41,71
OPTIONS					
Think of Bodypoint positioning accessories: belts, harnesses, ankle supports.					
OTHER OPTIONS					
BSA0600	<input type="checkbox"/>	TABLE WITH ELBOW SUPPORTS			453,08
RAMPS					
1440530	<input type="checkbox"/>	<b>Fiberglass Folding Mono Ramp</b> Folded dimensions: 2000 x 230 mm 16.3 kg - maximum capacity: 300 kg			1 787,68
1654128	<input type="checkbox"/>	<b>Basic ramp 2 telescopic parts</b> in aluminum and non-slip coating. Folded dimensions: 1210 x 194 mm. 8.8 kg per pair - maximum capacity: 270 kg			402,84
1654129	<input type="checkbox"/>	<b>Quick2go Compact 3-part aluminum telescopic ramp</b> with non-slip coating Folded dimensions: 870 x 237 mm 13.6 kg per pair - maximum capacity: 260 kg			805,69
1654130	<input type="checkbox"/>	<b>Aluminium folding mono ramp</b> Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg			426,54

