

Rea® Azalea® Minor

Please contact Invacare EU Export Customer Services on :-
Tel : +33 247 626980 ; Email : serviceclient_export@invacare.com
Or visit our website : www.invacare.eu.com



Rea® Azalea® Minor

Folding Frame Steel Manual Wheelchair - For Smaller Users



Description:
- Seat tilt with maintenance of the center of gravity and the correct position of the legrests: +1°/+24° and of the backrest: 0°/30° by pneumatic cylinders.
- Width-adjustable legrests.
- Heel straps. - Frame colour: Pearl gray (RAL 0515).
- Weight: from 32 kg.
- Maximum user weight: 75 kg.
- 2-year warranty period excluding wear parts



Date :

Purchase Order :

Customer Code :




Distributor Stamp:











Invacare Unique Customization Service

☐ Please make your selection with a cross in the box ☒ Standard feature ☐ Free of charge option

CODE		DESCRIPTION	NC : Non Compatible NC : 9999 = not compatible with the reference 9999	Euros	
BNC0014	☐	Rea® Azalea ® Minor for adults		1 900,47	
BNC0014	☐	Rea® Azalea ® Minor for young children from 18 months		1 900,47	
PROPULSION TYPE					
BNC0025	☐	SELF PROPELLED: 24"/ 22" WHEELS WITH USER BRAKES	NC : 1074, 1076	◆	
BNC0030	☐	SELF- AND ASSISTANT PROPELLED: 24" / 22" WHEELS WITH HUB BRAKES	NC : 1072, 1074, 1095	213,27	
SEAT					
SEAT WIDTH					SW SD 0° / +30° -1° / +20° 0165
BNC0038	☐	340 mm - Adjustable from 340 to 390 mm		◆	
Seat width pre-adjustment					
BNC0065	☐	Supplied with adjustment + 50 mm (i.e. 390 mm)		○	
Seat depth (SD)					
BNC0095	☐	Adjustable from 380 to 450 mm		◆	
SEAT HEIGHT					
BNC0110	☐	400 mm	NC : 0476, 1062	○	
BNC0120	☐	450mm	NC : 1055	◆	
SEAT ANGLE					
BNC0127	☐	NEGATIVE SEAT ANGLE -1 TO +23° (STD +1 TO +24°)		○	
SEAT TYPE					
BNC0130	☐	DEPTH ADJUSTABLE		◆	
SEAT CUSHION					
BNC0165	☐	CUSHION FLOSHAPE		◆	
SEAT UPHOLSTERY					
BNC0191	☐	BLACK PLUSH TR35		79,62	
BNC0201	☐	BLACK PU TR26		◆	
BNC0202	☐	BLACK SPACER TR36		○	
BACKREST					
BACKREST TYPE					0217 0218 0250 0260
BNC0217	☐	FLEX 2 BACKREST (TENSION ADJ. AZALEA MINOR)		○	
BNC0218	☐	FLEX 2 BACKREST (FIXED, AZALEA MINOR)		◆	
BACKREST COVER/ CUSHION					
BNC0250	☐	CUSHION, LAGUNA (LATERAL SUPPORT)		◆	
BNC0260	☐	CUSHION, MISTRAL 2 (WAIST SUPPORT)	NC : 0322	146,92	
BACKREST UPHOLSTERY					
BNC0311	☐	BLACK PLUSH TR35		79,62	
BNC0321	☐	BLACK PU TR26		◆	
BNC0322	☐	BLACK SPACER TR36		○	

PUSHHANDLES					
BNC0340	☐	PUSH HANDLES BRACED		◆	
BNC0345	☐	PUSH BAR ANGLE ADJUSTABLE		145,97	
SEAT TILT AND BACKREST REGULATION TYPE					
BNC0350	☐	ASSISTANT OPERATED GAS PISTON SEAT AND BACKREST TILT.		◆	
BNC1263	☐	TILT LOCK (LOCKING OF PRE-SET ANGLE)		◆	
LEGRESTS / FOOTRESTS					
LEGRESTS / HANGERS ADJUSTMENT					
BNC0378	☐	Support for 85° position - angulation of the legrest 10° to 85°	NC : 0390, 0410, 0440, 0460	52,13	
LEGRESTS / HANGERS LH TYPE					
BNC0380	☐	HANGER ANGLE ADJUSTABLE LH. WITH KNEE PAD AND CALF SUPPORT	NC : 0475, 0490, 0942	◆	
BNC0390	☐	HANGER FIXED 80 DEG, SWING IN SWING OUT - ALU 2003, LH		○	
BNC0410	☐	LEGREST AMPUTEE - ALU 2008 LH	NC : 0475, 0476, 0490, 0510, 0520, 0941, 0942	140,28	
LEGRESTS / HANGERS RH TYPE					
BNC0430	☐	HANGER ANGLE ADJUSTABLE RH. WITH KNEE PAD AND CALF SUPPORT	NC : 0475, 0550, 0942	◆	
BNC0440	☐	HANGER FIXED 80 DEG, SWING IN SWING OUT - ALU 2003, RH		○	
BNC0460	☐	LEGREST AMPUTEE - ALU 2008 RH	NC : 0475, 0476, 0550, 0570, 0580, 0941, 0942	140,28	
FOOTRESTS					
FOOTRESTS ONE PIECE					
BNC0475	☐	FOOTREST ONE PIECE DEPTH AND ANGLE ADJUSTABLE, NO WIDTH ADJUSTEMENT - SHORT TUBE	NC : 0510, 0520, 0570, 0580, 0954, 0956	203,79	
BNC0476	☐	FOOTREST ONE PIECE DEPTH AND ANGLE ADJUSTABLE, NO WIDTH ADJUSTMENT - LONG TUBE	NC : 0510, 0520, 0570, 0580, 0954, 0956	249,29	
FOOTRESTS LH TYPE					
BNC0490	☐	FOOTREST LOWER PART, FIXED WITH SHORT TUBE AND HEEL STRAP, LH.		○	
BNC0510	☐	FOOTREST LOWER PART, FIXED WITH LONG TUBE AND HEEL STRAP, LH.	NC : 0954, 0956	○	
BNC0520	☐	FOOTREST LOWER PART, DEPTH AND ANGLE ADJUSTABLE WITH LONG TUBE AND HEEL STRAP, LH		◆	
FOOTRESTS RH TYPE					
BNC0550	☐	FOOTREST LOWER PART, DEPTH AND ANGLE ADJUSTABLE WITH SHORT TUBE AND HEEL STRAP, RH		○	
BNC0570	☐	FOOTREST LOWER PART, FIXED WITH LONG TUBE AND HEEL STRAP, RH.	NC : 0954, 0956	○	
BNC0580	☐	FOOTREST LOWER PART, DEPTH AND ANGLE ADJUSTABLE WITH LONG TUBE AND HEEL STRAP, RH		◆	
ARMRESTS (Height adjustable, Autolock attachment included)					
ARMRESTS LH TYPE					
BNC0600	☐	STANDARD PAD, LH	NC : 1233	○	
BNC0606	☐	CONCAVE GUTTER ADJUSTABLE IN HEIGHT AND DEPTH OVE 70 MM WITHOUT TOOLS (COMPATIBLE WITH SHELF)	NC : 1233	113,17	
BNC0610	☐	PADDED, LH.	NC : 0680, 0690, 1230, 1231, 1233	◆	
BNC0615	☐	HEMIPLEGIC ARMRESTS, LH.	NC : 1230, 1231,1233, 1240, 1245	113,17	
BNC0620	☐	WITHOUT ARMREST, LH	NC : 0680, 0690, 1230, 1231, 1240, 1245	○	
ARMRESTS RH TYPE					
BNC0630	☐	STANDARD PAD, RH	NC : 1232	○	
BNC0636	☐	CONCAVE GUTTER ADJUSTABLE IN HEIGHT AND DEPTH OVE 70 MM WITHOUT TOOLS (COMPATIBLE WITH SHELF)	NC : 1233	113,17	
BNC0640	☐	PADDED, RH.	NC : 0680, 0690, 1230, 1231, 1232, 1240, 1245	◆	
BNC0645	☐	HEMIPLEGIC ARMRESTS, RH.	NC : 1230, 1240, 1245	113,17	
BNC0650	☐	WITHOUT ARMREST, RH	NC : 0680, 0690, 1230, 1231, 1240, 1245	○	

SEATING OPTIONS								
ARMREST OPTIONS								
BNC0680	☐	SIDE SUPPORT COVER		69,19	 0720			
BNC0690	☐	CUSHION TO SIDE REST COVER	ONLY WITH 0680	15,17				
SEAT OPTIONS								
BNC0710	☐	INCONTINENCE COVER		41,71	 0730			
BNC0720	☐	ABDUCTION CUSHION		246,45				
BACKREST OPTIONS								
BNC0730	☐	HEADREST, SIDEWISE ADJUSTABLE	NC : 0742, 0744, 0746, 0750, 0770	○	 0750			
BNC0750	☐	HEADREST WITH CHEEK SUPPORT, SIDEWISE ADJUSTABLE	NC : 0740, 0742, 0744, 0746, 0770, 0780	225,59				
BNC0731		HEADREST MATRIX ELAN STANDARD PAD (254 mm/10")	NC : 0740, 0770	218,01				
BNA0736		HEADREST MATRIX ELAN 4-POINT PAD (229W x 177H mm / 9"W x 7"H)	NC : 0740, 0770	408,53	 0731/ 0742			
BNC0740	☐	COVER FOR HEADREST		54,03				
BNC0770	☐	NECKREST		◆				
BNC0782	☐	UNIVERSAL HEAD/NECKREST HOLDER		69,19	 0770			
BNC0790	☐	HANDLES CLINIC KIT FOR HEAD-/NECKREST		29,38				
TRUNK SUPPORT LH								
BNC0800	☐	TRUNK SUPPORT MULTI ADJUSTABLE WITH STANDARD ARM (LH)		174,41	 0782			
BNC0880	☐	TRUNK SUPPORT SWINGAWAY (LH)		157,35				
TRUNK SUPPORT RH								
BNC0810	☐	TRUNK SUPPORT MULTI ADJUSTABLE WITH STANDARD ARM (RH)		174,41	 0800 / 0810			
BNC0890	☐	TRUNK SUPPORT SWINGAWAY (RH)		157,35				
BACKREST OPTIONS (Following)								
BNC0915	☐	TILT SCALE, BACKREST RECLINE		67,30	 0880 / 0890			
BNC0920	☐	WEDGES (ONE PAIR)		16,11				
BNC0954	☐	Bodypoint Open Buckle Ankle Supports, Side Adjustable, Medium (pair) - Comes loose with bindings		170,62				
BNC0956	☐	Bodypoint ankle braces open with buckle, adjustable on the side, Small (pair) - delivered loose with bindings		161,14	 0954/0956			
LEGREST OPTIONS								
BNC0941	☐	COVER FOOTPLATE		102,37				
BNC0942	☐	CALF STRAP PADDED		119,43				
CHASSIS								
CHASSIS COLOUR								
BNC0944	☐	PEARL GREY		◆	 0944			
BNC0946	☐	AZURITE		○			 0946	
BNC0947	☐	SAND		○				
BNC0948	☐	ELECTRIC GREEN		○				
BNC0949	☐	HAPPY RED		○				
CASTOR ATTACHMENT TYPE								
BNC0960	☐	Fixed		◆	 0949			
FRONT CASTORS								
BNC0982	☐	5,5"x1.3/4" - 140X40 BLACK MEDIUM HARD		36,02				
BNC0992	☐	6"x1.1/4" - 150X30 BLACK MEDIUM HARD		◆				
REAR WHEELS								
REAR WHEELS SIZE								
BNC1055	☐	22" / 560 MM - QR REAR WHEEL ATTACHMENT		○				
BNC1062	☐	24" / 600 MM - QR REAR WHEEL ATTACHMENT		◆				
REAR WHEELS TYPE								
BNC1072	☐	STANDARD (BLACK HUB, COLORLESS RIM & ZINC PLATTED SPOKES)	NC : 1120	◆				
BNC1074	☐	REINFORCED (COLORLESS HUB, CLEAR ANODIZED RIM & STAINLESS STEEL SPOKES)		○				
BNC1076	☐	DRUM BRAKE (22/24" : COLORLESS HUB, CLEAR ANODIZED RIM & STAINLESS STEEL SPOKES / 16" : BLACK PLASTIC HUB & RIM)	NC : 1086	○				
TYRE TYPE								
BNC1082	☐	PNEUMATIC PROFILED BLACK 1" 3/8		○				
BNC1086	☐	PNEUMATIC LOW PROFILE BLACK 1"		○				
BNC1092	☐	TYRES SOLID BLACK 1" 3/8		◆				

HANDRIM TYPE					
BNC1100	☐	ALUMINUM		◆	
BNC1120	☐	PLASTIC COATED		200,00	
WHEEL OPTIONS					
SPOKEGUARD					
BNC1160	☐	FROST		219,91	
SAFETY					
BNC1170	☐	USER MANOUEVERED TYRE BRAKES		◆	 1200
BNC1200	☐	PELVIC BELT - PLASTIC BUCKLE		73,93	
POSITIONING OPTIONS					
Think about Bodypoint positioning accessories: belts, harnesses, ankle supports.					
OPTIONS					
TABLE TRAY					 1230  1231  1232 / 1233  1237  1240  1300
BNC1230	☐	TABLE TRAY INCL MOUNTING KIT	NC : 1237	72,83	
BNC1231	☐	TABLE TRAY INCL MOUNTING KIT, WITH ELBOW PADS	NC : 1237	154,50	
BNC1232	☐	HALF TABLE TRAY, CLEAR, FLIP UP, LH (ARMREST WITH STRAIGHT NARROW PAD INCL.)	NC : 1235	72,83	
BNC1233	☐	HALF TABLE TRAY, CLEAR, FLIP UP, RH (ARMREST WITH STRAIGHT NARROW PAD INCL.)	NC : 1235	72,83	
BNC1240	☐	SWING AWAY TABLE	NC : 1235, 1237	300,47	
TABLE TRAY CUSHION					
BNC1235	☐	TABLE TRAY CUSHION		104,27	
BNC1237	☐	PADDING		90,05	
OTHER OPTIONS					
BNC1300	☐	HARNESS ATTACHMENT		78,67	
BNC1310	☐	ATTACHMENT WHEN USING THE PELVIC BELT FOR		28,44	
RAMPS					
1440530	☐	Fiberglass Folding Mono Ramp Folded dimensions: 2000 x 230 mm 16.3 kg - maximum capacity: 300 kg		1 787,68	
1654128	☐	Basic ramp 2 telescopic parts in aluminum and non-slip coating. Folded dimensions: 1210 x 194 mm. 8.8 kg per pair - maximum capacity: 270 kg		402,84	
1654129	☐	Quick2go Compact 3-part aluminum telescopic ramp with non-slip coating Folded dimensions: 870 x 237 mm 13.6 kg per pair - maximum capacity: 260 kg		805,69	
1654130	☐	Aluminium folding mono ramp Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg		426,54	