

Rea® Dahlia® 30°

Please contact Invacare EU Export Customer Services on :-
Tel : +33 247 626980 ; Email : serviceclient_export@invacare.com
 Or visit our website : www.invacare.eu.com



Rea® Dahlia® 30°

Folding Frame Steel Manual Wheelchair



Description:

- Reclining seat up to 30° *. Tilting possible by the user as an option.
- Backrest adjustable in angle or inclination from 0° up to 30° *.
- Reduced overall width: Seat width +180 mm with 20", 22", 24" wheels
- Narrow armrests without rotation as standard
- 90mm adjustable wheelbase
- Weight: from 35 kg.
- Max user weight: 135 kg.
- 2-year warranty period excluding wear parts
- * see table at the end of the order form.

Date :

Purchase Order :

Customer Code :

Distributor Stamp:



Invacare Unique Customization Service

Please specify the quote or special production number:

☐ Please make your selection with a cross in the box

◆ Standard feature

○ Free of charge option

CODE	DESCRIPTION	NC : Non Compatible NC : 9999 = not compatible with the reference 9999	Euros
BVA0010	☐ Rea® Dahlia® 30°		1 168,97
PROPULSION TYPE			
BVA0030	☐ SELF PROPELLED: 24" / 22" / 20" WHEELS	NC : 1588	◆
BVA0042	☐ ONE ARM DRIVE RIGHT (NEW DHR SYSTEM) - QUICK RELEASE AXLES	NC : 0120, 0130, 0140, 0150, 0190, 1555, 1610, 1630, 1650, 1660, 1670, 1710, 1728, 1810	832,23
BVA0044	☐ ONE ARM DRIVE LEFT (NEW DHR SYSTEM) - QUICK RELEASE AXLES	NC : 0120, 0130, 0140, 0150, 0190, 1555, 1610, 1630, 1650, 1660, 1670, 1710, 1728, 1810	832,23
SEAT DIMENSIONS			
SEAT WIDTH			
BVA0050	☐ 390 MM (SMALL CHASSIS)	NC : 1810	○
BVA0060	☐ 440 MM (MEDIUM CHASSIS)		○
BVA0070	☐ 490 MM (LARGE CHASSIS)		○
SEAT WIDTH EXTENSION (PRE ADJUSTMENT)			
BVA0080	☐ + 50 MM	NC : 0630	○
BVA0100	☐ WITHOUT SEAT WIDTH EXTENSION	NC : 0460, 0470	◆
SEAT DEPTH			
BVA0110	☐ DEPTH ADJUSTABLE 430-500 MM		◆
SEAT HEIGHT			
BVA0120	☐ 330 MM/ 13" (16" AND 20")	NC : 0670, 1728, 1810	○
BVA0130	☐ 350 MM/ 14" (22", 20" AND 16")	NC : 0670	○
BVA0140	☐ 380 MM/ 15" (20")	NC : 0670, 1728	○
BVA0150	☐ 400 MM/ 16" (20" AND 22")	NC : 0670	○
BVA0160	☐ 430 MM/ 17" (24" AND 22")	NC : 0670	○
BVA0170	☐ 450 MM/ 18" (24" AND 16")		◆
BVA0190	☐ 500 MM/ 20" (20")	NC : 1420, 1728	○
SEAT ANGLE - Negative			
BVA0240	☐ NEGATIVE SEAT ANGLE -1 (STANDARD IS + 0 DEGREE)		○

SEAT CUSHION					 0270  0280						
BVA0260	☐	CUSHION MISTRAL 2 LAYER BLACK PU TR26		-43,70							
BVA0270	☐	CUSHION FLOSHAPE BLACK PU TR26		-43,70							
BVA0272	☐	CUSHION FLOSHAPE PLUSH TR35		11,28							
BVA0274	☐	CUSHION FLOSHAPE SPACER TR36		-43,70							
BVA0280	☐	CUSHION MATRX CONTOUR VISCO NG		◆							
BACKREST											
BACKREST TUBE											
BVA0370	☐	+ 50 mm	NC : 0470		42,65						
BACKREST TYPE											
BVA0410	☐	LAGUNA 2 BACKREST PLATE	NC : 0460, 0470, 0490, 0492, 0495, 0497, 0510, 0520, 1265		○						
BVA0420	☐	LAGUNA BACKREST TENSION ADJUSTABLE, WITH BACKREST BOW AND NECKREST/HEADREST ATTACHMENT	NC : 0460, 0470, 0520, 0580, 0590, 1140, 1150, 1220,1230		◆						
BVA0430	☐	FLEX 3 BACKREST, FIXED PLATE (WIDTH ADJUSTABLE)	NC : 0490, 0492, 0495, 0497, 1265		190,52						
BVA0440	☐	FLEX 3 BACKREST, TENSION ADJUSTABLE(WIDTH ADJUSTABLE)	NC : 0470, 0495		216,11						
BACKREST FLEX 3 ADJUSTMENT											
BVA0460	☐	FLEX 3 + 50 MM			○						
BVA0470	☐	FLEX 3 + 100 MM	NC : 0630, 1725, 1727		○						
BVA0480	☐	WITHOUT BACKREST WIDTH EXTENSION			◆						
BACKREST COVER/ CUSHION											
BVA0490	☐	COVER, LATERAL - BACKREST UPHOLSTERY MANDATORY			○						
BVA0492	☐	XL COVER, LATERAL - BACKREST UPHOLSTERY MANDATORY			○						
BVA0495	☐	COVER, LATERAL LOW (43CM) - BACKREST UPHOLSTERY MANDATORY	NC : 0560		◆						
BVA0497	☐	XL COVER, LATERAL LOW (43CM) - BACKREST UPHOLSTERY MANDATORY	NC : 0560		○						
BVA0500	☐	CUSHION, LAGUNA (LATERAL SUPPORT) - BACKREST UPHOLSTERY MANDATORY	NC : 1265		○						
BVA0510	☐	CUSHION, MISTRAL 2 (WAIST SUPPORT) - BACKREST UPHOLSTERY MANDATORY	NC : 0575, 1265		○						
BVA0520	☐	CUSHION, PASSAD 2 (SHOULDER SUPPORT) - BACKREST UPHOLSTERY MANDATORY	NC : 1265		217,06						
BACKREST UPHOLSTERY											
BVA0560	☐	BLACK PLUSH TR35			79,62						
BVA0570	☐	BLACK PU TR26 - MUTLI STRETCH PU COATED FABRIC			◆						
BVA0575	☐	BLACK SPACER TR36			○						
PUSHHANDLES											
BVA0580	☐	ANGLE ADJUSTABLE PUSHBAR			145,97						
BVA0590 BVA0600	☐	Height adjustable and removable push handles			◆						
 0580											
						SEATING					
						SEAT TILT TYPE					
						BVA0620	☐	ASSISTANT OPERATED GAS PISTON FOR SEAT TILT			◆
						BVA0630	☐	USER OPERATED TILT (SELF-TILT) WITH FIXATED ARMREST POLE - SEAT TILT REDUCE TO 10°	NC : 0915, 0925, 0930, 0950, 0975, 0985, 0990, 1010, 1750, 1755, 1756, 1757, 1760, 1765, 1770, 1775, 1780, 1890		○
						BVA0632	☐	USER OPERATED TILT (SELF-TILT) WITH STANDARD ARMREST POLE - SEAT TILT REDUCE TO 10°	NC : 0915, 0925, 0930, 0950, 0975, 0985, 0990, 1010, 1750, 1755, 1756, 1757, 1760, 1765, 1770, 1775, 1780		○
						BACKREST RECLINE OPERATION TYPE					
BVA0640	☐	ASSISTANT OPERATED GAS PISTON FOR BACKREST RECLINE			◆						
BVA0660	☐	FIXED BACKREST ANGLE (BARREL SCREW)			○						

LEGRESTS / FOOTRESTS				
CENTRAL LEGRESTS TYPE				
BVA0670	☐	CENTRAL LEGREST, INCL CALFPAD AND FOOTREST	NC : 0690, 0692, 0700, 0710, 0730, 0750, 0760, 0780, 0805, 1040, 1330, 1340, 1350, 1351, 1352, 1353	900,47
LEGRESTS / HANGERS ADJUSTMENT				
BVA0680	☐	LOW POSITION, STANDARD		◆
BVA0690	☐	HIGH POSITION FOR LONGER LEGS, 50 MM HIGHER		109,00
BVA0692	☐	90° HANGER ATTACHMENT	NC : 0710, 0730, 0760, 0780	52,13
LEGRESTS / HANGERS LH TYPE				
BVA0700	☐	HANGER ANGLE ADJUSTABLE LH. WITH KNEE PAD AND CALF SUPPORT	NC : 0855, 1330	◆
BVA0710	☐	HANGER FIXED 80 DEG, SWING IN SWING OUT - ALU 2003, LH		○
BVA0730	☐	LEGREST AMPUTEE - ALU 2008 LH	NC : 0805, 0825, 1330, 1340, 1350	104,28
LEGRESTS / HANGERS RH TYPE				
BVA0750	☐	HANGER ANGLE ADJUSTABLE RH. WITH KNEE PAD AND CALF SUPPORT	NC : 0855, 1330	◆
BVA0760	☐	HANGER FIXED 80 DEG, SWING IN SWING OUT - ALU 2003, RH		○
BVA0780	☐	LEGREST AMPUTEE - ALU 2008 RH	NC : 0805, 0825, 0845,1330, 1340, 1350	140,28
FOOTRESTS				
FOOTRESTS LH TYPE				
BVA0805	☐	FOOTREST ONE PIECE DEPTH AND ANGLE ADJUSTABLE	NC : 1351, 1352, 1353	202,84
BVA0825	☐	FOOTREST LOWER PART, DEPTH AND ANGLE ADJUSTABLE WITH HEEL STRAP, LH	NC : 1330	◆
FOOTRESTS RH TYPE				
BVA0845	☐	FOOTREST LOWER PART, DEPTH AND ANGLE ADJUSTABLE WITH HEEL STRAP, RH	NC : 1330	◆
FOOTRESTS TUBE				
BVA0855	☐	SHORT TUBE 24CM		○
BVA0865	☐	LONG TUBE 36CM		◆
ARMRESTS (Height adjustable, Autolock attachment included)				
ARMRESTS LH TYPE				
BVA0900	☐	STRAIGHT NARROW PAD, LH	NC : 1756	○
BVA0910	☐	STANDARD PAD, LH	NC : 1025, 1756	○
BVA0915	☐	HIGH ARMREST (+55MM), STANDARD PAD, LH	NC : 1025, 1756	36,02
BVA0925	☐	CONCAVE PAD, LH	NC : 1025, 1756	◆
BVA0930	☐	HEMIPLEGIC ARMRESTS, LH. NOT TO COMBINE WITH TABLE ACCESSORIES.	NC : 1025, 1750, 1755, 1756, 1760, 1780	○
BVA0950	☐	WITHOUT ARMREST, LH	NC : 1020, 1025, 1750, 1755, 1760, 1780	○
ARMRESTS RH TYPE				
BVA0960	☐	STRAIGHT NARROW PAD, RH	NC : 1757	○
BVA0970	☐	STANDARD PAD, RH	NC : 1025, 1757	○
BVA0975	☐	HIGH ARMREST (+55MM), STANDARD PAD, RH	NC : 1025, 1757	36,02
BVA0985	☐	CONCAVE PAD RH	NC : 1025, 1757	◆
BVA0990	☐	HEMIPLEGIC ARMRESTS, RH. NOT TO COMBINE WITH TABLE ACCESSORIES.	NC : 1025, 1750, 1755, 1756, 1760, 1770, 1775, 1780	○
BVA1010	☐	WITHOUT ARMREST, RH	NC : 1020, 1025, 1750, 1755, 1760, 1770, 1775, 1780	○
SEATING OPTIONS				
ARMREST OPTIONS				
BVA1020	☐	PAD, SIDE REST		69,19
BVA1025	☐	PADDED ARMPAD COVER,BLACK PLUSH TR35		41,71
SEAT OPTIONS				
BVA1030	☐	INCONTINENCE COVER		41,71
BVA1040	☐	ABDUCTION CUSHION	NC : 1060	246,45
BVA1050	☐	SEAT PLATE EXTENSION IN WIDTH, FORWARD, REAR OR ASSYMETRIC (AS KIT, TWO UNITS OF PLATES)	NC : 1060	83,41
BVA1060	☐	2 CM SEAT HEIGHT INCREASED SEAT PLATE		94,79




0670



0700
0750



0710
0760



0730
0780



0825 / 0845



0825 / 0845




0900




0910



0925



0930



1040

BACKREST OPTIONS				
BVA1080	☐	HEADREST, SIDEWISE ADJUSTABLE	NC : 1087, 1100, 1110	○
BVA1100	☐	HEADREST WITH CHEEK SUPPORT, SIDEWISE ADJUSTABLE	NC : 1087, 1090, 1110	225,59
BVA1081		MATRX ELAN STANDARD PAD (254 mm / 10")		218,01
BVA1086		MATRX ELAN 4-POINT PAD (280W x 254H mm / 11"W x 10"H)		408,53
BVA1087		MATRX ELAN HARDWARE		201,90
BVA1090	☐	COVER FOR HEADREST	NC : 1100, 1110, 1120	47,39
BVA1110	☐	NECKREST		◆
BVA1130	☐	HANDLES CLINIC KIT FOR HEAD-/NECKREST		29,38
TRUNK SUPPORT LH				
BVA1140	☐	TRUNK SUPPORT MULTI ADJUSTABLE WITH STANDARD ARM (LH)		174,41
BVA1220	☐	TRUNK SUPPORT SWINGAWAY (LH)		157,35
TRUNK SUPPORT RH				
BVA1150	☐	TRUNK SUPPORT MULTI ADJUSTABLE WITH STANDARD ARM (RH)		174,41
BVA1230	☐	TRUNK SUPPORT SWINGAWAY (RH)		157,35
OTHERS BACKREST OPTIONS				
BVA1265	☐	LATERAL POSITIONING PADS (WITH LOOP BAND BETWEEN COVER AND BACKREST UPHOLSTERY),PAIR		237,91
BVA1280	☐	WEDGES (ONE PAIR)		67,30
BVA1300	☐	TILT SCALE, BACKREST RECLINE		16,11
LEGREST OPTIONS				
BVA1330	☐	CALF STRAP (FOR FOOTREST ONE PIECE)		87,20
BVA1340	☐	FOOT PLATE PADDING		103,32
BVA1350	☐	CALF STRAP PADDED		126,07
BVA1351	☐	BODYPOINT ANKLE HUGGERS LARGE	MOUNTING KIT INCLUDED	170,62
BVA1352	☐	BODYPOINT ANKLE HUGGERS MEDIUM	MOUNTING KIT INCLUDED	170,62
BVA1353	☐	BODYPOINT ANKLE HUGGERS SMALL	MOUNTING KIT INCLUDED	161,14
CHASSIS				
COLOUR STRAPS CHASSIS				
BVA1360	☐	BLUE		59,72
BVA1370	☐	SILVER		59,72
BVA1380	☐	RED		59,72
BVA1390	☐	CHAMPAGNE		59,72
BVA1400	☐	PETROLIUM GREEN		59,72
BVA1405	☐	WITHOUT COLOUR STRAPS		◆
CASTOR ATTACHMENT TYPE				
BVA1410	☐	FIXED		◆
BVA1420	☐	QR		75,83
FRONT CASTORS				
BVA1435	☐	4" x 1" - 100X27 BLACK SOFTROLL - FOR SEAT HEIGHT 330-350 MM		○
BVA1440	☐	5" x 1" - 125X27 BLACK MEDIUM HARD- FOR SEAT HEIGHT 350 MM		○
BVA1475	☐	6" x 1.1/4" - 150X30 BLACK MEDIUM HARD - FOR SEAT HEIGHT 380-450 MM		◆
BVA1495	☐	8" x 1.1/4" - 200X30 BLACK SOLID TYRE - FOR SEAT HEIGHT 450-500 MM		○
BVA1505	☐	8" x 1.1/4" - 200X32 PNEUMATIC BLACK - FOR SEAT HEIGHT 450-500 MM		○
BVA1515	☐	8" x 2" - 200X45 BLACK SOLID TYRE - FOR SEAT HEIGHT 450-500 MM		126,07
REAR WHEEL				
REAR WHEEL POSITION				
BVA1534	☐	STANDARD, MOST STABLE POSITION		◆
REAR WHEELS SIZE				
BVA1555	☐	20" / 515 MM - QUICK RELEASE ATTACHMENT	NC : 1582, 1586, 1588, 1625, 1640, 1670	○
BVA1565	☐	22" / 560 MM - QUICK RELEASE ATTACHMENT	NC : 1670	○
BVA1575	☐	24" / 600 MM - QUICK RELEASE ATTACHMENT		◆



10801110


1100


1081/


1086


1140 / 1150





1220 / 1230


1351 / 1352 / 1353


13601370


13901380


1400

REAR WHEELS TYPE					 Standard
BVA1582	☐	STANDARD (BLACK HUB, COLORLESS RIM & ZINC PLATTED SPOKES)	NC : 1660, 1670, 1728	◆	
BVA1584	☐	REINFORCED (COLORLESS HUB, CLEAR ANODIZED RIM & STAINLESS STEEL SPOKES)	NC : 1728	36,02	
BVA1586	☐	DRUM BRAKE (22/24" : COLORLESS HUB, CLEAR ANODIZED RIM & STAINLESS STEEL SPOKES / 16" : BLACK PLASTIC HUB & RIM)		○	
BVA1588	☐	ONE ARM DRIVE (BLACK HUB & ZINC PLATTED SPOKED WITH ONE ARM DRIVE HANDRIM SYSTEM)	NC : 1605, 1650, 1660, 1670, 1710, 1728	○	
TYRE TYPE					 1" 1.3/8" 1.3/8" 1640 1605 1625
BVA1605	☐	PNEUMATIC PROFILED BLACK 1" 3/8		○	
BVA1625	☐	TYRES SOLID BLACK 1"3/8		◆	
BVA1640	☐	PNEUMATIC LOW PROFILE BLACK 1"		○	
HANDRIM TYPE					
BVA1650	☐	ALUMINIUM		◆	
BVA1660	☐	PLASTIC COATED		200,00	
BVA1670	☐	BRUSHED STAINLESS STEEL		196,21	
WHEEL OPTIONS					
SPOKEGUARD					
BVA1710	☐	FROST		219,91	
SAFETY					
BRAKE TYPE					 1730 1731 / 1732
BVA1720	☐	USER OPERATED TYRE BRAKES		◆	
BVA1725	☐	ONE ARM BRAKE LH		327,01	
BVA1727	☐	ONE ARM BRAKE RH		327,01	
BVA1728	☐	ATTENDANT HUB BRAKE		213,27	
SAFETY OPTIONS					 1733 / 1734 1736 / 1737
BVA1730	☐	PELVIC BELT - PLASTIC BUCKLE		73,93	
BVA1731	☐	BODYPOINT 2 POINT CENTER-PULL PUSH-BUTTON MEDIUM		120,38	
BVA1732	☐	BODYPOINT 2 POINT CENTER-PULL PUSH-BUTTON LARGE		127,01	
BVA1733	☐	BODYPOINT 4 POINT CENTER-PULL PUSH-BUTTON MEDIUM		134,60	
BVA1734	☐	BODYPOINT 4 POINT CENTER-PULL PUSH-BUTTON LARGE		142,18	
BVA1736	☐	BODYPOINT PIVOTFIT HARNESS MEDIUM	ONLY WITH ELITE E2 /ELITE DEEP E2 BACKS OR WITH HEADREST /NECKREST	220,85	
BVA1737	☐	BODYPOINT PIVOTFIT HARNESS LARGE	ONLY WITH ELITE E2 /ELITE DEEP E2 BACKS OR WITH HEADREST / NECKREST	227,49	
POSITIONING OPTIONS					
Think about Bodypoint positioning accessories: belts, harnesses, ankle supports.					
OPTIONS					
TABLE TRAY					 1750 1755 1756 1757 1770 1775
BVA1750	☐	TABLE TRAY INCL MOUNTING KIT	NC : 1765	72,83	
BVA1755	☐	TABLE TRAY INCL MOUNTING KIT, WITH ELBOW PADS	NC : 1765	154,50	
BVA1756	☐	HALF TABLE TRAY, CLEAR, FLIP UP, LH (ARMREST WITH STRAIGHT NARROW PAD INCL.)	NC : 1760	72,83	
BVA1757	☐	HALF TABLE TRAY, CLEAR, FLIP UP, RH (ARMREST WITH STRAIGHT NARROW PAD INCL.)	NC : 1760	72,83	
BVA1770	☐	SWING AWAY TABLE	NC : 1760, 1780	300,47	
BVA1775	☐	SWING AWAY TABLE WITH ELBOW PADS	NC : 1760, 1780	348,82	
TABLE TRAY CUSHION					 1765
BVA1760	☐	TABLE CUSHION		92,89	
BVA1765	☐	PADDING		90,05	
OTHERS OPTIONS					 1860
BVA1780	☐	LOCKING DEVICE FOR TABLE TRAY		59,72	
BVA1810	☐	MOUNTING BRACKET ALBER VIAMOBIL V25	NC : 1870, 1900	313,74	
BVA1860	☐	HARNESS ATTACHMENT BACKREST, UPPER		78,67	
BVA1870	☐	KERB LEVER	NC : 1900	75,83	
BVA1890	☐	TRANSPORTATION BRACKETS FOR OCCUPIED AND NON OCCUPIED TRANSPORT		52,13	
BVA1900	☐	VENTILATOR TRAY		599,05	
BVA1920	☐	DRIP STAND		105,21	
BVA1930	☐	RESTRICTOR KIT		10,43	

COMPATIBILITY CHART: Seat height / rear wheel size / seat tilt

		Configuration Help			
Seat Height	Rear Wheel Size	Seat Tilt As Delivered	Backrest Recline As Delivered	Active Rear Wheel Position	
330	16"	30	30	Not Possible	
	20"	10	30	Armrest +5cm higher	
350	16"	30	30	Ok	
	20"	20	20	Not Possible	
380	22"	10	30	Not Possible	
	20"	20	10	Armrest +5cm higher	
400	20"	30	20	Ok	
	22"	20	10	Armrest +5cm higher	
430	22"	30	20	Not Possible	
	24"	20	10	Not Possible	
450	16"	30	30	Ok	
	24"	30	20	Not Possible	
480	16"	30	30	Ok	
500	20"	30	30	Ok	

RAMPS					
1440530	☐	Fiberglass Folding Mono Ramp Folded dimensions: 2000 x 230 mm 16.3 kg - maximum capacity: 300 kg		1 787,68	 1440530
1654128	☐	Basic ramp 2 telescopic parts in aluminum and non-slip coating. Folded dimensions: 1210 x 194 mm 8.8 kg per pair - maximum capacity: 270 kg		402,84	 1654128
1654129	☐	Quick2go Compact 3-part aluminum telescopic ramp with non-slip coating. Folded dimensions: 870 x 237 mm. 13.6 kg per pair - maximum capacity: 260 kg		805,69	 1654129
1654130	☐	Aluminum Folding Mono Ramp Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg		426,54	 1654130