

Invacare® Aviva® RX40 Modulite HD AA2

Please contact Invacare EU Export Customer Services on :-
Tel : +33 247 626980 ; Email : serviceclient_export@invacare.com
Or visit our website : www.invacare.eu.com



Invacare® Aviva® RX40 Modulite HD AA2

Rear drive wheelchair



Descriptive :
-Seat width up to 600 mm
-Seat depth up to 480 mm
-Max. user weight: 160 kg.
-Warranty : 2 years except batteries and wear parts

As standard :
-340W motors, 4 pole
-120 A power module
-73 Ah batteries and 10A charger
-LED lights system
-Fender for castors and drive wheels
-Single sided fork
-Metallic colours on frame, rims and backrest



Date :
User name :
Customer Code :
Dealer stamp:





Customization Service Invacare Unique
Please indicate your quote number or special manufacturing number :

Indicative Public Rate - Use the online configurator on Invacare Pro to generate quotes or orders free from incompatibilities.


☐ Please make your selection with a cross in the box ☒ Standard configuration ☐ Free of charge

CODE		DESCRIPTION	NC : Non Compatible NC : 9999 : non compatible with the reference 9999	EUROS	
JB10029	☐	AVIVA RX 40 HD AA2 includes 120A Power Module - 73Ah Batteries; Wide Base only - Max user weight up to 160 kg		7 156,40	
CHASSIS AVIVA RX					
JB12830	☐	Chassis Wide (635 mm/25")	NC : 1244	☒	
MODULITE HD SEAT					
SEATING TYPE					
JBX2101	☐	Invacare® Modulite HD Seat Unit On RX 40 HD only		☒	
SEAT WIDTH SETTING FOR ADJUSTABLE SEAT FRAME					
JB12124	☐	530 mm Seat Plate		☒	
JBX2104	☐	550 mm Seat Plate		☐	
SEAT DEPTH SETTING					
JB12136	☐	510 mm		☒	
JBX2137	☐	580 mm		☐	
SEAT CUSHION					
JB12148	☐	Seat Cushion (90 mm high)		☒	
BACKREST SUPPORT					
JB12162	☐	Backposts tall (540 mm)		☒	
BACKREST UPHOLSTERY / CUSHION					
JB12171	☐	Tension Adjustable tall = 540 mm		☒	
UPHOLSTERY COLOUR					
JB12156	☐	Black Nylon		☒	
ARMREST (Pair)					
JB12191	☐	T-Arm detachable, Standard Adjustment range 245 - 315 mm		☒	
JB12181	☐	T-Arm detachable, Extended height Adjustment range 295 - 365 mm		60,66	
ARMPAD (Pair)					
JB12195	☐	Short Armpad (325 mm)		☒	
JB12196	☐	Long Armpad (375 mm)		78,67	
JB12197	☐	Long Ergonomic Armpad (397 mm)		113,74	
HEADREST/NECKREST (Dartex)					
JB11350	☐	Neckrest depth adjustable	NC : 2230, 2247, 1288, 1289	☒	
JB11432	☐	Headrest sideways adjustable		☐	
JB11427	☐	Headrest with cheek support		313,74	
JB12324	☐	Elan Standard Pad 255 mm / 10" wide w/standard cover (ESP26)		383,89	
JB12325	☐	Elan Occipital Pad 230x180 mm / 9"x7" w/standard cover (EOP23)		427,49	
JB12327	☐	Elan 4 Point Headrest Pad 280x255 mm / 11"x10" w/standard		559,24	
JB11495	☐	Non Invacare Headrest - no mounting hardware		☐	




SEAT LIFTER / SEAT TILT					  0977
JB11092	☐	Powered "fixed pivot" Tilt 20°	NC : 1401	◆	
JB11093	☐	Powered Tilt (0° - 30°) with CoG shift	NC : 1401	787,68	
JB11094	☐	Seat lifter with powered tilt (300 mm, 30°), CoG shift	NC : 1494, 2220	2 127,01	
SEAT HEIGHT SETTING					
JB12857	☐	Seat-to-Floor Height 435 mm		◆	
JB12858	☐	Seat-to-Floor Height 460 mm		○	
JB12859	☐	Seat-to-Floor Height 485 mm		○	
BACKREST RECLINER					
JB10977	☐	Powered Recliner		◆	
LEGRESTS / FOOTRESTS					
CENTRE MOUNTED LEGRESTS					   0533  0513
JB10556	☐	Centre mount legrest, angle settable Length: 280 - 385 mm	NC : 2366, 0517, 1244	563,03	
JB10589	☐	LNx Power centre mount legrest, length compensating Length: 340 - 410 mm	NC : 1244	1 712,80	
FOOTPLATES / FOOT PLATFORM					
JB12365	☐	Angle & width adjustable footplates S (127 W x 190 mm D / 5"x7.5")		○	
JB10559	☐	Angle & width adjustable footplates M (140 W x 240 mm D / 5.5"x9.5")		◆	
JB10516	☐	Angle & width adjustable footplates L (150 W x 290 mm D / 6"x11.5)		124,17	
JB12366	☐	Angle adjustable foot platform S (305 W x 215 mm D / 12"x8.5")	NC : 0556	124,17	
JB10517	☐	Angle adjustable foot platform M (305 W x 275 mm D / 12"x10.75")	NC : 0556	124,17	
FOOTREST HANGER TYPE / PAIRS					
JB10533	☐	Hanger Vari A pair Lower leg length: 290 - 460 mm Angle adjustment: 70 - 0° with handwheel and calf pad		◆	
JB10531	☐	Hanger ADE pair Lower leg length: 290 - 460 mm Powered Angle adjustment: 80 - 0° with calf pad		878,67	
FOOTPLATE TYPE / PAIRS					
JB10504	☐	Angle Adjustable Footplate pair	NC : 0501	◆	
JB10513	☐	Angle and depth adjustable Footplate pair	NC : 0501	106,16	
REMOTES LINX					
LiNX PRIMARY REMOTES with proportional Joystick + BRACKETS					  REM216  REM400   REM500   2270  2209 2210
JB12204	☐	Remote LiNX DLX-REM216 = Drive, Actuators & Lights 3 Drive functions and power module incl. 2 Actuators & Lights	NC : 2231, 2232, 2233, 2230, 2240, 2270, 2258	◆	
JB12205	☐	Rehab Remote LiNX, touch-screen user interface DLX-REM400	NC : 2220	1 137,44	
JB12206	☐	Rehab Remote LiNX without joystick for alternative access users DLX-REM500 Requires a user input/alternative joystick: 2231, 2232, 2229, 2230, 2247, 2233	NC : 2220, 2270	1 712,80	
REM400 TOGGLE OPTION					
JB12270	☐	Assignable Toggle Switch Module f. REM400 (DLX-SW400TGL)	NC : 2203, 2204, 2206	340,28	
PRIMARY REMOTE AND DISPLAY MOUNTING POSITION					
JB11207	☐	Standard Bracket RH	NC : 2206, 2285, 2283, 2287, 2207, 2265, 2275, 1404	○	
JB11208	☐	Standard Bracket LH	NC : 2206, 2286, 2284, 2288, 2208, 2266, 2276, 1405	○	
JB11707	☐	Swing Away Bracket RH	NC : 2206, 2285, 2283, 2287, 2207, 2265, 2275, 1404	◆	
JB11708	☐	Swing Away Bracket LH	NC : 2206, 2286, 2284, 2288, 2208, 2266, 2276, 1405	○	
JB12209	☐	Swing away RH, multi-adjustable	NC : 2203, 2204, 2205, 2285, 2283, 2287, 2207, 2265, 2275, 1415, 2217, 1404	○	
JB12210	☐	Swing away LH, multi-adjustable	NC : 2203, 2204, 2205, 2286, 2284, 2288, 2208, 2266, 2276, 1339, 2218, 1405	○	
PW-4005	☐	Option 2209/2210 with mounting rod for REM500 extended by 200 mm		On demand	
JB12213	☐	Centre Mount, swing-away to RH, Nucleus	NC : 2285, 2283, 2287, 2207, 2265, 2275, 1415, 2217, 1404, 1405	685,31	

JB12214	☐	Centre Mount, swing-away to LH, Nucleus	NC : 2286, 2284, 2288, 2208, 2266, 2276, 1339, 2218, 1404, 1405	685,31	
JB12227	☐	Bracket RH, mounted for Attendant	NC : 2206, 1287, 2220, 2128, 2219, 1221, 1312	160,19	
JB12228	☐	Bracket LH, mounted for Attendant	NC : 2206, 1286, 2220, 2128, 2219, 1222, 1363	160,19	
JBX2239	☐	Individual mounting option per request (Special)		On demand	
DUAL CONTROL LiNX + BRACKETS					 REM050  2219  2245
JB12220	☐	Dual Control LiNX (DLX-REM050 as secondary remote)	NC : 1094, 2273, 2205, 2206, 1221, 1222, 2227, 2228	677,02	
JB12219	☐	Compact Dual Control LiNX (DLX-ACU200)	NC : 1221, 1222, 2227, 2228	1 091,94	
JB12245	☐	Invacare LiNX IDC Dual control	NC : 2259, 2260	1 563,98	
JB12259	☐	Bracket RH, Attendant	NC : 1287, 2291, 2245, 1312	○	
JB12260	☐	Bracket LH, Attendant	NC : 1286, 2292, 2245, 1363	○	
JB11221	☐	Bracket RH, detachable	NC : 1287, 2291, 2220, 2219, 2227, 1312	○	
JB11222	☐	Bracket LH, detachable	NC : 1286, 2292, 2220, 2219, 2228, 1363	○	
LiNX - COMPACT REMOTES + BRACKETS REQUIRES PRIMARY REMOTE (DLX-REM400 or DLX-REM500)					 2231 2232
JB12231	☐	Proportional Compact Remote DLX-CR400	NC : 2203, 2204	1 191,47	
JB12232	☐	Proportional Compact Remote Low Force DLX-CR-400LF	NC : 2203, 2204	1 312,80	
JB12207	☐	RH Mount	NC : 1207, 1707, 2209, 2213, 2217, 1404	○	
JB12208	☐	LH Mount	NC : 1208, 1708, 2210, 2214, 2218, 1405	○	
JB12265	☐	Centre Mount, swing-away to RH (Nucleus)	NC : 1207, 1707, 2209, 2213, 2217, 1404, 1405, 1415	717,54	
JB12266	☐	Centre Mount, swing-away to LH (Nucleus)	NC : 1208, 1708, 2210, 2214, 2218, 1404, 1405, 1339	717,54	
JBX2215	☐	Individual mounting option per request (Special)		On demand	
FOUR-SWITCH PROXIMITY ARRAY (with ATOM Technology)					 2233
JB12257	☐	Four-Switch Proximity Array (ASL106)	NC : 2203, 2204, 2229, 2230, 2247, 2233, 2240, 2128	6 129,86	
JB12275	☐	Centre Mount, swing-away to RH, Nucleus	NC : 1207, 1707, 2209, 2213, 2217, 1404, 1405, 1415	○	
JB12276	☐	Centre Mount, swing-away to LH, Nucleus	NC : 1208, 1708, 2210, 2214, 2218, 1404, 1405, 1339	○	
JBX2269	☐	Individual mounting option per request (Special)		On demand	
LiNX - PROPORTIONAL REMOTES WITH TPI / INPUTS & BRACKETS					 2251  2253
JB12233	☐	MEC Proportional Joystick (Micro Extremity Control ASL130)	NC : 2203, 2204, 2229, 2230, 2247, 2257, 2128	3 366,82	
JB12240	☐	Proportional Heavy Duty Remote Joystick w mode switch (ASL133)	NC : 2203, 2204, 2229, 2230, 2247, 2257, 2128	2 709,95	
JB12285	☐	Tray Mount RH (100x150 mm)	NC : 1207, 1707, 2209, 2213, 2217, 1404, 1405, 1415	717,54	
JB12286	☐	Tray Mount LH (100x150 mm)	NC : 1208, 1708, 2210, 2214, 2218, 1404, 1405, 1339	717,54	
JB12283	☐	Centre Mount, swing-away to RH, Nucleus	NC : 1207, 1707, 2209, 2213, 2217, 1404, 1405, 1415	○	
JB12284	☐	Centre Mount, swing-away to LH, Nucleus	NC : 1208, 1708, 2210, 2214, 2218, 1404, 1405, 1339	○	
JB12287	☐	Centre Mount, swing-away to RH, Nucleus Incl. Tray ASL603, 100x150 mm	NC : 1207, 1707, 2209, 2213, 2217, 1404, 1405, 1415	717,54	
JB12288	☐	Centre Mount, swing-away to LH, Nucleus Incl. Tray ASL603, 100x150 mm	NC : 1208, 1708, 2210, 2214, 2218, 1404, 1405, 1339	717,54	
JBX2289	☐	Individual mounting option per request (Special)		On demand	
LiNX 10-WAY SWITCH					
JB12251	☐	10-Way Switch DLX-SW10-A for direct Powered Seating Access		530,81	
JB12217	☐	Bracket RH, mounted for user	NC : 1415, 2207, 2287, 2283, 2275, 2213, 2209, 2265, 1404	○	
JB12218	☐	Bracket LH, mounted for user	NC : 1339, 2208, 2288, 2284, 2286, 2276, 2214, 2210, 2266, 1405	○	
JB12291	☐	Bracket RH, mounted for attendant	NC : 2128, 2259, 1221, 1287	○	
JB12292	☐	Bracket LH, mounted for attendant	NC : 2128, 2260, 1222, 1288	○	
JB12225	☐	Without mounting		○	
LiNX ACCESSORIES					
JB12253	☐	USB Charger Port DLX-USB02-A	NC : 2706	236,02	
JB12281	☐	RH Mount		○	
JB12282	☐	LH Mount		○	

Remote Stop Switch						
JB12258	☐	Remote Stop Switch (ASL504)	NC : 2203, 2204		831,28	
INPUT200 MODULE						
JB12273	☐	IN200 Module (Jack port for external power button + control inputs via DB9)	NC : 2220		349,76	
FURTHER LINX COMPONENTS / ACCESSORIES						
JB12300	☐	To be enclosed only			○	
JBX2301	☐	To be connected and programmed (Special)			On demand	
BUDDY BUTTONS						
JB11685	☐	Red Buddy Button			130,81	
JB11686	☐	Yellow Buddy Button			130,81	
JB11687	☐	Green Buddy Button			130,81	
JB11690	☐	Blue Buddy Button			130,81	
EGG SWITCH						
JB12254	☐	Egg Switch, black		103,32		
PIKO BUTTONS						
JB11711	☐	Red Piko Button		130,81		
JB11712	☐	Yellow Piko Button		130,81		
JB11713	☐	Green Piko Button		130,81		
JB11714	☐	Orange Piko Button		130,81		
JB11715	☐	Blue Piko Button		130,81		
JB11716	☐	Black Piko Button		130,81		
BODYPOINT JOYSTICK KNOBS						
JB12721	☐	3 inch U-Shaped, Joystick Handle, Bodypoint PC101A		100,00	 2721 2722	
JB12722	☐	4 inch U-Shaped, Joystick Handle, Bodypoint PC102A		100,00		
JB12723	☐	Domed Rubber, Joystick Handle, Bodypoint PC107A		100,00		 2723
JB12724	☐	Mushroom Grooved, Joystick Handle, Bodypoint PC110A		100,00		 2724
SWITCH ADAPTER					 1681	
JBH1681	☐	5:1 Switch Adapter (9-pin sub D to 5 jack ports)		151,66		
WHEELBASE DETAILS						
COLOURS					 2871  2872  2873  2874  2875  2865  2866  2867  2868	
JB12871	☐	Mid range - Black/Anthracite Shroud		-284,36		
JB12872	☐	Mid range - Silver Shroud		-284,36		
JB12873	☐	Mid range - Bengal Red Shroud		-284,36		
JB12874	☐	Mid range - Mercury Blue Shroud		-284,36		
JB12875	☐	Mid range - Midnight Purple Shroud		-284,36		
JBX0299	☐	Premium - Individual Shroud Colour (includes coloured spreader bars on Modulite back)		781,99		
JB12865	☐	Premium - Racing Green Shroud RAL6035		○		
JB12866	☐	Premium - Deep Ocean Blue Satin Shroud RAL5026		○		
JB12867	☐	Premium - Frosty Blue Shroud RAL5025		○		
JB12868	☐	Premium - Gold Shroud RAL1035		○		
RIM INSERT COLOURS						
JB12882	☐	Mid range - Black Rim Inserts		-80,57		
JB12883	☐	Mid range - Silver Rim Inserts		-80,57		
JB12884	☐	Mid range - Bengal Red Rim Inserts		-80,57		
JB12885	☐	Mid range - Mercury Blue Rim Inserts		-80,57		
JB12886	☐	Mid range - Midnight Purple Rim Inserts		-80,57		
JB12887	☐	Premium - Individual Rim Insert Colour		207,58		
JB12888	☐	Premium - Racing Green Rim Inserts RAL6035		○		
JB12889	☐	Premium - Deep Ocean Blue Satin Rim Inserts RAL5026		○		
JB12890	☐	Premium - Frosty Blue Rim Inserts RAL5025		○		
JB12891	☐	Premium - Gold Rim Inserts RAL1035		○		
FORKS						
JB12631	☐	Single sided fork		◆	 	
JB12632	☐	Double sided fork		○		
CASTORS					 	
JB10835	☐	9" (225 mm) x 2.80 (70 mm) Castor, pneumatic		◆		
JB10836	☐	9" (225 mm) x 2.80 (70 mm) Castor, puncture proof solid tyre		○		
JB10838	☐	9" (225 mm) x 2.80 (70 mm) Castor, puncture protected		61,61		
JB10828	☐	8" (200 mm) x 2.50-4 (65 mm) Castor, puncture proof solid tyre		149,76		

CASTOR LOCK				
JB11490	☐	Castor Lock	NC : (2631+1416)	218,86
DRIVE WHEELS				
JB10704	☐	DW 14" (355 mm) x 3" (75 mm), Pneumatic		◆
JB10705	☐	DW 14" (355 mm) x 3" (75 mm), Solid inlay		238,86
JB10706	☐	DW 14" (355 mm) x 3" (75 mm), Puncture protected		61,61
CTC SUSPENSION				
JB12870	☐	CTC Suspension Control - Traction - Comfort		◆
SUSPENSION FOR RX 40 HD				
JB11916	☐	Suspension up to 160 kg User Weight		◆
PERFORMANCES				
4-Pole MOTOR TYPE / SPEED OPTIONS				
JB11282	☐	OPS Drive 6 km/h		○
JB11283	☐	OPS Drive 10 km/h		◆
JB11223	☐	OPS Drive 10 km/h Setting for Ultra High Speed Motor Always combined with 73,5Ah Batteries	NC : 0828, 1259, 1260	○
BATTERY				
JB11260	☐	73,5 Ah Gel		◆
GYROSCOPE				
G-Trac				
JB11215	☐	G-Trac Module		1 034,12
CHARGER				
JB11313	☐	Opti Charge Charger 10A (IP44)		◆
SP1606545	☐	Opticharge Charger 10A (UK)		○
ANTI-TIPPERS				
JB11205	☐	Anti-tipper		◆
LIGHT				
JB11437	☐	LED Light system with Indicators 30 Lux headlights	NC : 2203	◆
JB12837	☐	LED Light system extra bright with indicators 60 Lux headlights	NC : 2203	402,84
TRANSPORTATION KIT 4-POINT TIE DOWNS				
JB11494	☐	4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19)	NC : 1094	◆
JB11401	☐	6-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19)) required for variants with combined Lift & Tilt module	NC : 1091, 1092,1093	○
TIE DOWN POINTS				
JB12894	☐	Easily accessible front tie-down points, additionally mounted for 4- or 6- point-tie-down	NC : 1493	91,94
LAP BELTS				
JB11329	☐	Lap belt with Auto Lock Standard mount on backrest		◆
JB12113	☐	Lap belt with Auto Lock Flexible mount in side rails		50,24
REARVIEW MIRROR				
JB11415	☐	Rear view mirror RH	NC : 1287, 2217, 2285, 2209, 2213, 2265, 2275, 2283, 2287	70,14
JB11339	☐	Rear view mirror LH	NC : 1286, 2218, 2286, 2210, 2214, 2266, 2276, 2284, 2288	70,14
ACCESSORIES				
BAG HOOKS				
JB12128	☐	Bag Hooks on Modulite Seat Max load up to 6 kg = impact on max user weight	NC : 2227, 2228, 2233, 2240, 2257, 2291, 2292	149,76
CANEHOLDER				
JB11312	☐	Cane holder RH	NC : 1287, 2227, 2259, 1221	68,25
JB11363	☐	Cane holder LH	NC : 1286, 2228, 2260, 1222	68,25
FENDER CASTORS (black)				
JB11416	☐	Fender for Castors		◆
JB11417	☐	Fender for Drive wheels		◆
TRAY				
JB11404	☐	Tray, Swing Away RH	NC : 1207, 1707, 2209, 2275, 2276, 2287, 2288, 2283, 2284, 2285, 2286, 2265, 2266, 2207, 2213, 2214, 2217	502,37
JB11405	☐	Tray, Swing Away LH	NC : 1208, 1708, 2210, 2275, 2276, 2287, 2288, 2283, 2284, 2285, 2286, 2265, 2266, 2208, 2213, 2214, 2218	502,37
TOOLKIT				
JB11333	☐	TOOLKIT		29,38


 1329
 2128
 1416
 1417
 1404
1405

RAMPS					
1440530	☐	Fiberglass Folding Mono Ramp Folded dimensions: 2000 x 230 mm 16.3 kg - maximum capacity: 300 kg		1 787,68	 1440530
1654128	☐	Basic ramp 2 telescopic parts in aluminum and non-slip coating. Folded dimensions: 1210 x 194 mm. 8.8 kg per pair - maximum capacity: 270 kg		298,58	 1654128
1654129	☐	Quick2go Compact 3-part aluminum telescopic ramp with non-slip coating Folded dimensions: 870 x 237 mm 13.6 kg per pair - maximum capacity: 260 kg		559,24	 1654129
1654130	☐	Aluminium folding mono ramp Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg		317,54	 1654130