

Invacare® Storm®4 Max AA2

Please contact Invacare EU Export Customer Services on :-
Tel : +33 247 626980 ; Email : serviceclient_export@invacare.com
Or visit our website : www.invacare.eu.com



Invacare® Storm®4 Max AA2
Indoor and outdoor rear wheel drive power chair



Description:
- Wheelchair weight: from 190 kg
- Maximum user weight: 220 kg.
- 2-year warranty excluding batteries and wearing parts.

Date :

User name :

Customer Code :



Dealer stamp:



Customization Service Invacare Unique
Please indicate your quote number or special manufacturing number :

Indicative Public Rate - Use the online configurator on Invacare Pro to generate quotes or orders free from incompatibilities.


☐ Please make your selection with a cross in the box ☒ Standard configuration ☐ Free of charge

CODE		DESCRIPTION	NC : Non Compatible NC : 9999 : non compatible with the reference 9999	EUROS		
AWC0016	☐	Invacare® Storm® 4 Max AA2		14 192,42		
SEATING TYPE						
AWC1145	☐	MAX Seat Unit		◆	 1106	
Backrest Type						
AWC1106	☐	Tension-adjustable backrest (height of 630 mm for seat		◆		
SEAT WIDTH - '+ 100 mm adjustment per armrest						
AWC0378	☐	Seat Width of Seat Frame 550 mm		◆		
AWC1459	☐	Seat Cushion MAX (550 x 635 mm)		◆		
AWC0380	☐	Seat Width of Seat Frame 610 mm		○		
AWC1460	☐	Seat Cushion MAX (610 x 635 mm)		○		
SEAT DEPTH						
AWC0396	☐	560 mm	AWC0397 ☐ 595 mm	○		
AWC0399	☐	Adapter to shorten the seat depth by 130 mm		85,31		
AWC0278	☐	Black bi-stretch PU upholstery of seat and back cushions		◆		
ARMREST - With reinforced, depth adjustable bracket						
AWC0635	☐	Fixed Armrest, 250 - 340 mm tool adjustable in height, removable		○		
ARMPADS						
AWC0647	☐	Standard Armpad (325 mm)		◆		
AWC0649	☐	Armpad extended 375 mm)		78,67		
HEADREST						
AWC1432	☐	Headrest, sideways adjustable		◆		
AWC1427	☐	Headrest with cheek support, sideways adjustable		314,69		
SEAT HEIGHT						
Seat height (measured without seat cushion)					 0635  1432 1427	
AWC1025	☐	Fix Seat Height 480 mm		◆		
AWC1006	☐	Fix Seat Height 510 mm		○		
SEAT TILT						
AWC1002	☐	Manual Seat Tilt by spindle		◆		
AWC1014	☐	Electrical Tilt 0° to 15°		787,68		
BACKREST RECLINER						
AWC0947	☐	Electrical Recliner		◆		
LEGREST PAIRS						
HANGER TYPES						
AWC0564	☐	Reinforced legrest brackets adjustable in angle by screws 90°- 65°; including XL calf supports individually adjustable in angle and depth 0583 with reinforced one-piece footplate 0599 angle-adjustable and foldable backwards, not retractable (up to 220 kg)		◆		
AWC0503	☐	Standard legrest brackets adjustable 90°- 65°, retractable in/out including XL calf supports individually adjustable in angle and depth 0583, with monobloc pallet 0522 adjustable in angle and retractable, width: 335 mm (up to 200 kg)		○		

G-TRAC						
AWC1215	☐	G-Trac Module				1 035,07
POSITIONING OPTIONS						
Think of Bodypoint positioning accessories: belts, harnesses, ankle supports.						
OPTIONS						
LIGHT						
AWC1437	☐	LED Light system with indicators				650,24
AWC1254	☐	Without Light system				◆
TRANSPORTATION KIT						
AWC1494	☐	4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19) (Adequate headrest is compulsory)				◆
LAP BELT						
AWC1455	☐	Lap Belt extra long with Auto Lock				◆
REARVIEW MIRROR)						
AWC1415	☐	Right	AWC1339	☐	Left	70,14
CANEHOLDER						
AWC1312	☐	Right	AWC1363	☐	Left	68,25
FENDER (Pair)						
AWC1417	☐	Fender for rear Wheels				221,80
TOOLKIT						
AWC1333	☐	Toolkit				29,38
RAMPS						
1440530	☐	Fiberglass Folding Mono Ramp Folded dimensions: 2000 x 230 mm 16.3 kg - maximum capacity: 300 kg				1 787,68
1654128	☐	Basic ramp 2 telescopic parts in aluminum and non-slip coating. Folded dimensions: 1210 x 194 mm. 8.8 kg per pair - maximum capacity: 270 kg				298,58
1654129	☐	Quick2go Compact 3-part aluminum telescopic ramp with non-slip coating Folded dimensions: 870 x 237 mm 13.6 kg per pair - maximum capacity: 260 kg				559,24
1654130	☐	Aluminium folding mono ramp Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg				317,54



1437



1455



1417



1440530



1654128




1654129



1654130



1437



1455



1417



1440530



1654128



1654129



1654130